

Beyond Linux[®] From Scratch

Version 6.2.0-rc1

BLFS Development Team

Beyond Linux[®] From Scratch: Version 6.2.0-rc1

by BLFS Development Team

Published 2007-02-03

Copyright © 2001-2007 BLFS Development Team

Abstract

This book follows on from the Linux From Scratch book. It introduces and guides the reader through additions to the system including networking, graphical interfaces, sound support, and printer and scanner support.

Copyright © 2001-2007, BLFS Development Team

All rights reserved.

Descriptive text is licensed under a Creative Commons License.

Computer instructions are licensed under the Academic Free License v. 2.1.

Linux[®] is a registered trademark of Linus Torvalds.

Dedication

This book is dedicated to the LFS community

Table of Contents

Preface	xiii
Foreword to Version 6.2.0	xiv
Who Would Want to Read this Book	xvi
Organization	xvii
Errata	xix
I. Introduction	1
1. Welcome to BLFS	2
Acknowledgments	2
Credits	3
Which Sections of the Book Do I Want?	7
Conventions Used in this Book	8
Book Version	10
Mirror Sites	11
Getting the Source Packages	12
Change Log	13
Mailing Lists	71
BLFS Wiki	72
Asking for Help and the FAQ	73
Contact Information	75
2. Important Information	76
Notes on Building Software	76
The /usr Versus /usr/local Debate	81
Optional Patches	82
BLFS Boot Scripts	83
Locale Related Issues	84
Going Beyond BLFS	88
II. Post LFS Configuration and Extra Software	90
3. After LFS Configuration Issues	91
Creating a Custom Boot Device	91
Configuring for Adding Users	93
About System Users and Groups	95
About Devices	97
The Bash Shell Startup Files	99
The /etc/vimrc and ~/.vimrc Files	107
Customizing your Logon with /etc/issue	108
The /etc/shells File	109
Random Number Generation	110
Compressing Man and Info Pages	111
Automate Mounting of File Systems	121
Configuring for Network Filesystems	124
4. Security	125
OpenSSL-0.9.8d	125
CrackLib-2.8.9	128
Linux-PAM-0.99.4.0	131

Shadow-4.0.15	134
Iptables-1.3.5	141
Setting Up a Network Firewall	143
GnuPG-1.4.3	152
Tripwire-2.4.0.1	154
Heimdal-0.7.2	157
MIT Kerberos V5-1.6	166
Cyrus SASL-2.1.21	173
Stunnel-4.15	176
Sudo-1.6.8p12	180
NSS-3.11.3	182
5. File Systems	185
ReiserFS-3.6.19	185
XFS-2.8.18	187
6. Editors	189
Vim-7.0	189
Emacs-21.4a	192
Nano-2.0.1	194
JOE-3.5	196
Ed-0.2	198
Bluefish-1.0.5	200
Other Editors	202
7. Shells	203
ASH-0.4.0	203
Tcsh-6.14.00	205
ZSH-4.2.6	207
III. General Libraries and Utilities	210
8. General Libraries	211
PCRE-6.7	211
Popt-1.10.4	213
S-Lang-2.0.6	215
Gamin-0.1.7	217
libxml-1.8.17	219
libxml2-2.6.26	221
libxslt-1.1.17	223
libgtkhtml-2.11.0	225
GMP-4.2	227
GDBM-1.8.3	229
GLib-1.2.10	231
GLib-2.10.3	233
LibIDL-0.8.7	235
Libcroco-0.6.1	237
libgsf-1.14.1	238
libglade-2.6.0	240
Expat-2.0.0	242
libESMTP-1.0.4	243
Aspell-0.60.4	245
SLIB-3a3	248
G-Wrap-1.3.4	250

LZO-2.02	252
libusb-0.1.12	253
ISO Codes-0.58-1	255
GMime-2.2.2	256
Libidn-0.6.3	258
libdrm-2.0.1	260
9. Graphics and Font Libraries	262
libjpeg-6b	262
libpng-1.2.12	264
LibTIFF-3.8.2	266
giflib-4.1.4	268
little cms-1.15	271
libmng-1.0.9	273
FreeType-2.1.10	275
Fontconfig-2.3.2	277
Libart_lgpl-2.3.17	280
librsvg-2.14.4	281
Imlib-1.9.15	283
AAlib-1.4rc5	285
Imlib2-1.2.2	287
libexif-0.6.13	289
FriBidi-0.10.7	291
Poppler-0.4.5	292
10. General Utilities	294
Bc-1.06	294
Rep-gtk-0.18	296
Compface-1.4	298
ImageMagick-6.2.8-0	300
Hd2u-1.0.0	303
GTK-Doc-1.6	304
ScrollKeeper-0.3.14	306
Intltool-0.34.2	308
Screen-4.0.3	310
HTML Tidy-051026	312
desktop-file-utils-0.11	315
XScreenSaver-4.24	317
Pilot-link-0.11.8	319
unixODBC-2.2.11	321
Graphviz-2.8	324
xterm-223	329
rman-3.2	331
11. System Utilities	332
GPM-1.20.1	332
Fcron-3.0.1	335
Hdparm-6.6	338
Which-2.16 and Alternatives	340
UnZip-5.52	342
Zip-2.32	345
PCI Utilities-2.2.3	347

usbutils-0.72	349
pkg-config-0.20	351
cpio-2.6	352
MC-4.6.1	354
Sysstat-6.0.2	357
Apache Ant-1.6.5	360
D-BUS-0.62	363
HAL-0.5.7.1	368
12. Programming	373
DejaGnu-1.4.4	373
Doxygen-1.4.6	375
Expect-5.43.0	377
GC-6.8	380
GCC-4.0.3	382
GCC-3.3.6	387
Guile-1.6.7	390
JDK-1.5.0_10	393
Librep-0.17	400
NASM-0.98.39	402
PDL-2.4.2	404
Perl Modules	409
PHP-5.1.4	419
Python-2.4.4	423
PyXML-0.8.4	425
Ruby-1.8.5	427
Tcl-8.4.13	429
Tk-8.4.13	431
Other Programming Tools	433
IV. Connecting to a Network	454
13. Dial-up Networking	455
PPP-2.4.4	455
WvDial-1.54.0	457
14. DHCP Clients	459
DHCP-3.0.5 Client	459
Dhcpd-2.0.8	461
15. Other Connections	463
RP-PPPoE-3.8	463
V. Basic Networking	466
16. Networking Libraries	467
cURL-7.15.3	467
WvStreams-4.2.2	469
GNet-2.0.7	472
libsoup-2.2.96	474
Libpcap-0.9.4	476
17. Text Web Browsers	477
Links-2.1pre23	477
Lynx-2.8.6	480
W3m-0.5.1	482
18. Basic Networking Programs	484

CVS-1.11.22	484
Inetutils-1.4.2	487
NcFTP-3.1.9	489
Net-tools-1.60	491
NTP-4.2.0a	494
OpenSSH-4.5p1 Client	497
Portmap-5beta	498
Rsync-2.6.8 Client	500
Samba-3.0.23d Client	501
Subversion-1.3.1	502
TCP Wrapper-7.6	506
Wget-1.10.2	508
Wireless Tools-28	510
Other Networking Programs	512
19. Basic Networking Utilities	513
Traceroute-1.4a12	513
Nmap-4.03	515
Whois-4.7.20	517
BIND Utilities-9.3.3	518
Ethereal-0.99.0	520
20. Mail/News Clients	523
Heirloom mailx-12.0	523
Procmail-3.22	525
Fetchmail-6.3.4	527
Mutt-1.5.11	529
Pine-4.64	532
TIN-1.8.2	535
Other Mail and News Programs	538
VI. Servers	539
21. Major Servers	540
Apache-2.2.2	540
BIND-9.3.3	544
NFS Utilities-1.0.10	551
OpenSSH-4.5p1	555
ProFTPD-1.3.0	558
Samba-3.0.23d	562
vsftpd-2.0.5	571
xinetd-2.3.14	574
22. Mail Server Software	585
Exim-4.61	585
Postfix-2.3.3	589
Qpopper-4.0.9	595
Sendmail-8.13.6	598
23. Databases	602
Berkeley DB-4.4.20	602
MySQL-5.0.21	605
PostgreSQL-8.1.3	609
24. Other Server Software	613
DHCP-3.0.5	613

Leafnode-1.11.5	616
OpenLDAP-2.3.27	619
rsync-2.6.8	624
Running a CVS Server	627
Running a Subversion Server	630
VII. X + Window Managers	634
25. X Window System Environment	635
Traditional X Window System	635
Xorg-6.9.0	636
XFree86-4.6.0	642
Modular X Window System	649
Introduction to Xorg-7.1	650
Xorg Protocol Headers	652
Xorg Utilities	653
Xorg Libraries	655
Xbitmaps-1.0.1	657
Xorg Applications	658
Xorg Data	660
Xorg Fonts	661
Luit-1.0.2	662
Xorg-Server-1.1.1	663
Xorg Drivers	665
Configuring X Window System	667
X Window System Components	668
Additional X Window System Configuration	675
26. X Libraries	678
Qt-3.3.7	678
GTK+-1.2.10	684
cairo-1.2.4	686
Pango-1.12.3	688
ATK-1.11.4	690
GTK+-2.8.20	692
LessTif-0.94.4	694
startup-notification-0.8	697
libwnck-2.14.3	699
shared-mime-info-0.17	701
hicolor-icon-theme-0.9	703
libxklavier-2.2	704
freeglut-2.4.0	706
GOffice-0.2.1	708
MesaLib-6.5	710
27. Window Managers	713
Introduction	713
sawfish-1.3	714
Fluxbox-0.9.15.1	716
Metacity-2.14.5	719
XFce-4.2.3.2	721
Other Window Managers	725
VIII. KDE	726

28. KDE Core Packages	728
KDE Pre-installation Configuration	728
aRts-1.5.6	730
Kdelibs-3.5.6	732
Kdebase-3.5.6	735
Configuring the Core KDE Packages	738
29. KDE Additional Packages	739
Kdeadmin-3.5.6	739
Kdenetwork-3.5.6	741
Kdepim-3.5.6	743
Kdemultimedia-3.5.6	745
Kdegraphics-3.5.6	748
Kdeutils-3.5.6	751
Kdeedu-3.5.6	753
Kdeaccessibility-3.5.6	755
Kdetools-3.5.6	757
Kdegames-3.5.6	759
Kdeartwork-3.5.6	761
Kdeaddons-3.5.6	763
Kde-i18n-3.5.6	765
30. KDE Software and WEB Development Packages	767
Kdesdk-3.5.6	767
Kdevelop-3.3.6	769
Kdewebdev-3.5.6	771
Kdebindings-3.5.6	773
IX. GNOME	775
31. GNOME Core Packages	777
Pre-installation Configuration	777
ORBit2-2.14.2	779
libbonobo-2.14.0	781
GConf-2.14.0	783
desktop-file-utils-0.11	785
GNOME MIME Data-2.4.2	786
shared-mime-info-0.17	788
GNOME Virtual File System-2.14.2	789
libgnome-2.14.1	791
libgnomecanvas-2.14.0	793
libbonoboui-2.14.0	795
GNOME Icon Theme-2.14.2	797
gnome-keyring-0.4.9	799
libgnomeui-2.14.1	801
GTK Engines-2.6.10	803
GNOME Themes-2.14.3	804
GNOME Doc Utils-0.6.1	806
GNOME Desktop-2.14.3	808
gnome-backgrounds-2.14.2.1	810
gnome-menus-2.14.3	812
GNOME Panel-2.14.3	815
GNOME Session-2.14.3	817

VTE-0.12.2	819
GNOME Terminal-2.14.2	821
LibGTop-2.14.2	823
GAIL-1.8.11	825
GNOME Applets-2.14.3	827
EEL-2.14.3	829
Nautilus-2.14.3	831
Control Center-2.14.2	833
Yelp-2.14.3	835
GNOME User Docs-2.14.2	837
Configuring the Core GNOME Packages	839
32. GNOME Additional Packages	840
Libraries	840
libgnomecups-0.2.2	841
libgnomeprint-2.12.1	843
libgnomeprintui-2.12.1	845
GtkHTML-3.10.3	847
Evolution Data Server-1.6.3	849
gtksourceview-1.6.2	852
system-tools-backends-1.4.2	854
gnome-audio-2.0.0	856
Utilities	857
bug-buddy-2.14.0	858
gedit-2.14.4	860
EOG-2.14.3	862
Evince-0.5.3	864
File Roller-2.14.4	866
GConf Editor-2.14.0	868
GNOME Utilities-2.14.0	870
GNOME System Monitor-2.14.5	872
gnome-mount-0.4	874
Nautilus CD Burner-2.14.3	876
GNOME Media-2.14.2	878
GNOME Netstatus-2.12.0	880
gcalctool-5.8.19	882
gucharmap-1.6.0	884
Zenity-2.14.3	886
Epiphany-2.14.2.1	888
Ekiga-2.0.2	890
GNOME Keyring Manager-2.14.0	892
gnome-volume-manager-1.5.15	894
GNOME Games-2.14.3	896
Sound Juicer-2.14.5	898
Totem-1.4.3	900
GDM-2.14.10	902
gnome-screensaver-2.14.3	906
Accessibility	910
AT SPI-1.7.7	911
Java Access Bridge-1.5.0	913

libgail-gnome-1.1.3	915
GNOME Speech-0.4.2	917
GNOME Magnifier-0.12.6	919
Gnopernicus-1.1.1	921
GOK-1.0.10	923
33. GNOME 1.4 Libraries	926
Pre-installation Configuration	926
ORBit-0.5.17	927
OAF-0.6.10	929
GNOME Libraries-1.4.2	931
GDK Pixel Buffer-0.22.0	933
GNOME Print-0.37	935
Bonobo-1.0.22	936
GConf-1.0.9	938
GNOME Virtual File System-1.0.5	940
Libglade-0.17	942
GAL-0.24	944
Guppi-0.40.3	946
Libcapplet-1.5.11	948
Soup-0.7.11	949
Libghttp-1.0.9	951
GtkHTML-1.1.7	952
X. X Software	954
34. Individual Office Programs	955
AbiWord-2.4.4	955
Gnumeric-1.6.3	958
GnuCash-1.8.12	961
GIMP-2.2.12	964
Evolution-2.6.3	968
35. Office Suites	971
KOffice-1.6.1	971
OpenOffice-2.0.3	973
36. Graphical Web Browsers	977
SeaMonkey-1.1	977
Firefox-1.5.0.9	985
Galeon-2.0.1	991
Konqueror-3.5.6	993
Dillo-0.8.5	994
37. Other X-based Internet Programs	996
Thunderbird-1.5.0.9	996
Pan-0.14.2	1003
Balsa-2.3.13	1005
Gaim-1.5.0	1008
XChat-2.6.2	1010
XI. Multimedia	1012
38. Multimedia Libraries and Drivers	1013
ALSA-1.0.13	1013
ALSA Library-1.0.13	1014
ALSA Plugins-1.0.13	1016

ALSA Utilities-1.0.13	1018
ALSA Tools-1.0.13	1021
ALSA Firmware-1.0.13	1024
ALSA OSS-1.0.12	1026
aRts-1.5.6	1028
Audio File-0.2.6	1029
EsounD-0.2.36	1031
SDL-1.2.11	1033
Libao-0.8.6	1035
libogg-1.1.3	1037
libvorbis-1.1.2	1038
NAS-1.7	1040
LibMPEG3-1.6	1043
libmad-0.15.1b	1045
libquicktime-0.9.9	1047
libFAME-0.9.1	1049
Speex-1.0.5	1051
Id3lib-3.8.3	1053
FLAC-1.1.2	1055
libdvdcss-1.2.9	1057
Libdvread-0.9.6	1059
Libdv-0.104	1061
Liba52-0.7.4	1063
XviD-1.1.0	1064
Xine Libraries-1.1.1	1066
Libmikmod-3.1.11	1068
GStreamer-0.10.11	1070
GStreamer Base Plug-ins-0.10.11	1073
GStreamer Good Plug-ins-0.10.4	1075
GStreamer Ugly Plug-ins-0.10.4	1077
libmusicbrainz-2.1.4	1079
libmpeg2-0.4.0b	1081
39. Audio Utilities	1084
Mpg123-0.60	1084
Vorbis Tools-1.1.1	1086
XMMS-1.2.10	1088
LAME-3.96.1	1090
CDParanoia-III-9.8	1092
FreeTTS-1.2.1	1094
Audacious-1.0.0	1097
40. Video Utilities	1099
FFmpeg-0.4.9-pre1	1099
AviFile-0.7.45	1102
MPlayer-1.0pre7try2	1104
Xine User Interface-0.99.4	1110
Transcode-1.0.2	1112
41. CD/DVD-Writing Utilities	1115
Cdrtools-2.01	1115
Cdrdao-1.2.1	1118

UDFtools-1.0.0b3	1120
dvd+rw-tools-6.1	1122
K3b-0.12.16	1124
XII. Printing, Scanning and Typesetting	1127
42. Printing	1128
CUPS-1.2.7	1128
LPRng-3.8.28	1131
AFPL Ghostscript-8.53	1133
ESP Ghostscript-8.15.2	1136
Gimp-Print-4.2.7	1139
43. Scanning	1141
SANE-1.0.17	1141
XSane-0.97	1145
44. Standard Generalized Markup Language (SGML)	1147
SGML Common-0.6.3	1147
DocBook SGML DTD-3.1	1149
DocBook SGML DTD-4.4	1151
OpenSP-1.5.2	1153
OpenJade-1.3.2	1156
DocBook DSSSL Stylesheets-1.79	1158
DocBook-utils-0.6.14	1160
45. Extensible Markup Language (XML)	1162
DocBook XML DTD-4.4	1162
DocBook XSL Stylesheets-1.69.1	1166
46. PostScript	1169
a2ps-4.13b	1169
Enscript-1.6.4	1172
PSUtils-p17	1174
GSview-4.8	1176
Xpdf-3.01pl2	1178
FOP-0.20.5	1181
paps-0.6.6	1186
Other PostScript Programs	1188
47. Typesetting	1189
teTeX-3.0	1189
JadeTeX-3.13	1193
A. Creative Commons License	1197
B. Academic Free License v. 2.1	1202
Glossary	1205
Index	1214

Preface

Having helped out with Linux From Scratch for a short time, I noticed that we were getting many queries as to how to do things beyond the base LFS system. At the time, the only assistance specifically offered relating to LFS were the LFS hints (<http://www.linuxfromscratch.org/hints>). Most of the LFS hints are extremely good and well written but I (and others) could still see a need for more comprehensive help to go Beyond LFS - hence BLFS.

BLFS aims to be more than the LFS-hints converted to XML although much of our work is based around the hints and indeed some authors write both hints and the relevant BLFS sections. We hope that we can provide you with enough information to not only manage to build your system up to what you want, whether it be a web server or a multimedia desktop system, but also that you will learn a lot about system configuration as you go.

Thanks as ever go to everyone in the LFS/BLFS community; especially those who have contributed instructions, written text, answered questions and generally shouted when things were wrong!

Finally, we encourage you to become involved in the community; ask questions on the mailing list or news gateway and join in the fun on #lfs at [irc.linuxfromscratch.org](irc://irc.linuxfromscratch.org). You can find more details about all of these in the Introduction section of the book.

Enjoy using BLFS.

Mark Hymers
markh <at> linuxfromscratch.org
BLFS Editor (July 2001–March 2003)

I still remember how I found the BLFS project and started using the instructions that were completed at the time. I could not believe how wonderful it was to get an application up and running very quickly, with explanations as to why things were done a certain way. Unfortunately, for me, it wasn't long before I was opening applications that had nothing more than "To be done" on the page. I did what most would do, I waited for someone else to do it. It wasn't too long before I am looking through Bugzilla for something easy to do. As with any learning experience, the definition of what was easy kept changing.

We still encourage you to become involved as BLFS is never really finished. Contributing or just using, we hope you enjoy your BLFS experience.

Larry Lawrence
larry <at> linuxfromscratch.org
BLFS Editor (March 2003–June 2004)

The BLFS project is a natural progression of LFS. Together, these projects provide a unique resource for the Open Source Community. They take the mystery out of the process of building a complete, functional software system from the source code contributed by many talented individuals throughout the world. They truly allow users to implement the slogan "Your distro, your rules."

Our goal is to continue to provide the best resource available that shows you how to integrate many significant Open Source applications. Since these applications are constantly updated and new applications are developed, this book will never be complete. Additionally, there is always room for improvement in explaining the nuances of how to install the different packages. To make these improvements, we need your feedback. I encourage you

to participate on the different mailing lists, news groups, and IRC channels to help meet these goals.

Bruce Dubbs
bdubbs <at> linuxfromscratch.org
BLFS Editor (June 2004–December 2006)

My introduction to the [B]LFS project was actually by accident. I was trying to build a GNOME environment using some how-tos and other information I found on the web. A couple of times I ran into some build issues and Googling pulled up some old BLFS mailing list messages. Out for curiosity, I visited the Linux From Scratch web site and shortly thereafter was hooked. I've not used any other Linux distribution for personal use since.

I can't promise anyone will feel the sense of satisfaction I felt after building my first few systems using [B]LFS instructions, but I sincerely hope that your BLFS experience is as rewarding for you as it has been for me.

The BLFS project has grown significantly the last couple of years. There are more package instructions and related dependencies than ever before. The project requires your input for continued success. If you discover that you enjoy building BLFS, please consider helping out in any way you can. BLFS requires hundreds of hours of maintenance to keep it even semi-current. If you feel confident enough in your editing skills, please consider joining the BLFS team. Simply contributing to the mailing list discussions with sound advice and/or providing patches to the book's XML will probably result in you receiving an invitation to join the team.

Randy McMurchy
randy <at> linuxfromscratch.org
BLFS Editor (December 2006–Present)

Foreword to Version 6.2.0

Version 6.2.0 is the complement to the LFS 6.2 book. More time has elapsed between the release of the previous version (6.1) and this one than in any other release cycle. Much of this is due to the fact that LFS 6.2 took much longer to be released than was originally anticipated. Many new packages have been introduced in the 6.2.0 version, as well as many updates, refinements and additions to the existing packages.

The BLFS book now provides build and configuration instructions for almost 400 packages. Some of the new packages introduced in this version are: autotooled XOrg, HAL, D-BUS, GStreamer (now broken out into separate plugin packages), usbutils, libquicktime, GraphViz, K3b, dvd+rw-tools, NSS, Libidn, GAIM, Poppler, SeaMonkey, XChat, Audacious, cairo and unixODBC. Major updates include GNOME-2.14.3 (with several new GNOME packages such as Totem, gnome-mount and gnome-volume-manager), KDE-3.5.6, Firefox-1.5.x, Thunderbird-1.5.x, and most of the mainline server packages. As always, the list of packages that have been upgraded or added as well as configuration and build command changes are annotated in the Change Log.

Unfortunately, BLFS activity was semi-stagnant for several months after (and shortly before) the LFS 6.2 release. Therefore, many of the packages are somewhat dated (compared to previous BLFS versions). This brings us to why the versioning scheme has changed. This release is 6.2.0 as we fully anticipate releasing another version (6.2.1) just as soon as possible. The 6.2.1 release will also be based on the LFS-6.2 book, but will include updated packages, and fixes for any errors which may be discovered in 6.2.0.

As always, the main thrust of BLFS development will be to support the changes in the current LFS development book, but any changes or updates to the BLFS development book (that are compatible with LFS 6.2) will also

be merged into the BLFS 6.2.0 branch. This way, a 6.2.1 version of BLFS should be released fairly soon, and should provide a very current and stable Linux platform.

Enjoy!

Randy McMurchy
January 31, 2007

Who Would Want to Read this Book

This book is mainly aimed at those who have built a system based on the LFS book. It will also be useful for those who are using other distributions, but for one reason or another want to manually build software and are in need of some assistance. Note that the material contained in this book, in particular the dependency listings, is based upon the assumption that you are using a base LFS system with every package listed in the LFS book already installed and configured. BLFS can be used to create a range of diverse systems and so the target audience is probably nearly as wide as that of the LFS book. If you found LFS useful, you should also like this!

Since Release 5.0, the BLFS book version matches the LFS book version. This book may be incompatible with a previous or latter release of the LFS book.

Organization

This book is divided into the following parts.

Part I - Introduction

This part contains information which is essential to the rest of the book.

Part II - Post LFS Configuration and Extra Software

Here we introduce basic configuration and security issues. We also discuss a range of editors, file systems, and shells which aren't covered in the main LFS book.

Part III - General Libraries and Utilities

In this section we cover libraries which are often needed by the rest of the book as well as system utilities. Information on Programming (including recompiling GCC to support its full range of languages) concludes this part.

Part IV - Connecting to a Network

Here we cover how to connect to a network when you aren't using the simple static IP setup given in the main LFS book.

Part V - Basic Networking

Networking libraries and command-line networking tools make up the bulk of this part.

Part VI - Major Servers

Here we deal with setting up mail and other servers (such as SSH, Apache, etc.).

Part VII - X + Window Managers

This part explains how to set up a basic X Window System installation along with some generic X libraries and Window managers.

Part VIII - KDE

For those who want to use the K Desktop Environment or some parts of it, this part covers it.

Part IX - GNOME

GNOME is the main alternative to KDE in the Desktop Environment arena and we cover both GNOME-1.4 and GNOME-2.14 here.

Part X - X Software

Office programs and graphical web browsers are important to most people. They, along with some generic X software can be found in this part of the book.

Part XI - Multimedia

Here we cover setting multimedia libraries and drivers along with some audio, video and CD-writing programs.

Part XII - Printing, Scanning and Typesetting (PST)

The PST part of the book covers document handling with applications like Ghostscript, CUPS and DocBook to installing teTeX .

Appendices

The Appendices cover information which doesn't belong in the main book; they are mainly there as a reference.

Errata

The software used to create BLFS applications is constantly being updated and enhanced. Security warnings and bug fixes may become available after the BLFS book has been released. To check whether the package versions or instructions in this release of BLFS need any modifications to accommodate security vulnerabilities or other bug fixes, please visit <http://www.linuxfromscratch.org/blfs/errata/6.2.0-rc1/> before proceeding with your build. You should note any changes shown and apply them to the relevant section of the book as you progress with building the applications in BLFS.

Part I. Introduction

Chapter 1. Welcome to BLFS

The Beyond Linux From Scratch book is designed to carry on from where the LFS book leaves off. But unlike the LFS book, it isn't designed to be followed straight through. Reading the Which sections of the book? part of this chapter should help guide you through the book.

Please read most of this part of the book carefully as it explains quite a few of the conventions used throughout the book.

Acknowledgments

We would like to thank the following people and organizations for their contributions toward the BLFS and LFS projects:

- All those people listed on the Credits page for submitting patches, instructions and corrections to the book. The former editor would especially like to thank Bruce, Larry and Billy for their enormous inputs to the project.
- Jeff Bauman (former co-editor of the book) for his assistance with getting BLFS off the ground.
- Gerard Beekmans <gerard <at> linuxfromscratch.org> for starting and writing the vast majority of the LFS project.
- Robert Briggs for donating the linuxfromscratch.org and linuxfromscratch.com domain names.
- DREAMWVR.COM for their ongoing sponsorship by donating various resources to the LFS and related sub projects.
- Bruce Dubbs for donating the anduin package server and his substantial contribution to the purchase of the new quantum server.
- Garrett LeSage <garrett <at> linux.com> for creating the LFS banner.
- Frank Skettino <bkenoah <at> oswd.org> at OSD for coming up with the initial design of the LFS and BLFS websites.
- Mark Stone <mstone <at> linux.com> for donating the original linuxfromscratch.org servers.
- Jesse Tie-Ten-Quee <higho <at> @linuxfromscratch.org> for answering many questions on IRC, having a great deal of patience and for not killing the former editor for the joke in the original BLFS announcement!
- Countless other people on the various LFS and BLFS mailing lists who are making this book possible by giving their suggestions, testing the book and submitting bug reports.

Credits

Many people have contributed both directly and indirectly to BLFS. This page lists all of those we can think of. We may well have left people out and if you feel this is the case, drop us a line. Many thanks to all of the LFS community for their assistance with this project. If you are in the list and wish to have your email address included, again please drop us a line to randy@linuxfromscratch.org and we'll be happy to add it. We don't include email addresses by default so if you want it included, please state so when you contact us.

Editors

- *Editor:* Randy McMurphy <randy@linuxfromscratch.org>
- *Co-Editors:* Bruce Dubbs, Larry Lawrence, Igor Zivkovic, DJ Lucas, Tushar Teredesai, David Jensen, Archaic, Manuel Canales Esparcia, Dan Nicholson, Andy Benton and Alexander E. Patrakov.

Text Authors

- Chapter 01. Based on the LFS introductory text by *Gerard Beekmans*, modified by *Mark Hymers* for BLFS.
- Chapter 02: The /usr versus /usr/local debate: *Andrew McMurry*.
- Chapter 02: Going beyond BLFS: *Tushar Teredesai*.
- Chapter 02: Package Management: *Tushar Teredesai*.
- Chapter 02: Automated Building Procedures: *Randy McMurphy*.
- Chapter 02: Locale Related Issues: *Alexander Patrakov* and *Randy McMurphy*.
- Chapter 03: /etc/inputrc: *Chris Lynn*.
- Chapter 03: Customizing your logon & vimrc: *Mark Hymers*.
- Chapter 03: /etc/shells: *Igor Zivkovic*.
- Chapter 03: Random number script *Larry Lawrence*.
- Chapter 03: Creating a Custom Boot Device *Bruce Dubbs*.
- Chapter 03: The Bash Shell Startup Files *James Robertson* revised by *Bruce Dubbs*.
- Chapter 03: Compressed docs *Olivier Peres*.
- Chapter 04: Firewalling: *Henning Rohde* with thanks to *Jeff Bauman*. Revised by *Bruce Dubbs*.
- Chapter 11: Which *Mark Hymers* with many thanks to *Seth Klein* and *Jesse Tie-Ten-Quee*.
- Chapter 25: X Window System Environment: *Bruce Dubbs*.
- Chapter 27: Intro to Window Managers: *Bruce Dubbs*.
- Chapters 28 and 29: KDE: *Bruce Dubbs*.
- Chapters 30, 31, and 32: GNOME: *Larry Lawrence*.

Installation Instruction Authors

- traceroute: *Jeff Bauman*
- ProFTPD and rsync: *Daniel Baumann*
- joe, nano, nmap, slang, w3m and whois: *Timothy Bauscher*
- Fetchmail and WvDial: *Paul Campbell*
- CDPParanoia, mpg123, SDL and XMMS: *Jeroen Coumans*
- UDFtools, Perl modules (initial version) and Bluefish: *Richard Downing*
- sudo, wireless_tools: *Bruce Dubbs*
- tripwire: *Manfred Glombowski*
- alsa, cvs, dhcpcd, gpm, hdparm, libjpeg, libmng, libpng, libtiff, giflib, links, lynx, openssl, tcsh, which and zsh: *Mark Hymers*
- ALSA Firmware, ALSA OSS, inetutils, GLib, GTK+, libxml and vim: *James Iwanek*
- db and lcms: *Jeremy Jones and Mark Hymers*
- aalib, Alsa, ffmpeg, MPlayer, transcode, xvid and xsane: *Alex Kloss*
- ntp: *Eric Konopka*
- AbiWord, at-spi, ATK, audiofile, avifile, bc, bonobo-activation, bug-buddy, cdrdao, cdrtools, cpio, curl, dhcp, eog, esound, fcron, fluxbox, gail, galeon, gconf-editor, gdbm, gedit, gimp, GLib2, gmp, gnet, gnome-applets, gnome-desktop, gnome-games, gnome-icon-theme, gnome-libs, gnome-media, gnome-mime-data, gnome-panel, gnome-session, gnome-system-monitor, gnome-terminal, gnome-themes, gnome-utils, gnome-vfs, gnome-user-docs, gnumeric, GTK+2, gtk-doc, gtk-engines, eel, imlib, intltool, lame, libao, libart_lgpl, libbonobo, libbonoboui, libgail-gnome, libglade2, libgnome, libgnomecanvas, libgnomeprint, libgnomeprintui, libgnomeui, libgsf, libgtkhtml, libgtop, libIDL, libogg, librep, librsvg, libvorbis, libwnck, libxml2, libxslt, LPRng, Linux-PAM, metacity, MIT Kerberos 5, MPlayer, mutt, nautilus, oaf, OpenJade, OpenSP, OpenSSH, ORBit, ORBit2, pan, Pango, pcre, pkgconfig, postfix, procmail, Python, QT, rep-gtk, ruby, sawfish, scrollkeeper, sgml-common, sgml-dtd, shadow, startup-notification, unzip, vorbis-tools, vte, wget, XFce, xine, xml-dtd, yelp and zip: *Larry Lawrence*
- Archive::Zip, cracklib, JDK-5, libdrm, libpcap, Mesa, ncpfs, netfs, OpenOffice-2, pppd (update), RP-PPPoE, Samba-3, Subversion, Xorg-7 and xterm: *DJ Lucas*
- ALSA Tools, Apache Ant, cairo, Cyrus-SASL, D-BUS, DejaGnu, desktop-file-utils, DocBook DSSSL Stylesheets, DocBook-utils, dvd+rw-tools, Ethereal, Evince, Evolution Data Server, Exim (many additions), Expect, FOP, FreeTTS, FriBidi, GC, GCC (rewrite), GMime, gnome-audio, gnome-backgrounds, gnome-menus, gnome-mount, gnome-screensaver, gnome-volume-manager, GNOME Doc Utils, GNOME Keyring Manager, GnuCash (many additions), GOffice, Graphviz, GStreamer Base Plug-ins, GStreamer Good Plug-ins, GStreamer Ugly Plug-ins, HAL, Heimdal, HTML Tidy, ISO Codes, JadeTeX, Java Access Bridge, K3b, LessTif (rewrite), libexif, libgail-gnome, libgnomecups, Libidn, libmpeg2, libmusicbrainz, libquicktime, MIT Kerberos V5 (many updates and enhancements), MPlayer (extensive overhaul), NSS, Other Programming Tools, PDL, Perl Modules, pilot-link, Poppler, PyXML, Samba 3 (many additions), SANE (original instructions by Alex Kloss), Shadow (rewrite), SLIB, Sound Juicer, Stunnel, Sysstat,

system-tools-backends, Totem, unixODBC and usbutils: *Randy McMurchy*

- aspell, balsa, bind, bonobo, bonobo-conf, cvs server, emacs, evolution, exim, expat, gnome-print, GnuCash, gtkhtml, guppi, guile, g-wrap, leafnode, lesstif, libcaplet, libesmtplib, libglade, pine, portmap, PostgreSQL, qpopper, reiserfs, Samba, sendmail, slrn, soup, teTeX, tcp-wrappers, and xinetd: *Billy O'Connor*
- Gimp-Print, libusb and TIN: *Alexander E. Patrakov*
- Screen: *Andreas Pedersen*
- nfs-utils: *Reinhard*
- ESP Ghostscript: *Matt Rogers*
- iptables: *Henning Rohde*
- fontconfig, gcc, jdk, mozilla, nas, openoffice, ispell, mailx, ImageMagick, hd2u, tcl, tk and bind-utils: *Tushar Teredesai*
- MySQL: *Jesse Tie-Ten-Quee*
- PHP: *Jeremy Utley*
- Ekiga, Epiphany, FLAC, File Roller, GNOME Magnifier, GNOME Netstatus, GNOME Speech, GOK, Gnopernicus, Imlib2, LZO, MC, NASM, Nautilus CD Burner, Speex, XScreenSaver, Zenity, compface, fre glut, gcalctool, gucharmap, id3lib, kde-i18n, kdeaccessibility, kdebindings, kdesdk, kde develop, kdewebdev, libFAME, liba52, libdv, libdvdcss, libdv d read, libmad, libmikmod and libmpeg3: *Igor Zivkovic*

General Acknowledgments

- *Fernando Arbeiza* for doing great quality assurance on Shadow utilizing PAM. The machine access he saved may have been yours.
- *Miguel Bazdresch* for many suggestions and contributions to the Other Programming Tools section.
- *Gerard Beekmans* for generally putting up with us and for running the whole LFS project.
- *Oliver Brakmann* for developing the dhcpcd patch for FHS compliance.
- *Ian Chilton* for writing the nfs hint.
- *Nathan Coulson* for writing the new network bootscripts.
- *Nathan Coulson, DJ Lucas* and *Zack Winkles* for reworking the bootscripts used throughout the book.
- *Jim Harris* for writing the dig-nslookup-host.txt hint on which the bind-utils instructions are based.
- *Lee Harris* for writing the gpm.txt hint on which our gpm instructions are based.
- *Marc Heerdink* for creating patches for tcp_wrappers and portmap and for writing the gpm2.txt hint on which our gpm instruction are based.
- *Mark Hymers* for initiating the BLFS project and writing many of the initial chapters of the book.
- *J_Man* for submitting a gpm-1.19.3.diff file on which our gpm instructions are based.

- *Jeremy Jones* (otherwise known as *mca*) for hacking Makefiles and general assistance.
- *Steffen Knollmann* for revising the JadeTeX instructions to work with teTeX-3.0.
- *Eric Konopka* for writing the ntp.txt hint on which the ntp section is based.
- *Scot McPherson* for writing the gnome-1.4.txt hint from which was gathered useful information and for warning us that GNOME Version 2.0 may not be ready to put in the book.
- *Alexander E. Patrakov* for patches and suggestions to improve the book content, assistance with alsa dev.d helpers, and increasing the l10n awareness.
- *Ted Riley* for writing the Linux-PAM + CrackLib + Shadow hint on which reinstalling Shadow to use PAM is based.
- *Jeremy Byron* and *David Ciecierski* for assisting with, modifying, and testing various OpenOffice-2.0-pre builds and patches.

Which Sections of the Book Do I Want?

Unlike the Linux From Scratch book, BLFS isn't designed to be followed in a linear manner. This is because LFS provides instructions on how to create a base system which is capable of turning into anything from a web server to a multimedia desktop system. BLFS is where we try to guide you in the process of going from the base system to your intended destination. Choice is very much involved.

Everyone who reads the book will want to read certain sections. The Introduction part, which you are currently reading, contains generic information. Especially take note of the information in Chapter 2, Important Information, as this contains comments about how to unpack software, issues related to using different locales and various other aspects which apply throughout the book.

The part on Post LFS Configuration and Extra Software is where most people will want to turn next. This deals with not just configuration but also Security (Chapter 4, Security), File Systems (Chapter 5, File Systems), Editors (Chapter 6, Editors) and Shells (Chapter 7, Shells). Indeed, you may wish to reference certain parts of this chapter (especially the sections on Editors and File Systems) while building your LFS system.

Following these basic items, most people will want to at least browse through the General Libraries and Utilities part of the book. This part contains information on many items which are prerequisites for other sections of the book as well as some items (such as Chapter 12, Programming) which are useful in their own right. Note that you don't have to install all of these libraries and packages found in this part to start with as each BLFS installation procedure tells you which packages it depends upon so you can choose the program you want to install and see what it needs.

Likewise, most people will probably want to look at the Connecting to a Network and Basic Networking parts. The first of these deals with connecting to the Internet or your LAN using a variety of methods such as DHCP (Chapter 14, DHCP Clients) and Dial-Up Connections (Chapter 13, Dial-up Networking). The second of these parts deals with items such as Networking Libraries (Chapter 16, Networking Libraries) and various basic networking programs and utilities.

Once you have dealt with these basics, you may wish to configure more advanced network services. These are dealt with in the Servers part of the book. Those wanting to build servers should find a good starting point there. Note that this section also contains information on various database packages.

The next parts of the book principally deal with desktop systems. This portion of the book starts with a part talking about X and Window Managers. This part also deals with some generic X-based libraries (Chapter 26, X Libraries). After this, KDE and GNOME are given their own parts which are followed by one on X Software.

The book then moves on to deal with Multimedia packages. Note that many people may want to use the ALSA-1.0.13 instructions from this chapter quite near the start of their BLFS journey; they are placed here simply because it is the most logical place for them.

The final part of the main BLFS book deals with Printing, Scanning and Typesetting. This is useful for most people with desktop systems and even those who are creating mainly server systems will find it useful.

We hope you enjoy using BLFS and find it useful.

Conventions Used in this Book

To make things easy to follow, there are a number of conventions used throughout the book. Following are some examples:

```
./configure --prefix=/usr
```

This form of text is designed to be typed exactly as seen unless otherwise noted in the surrounding text. It is also used to identify references to specific commands.

```
install-info: unknown option
`--dir-file=/mnt/lfs/usr/info/dir'
```

This form of text (fixed width text) is showing screen output, probably a result from issuing a command. It is also used to show filenames such as `/boot/grub/grub.conf`

Emphasis

This form of text is used for several purposes in the book but mainly to emphasize important points or to give examples as to what to type.

<http://www.linuxfromscratch.org/>

This form of text is used for hypertext links external to the book such as HowTos, download locations, websites, etc.

SeaMonkey-1.1

This form of text is used for links internal to the book such as another section describing a different package.

```
cat > $LFS/etc/group << "EOF"
root:x:0:
bin:x:1:
.....
EOF
```

This type of section is used mainly when creating configuration files. The first command (in bold) tells the system to create the file `$LFS/etc/group` from whatever is typed on the following lines until the sequence EOF is encountered. Therefore, this whole section is generally typed as seen.

<REPLACED TEXT>

This form of text is used to encapsulate text that should be modified and is not to be typed as seen, or copy and pasted. Note that the square brackets are not part of the text, but should be substituted for as well.

root

This form of text is used to show a specific system user or group reference in the instructions.

Book Version

This is BLFS-BOOK version 6.2.0-rc1 dated February 03rd, 2007. This version is a release candidate of the upcoming 6.2.0 release. It is almost complete, though there are still a few Trac bugs to address before the final release. A list of the still open Trac bugs (if there are any remaining at the time you read this) can be found at <http://wiki.linuxfromscratch.org/blfs/query?status=new&status=assigned&status=reopened&milestone=6.2.0&order=>

Mirror Sites

The BLFS project has a number of mirrors set up world-wide to make it easier and more convenient for you to access the website. Please visit the <http://www.linuxfromscratch.org/mirrors.html> website for the list of current mirrors.

Getting the Source Packages

Within the BLFS instructions, each package has two references for finding the source files for the package—an HTTP link and an FTP link (some packages may only list one of these links). Every effort has been made to ensure that these links are accurate. However, the World Wide Web is in continuous flux. Packages are sometimes moved or updated and the exact URL specified is not always available.

To overcome this problem, the BLFS Team, with the assistance of Server Beach, has made an HTTP/FTP site available at *anduin.linuxfromscratch.org*. This site has all the sources of the exact versions of the packages used in BLFS. If you can't find the BLFS package you need, get it there.

We would like to ask a favor, however. Although this is a public resource for you to use, we do not want to abuse it. We have already had one unthinking individual download over 3 GB of data, including multiple copies of the same files that are placed at different locations (via symlinks) to make finding the right package easier. This person clearly did not know what files he needed and downloaded everything. The best place to download files is the site or sites set up by the source code developer. Please try there first.

Change Log

Please note that the Change Log only lists which editor was responsible for putting the changes into SVN; please read the Credits page in Chapter 1 for details on who wrote what.

Current release: 6.2.0-rc1 – February 03rd, 2007

Changelog Entries:

- February 2nd, 2007
 - [alexander] - Added CUPS and LPRng as recommended dependencies of a2ps.
 - [alexander] - Added some caution boxes for packages that are not going to work in multibyte locales.
 - [bdubbs] - Updated to Koffice-1.6.1.
 - [bdubbs] - Updated to KDE-3.5.6. Added runtime dependencies to kdelibs and kdbase thanks to Chris Staub. Added a change to kdebindings to reduce build time by a factor of five thanks to Dan Nicholson.
- February 1st, 2007
 - [randy] - Changed the references of polypaudio to the new project name of PulseAudio, also updated the URL.
 - [randy] - Fixed broken URL for the "Why LD_LIBRARY_PATH is bad" site in the Beyond BLFS page.
 - [randy] - Fixed broken download URLs in the ISO Codes instructions.
 - [randy] - Enabled the D-BUS FTP download URL.
 - [randy] - Fixed broken download URL for a known working version of Pyrex in the D-Bus instructions.
 - [randy] - Fixed broken download URLs in the HTML Tidy instructions.
- January 31st, 2007
 - [randy] - Broke out the separate sections of the Preface into separate XML files and added 6.2.0 release information to the Preface.
 - [alexander] - Upgraded GC to version 6.8 in order to fix the build failure with GCC-4.1.1.
- January 30th, 2007
 - [randy] - Added a note to the D-Bus instructions to identify a known working version of Pyrex, thanks to DJ Lucas for the report.
 - [randy] - Updated several Perl Modules versions: Business-ISBN-Data-1.13, Business-ISBN-1.84, Devel-Symdump-2.07, HTML-Element-Extended-1.17, HTML-Tree-3.23, Module-Corelist-2.09, PAR-Dist-0.21, Pod-Coverage-0.18, Test-Pod-Coverage-1.08 and Test-Prereq-1.032.
- January 29th, 2007

- [dnicholson] - Updated the desktop-file-utils page to more closely reflect the XDG Base Directory Specification and corrected the information on the gnome-menus page. Fixes ticket #2172. Thanks to Luca Piol for the report.
- [dnicholson] - Set the sysconfdir for libxfce4util, fixing ticket #2227.
- January 28th, 2007
 - [randy] - Updated the default MPlayer codecs and skin versions.
 - [randy] - Fixed broken download URLs in the NAS, libmikmod, OpenOffice, SANE Backends, ESP Ghostscript, CUPS, GPM, Transcode, FOP and teTeX instructions.
 - [dj] - Removed modification of JAI source file in FOP instructions.
 - [dj] - Updated to JDK-1.5.0_10 and modified the jdk.sh profile.d script.
- January 27th, 2007
 - [randy] - Fixed broken download URLs in the Tin, RSync, PostgreSQL, MySQL and Apache HTTPD server instructions.
- January 26th, 2007
 - [dj] - Modified Linux-PAM configuration in the Shadow instructions.
 - [dj] - Updated to vsftpd-2.0.5.
 - [randy] - Updated to ISO Codes-0.58-1.
 - [randy] - Fixed Starlink download URLs in the PDL instructions, fixed broken Shadow, Python, PPP, WVDial and NTP download URLs.
- January 24th, 2007
 - [randy] - Fixed the Zip, Unzip and FTP GCC download URLs.
 - [dnicholson] - Reverted the xsetpointer upgrade as it is broken with the inputproto in Xorg-7.1.
 - [dnicholson] - Actually apply the xorg-server and luit version upgrades.
- January 23rd, 2007
 - [dnicholson] - Patchlevel upgrades to the Xorg-7 packages. Removed unneeded patches encompassed in these updates. See #2225 for more details.
 - [dnicholson] - Changed the download location for the Xorg-7 wget lists and md5sums file.
- January 22nd, 2007
 - [alexander] - Added some options to Lynx for better locale support. Fixes ticket #1961.

- [randy] - Updated to ZSH-4.2.6 and added a warning for users with multibyte locales.
- January 21st, 2007
 - [dnicholson] - Added an example local session configuration file for D-Bus showing how to add new service directories. Changed the Epiphany instructions to reference this instead of symlinking its service file to the standard location.
 - [dnicholson] - Added optional configuration to HAL to prevent methods on fixed disk drives.
 - [dnicholson] - Fixed the X Input Devices User Notes link to point to a more appropriate place on the Wiki. Closes #2190.
 - [dnicholson] - Remove unneeded sed command from the Luit instructions. Fixes #2123.
 - [dnicholson] - Added text to the Locale Related Issues page suggesting the User Notes on the BLFS Wiki for the most recent information. Closes ticket #1993.
 - [alexander] - Removed obsolete statements about problems with MC and Nano from the Locale Related Issues page.
 - [dnicholson] - Updated to Thunderbird-1.5.0.9 with enigmail-0.94.2.
 - [dnicholson] - Updated to Firefox-1.5.0.9.
- January 20th, 2007
 - [randy] - Modified the Spiffy, Test::Base and YAML Perl Module instructions so that UTF-8 encoded manual pages are not installed.
 - [randy] - Modified the XScreenSaver instructions so that a UTF-8 encoded manual page is not installed.
 - [randy] - Added a shell script and additional information about UTF-8 manual pages to the Locale Related Issues page.
 - [randy] - Moved the CM-Super type1ec.sty file from the texmf-local directory structure to the texmf structure.
 - [bdubbs] - Updated to seamonkey-1.1.
- January 19th, 2007
 - [alexander] - Added Debian patch and bash-3.2 compatibility patch to MC. Fixes #2189.
- January 18th, 2007
 - [dnicholson] - Added ftp:// links for the Xorg-7.1 packages.
 - [dnicholson] - Updated security patches for Xorg-6.9.0 and xorg-server-1.1.0.
 - [dnicholson] - Changed the i18n.sh profile text to reference the LFS locale discussion and moved the GLib specific settings to that package's page. Fixes #2012.

- [randy] - Added text to the 'Locale Related Issues' page which discusses improperly encoded manual pages.
- [randy] - Added sed commands to the ImageMagick and Xorg evdev packages to remove UTF-8 encoded manual pages.
- January 17th, 2007
 - [dnicholson] - Updated the ALSA Library, Plugins, Utilities, Tools and Firmware to version 1.0.13. Updated ALSA OSS to 1.0.12. Fixes tickets #2112 and #2201. Notes have been added for untested packages.
 - [dnicholson] - Fixed the ALSA udev rules to work properly with the Udev and rules in stable LFS. Closes ticket #2125.
 - [dnicholson] - Added an <http://> link for the gpm package.
 - [dnicholson] - Fixed the GLib-2 <ftp://> link. Thanks to Guy Dalziel for spotting the error.
 - [alexander] - Removed the dead link to the old LiveCD hint.
 - [dnicholson] - Updated to HAL-0.5.7.1.
- January 15th, 2007
 - [randy] - Modified all the Sourceforge download links to use the new standard Sourceforge has implemented.
 - [randy] - Added a comment to the XFCE instructions saying that hicolor-icon-theme is a run-time dependency.
 - [randy] - Added commands to the teTeX instructions to install the cm-super type1ec.sty font file.
 - [alexander] - Added reiserfsprogs build fix for LFS SVN.
 - [randy] - Updated to Lynx-2.8.6.
- January 14th, 2007
 - [randy] - Added Alexander to the list of BLFS Editors.
 - [randy] - Fixed a broken download URL in the SLIB instructions, thanks to Leo Peschier for pointing it out.
 - [bdubbs] - Added security patch to unzip.
 - [bdubbs] - Updated patch in ed to correct an error. Thanks to Tyler Berry.
 - [randy] - Updated the md5sums and build data for the GNOME accessibility packages to be compatible with GNOME-2.14.3, This completes the GNOME-2.14.3 update.
 - [bdubbs] - Updated to Python-2.4.4.
 - [bdubbs] - Updated to dhcp-3.0.5.

- [randy] - Updated the md5sums and build data for the GNOME add-on utilities to be compatible with GNOME-2.14.3.
- [alexander] - Removed the commands that remove vim tutorials.
- [alexander] - Updated to xfsprogs-2.8.18, added notes about the lack of testsuites to xfsprogs and reiserfsprogs.
- January 13th, 2007
 - [bdubbs] - Updated to vim-7.0.
 - [bdubbs] - Updated to bind-9.3.3.
 - [bdubbs] - Updated to openssh-4.5p1.
 - [bdubbs] - Updated to openssl-0.9.8d.
- January 11th, 2007
 - [randy] - Updated to MIT Kerberos V5-1.6. Also overhauled the instructions to fit the updated version and included enhancements to the instructions.
- December 22nd, 2006
 - [randy] - Updated to Evolution-2.6.3.
 - [randy] - Updated GtkHTML, gtksourceview and Evolution Data Server to versions used with GNOME-2.14.3.
 - [randy] - Updated to GNOME-2.14.3. The “Core” packages are completely finished, the “Additional” packages still require updates to the MD5sums and build sizes/times.
- December 20th, 2006
 - [dnicholson] - Updated to xterm-223.
 - [dnicholson] - Ensured that the terminfo files from xterm are installed in the system terminfo database.
 - [dnicholson] - Removed the --datadir setting for Xorg-7. Some packages had broken configurations that caused files to be installed to the wrong location. Forcing `${datadir}` to match `${libdir}` worked around these problems, but they have now been resolved properly upstream.
- December 15th, 2006
 - [tushar] - Remove autoreconf command from popt. The tarball that matches the md5sum has the generated files.
- December 11th, 2006

- [randy] - Updated to GStreamer-0.10.11, GST Plugins Base-0.10.11, GST Plugins Good-0.10.4 and GST Plugins Ugly-0.10.4
- December 10th, 2006
 - [randy] - Updated to GSview-4.8 and fixed an issue with GSview using recent versions of ESP Ghostscript.
- December 9th, 2006
 - [dnicholson] - Updated to Nano-2.0.1.
- December 8th, 2006
 - [randy] - Added Sharutils (for the uudecode program) to the FreeTTS required dependencies, thanks to Chris Staub for the report.
 - [randy] - Updated to Samba-3.0.23d.
- December 7th, 2006
 - [randy] - Updated to CUPS-1.2.7.
- December 6th, 2006
 - [randy] - Added a note to the GNOME Panel instructions saying that the libxml2 Python module must be available.
- December 4th, 2006
 - [randy] - Updated to Whois-4.7.20.
- October 28th, 2006
 - [dnicholson] - Changed the structure of the Locale Related Issues page to describe general classes of problems. The package specific workarounds have been moved to their respective pages. Thanks to Alexander Patrakov for providing the rewrite, which better supports these situations.
- October 27th, 2006
 - [bdubbs] - Updated to qt-3.3.7.
 - [dnicholson] - Fixed Screen description to reflect that UTF-8 is now available. Thanks to Alexander Patrakov for the suggestion.
 - [dnicholson] - Updated to libmusicbrainz-2.1.4, fixing security vulnerability CVE-2006-4197. Closes ticket #2181.

- October 26th, 2006
 - [dnicholson] - Updated to Screen-4.0.3, fixing a security vulnerability. Closes ticket #2197.
- October 25th, 2006
 - [dnicholson] - Fixed the hdparm instructions to work correctly when installing to an alternate prefix. Thanks to Miguel Bazdresch for reporting the problem. Fixes ticket #2196.
 - [bdubbs] - Updated to zip 2.32.
- October 23rd, 2006
 - [randy] - Updated the Exim instructions documentation links.
- October 22nd, 2006
 - [randy] - Added a note to the GTK+2 instructions about the test suite requiring an X Window session.
 - [randy] - Removed references to the shared library from the UnZip instructions. Thanks to Gabriel Batir for the report.
 - [randy] - Added a sed command to the Graphviz instructions so that the Java bindings will build correctly if you have the JDK installed.
- October 19th, 2006
 - [dnicholson] - Added needed macro to use Cyrus-SASL in Postfix.
 - [dnicholson] - Updated to OpenLDAP-2.3.27.
- October 15th, 2006
 - [djensen] - Updated to Ruby-1.8.5. Fixes #2127.
 - [djensen] - Updated Seamonkey to Enigmail-0.94.1. Fixes #2170.
- October 14th, 2006
 - [dnicholson] - Added information about creating the /dev/dvd symlink for Mplayer with links pointing back to the relevant section of the LFS book. Fixes #1995.
 - [dnicholson] - Removed the note about installing UUID from the XFS page as the only libuuid comes from E2fsprogs. It is assumed that E2fsprogs is installed from LFS. Closes #2176.
 - [dnicholson] - Added PAM configuration to the host.def example in Xorg-6.9.0 and XFree86-4.6.0. It is commented out by default.
 - [dnicholson] - Updated to Postfix-2.3.3. Added configuration to automatically install HTML and README docs.

- October 12th, 2006
 - [dnicholson] - Fixed broken ASH download link and added text about lack of test suite. Fixes ticket #2130.
 - [dnicholson] - Fixed broken Rsync download link. Thanks to Miguel Bazdresch for the fix.
 - [dnicholson] - Fixed GNOME Doc Utils so that the pkg-config files are always installed. Closes #2126.
 - [dnicholson] - Patched Emacs to ensure that the AltGr key is recognized. Added information about lack of test suite.
- October 11th, 2006
 - [dnicholson] - Applied security patches to Xorg-6.9.0 and libXfont-1.1.0.
 - [randy] - Updated to NSS-3.11.3.
- October 8th, 2006
 - [dnicholson] - Updated to Firefox-1.5.0.7. Fixes #2150.
 - [dnicholson] - Updated to Thunderbird-1.5.0.7 and Enigmail-0.94.1. Fixes #2151 and #2171.
 - [dnicholson] - Updated to Links-2.1pre23. Installed some user documentation from the tarball. Closes #2042.
- October 5th, 2006
 - [randy] - Changed the TCP ports used by tunneled SWAT in the Samba instructions from 901 and 902 to 904 and 905 so that there is no conflict with the IANA database.
 - [randy] - Updated to cairo-1.2.4.
- October 1st, 2006
 - [dnicholson] - Fixed an issue with with rendering of OpenGL applications with MesaLib by adding an appropriate compiler flag. Thanks to Alexander Patrakov for the report and the fix. Closes ticket #2103.
 - [dnicholson] - Fixed an error with output redirection in MesaLib when /bin/sh is not Bash. Fixes ticket #2118.
- September 30th, 2006
 - [djensen] - Updated to Balsa-2.3.13.
- September 25th, 2006
 - [djensen] - Added 2 seeds to LPRng-3.8.28, fixing a gcc-4.1 bug and a syntax error for newer makes.
 - [dnicholson] - Updated to dhcpcd-2.0.8. Changed the build to execute the dhcpcd.exe configuration file.

- September 24th, 2006
 - [djensen] - Updated to SeaMonkey-1.0.5. Added the optional pango patch.
 - [randy] - Added a patch to the Heimdal instructions to fix a security vulnerability identified in MIT advisories CVE-2006-3083 and CVE-2006-3084.
- September 19th, 2006
 - [djensen] - Updated to Mpg123-0.60.
- September 16th, 2006
 - [djensen] - Removed a possible spurious doc dir installation in Esound.
 - [bdubbs] - Updated to openssl-0.9.8c.
- September 14th, 2006
 - [randy] - Fixed broken Linux-PAM documentation download URL.
- September 12th, 2006
 - [dj] - Updated to JDK-1.0.5_08.
- September 10th, 2006
 - [bdubbs] - Updated to nfs-utils-1.0.10.
 - [bdubbs] - Updated bootscripts to properly handle non-TERM stop signals.
 - [bdubbs] - Added creation of bin user to portmap.
 - [bdubbs] - Updated to pcre-6.7.
- September 5th, 2006
 - [dnicholson] - Updated to Thunderbird-1.5.0.5. Reordered the patches so that they can apply cleanly.
- September 4th, 2006
 - [dnicholson] - Updated to Firefox-1.5.0.6. Changed the order of the patches so that they can apply cleanly.
 - [dnicholson] - Fixed the text describing the default PKG_CONFIG_PATH to include /usr/share/pkgconfig. Fixes #2117. Thanks to Joe Ciccone.
 - [dnicholson] - Removed the ispell package as it has problems in UTF-8 locales and the aspell package is superior. Fixes ticket #2101.

- [dnicholson] - Updated to xterm-218. Fixes tickets #2096 and #2100.
- [bdubbs] - Fixed wording in php describing ini file. Thanks to Pippin for pointing this out.
- [dnicholson] - Moved xterm, rman, MesaLib and libdrm packages out of the Xorg-7 chapter as they are now developed externally. Added notes to their pages to indicate that they should only be built when using Xorg-7. Fixes ticket #2120.
- [dnicholson] - Added a missing program description to the Luit page.
- August 30th, 2006
 - [djensen] - Updated to JOE-3.5.
- August 29th, 2006
 - [dnicholson] - Fixed the download link for the Linux-PAM docs. Thanks to Tor Olav Slava.
 - [dnicholson] - Removed the reference to the vimrc question in the FAQ since it no longer exists. Thanks to Peter Ennis.
 - [dnicholson] - Minor text update on the bootdisk page. Thanks to Peter Ennis.
- August 9th, 2006
 - [dnicholson] - Added patch to fix a security vulnerability in Mutt-1.5.11. Fixes ticket #2072.
 - [dnicholson] - Added patches to fix security vulnerabilities in Xorg-7.1. Closes ticket #2100.
 - [dnicholson] - Added configuration for HAL and gnome-volume-manager for use without the pam_console module.
 - [dnicholson] - Fixed a broken iptables link and a typo on the About Devices page. Thanks to Gabriel Batir.
- August 7th, 2006
 - [dnicholson] - Added a patch to fix security vulnerabilities in Xorg-6.9.0. See ticket #2100. Removed fix for Glibc sys/kd.h as it is now in LFS stable.
- August 6th, 2006
 - [randy] - Noted in the Evince instructions that shared-mime-info is a run-time requirement.
 - [randy] - Updated to libsoup-2.2.96.
 - [randy] - Added XMLRPC-EPI as an optional dependency of PHP.
- August 5th, 2006
 - [randy] - Updated to libwnck-2.14.3.

- [randy] - Updated to libglade-2.6.0.
- [randy] - Updated to GTK+-2.8.20.
- [dnicholson] - Removed /etc/profile.d/tinker-term.sh since it is no longer needed with the Ncurses in stable LFS-6.2.
- August 4th, 2006
 - [randy] - Updated to libpng-1.2.12.
 - [randy] - Updated to libIDL-0.8.7.
 - [randy] - Added libxslt as a required dependency of the GNOME Doc Utils package.
 - [randy] - Updated to libxslt-1.1.17.
 - [randy] - Updated to libxml2-2.6.26.
- August 3rd, 2006
 - [randy] - Added four upstream patches to the Berkeley-DB instructions.
- August 2nd, 2006
 - [randy] - Updated the book to point at LFS 'stable' and use LFS stable package versions of Coreutils and Flex.
 - [randy] - Removed an obsolete ldconfig command from the OAF instructions.
- July 25th, 2006
 - [randy] - Updated to GIMP-2.2.12.
- July 24th, 2006
 - [randy] - Updated to libquicktime-0.9.9.
- July 22nd, 2006
 - [randy] - Updated to Avifile-0.7.45.
- July 15th, 2006
 - [randy] - Fixed the creation of the symbolic link in the Gnumeric instructions to fix access to the help documentation if GNOME is installed in a prefix other than /usr, thanks to Alessandro Alocci for spotting the error and contributing the fix.
- July 13th, 2006

- [dnicholson] - Fixed patch XML tags for Firefox and Thunderbird. Closes ticket #2069. Thanks to Joe Ciccone.
- July 11th, 2006
 - [randy] - Updated to K3b-0.12.16 and clarified the dependencies to fix Ticket #2015.
 - [randy] - Added DAO to the Glossary.
 - [randy] - Updated to CVS-1.11.22.
- July 9th, 2006
 - [randy] - Added a note about some additional optional dependencies in the Cdrdao instructions.
 - [dj] - Clarified instructions concerning alternate X Window System installation prefix.
 - [dj] - Corrected permission of installed files in OpenOffice instructions.
- July 8th, 2006
 - [dj] - Added instructions to QT installation to account for alternate installation prefix in X Window System.
- July 7th, 2006
 - [randy] - Updated the Apache Ant instructions to specify the version of Junit you should use.
 - [randy] - Added new package - gnome-screensaver-2.14.2.
 - [andy] - Updated ppp to 2.4.4.
- July 6th, 2006
 - [dnicholson] - Fixed typo in libusb udev rule creation. Thanks to Johannes Lächele.
- July 4th, 2006
 - [dnicholson] - Updated Firefox and Thunderbird to version 1.5.0.4. Added a patch to fix the builds with --enable-pango.
 - [randy] - Added a command to the Linux-PAM instructions to alter the unix_chkpwd password helper setuid, thanks to Jürg Billeter for pointing this out.
- July 3rd, 2006
 - [randy] - Updated the Zenity and GNOME Keyring Manager package instructions to be compatible with the GNOME-2.14.2 update.
 - [dj] - Clarified text surrounding additional downloads section of OpenOffice instructions.

- July 2nd, 2006
 - [randy] - Updated to GNOME System Monitor-2.14.4.
 - [randy] - Updated the GConf Editor, gedit, bug-buddy, EOG and File Roller package instructions to be compatible with the GNOME-2.14.2 update.
 - [dj] - Updated to OpenOffice-2.0.3.
 - [andy] - Updated SDL to SDL-1.2.11
- July 1st, 2006
 - [randy] - Removed unnecessary --sysconfdir and --localstatedir parameters from the GStreamer (and plugins) instructions. Updated the 'Good' Plugins with a --sysconfdir parameter that will force the GConf configuration files into the correct location.
 - [randy] - Updated the GNOME Utilities and GNOME Games package instructions to be compatible with the GNOME-2.14.2 update.
- June 30th, 2006
 - [randy] - Updated the GNOME Accessibility packages' instructions to be compatible with the GNOME-2.14.2 update.
- June 29th, 2006
 - [dnicholson] - Changed the installation instructions and explanations in XFS to be more consistent with the rest of the book. Thanks to Chris Staub for prompting the change.
 - [dnicholson] - Fixed sed command in WvStreams to not alter a non-existent file. Thanks to Angel Tsankov.
- June 28th, 2006
 - [randy] - Renamed the GnomeMeeting package to Ekiga and updated the instructions to be compatible with the GNOME-2.14.2 update.
 - [randy] - Updated the dependencies and build commands in the gnome-volume-manager instructions to conform with GNOME-2.14.2. There is still some additional information that needs to be added to this page after the additions are finalized via BLFS-Dev discussion.
 - [dj] - Updated JDK, source and bin, to jdk-1.5.0 update 7.
- June 27th, 2006
 - [randy] - Added new package GStreamer Ugly Plugins-0.10.3
 - [randy] - Updated the Nautilus CD Burner, GNOME Media and Sound Juicer instructions to conform with the GNOME 2.14.2 update.

- [randy] - Completed the gnome-mount instructions.
- June 26th, 2006
 - [randy] - Replaced many instances of repetitive similar text with xinclude files in various package instructions.
- June 25th, 2006
 - [randy] - Minor fixes and clean-up to the core GNOME-2 package instructions including standardizing the text in the 'Command Explanations' section by using xinclude files and changing the creation of symbolic links to using PYTHONPATH so Python can find modules installed in non-standard locations.
 - [randy] - Added some new xinclude files to replace the repetitive similar text in many package instructions.
- June 24th, 2006
 - [randy] - Created a new BLFS BootScript tarball to reflect the updated HAL script.
 - [randy] - Updated to GDM-2.14.9.
 - [randy] - Updated to Totem-1.4.2.
 - [randy] - Updated to gcalctool-5.8.16.
- June 23rd, 2006
 - [randy] - Added new package GStreamer Good Plug-ins-0.10.3.
 - [randy] - Created a new BLFS BootScript tarball to reflect the updated GDM script.
 - [randy] - Updated the Evince, Poppler and GNOME Netstatus instructions to conform with the GNOME-2.14.2 update.
- June 21st, 2006
 - [randy] - Updated the Epiphany and gucharmap instructions to conform with the GNOME-2.14.2 update.
 - [randy] - Updated the GNOME2 additional libraries instructions to conform with the GNOME-2.14.2 update. This leaves the GNOME2 Accessibility and Additional Utility packages to update.
 - [randy] - Updated to Evolution-2.6.2.
 - [randy] - Added new package gnome-mount-0.4 (not fully complete, but added now to fix a validation issue).
 - [randy] - Updated to GNOME-2.14.2. All version entities have been updated with the core package updates being complete. The 'Additional' packages will be updated in upcoming commits.
 - [randy] - Changed references to GNOME2 User Docs to the renamed package of GNOME User Docs.

- June 20th, 2006
 - [randy] - Removed all instances of the old GStreamer Plug-ins package and replaced them with the new GStreamer Base Plug-ins.
 - [randy] - Updated to GStreamer-0.10.8.
 - [randy] - Updated to Metacity-2.14.5.
 - [randy] - Updated to libsoup-2.2.94.
 - [randy] - Updated to libwnck-2.14.2.
 - [randy] - Updated to libxklavier-2.2.
 - [randy] - Updated to HAL-0.5.7.
 - [randy] - Updated to D-BUS-0.62.
 - [dnicholson] - Updated to TIN-1.8.2.
 - [randy] - Added new package GStreamer Base Plug-ins-0.10.8
 - [randy] - Replaced the obsolete Howl dependency in the xinetd and Gaim instructions with an Avahi dependency.
 - [randy] - Fixed broken download URL in the Pilot-Link instructions.
 - [randy] - Removed cairo as a recommended dependency of Pango.
 - [bdubbs] - Fixed typo in NAS instructions.
- June 19th, 2006
 - [randy] - Updated to ISO Codes-0.51-1.1.
 - [randy] - Updated to GMime-2.2.2.
- June 13th, 2006
 - [randy] - Removed Fontconfig as an optional dependency of Pango as it is required in one way or another, thanks to Chris Staub for pointing this out.
 - [tushar] - Removed incorrect dependencies from gtk+
- June 11th, 2006
 - [randy] - Updated to ImageMagick-6.2.8-0.
- June 6th, 2006
 - [randy] - Added a sed command to the Crypt::SSLeay Perl module instructions to fix a bug exposed by newer versions of OpenSSL.

- [randy] - Modified the existing, and added new dependencies to the Module::Build Perl module instructions.
- [randy] - Added the dependencies for the YAML Perl module.
- [randy] - Added new Perl modules: Pod::Readme-0.081, Spiffy-0.30, Test::Base-0.50 and Test::Portability::Files-0.05
- [randy] - Updated several Perl modules: Archive::Tar-1.29, Business::ISBN::Data-1.11, Digest::SHA-5.41, ExtUtils::CBuilder-0.18, HTML::Parser-3.54, Module::Build-0.2801, Module::Signature-0.54, PAR::Dist-0.09, Pod::Simple-3.04, Test::Pod-1.24, Test::Prereq-1.031, version-0.63 and YAML-0.58.
- June 5th, 2006
 - [andy] - Updated the Cdrtools ascii patch so that it applies properly.
- May 31st, 2006
 - [dj] - Updated xorg-server and xterm dependencies.
- May 29th, 2006
 - [dnicholson] - Fixes for the X Window System Components page. Add information for setting up DRI correctly. Thanks to Peter Steiger for the alert. Clarified the relationship between the Xft font system and Fontconfig. Thanks to Archaic for reviewing the previous contents.
 - [dnicholson] - Simplified mv command and fixed the explanation of the --enable-xine option in GStreamer Plug-ins. Thanks to Chris Staub for the patch.
 - [dnicholson] - Changed the text explaining the need for the mkisofs and cdrecord patches in Cdrtools. Thanks to Alexander Patrakov for the clarification.
 - [dnicholson] - Added optional dependencies for rebuilding the Mutt documentation. Thanks to Ag Hatzimanikas for the information.
- May 27th, 2006
 - [randy] - Updated to libsvg-2.14.4.
 - [randy] - Added intltool as an optional dependency of libgnomecup.
 - [randy] - Updated to libgsf-1.14.1.
 - [randy] - Updated to Gtk+-2.8.18.
 - [randy] - Updated to Pango-1.12.3.
 - [randy] - Updated to GLib-2.10.3.
- May 26th, 2006

- [manuel] - Made all dependencies on a mail server actual cross-references.
- May 25th, 2006
 - [randy] - Updated to desktop-file-utils-0.11.
 - [dj] - Updated Xorg Modular to 7.1 release.
 - [dj] - Updated to xterm-213.
 - [dj] - Updated to Mesa-6.5.
- May 24th, 2006
 - [randy] - Updated the ALSA Plugins dependencies and installed plugin module list; also added documentation installation commands to the ALSA Plugins instructions.
 - [randy] - Several fixes to the MPlayer instructions: added a sed command to fix the getline function name issue, added a patch to fix the round function issue, fixed the creation of the font symlink to point to /usr/share/fonts, commented out the command and text that created a /dev/dvd device file as this is now done in LFS.
 - [randy] - Modified the way the GLUT library dependency is described in the LibTIFF instructions.
 - [randy] - Modified the configure script in the libfame instructions using a sed so that the -fstrict-aliasing flag is properly passed along to the Makefiles.
- May 23rd, 2006
 - [randy] - Clarified the XvMC Wrapper dependency in the MPlayer and xine libraries instructions.
 - [randy] - Added libid3tag as an optional dependency of imlib2.
- May 21st, 2006
 - [randy] - Updated to libdvread-0.9.6.
 - [randy] - Updated codecs to the 20060501 versions in the MPlayer instructions.
 - [randy] - Added a note to the D-BUS instructions that you must have Qt installed if you are planning on using HAL with KDE.
 - [randy] - Added a note to the lm_sensors dependency in the kdbase instructions that the Sysfs Utilities package is also required.
 - [tushar] - Added note that proxymngr requires lbxproxy.
- May 20th, 2006
 - [randy] - Added a patch to the kdelibs instructions so it will build if you have CUPS-1.2.x installed. The patch does not affect the build with lesser versions of CUPS. Thanks to Matthew Carson for chasing down the problem and sending in the patch.

- [dnicholson] - Added -ifv arguments to the autoreconf command in libdrm so that libtoolize will be run. The shared library is created without the .so suffix without it.
- [randy] - Added new package usbutils-0.72.
- May 19th, 2006
 - [randy] - Changed the GNAT installation in the GCC instructions to use the existing Makefile, which eliminates the need to install Tcsh, thanks to Jim Gifford for the tip.
- May 18th, 2006
 - [randy] - Moved the ScrollKeeper instructions from Chapter 31 - GNOME Core Packages to Chapter 10 - General Utilities as the package installation prefix is /usr and other-than-GNOME packages can utilize it.
 - [randy] - Added libacl as an optional dependency of Samba.
 - [randy] - Added additional commands to the LessTif instructions to accommodate an X Window System installation in /usr.
 - [dj] - Corrected NAS bootscript after installation.
 - [dj] - Standardized Xorg7 PREFIX commands using XORG_PREFIX.
 - [dj] - Re-added sed to fix incorrect path in luit.
- May 17th, 2006
 - [bdubbs] - Changed home directory of named to /srv/named.
 - [bdubbs] - Added "About Devices" page.
 - [dnicholson] - Added two patches to Cdrtools improving its use in locales with non-ISO-8859-1 character sets. Fixes ticket #1837. Thanks to Alexander Patrakov for explaining the situation and supplying the patches.
 - [randy] - Added jbig2dec as an optional dependency of ESP GhostScript.
 - [dj] - Moved libdrm, mesa, xterm, and rman to xorg7 section.
 - [dj] - Added test suite notes to each xorg7 page.
- May 16th, 2006
 - [bdubbs] - Added UTF-8 patch to Pine.
 - [randy] - Added documentation installation commands to the popt instructions.
 - [bdubbs] - Added paps-0.6.6 for UTF-8 printing.
 - [randy] - Updated to PHP-5.1.4.
 - [dj] - Added rman-3.2.

- May 15th, 2006
 - [randy] - Added libsvg as an optional dependency of ImageMagick.
 - [bdubbs] - Update to postfix-2.2.9.
- May 14th, 2006
 - [randy] - Updated to Apache HTTPD-2.2.2.
 - [randy] - Added a note to the MySQL instructions about TCP Wrapper and MySQL's test suite.
 - [randy] - Added a note to the cURL instructions about TCP Wrapper and cURL's test suite.
 - [dj] - Updated OpenOffice patch for system Firefox and added OpenOffice to list of packages that will utilize system nss in Mozilla product pages.
- May 13th, 2006
 - [bdubbs] - Remove malloc switch from kdelibs.
 - [tushar] - Add GTK1 dependency for vim.
 - [bdubbs] - Added XChat-2.6.2.
 - [randy] - Updated the GCC (gcj) dependency in the Libidn instructions to include the gjdoc package also.
 - [randy] - Updated to GTK-Doc-1.6.
- May 12th, 2006
 - [dnicholson] - Updated to GIMP-2.2.11 and gimp-help-2-0.10.
 - [randy] - Updated to libxslt-1.1.16.
 - [bdubbs] - Created a consolidated autofs patch to combine nine small patches and updated autofs to reflect the combined patch file.
 - [bdubbs] - Updated to imlib2-1.2.2.
 - [bdubbs] - Updated to intltool-0.34.2.
- May 11th, 2006
 - [randy] - Added commands to the JDK instructions to run a demo program with the newly created java binary to provide a basic test of the build.
 - [randy] - Added commands to the cpio instructions to create alternate forms of the documentation.
 - [dj] - Added note to not build MesaLib with X11R6 and removed Xfree and xorg-6.9 from required deps.
 - [andy] - Updated to XFree86-4.6.0.

- May 10th, 2006
 - [randy] - Added resmgr as an optional dependency of ALSA Library.
 - [randy] - Renamed the TeX package to its proper name - teTeX.
 - [dj] - Added sed for additional xorg-6.9.0 security vulnerability.
 - [dj] - Updated dependencies for Xorg-7.0.0 section and corrected text.
- May 9th, 2006
 - [randy] - Updated to PCI Utilities-2.2.3.
 - [randy] - Modified the Expect build commands to work with the new Tcl build method.
 - [randy] - Added an additional command to the Sysstat installation so that a configuration file containing the history variable is installed.
 - [randy] - Added a note to the Shadow instructions about running the Linux-PAM test suite.
 - [randy] - Updated to Linux-PAM-0.99.4.0.
- May 8th, 2006
 - [bdubbs] - Updated to ImageMagick-6.2.7-5.
 - [bdubbs] - Updated to libgtkhtml-2.11.0.
 - [bdubbs] - Updated to rsync-2.6.8.
- May 7th, 2006
 - [randy] - Removed the ext3 file system page from the book as this file system is now the LFS default.
 - [randy] - Modified the Tcl and Tk instructions to install the library interface headers using the maintainer's recommended method and removed all the hacks from previous installation methods.
- May 6th, 2006
 - [bdubbs] - Updated to alsa-1.0.11.
 - [bdubbs] - Updated to dhcp-3.0.4.
 - [dnicholson] - Fixed EsounD installation to note that the documentation can only be installed with DocBook-utils. Thanks to Chris Staub for the patch.
 - [tushar] - Updated to Popt-1.10.4.
 - [dnicholson] - Updated to Bluefish-1.0.5.
 - [dnicholson] - Updated to Firefox-1.5.0.3.
- May 5th, 2006

- [bdubbs] - Updated to nmap-4.03.
- [bdubbs] - Updated to Leafnode-1.11.5.
- [bdubbs] - Updated to AFPL Ghostscript-8.53.
- [bdubbs] - Updated to libxml2-2.6.24.
- [bdubbs] - Updated to proftpd-1.3.0.
- [bdubbs] - Updated to mysql-5.0.21.
- [bdubbs] - Updated to ntp-4.2.0a.
- [dj] - Reorganized X Window System chapter.
- [dj] - Spilt Xorg-7 instructions into several pages.
- [dj] - Corrected links in Mesa and xterm instructions for new xorg7 pages.
- May 4th, 2006
 - [bdubbs] - Updated to ESP Ghostscript-8.15.2.
 - [bdubbs] - Updated to openssl-0.9.8b.
 - [bdubbs] - Simplified mysql compilation flags. Thanks to Archaic.
- May 3rd, 2006
 - [bdubbs] - Updated sed for openssh to link crypto libraries statically.
 - [bdubbs] - Updated location of kernel options in iptables. Thanks to Allard Welter who pointed this out.
- May 1st, 2006
 - [randy] - Updated to XScreenSaver-4.24.
 - [randy] - Updated to Gtk+-2.8.17.
 - [randy] - Updated to ATK-1.11.4.
 - [randy] - Updated to Pango-1.12.2.
 - [randy] - Updated to Ethereal-0.99.0.
- April 30th, 2006
 - [bdubbs] - Removed the gid for bin and usb as they are defined in LFS. Added comment in the section about users and groups that base entries are in LFS.
 - [randy] - Updated to K3b-0.12.15.
 - [randy] - Updated to NFS Utilities-1.0.8.

- [andy] - Updated Pine to 4.64 and Abiword-2.4.4.
- April 29th, 2006
 - [bdubbs] - Updated to exim-4.61.
 - [bdubbs] - Updated to Links-2.1pre21.
 - [randy] - Updated to Galeon-2.0.1.
 - [randy] - Added a new category 'Integrated Development Environments' to the 'Other Programming Tools' page and added additional components to the page.
 - [randy] - Updated Tcl and Tk to 8.4.13. Also modified the build commands to not use any user-created environment variables.
 - [bdubbs] - Changed openssh libexecdir to /usr/lib/openssh.
 - [bdubbs] - Added instruction to optionally enable ssl support to dillo.
- April 28th, 2006
 - [randy] - Added new package libquicktime-0.9.8 and removed the Openquicktime package.
 - [bdubbs] - Updated to seamonkey-1.0.1.
 - [bdubbs] - Updated to rp-pppoe-3.8.
 - [bdubbs] - Updated bootscripts Makefile to install autofs after cleanfs.
 - [randy] - Updated to Berkeley DB-4.4.20.
- April 27th, 2006
 - [bdubbs] - Updated to gc-6.6.
 - [bdubbs] - Updated to mysql-5.0.20a. Fixed all testsuite failures.
 - [dnicholson] - Updated to OpenSSL-0.9.8a. Added patch to Cyrus-SASL for compatibility with this version of OpenSSL.
 - [randy] - Updated to GCC-4.0.3
 - [randy] - Updated to GMP-4.2
 - [bdubbs] - Updated to vsftpd-2.0.4
- April 26th, 2006
 - [bdubbs] - Updated libexecdir location in emacs.
 - [randy] - Added clarification about NSS/NSPR libraries to the Evolution and Evolution Data Server instructions.

- [bdubbs] - Updated to iso-codes-0.51.
- [bdubbs] - Updated ntp configuration to use pool servers.
- [bdubbs] - Updated to dhcp-3.0.3.
- [bdubbs] - Updated to WvStreams-4.2.2.
- [randy] - Updated to Balsa-2.3.12.
- April 25th, 2006
 - [dnicholson] - Fixes for Cyrus SASL-2.1.21. Added patch to allow OpenLDAP => 2.3, converted GCC-4 patch to a sed, and added a sed command to put saslauthd man page in the correct location. Noted method to address LDAPDB plugin circular dependency in the User Notes.
 - [bdubbs] - Dropped NCPFS from the book due to lack of testing ability. Placed contents in the User Notes.
 - [randy] - Updated to GMime-2.2.1.
 - [bdubbs] - Added errata page to preface.
 - [dnicholson] - Updated to Thunderbird-1.5.0.2.
 - [randy] - Updated to libESMTP-1.0.4.
 - [randy] - Added a sed command to the PDL instructions to fix a build issue caused by ExtUtils::MakeMaker-6.30 which was introduced in Perl-5.8.8.
 - [bdubbs] - Fixed configuration instructions in GPM. Thanks to Chris Staub.
 - [bdubbs] - Updated to fcron-3.0.1.
 - [bdubbs] - Added a note about adding FORTRAN 77 to the gcc-3 instructions.
 - [randy] - Added a short note about the GCC-3.4.6 Fortran installation instructions on the BLFS Wiki to the GCC-4.0.x instructions.
 - [Randy] - Modifications to the PDL instructions: added an FTP download location, rewrite of the introductory text to include a discussion about a proper version of Fortran, updated some of the dependency package download URLs and changed the links to a Fortran compiler to the one on the BLFS Wiki.
 - [andy] - Updated to OpenSP-1.5.2.
- April 24th, 2006
 - [randy] - Updated the introductory text of the GCC-3 instructions to better explain its use, and to add a link to the Wiki pointing to a Fortran specific installation.
 - [bdubbs] - Updated to qpopper-4.0.9. Added standalone instructions and a configuration file. Added an initialization script to the bootscripts and bootscripts Makefile.
- April 23rd, 2006

- [bdubbs] - Updated to dhcpd-2.0.5.
- [dj] - Updated to OpenOffice-2.0.2.
- [bdubbs] - Added a note to Apache that the apache user's home directory of /dev/null may fail for some add-ons.
- [bdubbs] - Updated to fetchmail-6.3.4.
- April 22nd, 2006
 - [bdubbs] - Updated Additional X Window System Configuration section.
 - [randy] - Updated to ExtUtils-F77-1.15.
 - [randy] - Modified the method of using cpan in the Perl Modules instructions, thanks to William Zhou for the suggestion.
 - [bdubbs] - Updated to iptables-1.3.5.
 - [dnicholson] - Fixes for TIN. Moved some run-time dependencies to the Configuration section. Installed documentation files. Added command to install default configuration files.
- April 21st, 2006
 - [dnicholson] - Updated to Firefox-1.5.0.2.
 - [randy] - Updated to Filter-1.32.
 - [randy] - Updated to Net::DNS-0.57.
 - [randy] - Updated to Digest::SHA1-2.11.
 - [randy] - Updated to Net::IP-1.24.
 - [bdubbs] - Updated to bind-9.3.2. Updated bind-utils also.
 - [andy] - Added Audacious-1.0.0.
 - [andy] - Updated to Fluxbox 0.9.15.1.
- April 20th, 2006
 - [bdubbs] - Updated to hdparm-6.6.
 - [bdubbs] - Updated udftools to compile with gcc4. Also deleted the kernel patch from the package because it is in linux 2.6.16 and later.
 - [dnicholson] - Added TIN version 1.8.1 to the book. Removed slrn. Thanks to Alexander Patrakov. Closes tickets #1845 and #1847.
 - [dnicholson] - Updated to Python-2.4.3.
 - [bdubbs] - Updated to glib-2.10.2.

- April 19th, 2006
 - [tushar] - Corrected vim option description.
 - [bdubbs] - Updated to iso-codes-0.50.
 - [bdubbs] - Updated proftpd instructions.
 - [randy] - Updated to Socket6-0.19.
 - [randy] - Updated to Finance::QuoteHist-1.07.
 - [randy] - Updated to HTML::TableExtract-2.07.
 - [randy] - Added new Perl module; Text::CSV_PP-1.01.
 - [randy] - Updated to Finance::Quote-1.11.
 - [randy] - Updated to libwww-perl-5.805 (also renamed the package from LWP).
 - [randy] - Updated to libxml2-2.6.23.
 - [bdubbs] - Updated to nmap-4.01.
 - [dnicholson] - Changed X Window System to required dependency for Imlib-1.9.15. Fixes ticket #1792.
 - [randy] - Updated to Test::Prereq-1.030.
 - [randy] - Updated to Module::CoreList-2.04.
 - [randy] - Updated to GnuCash-1.8.12.
- April 18th, 2006
 - [randy] - Downgraded to Guile-1.6.7 and G-Wrap-1.3.4 and modified the SLIB instructions to work with the downgraded packages. These changes are to support GnuCash which will not work with the more recent versions.
 - [manuel] - Removed creation of xsl-stylesheets-current symlink.
 - [bdubbs] - Updated to wireless_tools.28.
- April 17th, 2006
 - [bdubbs] - Changed vim to match LFS instructions regarding UTF-8 locales.
 - [bdubbs] - Updated to kde-3.5.2.
- April 15th, 2006
 - [bdubbs] - Updated to koffice-1.5.0.
 - [randy] - Updated the SLIB patch to a -2 version.
 - [randy] - Removed some optional dependencies (Gtk-1 and guile-gtk) from the G-Wrap instructions.

- [dj] - Wrapped the `lnx_agp.c` sed in a testcase to make the change, only if required in Xorg-6.9 and Xorg-7.0 instructions.
- [dj] - Added install command to create the `/usr/share/fonts` directory to Xorg-6.9, Xorg-7.0, and XFree86 instructions.
- April 14th, 2006
 - [dnicholson] - Added sed to Xorg-6.9.0 to fix security vulnerability in ticket #1876. Changed sed to include `linux/types.h` to be the same as that in Xorg-7.0.0.
 - [randy] - Updated all the wiki links to point to the existing package wiki page if one existed.
 - [dnicholson] - Added information about the Nano development version which supplies UTF-8 support to Locale Related Issues. Added a caution on the Nano page.
 - [dnicholson] - Added `pkg-config` as a required dependency for MesaLib. Fixes ticket #1904.
 - [randy] - Readded the links in the Perl Modules instructions to the MD5sums of all the Perl Module source tarballs.
 - [randy] - Moved GConf-1 from an optional to a required dependency in the GNOME-VFS-1 and GtkHTML-1 instructions.
 - [randy] - Added new package Graphviz-2.8.
 - [bdubbs] - Added `openssl` as a required dependency of tripwire.
 - [andy] - Updated to Gnumeric-1.6.3 and Goffice-0.2.1.
- April 13th, 2006
 - [randy] - Added the Io programming language to Chapter 12 - "Other Programming Tools".
- April 12th, 2006
 - [randy] - Updates to the Enscript instructions: added a patch to fix security vulnerabilities, added commands to build alternate formats of the documentation, fixed the wiki link to point to the already existing wiki page.
 - [bdubbs] - Updated to tripwire-2.4.0.1.
 - [randy] - Updated to Whois-4.7.13.
- April 11th, 2006
 - [dnicholson] - Added gcc4 patch for nfs-utils-1.0.7.
 - [bdubbs] - Updated bootscripts version to 20060411
- April 10th, 2006

- [randy] - Added the 'User Notes' wiki link to each package page.
- [randy] - Changed all instances of `.[so,a]` to `.{so,a}` (brackets changed to braces).
- [randy] - Changed all `[some_text]` instances to `<some_text>` (square brackets changed to angle brackets).
- April 9th, 2006
 - [randy] - Changed all the references to X Window System links to a common entity displayed as 'X Window System'.
 - [randy] - Updated to Doxygen-1.4.6.
- April 8th, 2006
 - [randy] - Updated to GnuPG-1.4.3.
 - [dj] - Moved to gzipped bsh tarball in OpenOffice-2.0.0 instructions.
 - [randy] - Updated to libsvg-2.14.3.
 - [randy] - Updated to libgsf-1.14.0.
- April 7th, 2006
 - [randy] - Updated to hicolor-icon-theme-0.9.
 - [randy] - Updated to shared-mime-info-0.17.
 - [randy] - Updated to libcroco-0.6.1.
- April 6th, 2006
 - [randy] - Added a parameter to the Subversion build commands to disable the use of Berkeley DB; also added commands to fix the improper permissions on the installed documentation.
 - [dnicholson] - Fixed typo in Xorg-7 font installation. Fixed typos in X Window System Components fonts section.
 - [randy] - Updated to Poppler-0.4.5.
- April 5th, 2006
 - [randy] - Updated to Qt-3.3.6.
 - [dj] - Added sed to correct glibc header problem in xorg-server.
 - [bdubbs] - Added Wireless Tools.
- April 4th, 2006

- [randy] - Updated to Subversion-1.3.1.
- [randy] - Updated Xpdf-3.01 to patch-level 2.
- April 2nd, 2006
 - [randy] - Updated to libusb-0.1.12.
 - [randy] - Updated to G-Wrap-1.9.6.
 - [randy] - Updated to SLIB-3a3.
 - [randy] - Updated to Guile-1.8.0.
 - [randy] - Updated to Ruby-1.8.4.
 - [randy] - Updated the HTTP download link in the PPP instructions.
 - [randy] - Commented out the link to the 'non-root dial-out HOWTO' from the WvDial instructions as it is no longer available.
 - [randy] - Updated to Samba-3.0.22.
- March 31st, 2006
 - [randy] - Changed the name of the Nail package to its new name of 'Heirloom mailx' and updated to the 12.0 version.
 - [randy] - Updated to Sendmail-8.13.6.
 - [randy] - Updated to Linux-PAM-0.99.3.0.
 - [randy] - Updated to Shadow-4.0.15 (now current with the LFS version).
 - [randy] - Updated to PHP-5.1.2.
 - [randy] - Updated to cURL-7.15.3.
 - [randy] - Updated to Stunnel-4.15.
- March 30th, 2006
 - [randy] - Updated to Libidn-0.6.3.
 - [randy] - Updated to GTK-Doc-1.5.
 - [randy] - Added XML::Parser as a required dependency and intltool as an optional dependency of ScrollKeeper.
 - [randy] - Added LWP as an optional dependency of XML::Parser.
- March 29th, 2006
 - [randy] - Updated to OpenLDAP-2.3.20 (stable-20060227).

- [dnicholson] - Fixed typo and added font size setting to Xterm configuration.
- [dnicholson] - Updated to OpenSSH-4.3p2
- [randy] - Updated to PostgreSQL-8.1.3.
- March 28th, 2006
 - [randy] - Updated to Heimdal-0.7.2.
 - [dnicholson] - Changed --with-luit to --enable-luit in Xterm. Added information about configuring in Xterm.
 - [dnicholson] - Added --without-add-fonts back into Fontconfig with a different note describing its use. Added more information about configuring Fontconfig and a link to the user's manual.
 - [dnicholson] - Reworked the fonts section of X Window System Components. Added detailed description of both font services and more links to available fonts. Thanks to Alexander Patrakov, Andrew Benton, Bruce Dubbs and Ken Moffat for their contributions.
 - [dnicholson] - Added commands to make only TrueType fonts available to Fontconfig in Xorg-6.9.0, Xorg-7.0.0 and XFree86-4.5.0. Fixed name of luit patch in Xorg-6.9.0.
 - [randy] - Updated to Firefox-1.5.0.1.
 - [dj] - Fixed xorg-server download link.
 - [dj] - Removed unneeded -lglut from Mesa Demos linker flags.
- March 27th, 2006
 - [randy] - Updated to Gtk+-2.8.16.
 - [randy] - Updated to Pango-1.12.0.
 - [randy] - Updated to ATK-1.11.3.
 - [randy] - Updated to GLib-2.10.1.
 - [randy] - Updated to cairo-1.0.4.
- March 26th, 2006
 - [dnicholson] - Changed note for Bc test suite. Removed one unnecessary test. Thanks to Bruce Dubbs.
 - [dnicholson] - Updated to LibTIFF-3.8.2. Noted optional dependency of MesaLib for the GLUT library.
 - [randy] - Updated to Whois-4.7.12.
 - [randy] - Applied a patch sent in by Chris Staub to suppress some unneeded screen output by the update-pciids command.
 - [randy] - Updated to Tcl-8.4.12 and Tk-8.4.12.
- March 25th, 2006

- [dj] - Updated individual X.org packages (wget files updated) and corrected two instructions where \$XORG_CONFIG should be used.
- [dnicholson] - Removed patches in Bc and replaced with equivalent seds. Fixed segmentation faults with bc -l. Fixes #1846. Added commands for test suite. Removed libedit dependency as it conflicts with Readline and causes problems.
- March 24th, 2006
 - [randy] - Updated to Expat-2.0.0.
 - [randy] - Updated to S-Lang-2.0.6.
 - [randy] - Updated to PCRE-6.6.
 - [andy] - Updated Fluxbox to 0.9.15
- March 23rd, 2006
 - [randy] - Added a note to the CrackLib instructions advising to reinstall Shadow if you need strong password support without installing Linux-PAM.
 - [randy] - Modified the Shadow instructions to reflect that it needs to be reinstalled (and provided the modified commands) if CrackLib is installed without Linux-PAM.
 - [randy] - Updated to CrackLib-2.8.9.
- March 22nd, 2006
 - [archaic] - Updated the Coreutils entity in the Net-Tools page.
- March 21st, 2006
 - [randy] - Updated Perl version entity to 5.8.8 to match current LFS SVN.
- March 19th, 2006
 - [randy] - Changed the Expect dependency in the DejaGnu instructions to a run-time-only dependency.
- March 18th, 2006
 - [dnicholson] - Updated compressdoc script to use Man-DB.
- March 16th, 2006
 - [randy] - Added new package K3b.
 - [randy] - Created two XInclude files to replace instances of identical text in several KDE packages.

- March 15th, 2006
 - [dnicholson] - Added sed to libexif commands to fix Ticket #1785.
 - [dj] - Added --mandir switch to dhcpcd instructions.
- March 14th, 2006
 - [bdubbs] - Clarified jdk download instructions and made minor updates to the install of the binary version.
- March 13th, 2006
 - [dj] - Removed font path comments and defines from Xorg and XFree86 host.def files.
 - [dj] - Fixed typos, clarified library installation, added pkg-config note, and added return notes for data packages and luit to Xorg-7 instructions.
- March 9th, 2006
 - [bdubbs] - Updated to gnupg-1.4.2.2 to fix security problem.
- March 7th, 2006
 - [dj] - Updated to dhcpcd-2.0.2.
- March 6th, 2006
 - [dnicholson] - Moved libgtkhtml to General Libraries since it is not a GNOME library. Change prefix to /usr.
 - [dj] - Removed /usr/share/fonts symlink in Xorg-7 instructions.
- March 5th, 2006
 - [dj] - Updated to xorg-6.9.0
- March 4th, 2006
 - [dj] - Updated JDK to account for Xorg-7.0.0.
- March 3rd, 2006
 - [dj] - Updated Xorg-7 and Mesa to use alternate module path.
 - [dj] - Separated user and root commands in Xorg-7.0.0.
- March 2nd, 2006

- [dnicholson] - Updated to Mutt-1.5.11. Added note about use of development release.
- [dj] - Added command explanations and corrected prefix for xterm, libdrm, and Mesa.
- [dj] - Added Xorg-7.0 and corrected links in xterm and Mesa pages.
- [dj] - Added Xorg-7 to all X dependency references.
- March 1st, 2006
 - [dnicholson] - Update to XFS-2.7.11. Expanded library installation commands.
 - [randy] - Final cleanup to the GNOME add-on packages after the 2.12.2 update.
- February 27th, 2006
 - [randy] - Added a patch to fix libsvg if NSS/NSPR is installed.
 - [dnicholson] - Added note that tinker-term.sh is irrelevant with Ncurses-5.5+ and shouldn't be installed in that situation.
 - [bdubbs] - Added seamonkey-1.0 and deleted mozilla.
- February 25th, 2006
 - [dj] - Added libdrm, Mesa, and xterm packages.
- February 23rd, 2006
 - [bdubbs] - Removed duplicate installation of Indir in xorg and xfree86.
- February 21st, 2006
 - [bdubbs] - Simplified unzip instructions.
- February 13th, 2006
 - [randy] - Updated to Gnome System Monitor-2.12.2.
- February 12th, 2006
 - [randy] - Updated to GConf Editor-2.12.1.
 - [archaic] - Updated to Postfix-2.2.8.
 - [randy] - Text updates and corrections provided by a patch sent in by Chris Staub.
 - [randy] - Replaced the commands to modify the *ns*.pc pkgconfig files with commands to create symlinks to the actual NSS/NSPR .pc files in the Firefox, Mozilla and Thunderbird instructions as suggested by Dan Nicholson.

- [randy] - Abbreviated the commands used to install the NSS libraries in the NSS instructions as suggested by Tushar Teredesai.
- [randy] - Updated to Galeon-2.0.0.
- February 10th, 2006
 - [randy] - Added new package dvd+rw-tools-6.1.
- February 9th, 2006
 - [randy] - Updated to Transcode-1.0.2.
 - [randy] - Minor corrections and updates to the Avifile instructions.
- February 8th, 2006
 - [randy] - Updated to Totem-1.2.1.
 - [randy] - Updated to Gnumeric-1.6.2.
- February 7th, 2006
 - [randy] - Updated to GOffice-0.2.0.
 - [randy] - Updated to Evolution-2.4.2.1.
- February 6th, 2006
 - [randy] - Updated to GtkHTML-3.8.2.
 - [randy] - Updated Gnopernicus to fit the GNOME-2.12.2 version changes.
- February 5th, 2006
 - [randy] - Updated to GNOME Magnifier-0.12.3.
 - [randy] - Updated to libgail-gnome-1.1.3.
 - [randy] - Modified the instructions for linking to installed plugins and removed the commands to create /usr/lib/mozilla compatibility links from the Mozilla instructions.
 - [randy] - Updated the following GNOME Add-on package instructions to fit the 2.12.2 version changes: GDM, Java Access Bridge, GNOME Speech.
- February 4th, 2006
 - [randy] - Updated the following GNOME Add-on package instructions to fit the 2.12.2 version changes: Epiphany, gnome-volume-manager, GNOME Games, Sound Juicer.

- February 3rd, 2006
 - [randy] - Updated the following GNOME Add-on package instructions to fit the 2.12.2 version changes: libgnomecup, libgnomeprint, libgnomeprintui, libgtkhtml, Evolution Data Server, system-tools-backends, EOG, gucharmap, File Roller, Gnome Utilities, Nautilus CD Burner.
 - [randy] - Updated the GNOME Core packages to the 2.12.2 version. Modified the /opt installation path to /opt/gnome-2.12.2, the configuration directory to /etc/gnome/2.12.2 and the libexecdir settings to a subdirectory of \$GNOME_PREFIX/lib. The GNOME add-on packages version entities also now reflect the 2.12.2 version, though the actual package instructions have not been updated.
 - [randy] - Added a new page in the GNOME Core section for the shared-mime-info package as it is not a direct dependency of any GNOME Core package any longer.
 - [randy] - Updated Evolution Data Server dependencies to reflect the NSS package and modified the libexecdir setting.
 - [randy] - Updated to Metacity-2.12.2.
 - [randy] - Updated to libwnck-2.12.2.
 - [randy] - Updated to libsoup-2.2.7.
- February 2nd, 2006
 - [randy] - Updated to XScreenSaver-4.23.
- February 1st, 2006
 - [randy] - Updated to LZO-2.02.
 - [randy] - Updated to Cdrdao-1.2.1.
 - [bdubbs] - Updated vim to version 6.4.
- January 31st, 2006
 - [randy] - Removed the piping of 'yes' commands from the installation of the packages containing Sun license agreements (JDK binary, FOP and FreeTTS) and instead provided a note to reference the text about automating builds.
- January 30th, 2006
 - [randy] - Renamed the 'unpacking' page in Chapter 2 to 'building-notes' as this more accurately reflects the page and added a new section 'Automated Building Procedures' to the 'building-notes' page.
- January 29th, 2006
 - [randy] - Added instructions to build the Akode package, added a patch to fix a build issue with libtunepimp, and adjusted the dependencies in the Kdemultimedia instructions.

- [randy] - Updated all the links to files located on the Anduin server to use entities.
- [andy] - Updated glib2 to 2.8.6.
- January 28th, 2006
 - [randy] - Updated numerous items in the GStreamer Plug-ins instructions.
 - [andy] - Updated GConf to 2.12.1
 - [andy] - Updated gtk+2 to 2.8.11
- January 27th, 2006
 - [bdubbs] - Added section on the BLFS Wiki.
 - [bdubbs] - Removed section on package management because it has been incorporated into LFS.
 - [randy] - Modified the instruction to apply the patch in the kdegraphics instructions as the patch has changed, thanks to Miguel Bazdresch for the report.
 - [randy] - Added a note to the GStreamer instructions about Valgrind breaking the build.
 - [andy] - Updated libxklavier to 2.1.
- January 25th, 2006
 - [randy] - Added Python to the ISO Codes dependencies. Thanks to Jay McHugh for sending in the report.
 - [randy] - Updated to Mozilla-1.7.12, changed the build method to use 'client.mk' and '.mozconfig', added instructions to use system-installed NSS/NSPR libraries and added additional configuration information.
 - [randy] - Changed the default to render SVG graphics in the Firefox instructions.
- January 23rd, 2006
 - [randy] - Updated to Thunderbird-1.5, changed the build method to use 'client.mk' and '.mozconfig', added instructions to use system-installed NSS/NSPR libraries and added additional configuration information.
 - [randy] - Added information about using system-installed versions of the NSS/NSPR libraries and added additional configuration information to the Firefox instructions.
 - [randy] - Added new package Network Security Services, NSS-3.11.
- January 22nd, 2006
 - [randy] - Adjusted some dependencies using a patch sent in by Chris Staub.
- January 21st, 2006

- [bdubbs] - Added the post-3.4.3-kdelibs-kjs.diff security vulnerability patch to the kdelibs instructions.
- January 18th, 2006
 - [randy] - Modified the sed command in the Firefox instructions so that it can be run multiple times, also modified the instructions for creating symlinks to the system-wide mozilla plugin directory.
 - [randy] - Added a dependency and updated text to the Xine Libraries instructions.
 - [randy] - Updated to ImageMagick-6.2.5-5.
- January 17th, 2006
 - [tushar] - Modify unzip compilation to enable unzip to unzip files up to 4 GB.
 - [bdubbs] - Added patch for sudo to clear selected environment variables. Submitted by archaic.
 - [randy] - Updated to the HTML::TableExtract-2.06 Perl Module and added new modules HTML::Element::Extended and HTML::Tree as dependencies; also more reorganization and singling out of the Perl Modules.
 - [tushar] - Change lynx installation target to install-full.
 - [tushar] - Removed obsolete note for zipcloak.
 - [randy] - Added three new Perl Modules as dependencies of the Digest::SHA module: Devel::Symdump, Pod::Coverage and Test::Pod::Coverage.
- January 16th, 2006
 - [randy] - Updated to the Digest::SHA-5.32 Perl Module and numerous text and dependency corrections/additions in the Perl Modules instructions.
 - [randy] - Singled out the Text::Diff module in the Perl Modules instructions.
 - [randy] - Updated to the Module::Signature-0.51 Perl Module and singled it out in the instructions.
 - [randy] - Added optional dependencies to the Archive::Zip and HTML::Tagset Perl Modules instructions.
 - [randy] - Updated to the ExtUtils::CBuilder-0.15 and ExtUtils::ParseXS-2.15 Perl Modules.
 - [randy] - Updated to the YAML-0.50 Perl Module and provided a note in the Module::Build instructions about using an older version of YAML.
 - [randy] - Updated to the Module::Info-0.30 Perl Module and added new optional dependencies.
- January 15th, 2006
 - [randy] - Replaced the Test::Builder::Tester Perl Module with the Test::Simple-0.62 module.
 - [randy] - Updated to the Test::Pod-1.22 Perl Module.
 - [randy] - Updated to the HTML::Tagset-3.10, HTML::Parser-3.48 and Pod::Simple-3.03 Perl Modules.

- [randy] - Singled out the Compress::Zlib module in the Perl Modules instructions and updated to the 1.41 version.
- January 14th, 2006
 - [randy] - Added a note to run the test suite and added documentation installation commands to the GnuPG instructions.
- January 12th, 2006
 - [randy] - Updates to the FFmpeg instructions: added a patch and dependency URLs to fix the AMR support and added additional documentation installation commands.
- January 11, 2006
 - [randy] - Updates to MPlayer: added an x264 patch, added new dependencies, updated the version of the Skins file.
 - [andy] - Updated to abiword-2.4.2.
- January 10th, 2006
 - [randy] - Fixed broken commands in the XviD instructions.
 - [randy] - Corrections to the CVS instructions: fixed broken download URLs and corrected documentation installation commands.
- January 9th, 2006
 - [randy] - Updated the MPlayer instructions with the new URL for the LIVE555 Streaming Media web site.
- January 8th, 2006
 - [randy] - Updated to Ethereum-0.10.14.
 - [randy] - Updated to libmusicbrainz-2.1.2.
 - [randy] - Minor updates to the Kdegraphics instructions: added new dependencies, added a note about creating the API documentation, added a note about the OCR support, updated the installed programs, libraries and directories list.
- January 7th, 2006
 - [randy] - Removed the Berkeley DB dependency from packages utilizing it as BDB is now built in LFS.
 - [randy] - Updated to Berkeley DB-4.4.16, added a patch to the Python instructions to support the new BDB, updated the Heimdal instructions to account for the changed library file names.

- [randy] - Updated to GIMP-2.2.10.
- [andy] - Updated to xvidcore-1.1.0.
- January 6th, 2006
 - [randy] - Updated SANE back ends to 1.0.17 and front ends to 1.0.14.
 - [randy] - Modified the command to run the libcroco test suite.
- January 5th, 2006
 - [randy] - Updated to Poppler-0.4.3.
 - [randy] - Updated to giflib-4.1.4.
 - [randy] - Updated to libexif-0.6.13.
 - [randy] - Added the CAN-2005-3193 security vulnerability patch to the kdegraphics instructions.
- January 4th, 2006
 - [randy] - Minor additions to the kdbase instructions: added optional dependencies, added a configuration section which includes information about run-time packages, and added installed programs, libraries and directories.
 - [igor] - Updated to Xpdf-3.01pl1.
- January 2nd, 2006
 - [randy] - Added significant updates to the HAL instructions: updated the dependencies, modified the command that changes the storage device policy, added text and a visual chart to explain the requirements of the hal-device-manager program, added commands to allow for locale specific needs in the storage device policy, and some general text cleanup.
 - [randy] - Updated the D-BUS instructions to include text that identifies the needs of the HAL package.
- December 31st, 2005
 - [randy] - Added a sed command to the D-Bus instructions to change a 'jar' command to 'fastjar' due to the changes in GCC-4.0.x.
- December 30th, 2005
 - [randy] - Added some optional dependencies to the Kdelibs instructions.
 - [randy] - Added new package Libidn-0.6.0.
 - [andy] - Added new package Gaim-1.5.0.

- December 29th, 2005
 - [randy] - Removed libogg and added NAS to the optional dependencies of aRts.
 - [randy] - Added a caution note to the MC instructions about the UTF-8 related issues.
 - [randy] - Added a caution note to the UnZip instructions about the locale related issues.
 - [randy] - Added new section 'Locale Related Issues' to Chapter 2, 'Important Information', thanks to Alexander Patrakov for contributing the text for this page. The page is very incomplete and many more packages with locale related issues will be added.
- December 28th, 2005
 - [randy] - Added new package GOffice-0.1.2.
- December 27th, 2005
 - [randy] - Updated to libgsf-1.13.3.
 - [randy] - Removed the unneeded 'make' command from the hicolor-icon-theme instructions.
 - [randy] - Minor cleanup to libgnomeprint dependencies and removed an unneeded switch from the configure command.
 - [randy] - Minor cleanup to libgnomecups dependencies.
 - [randy] - Updated to ISO Codes-0.49.
- December 26th, 2005
 - [randy] - Updated to Doxygen-1.4.5.
 - [randy] - Minor changes to the Qt instructions: fixed HTTP download URL, added test suite notes, modified the configure command to include switches for the recommended dependencies and added appropriate notes about the recommended dependencies.
 - [randy] - Updated to little cms-1.15.
 - [randy] - Updated to Sendmail-8.13.5.
 - [dj] - Added colorls patch to tcsh instructions.
 - [dj] - Corrected additional recommended and optional dependencies in OpenOffice instructions.
 - [andy] - Update xine-lib to 1.1.1.
- December 25th, 2005
 - [randy] - Updated to LibMPEG3-1.6.
- December 24th, 2005

- [randy] - Fixed a syntax error in the configure scripts and simplified the existing sed commands in the Tcl and Tk instructions.
- [randy] - Added pkg-config and ALSA Library as required dependencies of the ALSA Plugins package, thanks to Joe Ciccone for pointing out the omission.
- [randy] - Fixed GTK+-2 documentation installation commands, thanks to Nico R. for pointing out the breakage.
- [randy] - Updated to Firefox-1.5, modified the method used to build it and added a command to fix an anonymous enum in an interface header file.
- [dj] - Added GTK+-2 to OpenOffice required dependencies and removed FreeType and OpenLDAP (OpenLDAP is currently broken).
- December 23rd, 2005
 - [andy] - Updated librsvg to 2.12.7.
 - [andy] - Updated Gnome doc utils to 0.4.4.
- December 22nd, 2005
 - [andy] - Updated XFce to 4.2.3.2.
- December 21st, 2005
 - [archaic] - Removed the obsolete sed in sudo and added a note to use visudo to edit the sudoers file.
- December 20th, 2005
 - [randy] - Commented out the Python and Perl bindings build notes from the Subversion instructions as there is a build failure using current versions of SWIG and (B)LFS packages.
 - [randy] - Added documentation installation commands to the Guile instructions.
- December 19th, 2005
 - [randy] - Modified the sed command in the OpenSSH instructions to better allow for repeated builds.
 - [bdubbs] - Updated to nmap-3.95.
 - [bdubbs] - Added sed to Bind to prevent invalid warnings in the log.
 - [randy] - Updated to Samba-3.0.20b.
 - [andy] - Updated to Gnumeric-1.6.1.
- December 18th, 2005
 - [randy] - Updated to ESP Ghostscript-8.15.1.

- [bdubbs] - Changed configure instruction in gimp to use recommended dependencies. Added note that the switches to configure need to be changed if the recommended dependencies are not installed.
- [bdubbs] - Updated to whois-4.7.10.
- [bdubbs] - Updated to KDE-3.5 and kdevelop 3.3.0.
- December 17th, 2005
 - [randy] - Updated to PHP-5.1.1.
- December 16th, 2005
 - [randy] - Updated to Stunnel-4.14.
 - [randy] - Updated to Ruby-1.8.3.
- December 15, 2005
 - [randy] - Updated to Aspell-0.60.4.
 - [randy] - Added a sed command to the FOP instructions which fixes an obsolete tail command in the JAI binary.
 - [randy] - Updated to Gamin-0.1.7.
 - [bdubbs] - Removed section on newsserver.
 - [randy] - Updated to Apache HTTP Server-2.2.0.
- December 14th, 2005
 - [randy] - Updated to OpenLDAP-2.3.11.
 - [randy] - Updated to PostgreSQL-8.1.1.
- December 13th, 2005
 - [bdubbs] - Update description of LiveCD.
 - [randy] - Updated to MySQL-5.0.16.
 - [bdubbs] - Update koffice to version 1.4.2.
 - [bdubbs] - Removed libungif.
 - [randy] - Updated to GTK+-2.8.9.
 - [andy] - Updated to Abiword-2.4.1
- December 11th, 2005

- [randy] - Updated to Pango-1.10.2.
- [randy] - Updated to GLib-2.8.4.
- December 10th, 2005
 - [randy] - Updated to Heimdal-0.7.1.
- December 9th, 2005
 - [randy] - Fixed command typos in the Gnome Menus and Gnome Volume Manager instructions.
 - [andy] - Updated Fluxbox to version 0.9.14.
 - [andy] - Added details of how to create a fluxbox.desktop file to the Fluxbox page.
- December 8th, 2005
 - [bdubbs] - Updated to curl-7.15.1.
- December 7th, 2005
 - [bdubbs] - Added sed to remove incomplete tests from test program in popt.
 - [bdubbs] - Removed reference to non-existent esound.ps from Esound-0.2.36.
 - [bdubbs] - Removed --with-history option from libxml2. Added a caution that the make check command can hang forever under certain conditions with the option.
 - [bdubbs] - Added Andy Benton to the list of BLFS editors.
 - [randy] - Added GTK-Doc as a dependency of libxml, thanks to go moko for pointing out the omission.
 - [randy] - Added Ghostscript as a dependency of Doxygen.
 - [randy] - Added GNOME Doc Utils as a dependency of Evince, thanks to David Rosal for pointing out the omission.
 - [randy] - Updated to libvorbis-1.1.2.
 - [randy] - Updated to libogg-1.1.3.
- December 6th, 2005
 - [dj] - Completed dependencies, removed optional configure parameters and added the no_mozilla (firefox) patch for OpenOffice.
- December 3rd, 2005
 - [randy] - Updated to GCC-4.0.2.
 - [bdubbs] - Updated to qt-3.3.5.

- December 2nd, 2005
 - [dj] - Updated JDK binary version to 1.5.0_06.
- December 1st, 2005
 - [dj] - Added several fixes to OpenOffice instructions.
- November 30th, 2005
 - [randy] - Updated to xinetd-2.3.14.
 - [randy] - Added a command to create the logging directory in the GDM instructions, thanks to Vincent Fretin for pointing out the oversight.
 - [randy] - Updated to PCI Utilities-2.2.1.
 - [randy] - Updated to Sysstat-6.0.2.
- November 29th, 2005
 - [randy] - Updated to Shadow-4.0.13.
 - [randy] - Updated to Linux-PAM-0.99.2.0. Note that many of the installation commands have changed.
 - [dj] - Updated ash patch for use with gcc-4.x.
- November 27th, 2005
 - [randy] - Added an FTP download URL and changed the documentation installation to a versioned directory in the Fontconfig instructions.
 - [randy] - Added documentation installation and clarified the purpose of the sed command in the FreeType instructions.
- November 26th, 2005
 - [randy] - Added a note to the Lynx instructions that identifies, and shows how to avoid, a security vulnerability.
 - [randy] - Updated to S-Lang-2.0.5.
 - [randy] - Updated the text in the Net-tools instructions to reflect the updated version of Coreutils.
- November 25th, 2005
 - [randy] - Updated to OpenSSL-0.9.7i
 - [randy] - Updated to pkg-config-0.20
- November 24th, 2005

- [randy] - Updated to CrackLib-2.8.6 and modified the installation commands to work with the newer version.
- November 23rd, 2005
 - [bdubbs] - Added sed to sudo to correct a security issue (Archaic). Also added --enable-shell-sets-home switch (Gerard).
- November 22nd, 2005
 - [bdubbs] - Added sudo-1.6.8p12.
 - [randy] - Updated to HTML Tidy-051026. Also updated the docs to 051020 and changed the documentation directory to a versioned name.
 - [randy] - Updated to FriBidi-0.10.7.
 - [randy] - Added DocBook SGML DTD-3.1 as a dependency to perform the tests outlined in the DocBook DSSSL Stylesheets instructions.
 - [randy] - Updated to Ethereum-0.10.13.
 - [randy] - Added new package GC-6.5.
- November 21st, 2005
 - [randy] - Updated the Rsync bootscript to remove the --compress parameter, thanks to Jeremy Huntwork for reporting the problem.
 - [randy] - Added --disable-python to the configure command in the D-BUS instructions to fix a broken build identified by Filip Bartmann.
 - [randy] - Added --disable-libwrap to the configure command in the Stunnel instructions to fix a broken build identified by Filip Bartmann.
 - [randy] - Added new package gnome-volume-manager-1.5.1 to the Utilities section of Chapter 31.
 - [randy] - Modified the libexecdir parameter passed to configure and tweaked the storage device policy in the HAL instructions.
- November 19th, 2005
 - [randy] - Added notes to start a D-BUS session daemon to the D-BUS, GDM and GNOME Configuration instructions.
 - [dj] - Cleaned up OpenOffice instructions and added a no-pam patch.
- November 18th, 2005
 - [randy] - Added a GCC4 patch to the libvorbis instructions, thanks to Steffen Knollman for discovering the problem and contributing the patch.

- [igor] - Updated to rsync-2.6.6.
- November 17th, 2005
 - [randy] - Added new package Sound Juicer-2.12.2 to the Utilities section of Chapter 31.
 - [dj] - Corrected OpenOffice patch names.
- November 15th, 2005
 - [dj] - Updated to OpenOffice-2.0.0
- November 14th, 2005
 - [randy] - Updated to Balsa-2.3.6.
- November 13th, 2005
 - [randy] - Added several more entries to the 'Other Programming Tools' section. Many thanks to Miguel Bazdresch for his suggestions and other contributions.
- November 12th, 2005
 - [dj] - Updated GCC4 patches for Mozilla projects to include xptinfo.h anonymous enum patch.
- November 9th, 2005
 - [randy] - Updated references to source and md5sum files on the Anduin server due to the Anduin reorganization.
 - [randy] - Added several more programming languages to the 'Other Programming Tools' section.
- November 7th, 2005
 - [randy] - Added several programming languages to the 'Other Programming Tools' section.
 - [dj] - Added Archive::Zip to the Perl Modules page.
- November 5th, 2005
 - [dj] - Updated alsa-restore script per Alexander Patrakov's suggestions.
- November 4th, 2005
 - [randy] - Added a patch to the libgsf instructions so that the configure script properly discovers GConf.
- November 3rd, 2005

- [randy] - Added new package GMime-2.1.17.
- November 1st, 2005
 - [randy] - Added A-A-P, Mono, OProfile, OGDL and R to the 'Other Programming Tools' section.
 - [randy] - Added new package libmpeg2-0.4.0b.
 - [randy] - Updated to Transcode-1.0.1.
- October 31st, 2005
 - [randy] - Added new package libmusicbrainz-2.1.1.
- October 30th, 2005
 - [randy] - Added new package Totem-1.2.0.
 - [dj] - Updated to JDK-1.5.0_05.
- October 29th, 2005
 - [archaic] - Updated to PCI-Utilities-2.2.0.
- October 28th, 2005
 - [igor] - Updated to SDL-1.2.9.
 - [igor] - Updated to CVS-1.11.21.
- October 25th, 2005
 - [randy] - Added new package Evince-0.4.0 and removed the GPDF package from the GNOME Add-on section.
- October 23rd, 2005
 - [igor] - Updated to MPlayer-1.0pre7try2.
 - [randy] - Added new package Poppler-0.4.2.
- October 21st, 2005
 - [randy] - Added new package GNOME Keyring Manager-2.12.0.
- October 20th, 2005
 - [randy] - Added new package ISO Codes-0.48.

- October 19th, 2005
 - [randy] - Added new package PyXML-0.8.4.
 - [randy] - Added category headers to the GNOME Add-on packages Table-of-Contents. Many thanks to Manuel Canales Esparcia for the XML wizardry to make this happen.
- October 18th, 2005
 - [randy] - Added a patch and an additional command to enable the streaming audio method in the GNOME Speech instructions.
 - [randy] - Updated to GDM-2.8.0.5.
- October 17th, 2005
 - [randy] - Updated to GOK-1.0.5.
 - [igor] - Updated to HTML Tidy-051013.
 - [randy] - Updated to Gnopernicus-0.12.0.
 - [randy] - Updated to GNOME Speech-0.3.8.
- October 16th, 2005
 - [randy] - Updated to GNOME Magnifier-0.12.2; moved the creation of the xextensions.pc file from the GNOME Magnifier to the XFree86 instructions.
 - [igor] - Updated to PHP-5.0.5.
 - [randy] - Modified dependencies in the libgtkhtml instructions.
 - [igor] - Updated to PCRE-6.4.
 - [igor] - Updated to cURL-7.15.0.
- October 15th, 2005
 - [igor] - Added the gcc4 patch for NTP.
 - [igor] - Updated to Fcron-3.0.0.
 - [igor] - Updated to Apache-2.0.55.
 - [igor] - Updated to Python-2.4.2.
 - [igor] - Updated to Berkeley DB-4.3.29.
 - [randy] - Updated to GGV-2.12.0.
 - [igor] - Updated to Firefox-1.0.7.
 - [randy] - Updated to AT SPI-1.6.6.

- [igor] - Updated to libtiff-3.7.4.
- [igor] - Updated to cairo-1.0.2.
- [randy] - Updated to Zenity-2.12.1.
- [randy] - Updated to GNOME-Netstatus-2.12.0.
- October 14th, 2005
 - [igor] - Updated to libpcap-0.9.4.
 - [igor] - Updated to Wget-1.10.2.
 - [randy] - Updated to GNOME System Monitor-2.12.1.
 - [igor] - Updated to OpenSSL-0.9.7h.
 - [randy] - Updated to GConf Editor-2.12.0.
 - [randy] - Updated to File Roller-2.12.1.
 - [randy] - Updated to EOG-2.12.1.
 - [randy] - Updated to gedit-2.12.1.
- October 13th, 2005
 - [igor] - Updated Vim security patch.
 - [randy] - Updated to GNOME Games-2.12.1.
 - [randy] - Updated to Epiphany-1.8.2.
 - [randy] - Changed Python from an optional to a recommended dependency in the GNOME Doc Utils dependencies.
- October 12th, 2005
 - [randy] - Updated to gcalctool-5.6.31.
- October 11th, 2005
 - [randy] - Updated to gtksourceview-1.4.2.
 - [randy] - Updated to bug-buddy-2.12.1.
 - [randy] - Updated to GnomeMeeting-1.2.2.
 - [randy] - Updated to GNOME Utilities-2.12.1.
 - [randy] - Updated to GNOME Media-2.12.0.
 - [randy] - Updated to Nautilus CD Burner-2.12.1.

- [randy] - Updated to Evolution-2.4.1.
- October 10th, 2005
 - [randy] - Updated to GtkHTML-3.8.1.
 - [randy] - Updated to system-tools-backends-1.4.0.
 - [randy] - Updated to libgnomeprintui-2.12.1.
 - [randy] - Updated to libgnomeprint-2.12.1.
 - [randy] - Updated to libgnomecups-0.2.2.
 - [randy] - Added GTK+-2 as a required dependency of libgtkhtml.
 - [randy] - Updated to Evolution Data Server-1.4.1.1.
 - [randy] - Updated core GNOME packages to the 2.12.1 release of GNOME. GNOME add-on packages are updated only to the release versions. The individual updates to the GNOME add-on packages will be accomplished individually.
- October 8th, 2005
 - [tushar] - Replaced FAM with Gamin.
- October 6th, 2005
 - [randy] - Updated to libsvg-2.12.4.
 - [dj] - Updated to JDK (source build) 1.5.0_04.
 - [dj] - Updated to OpenOffice 1.1.5.
- October 5th, 2005
 - [randy] - Updated to Metacity-2.12.1.
 - [randy] - Updated to libwnck-2.12.1.
 - [randy] - Updated to GTK+-2.8.6.
 - [randy] - Updated to Pango-1.10.1.
 - [randy] - Updated to GLib-2.8.3.
 - [randy] - Updated to libxml2-2.6.22.
 - [randy] - Added the --disable-error-on-warning parameter to the GnuCash configure command as using GCC-4.0.x will generate warnings which will break the build if the parameter is not used.
 - [randy] - Added a patch to the Guile instructions and changed the sed command in the SLIB instructions so that the two packages work nicely together.

- October 4th, 2005
 - [tushar] - Prevent gcc fixincludes from running to match LFS instructions.
 - [randy] - Added a sed command to the GtkHTML-1 instructions to fix a GCC-4.0.x build problem.
 - [randy] - Added a GCC-4 patch to the Soup instructions.
 - [randy] - Added a GCC-4 patch to the Guppi instructions.
 - [randy] - Added a GCC-4 patch to the GConf-1.0.9 instructions.
 - [randy] - Added a sed command to the Bonobo-1.4 instructions to fix a GCC-4 build problem.
- October 3rd, 2005
 - [randy] - Added a GCC-4 patch to the GNOME Libraries-1.4 instructions.
 - [randy] - Clarified the dependencies in the Imlib instructions.
 - [randy] - Updated to AbiWord-2.2.10.
- October 1st, 2005
 - [randy] - Added new package HAL-0.5.4.
- September 26th, 2005
 - [randy] - Added new package D-BUS-0.50.
- September 25th, 2005
 - [randy] - Added a patch to fix a build problem with newer versions of libgsf and added a sed command so the default is to build the Perl plugin module to the Gnumeric instructions.
- September 22nd, 2005
 - [dj] - Updated JDK-1.5.0 gcc4 patch.
- September 21st, 2005
 - [randy] - Updated to Samba-3.0.20.
 - [bdubbs] - Reverted gcc build instructions.
 - [randy] - Updated to EsounD-0.2.36.
 - [randy] - Updated to Metacity-2.12.0.
 - [randy] - Updated to Libwnck-2.12.0.
- September 20th, 2005

- [david] - Added a sed to build Cdrdao-1.2.0 with gcc-4.0.1.
- [randy] - Updated to GTK+-2.8.3.
- [randy] - Updated to ATK-1.10.3.
- [randy] - Updated to Pango-1.10.0.
- [randy] - Updated to GLib-2.8.1.
- [randy] - Added a command to create an X Render pkg-config file to the XFree86 instructions. Also created notes in the Metacity and cairo instructions to ensure this file exists.
- [randy] - Added new package cairo-1.0.0.
- [bdubbs] - Changed gcc build instructions to use a simple make. Added a note to use make bootstrap if the base compiler is not gcc-4.0.1.
- September 19th, 2005
 - [bdubbs] - Added a patch to build mozilla with gcc-4.0.1.
 - [randy] - Updated to gucharmap-1.4.4.
 - [randy] - Updated to GST-Plugins-0.8.11.
 - [richard] - Added a sed to fix the build of the test suite for cpio-2.6 when using gcc-4.0.1. Suggested by Matthew Burgess
- September 18th, 2005
 - [randy] - Updated to Xine User Interface-0.99.4.
 - [randy] - Updated to Xine Libraries-1.1.0.
 - [richard] - Updated to bluefish-1.0.4.
- September 17th, 2005
 - [randy] - Added an alternate installation location for the shared library interface headers to the AFPL Ghostscript and ESP Ghostscript instructions.
 - [randy] - Updated to ImageMagick-6.2.4-5.
 - [randy] - Updated the Business::ISBN Perl module to 1.82.
 - [randy] - Updated the Test::Prereq Perl module to 1.028.
 - [randy] - Updated the Module::Signature Perl module to 0.50.
 - [randy] - Updated the Digest::SHA Perl module to 5.31.
 - [randy] - Updated the ExtUtils::ParseXS Perl module to 2.12.
 - [randy] - Updated the ExtUtils::CBuilder Perl module to 0.13.

- [randy] - Updated the Archive::Tar Perl module to 1.26, added new Perl modules Text::Diff and Algorithm::Diff.
- [randy] - Updated the Compress::Zlib Perl module to 1.38.
- September 15th, 2005
 - [randy] - Updated to SANE-backends-1.0.16.
 - [randy] - Updated to the 0.9 version of the Gimp Help system, added a GCC-4 patch to the Gimp instructions.
 - [randy] - Updated to libsvg-2.11.1.
- September 14th, 2005
 - [randy] - Removed redundant GTK+-2 dependency from the libgnomeprintui instructions.
 - [randy] - Updated to libgsf-1.12.3.
 - [randy] - Added documentation installation commands and corrected the note about the test suite in the libcroco instructions.
- September 13th, 2005
 - [randy] - Added commands to the CVS instructions to create and install additional documentation.
 - [randy] - Updated to GStreamer-0.8.11 and adjusted the documentation files chown command to only run if the docs were built and installed.
- September 12th, 2005
 - [tushar] - Moved creation of mad.pc to libmad section.
 - [randy] - Updated to VTE-0.11.15.
 - [randy] - Corrected the GNOME-1.4 OMF directory in the ScrollKeeper instructions.
 - [randy] - Updated to GCC-4.0.1.
- September 11th, 2005
 - [randy] - Minor corrections to the XSL Stylesheets instructions, suggested by Manuel Canales Esparcia.
- September 10th, 2005
 - [randy] - Added a note to the Tcl and Tk instructions to ensure the environment variables are properly set.
 - [randy] - Added a GCC-4 patch to the Xorg instructions.

- [randy] - Updated to DocBook XSL Stylesheets-1.69.1.
- [igor] - Updated to RP-PPPoE-3.6.
- [dj] - Added a GCC-4 patch and updated 'fixed_paths' patch in JDK source build instructions.
- [dj] - Added new Udev rules file for ALSA devices.
- [dj] - Updated volume restore script for use with Udev versions greater than 058.
- September 9th, 2005
 - [randy] - Added a GCC-4 patch to the libexif instructions.
 - [randy] - Added a GCC-4 patch to the Avifile instructions.
 - [randy] - Added a GCC-4 patch to the FFmpeg instructions.
 - [randy] - Added a GCC-4 patch to the MPlayer instructions.
 - [randy] - Added a GCC-4 patch to the Xvid instructions.
 - [randy] - Added a GCC-4 patch to the SDL instructions.
 - [randy] - Added a GCC-4 patch to the Firefox instructions.
 - [randy] - Added a GCC-4 patch to the Thunderbird instructions.
 - [randy] - Added a GCC-4 patch to the XMMS instructions.
 - [randy] - Added a GCC-4 patch to the Qt instructions.
 - [randy] - Added a GCC-4 patch and documentation installation commands to the NAS instructions.
 - [randy] - Added a GCC-4 patch to the Cyrus-SASL instructions.
 - [randy] - Added a GCC-4 patch to the Guile instructions.
 - [randy] - Replaced the Kernel_Headers patch with a GCC-4 patch in the Inetutils instructions.
 - [randy] - Added a GCC-4 patch to the xinetd instructions.
 - [randy] - Added a GCC-4 patch to the Linux-PAM instructions.
 - [randy] - Updated to intltool-0.34.1.
 - [randy] - Updated to libsoup-2.2.6.1.
- September 8th, 2005
 - [randy] - Added a sed command to the libxklavier instructions to fix a GCC-4.x build problem.
 - [randy] - Updated to libxslt-1.1.15.
 - [randy] - Updated to libxml2-2.6.21.
- September 7th, 2005

- [richard] - Updated to XScreenSaver-4.22.
- September 6th, 2005
 - [richard] - Added patch to GnuPG-1.4.2 as required by release notes.
 - [randy] - Updated to libIDL-0.8.6. Also added documentation installation commands to the instructions.
- September 5th, 2005
 - [randy] - Updated to Subversion-1.2.3
- September 4th, 2005
 - [randy] - Updated to OpenSSH-4.2p1. Also added some documentation installation commands to the instructions.
- September 3rd, 2005
 - [randy] - Updated to HTML Tidy-050826.
 - [randy] - Updated to cURL-7.14.1.
- September 2nd, 2005
 - [randy] - Added commands to the Heimdal instructions to preserve and restore some overwritten interface headers and libraries. Also listed the dependencies in a more accurate manner.
 - [randy] - Updated to MySQL-4.1.14.
 - [randy] - Fixed some broken commands in the TeX instructions.
- September 1st, 2005
 - [randy] - Added documentation installation commands to the ALSA Libraries instructions.
- August 31st, 2005
 - [randy] - Updated to Shadow-4.0.12.
 - [randy] - Updated to Wget-1.10.1.
- August 30th, 2005
 - [bdubbs] - Updated to Mozilla-1.7.11.
 - [randy] - Removed obsolete dependencies from the LZO instructions.
- August 29th, 2005

- [bdubbs] - Updated to KDE-3.4.2. Added notes about the location of configuration files. Updated optional dependencies.
- [richard] - Added definition of dependency terms to Notes on Building Software.
- August 28th, 2005
 - [randy] - Added documentation installation commands to the Xvid instructions.
 - [randy] - Added documentation installation commands to the libdv instructions.
 - [randy] - Updated to whois-4.7.6.
 - [randy] - Updated to libdvdcss-1.2.9.
 - [randy] - Added a patch to fix the XMMS plugin and added a sed command to fix the Valgrind testing in the FLAC instructions.
- August 27th, 2005
 - [randy] - Added a patch to fix the test suite in the id3lib instructions.
 - [randy] - Updated the GCC patch and provided documentation installation commands to the libmpeg3 instructions.
- August 26th, 2005
 - [randy] - Added fixes to the Thunderbird instructions: 1) the Movemail and RSS & Blogs account setup options are now available 2) modified the Enigmail setup so that it actually works 3) fixed the profile locking problem 4) made it so that if a mailto: URL is clicked, a message compose window is opened with the To: field filled out.
- August 25th, 2005
 - [randy] - Added a command to the Firefox instructions to fix the profile locking problem and an optional command to open a new tab in an existing browser window, both suggested by Kevin Somervill. Thanks to Dan Nicholson for the reminder about Kevin's suggestions.
- August 24th, 2005
 - [randy] - Modified SLIB instructions to use teTeX instead of Lynx to create the text documentation.
- August 22nd, 2005
 - [randy] - Fixed chmod commands in GDM instructions, thanks to Hugo Villeneuve for pointed it out.
 - [randy] - Updated to Xpdf-3.01
 - [randy] - Updated to SLIB-3a2

- August 21st, 2005
 - [randy] - Modifications to XMMS instructions: remove libogg as a dependency, added commands to install documentation and added an FTP download URL.
 - [richard] - Updated to Leafnode-1.11.3.
- August 20th, 2005
 - [randy] - Added a new package, unixODBC-2.2.11 to BLFS.
 - [randy] - Renamed the FOP patch to adhere with the naming standards.
 - [randy] - Updated to GnuPG-1.4.2.
 - [randy] - Updated to GCC-3.4.4, modified the command to create the ffitarget.h interface header in /usr/include.
- August 19th, 2005
 - [dj] - Updated dev.d scripts and surrounding text in alsa-utils.
 - [randy] - Updated to Sysstat-6.0.1.
 - [randy] - Updated to Apache Ant-1.6.5.
 - [randy] - Updated to Nail-11.25.
 - [randy] - Updated to Subversion-1.2.1.
 - [bdubbs] - Updated to KOffice-1.4.1.
- August 17th, 2005
 - [randy] - Updated to GCC-3.3.6.
 - [randy] - Updated to Doxygen-1.4.4.
- August 16th, 2005
 - [bdubbs] - Added instructions for cm-super fonts to TeX.
 - [randy] - Added additional parameters to the configure command and added a note to run the test suite to the Gimp-Print instructions.
 - [dj] - Updated cups bootscript installation to remove existing scripts and changed note to show that CUPS should be started after Samba.
- August 15th, 2005
 - [randy] - Added a patch and a note about running the test suite to the CUPS instructions.

- August 14th, 2005
 - [randy] - Updates to PHP: added new dependencies, placed the dependencies in categories, added instructions to install documentation, added instruction to update php.ini and minor textual corrections.
 - [randy] - Updated to GTK-Doc-1.4.
 - [randy] - Updated to HTML Tidy-050803.
 - [randy] - Updated to Shadow-4.0.11.1.
 - [randy] - Added a configure switch to OpenLDAP to create the executables dynamically linked to the libraries.
 - [randy] - Added documentation installation commands to the GTK+ (version 1) instructions.
- August 13th, 2005
 - [larry] - Add a warning to MIT KRB5 concerning the use of login.krb5 as a substitute for login.
 - [randy] - Updated to OpenLDAP-2.2.6 stable version; also added dependencies and configuration explanation.
- August 12th, 2005
 - [randy] - Added a command to the PostgreSQL instructions to fix broken ownership of installed files.
- August 11th, 2005
 - [randy] - Updated the JDK binary version to 1.5.0_04.
 - [randy] - Added sharutils as an optional dependency of Berkeley DB.
 - [randy] - Applied a patch contributed by stirring to fix many broken download URLs.
 - [randy] - Added a new section "Other Programming Tools" to Chapter 12 - Programming.
- August 10th, 2005
 - [randy] - Added style information files and documentation installation commands to the JadeTeX instructions.
- August 9th, 2005
 - [randy] - Modified the CrackLib instructions to include an alternate source for word lists, how to incorporate additional word lists, and added additional text contributed by Alexander Patrakov.
 - [dj] - Added default PATH for pam_env and a note about the lack of ENV_SUPATH.
- August 8th, 2005

- [randy] - Modified documentation installation in the Fontconfig instructions.
- [randy] - Modified the Shadow instructions so that builders will not receive configuration errors during the testing recommended by the warning note.
- [randy] - Added instructions to install a patch to Ruby that fixes a security vulnerability, thanks to Ken Moffat for the suggestion.
- [randy] - Added instructions to install a patch to NASM that fixes a security vulnerability, thanks to Ken Moffat for the suggestion.
- [randy] - Added documentation installation commands to the expat instructions.
- August 7th, 2005
 - [randy] - Removed building the MPFR library from the GMP instructions.
- August 6th, 2005
 - [larry] - Added dictionary file to MIT Kerberos setup and made adjusts for PAM.
 - [randy] - Updated to S-Lang-2.0.4.
- August 5th, 2005
 - [randy] - Updated to Wget-1.10.
 - [randy] - Updated to PCRE-6.2.
- August 1st, 2005
 - [bdubbs] - Released Version 6.1-pre1.

Mailing Lists

The linuxfromscratch.org server is hosting a number of mailing lists that are used for the development of the BLFS book. These lists include, among others, the main development and support lists.

For more information regarding which lists are available, how to subscribe to them, archive locations, etc., visit <http://www.linuxfromscratch.org/mail.html>.

BLFS Wiki

The BLFS Project has created a Wiki for users to comment on pages and instructions at <http://wiki.linuxfromscratch.org/blfs/wiki>. Comments are welcome from all users.

The following are the rules for posting:

- Users must register and log in to edit a page.
- Suggestions to change the book should be made by creating a new ticket, *not* by making comments in the Wiki.
- Questions with your specific installation problems should be made by subscribing and mailing to the BLFS Support Mailing List at <mailto:blfs-support@linuxfromscratch.org>.
- Discussions of build instructions should be made by subscribing and mailing to the BLFS Development List at <mailto:blfs-dev@linuxfromscratch.org>.
- Inappropriate material will be removed.

Asking for Help and the FAQ

If you encounter a problem while using this book, and your problem is not listed in the FAQ (<http://www.linuxfromscratch.org/faq>), you will find that most of the people on Internet Relay Chat (IRC) and on the mailing lists are willing to help you. An overview of the LFS mailing lists can be found in Mailing lists. To assist us in diagnosing and solving your problem, include as much relevant information as possible in your request for help.

Things to Check Prior to Asking

Before asking for help, you should review the following items:

- Is the hardware support compiled into the kernel or available as a module to the kernel? If it is a module, is it configured properly in `modprobe.conf` and has it been loaded? You should use **lsmod** as the `root` user to see if it's loaded. Check the `sys.log` file or run **modprobe <driver>** to review any error message. If it loads properly, you may need to add the **modprobe** command to your boot scripts.
- Are your permissions properly set, especially for devices? LFS uses groups to make these settings easier, but it also adds the step of adding users to groups to allow access. A simple **moduser -G audio <user>** may be all that's necessary for that user to have access to the sound system. Any question that starts out with “It works as root, but not as ...” requires a thorough review of permissions prior to asking.
- BLFS liberally uses `/opt/<package>`. The main objection to this centers around the need to expand your environment variables for each package placed there (e.g., `PATH=$PATH:/opt/kde/bin`). In most cases, the package instructions will walk you through the changes, but some will not. The section called “Going Beyond BLFS” is available to help you check.

Things to Mention

Apart from a brief explanation of the problem you're having, the essential things to include in your request are:

- the version of the book you are using (being 6.2.0-rc1),
- the package or section giving you problems,
- the exact error message or symptom you are receiving,
- whether you have deviated from the book or LFS at all,
- if you are installing a BLFS package on a non-LFS system.

(Note that saying that you've deviated from the book doesn't mean that we won't help you. It'll just help us to see other possible causes of your problem.)

Expect guidance instead of specific instructions. If you are instructed to read something, please do so. It generally implies that the answer was way too obvious and that the question would not have been asked if a little research was done prior to asking. The volunteers in the mailing list prefer not to be used as an alternative to doing reasonable research on your end. In addition, the quality of your experience with BLFS is also greatly enhanced by this research, and the quality of volunteers is enhanced because they don't feel that their time has been abused, so they are far more likely to participate.

An excellent article on asking for help on the Internet in general has been written by Eric S. Raymond. It is available online at <http://www.catb.org/~esr/faqs/smart-questions.html>. Read and follow the hints in that document and you are much more likely to get a response to start with and also to get the help you actually need.

Contact Information

Please direct your emails to one of the BLFS mailing lists. See Mailing lists for more information on the available mailing lists.

The current BLFS maintainer is Randy McMurchy. If you need to reach Randy, send an email to randy@linuxfromscratch.org.

Chapter 2. Important Information

This chapter is used to explain some of the policies used throughout the book, to introduce important concepts and to explain some issues you may see with some of the included packages.

Notes on Building Software

Those people who have built an LFS system may be aware of the general principles of downloading and unpacking software. We will however repeat some of that information here for those new to building their own software.

Each set of installation instructions contains a URL from which you can download the package. We do however keep a selection of patches available via HTTP. These are referenced as needed in the installation instructions.

While you can keep the source files anywhere you like, we assume that you have unpacked the package and changed into the directory created by the unpacking process (the 'build' directory). We also assume you have uncompressed any required patches and they are in the directory immediately above the 'build' directory.

We can not emphasize strongly enough that you should start from a *clean source tree* each time. This means that if you have had an error during configuration or compilation, it's usually best to delete the source tree and re-unpack it *before* trying again. This obviously doesn't apply if you're an advanced user used to hacking Makefiles and C code, but if in doubt, start from a clean tree.

Building Software as an Unprivileged (non-root) User

The golden rule of Unix System Administration is to use your superpowers only when necessary. Hence, BLFS recommends that you build software as an unprivileged user and only become the `root` user when installing the software. This philosophy is followed in all the packages in this book. Unless otherwise specified, all instructions should be executed as an unprivileged user. The book will advise you on instructions that need root privileges.

Unpacking the Software

If a file is in `.tar` format and compressed, it is unpacked by running one of the following commands:

```
tar -xvf filename.tar.gz
tar -xvf filename.tgz
tar -xvf filename.tar.Z
tar -xvf filename.tar.bz2
```



Note

You may omit using the `v` parameter in the commands shown above and below if you wish to suppress the verbose listing of all the files in the archive as they are extracted. This can help speed up the extraction as well as make any errors produced during the extraction more obvious to you.

You can also use a slightly different method:

```
bzcat filename.tar.bz2 | tar -xv
```

Finally, you sometimes need to be able to unpack patches which are generally not in `.tar` format. The best way to do this is to copy the patch file to parent of the 'build' directory and then run one of the following commands depending on whether the file is a `.gz` or `.bz2` file:

```
gunzip -v patchname.gz
bunzip2 -v patchname.bz2
```

Verifying File Integrity Using 'md5sum'

Generally, to verify that the downloaded file is genuine and complete, many package maintainers also distribute md5sums of the files. To verify the md5sum of the downloaded files, download both the file and the corresponding md5sum file to the same directory (preferably from different on-line locations), and (assuming `file.md5sum` is the md5sum file downloaded) run the following command:

```
md5sum -c file.md5sum
```

If there are any errors, they will be reported. Note that the BLFS book includes md5sums for all the source files also. To use the BLFS supplied md5sums, you can create a `file.md5sum` (place the md5sum data and the exact name of the downloaded file on the same line of a file, separated by white space) and run the command shown above. Alternately, simply run the command shown below and compare the output to the md5sum data shown in the BLFS book.

```
md5sum <name_of_downloaded_file>
```

Creating Log Files During Installation

For larger packages, it is convenient to create log files instead of staring at the screen hoping to catch a particular error or warning. Log files are also useful for debugging and keeping records. The following command allows you to create an installation log. Replace `<command>` with the command you intend to execute.

```
( <command> 2>&1 | tee compile.log && exit $PIPESTATUS )
```

`2>&1` redirects error messages to the same location as standard output. The `tee` command allows viewing of the output while logging the results to a file. The parentheses around the command run the entire command in a subshell and finally the `exit $PIPESTATUS` command ensures the result of the `<command>` is returned as the result and not the result of the `tee` command.

Automated Building Procedures

There are times when automating the building of a package can come in handy. Everyone has their own reasons for wanting to automate building, and everyone goes about it in their own way. Creating Makefiles, Bash scripts, Perl scripts or simply a list of commands used to cut and paste are just some of the methods you can use to automate building BLFS packages. Detailing how and providing examples of the many ways you can automate the building of packages is beyond the scope of this section. This section will expose you to using file redirection and the `yes` command to help provide ideas on how to automate your builds.

File Redirection to Automate Input

You will find times throughout your BLFS journey when you will come across a package that has a command

prompting you for information. This information might be configuration details, a directory path, or a response to a license agreement. This can present a challenge to automate the building of that package. Occasionally, you will be prompted for different information in a series of questions. One method to automate this type of scenario requires putting the desired responses in a file and using redirection so that the program uses the data in the file as the answers to the questions.

Building the CUPS package is a good example of how redirecting a file as input to prompts can help you automate the build. If you run the test suite, you are asked to respond to a series of questions regarding the type of test to run and if you have any auxiliary programs the test can use. You can create a file with your responses, one response per line, and use a command similar to the one shown below to automate running the test suite:

```
make check < ../cups-1.1.23-testsuite_parms
```

This effectively makes the test suite use the responses in the file as the input to the questions. Occasionally you may end up doing a bit of trial and error determining the exact format of your input file for some things, but once figured out and documented you can use this to automate building the package.

Using yes to Automate Input

Sometimes you will only need to provide one response, or provide the same response to many prompts. For these instances, the **yes** command works really well. The **yes** command can be used to provide a response (the same one) to one or more instances of questions. It can be used to simulate pressing just the **Enter** key, entering the **Y** key or entering a string of text. Perhaps the easiest way to show its use is in an example.

First, create a short Bash script by entering the following commands:

```
cat > blfs-yes-test1 << "EOF"
#!/bin/bash

echo -n -e "\n\nPlease type something (or nothing) and press Enter ---> "
read A_STRING

if test "$A_STRING" = ""; then A_STRING="Just the Enter key was pressed"
else A_STRING="You entered '$A_STRING' "
fi

echo -e "\n\n$A_STRING\n\n"
EOF
chmod 755 blfs-yes-test1
```

Now run the script by issuing **./blfs-yes-test1** from the command line. It will wait for a response, which can be anything (or nothing) followed by the **Enter** key. After entering something, the result will be echoed to the screen. Now use the **yes** command to automate the entering of a response:

```
yes | ./blfs-yes-test1
```

Notice that piping **yes** by itself to the script results in **y** being passed to the script. Now try it with a string of text:

```
yes 'This is some text' | ./blfs-yes-test1
```

The exact string was used as the response to the script. Finally, try it using an empty (null) string:

```
yes '' | ./blfs-yes-test1
```

Notice this results in passing just the press of the **Enter** key to the script. This is useful for times when the default answer to the prompt is sufficient. This syntax is used in the Net-tools491 instructions to accept all the defaults to the many prompts during the configuration step. You may now remove the test script, if desired.

File Redirection to Automate Output

In order to automate the building of some packages, especially those that require you to read a license agreement one page at a time, requires using a method that avoids having to press a key to display each page. Redirecting the output to a file can be used in these instances to assist with the automation. The previous section on this page touched on creating log files of the build output. The redirection method shown there used the **tee** command to redirect output to a file while also displaying the output to the screen. Here, the output will only be sent to a file.

Again, the easiest way to demonstrate the technique is to show an example. First, issue the command:

```
ls -l /usr/bin | more
```

Of course, you'll be required to view the output one page at a time because the **more** filter was used. Now try the same command, but this time redirect the output to a file. The special file `/dev/null` can be used instead of the filename shown, but you will have no log file to examine:

```
ls -l /usr/bin | more > redirect_test.log 2>&1
```

Notice that this time the command immediately returned to the shell prompt without having to page through the output. You may now remove the log file.

The last example will use the **yes** command in combination with output redirection to bypass having to page through the output and then provide a **y** to a prompt. This technique could be used in instances when otherwise you would have to page through the output of a file (such as a license agreement) and then answer the question of “do you accept the above?”. For this example, another short Bash script is required:

```
cat > blfs-yes-test2 << "EOF"
#!/bin/bash

ls -l /usr/bin | more

echo -n -e "\n\nDid you enjoy reading this? (y,n) "

read A_STRING

if test "$A_STRING" = "y"; then A_STRING="You entered the 'y' key"
else A_STRING="You did NOT enter the 'y' key"
fi

echo -e "\n\n$A_STRING\n\n"
EOF
chmod 755 blfs-yes-test2
```

This script can be used to simulate a program that requires you to read a license agreement, then respond appropriately to accept the agreement before the program will install anything. First, run the script without any

automation techniques by issuing **./blfs-yes-test2**.

Now issue the following command which uses two automation techniques, making it suitable for use in an automated build script:

```
yes | ./blfs-yes-test2 > blfs-yes-test2.log 2>&1
```

If desired, issue **tail blfs-yes-test2.log** to see the end of the paged output, and confirmation that **y** was passed through to the script. Once satisfied that it works as it should, you may remove the script and log file.

Finally, keep in mind that there are many ways to automate and/or script the build commands. There is not a single “correct” way to do it. Your imagination is the only limit.

Dependencies

For each package described, BLFS lists the known dependencies. These are listed under several headings, whose meaning is as follows:

- *Required* means that the target package cannot be correctly built without the dependency having first been installed.
- *Recommended* means that BLFS strongly suggests this package is installed first for a clean and trouble-free build, that won't have issues either during the build process, or at run-time.
- *Optional* means that this package might be installed for added functionality. Often BLFS will describe the dependency to explain the added functionality that will result.

The /usr Versus /usr/local Debate

Should I install XXX in /usr or /usr/local?

This is a question without an obvious answer for an LFS based system.

In traditional Unix systems, /usr usually contains files that come with the system distribution, and the /usr/local tree is free for the local administrator to manage. The only really hard and fast rule is that Unix distributions should not touch /usr/local, except perhaps to create the basic directories within it.

With Linux distributions like Red Hat, Debian, etc., a possible rule is that /usr is managed by the distribution's package system and /usr/local is not. This way the package manager's database knows about every file within /usr.

LFS users build their own system and so deciding where the system ends and local files begin is not straightforward. So the choice should be made in order to make things easier to administer. There are several reasons for dividing files between /usr and /usr/local.

- On a network of several machines all running LFS, or mixed LFS and other Linux distributions, /usr/local could be used to hold packages that are common between all the computers in the network. It can be NFS mounted or mirrored from a single server. Here local indicates local to the site.
- On a network of several computers all running an identical LFS system, /usr/local could hold packages that are different between the machines. In this case local refers to the individual computers.
- Even on a single computer, /usr/local can be useful if you have several distributions installed simultaneously, and want a place to put packages that will be the same on all of them.
- Or you might regularly rebuild your LFS, but want a place to put files that you don't want to rebuild each time. This way you can wipe the LFS file system and start from a clean partition every time without losing everything.

Some people ask why not use your own directory tree, e.g., /usr/site, rather than /usr/local?

There is nothing stopping you, many sites do make their own trees, however it makes installing new software more difficult. Automatic installers often look for dependencies in /usr and /usr/local, and if the file it is looking for is in /usr/site instead, the installer will probably fail unless you specifically tell it where to look.

What is the BLFS position on this?

All of the BLFS instructions install programs in /usr with optional instructions to install into /opt for some specific packages.

Optional Patches

As you follow the various sections in the book, you will observe that the book occasionally includes patches that are required for a successful and secure installation of the packages. The general policy of the book is to include patches that fall in one of the following criteria:

- Fixes a compilation problem.
- Fixes a security problem.
- Fixes a broken functionality.

In short, the book only includes patches that are either required or recommended. There is a Patches subproject which hosts various patches (including the patches referenced in the books) to enable you to configure your LFS the way you like it.

BLFS Boot Scripts

The BLFS Bootscripts package contains the init scripts that are used throughout the book. It is assumed that you will be using the BLFS Bootscripts package in conjunction with a compatible LFS-Bootscripts package. Refer to [../lfs/view/6.2/chapter07/bootscripts.html](http://lfs/view/6.2/chapter07/bootscripts.html) for more information on the LFS-Bootscripts package.

Package Information

- Download: <http://www.linuxfromscratch.org/blfs/downloads/6.2.0/blfs-bootscripts-20060910.tar.bz2>

The BLFS Bootscripts package will be used throughout the BLFS book for startup scripts. Unlike LFS, each init script has a separate install target in the BLFS Bootscripts package. It is recommended you keep the package source directory around until completion of your BLFS system. When a script is requested from BLFS Bootscripts, simply change to the directory and as the `root` user, execute the given **make install-*init-script*** command. This command installs the init script to its proper location (along with any auxiliary configuration scripts) and also creates the appropriate symlinks to start and stop the service at the appropriate run-level.



Note

It is advisable to peruse each bootscript before installation to ascertain that it satisfies your need. Also verify that the start and stop symlinks it creates match your preferences.

Locale Related Issues

This page contains information about locale related problems and issues. In the following paragraphs you'll find a generic overview of things that can come up when configuring your system for various locales. Many (but not all) existing locale related problems can be classified and fall under one of the headings below. The severity ratings below use the following criteria:

- **Critical:** The program doesn't perform its main function. The fix would be very intrusive, it's better to search for a replacement.
- **High:** Part of the functionality that the program provides is not usable. If that functionality is required, it's better to search for a replacement.
- **Low:** The program works in all typical use cases, but lacks some functionality normally provided by its equivalents.

If there is a known workaround for a specific package, it will appear on that package's page. For the most recent information about locale related issues for individual packages, check the User Notes in the BLFS Wiki.

The Needed Encoding is Not a Valid Option in the Program

Severity: Critical

Some programs require the user to specify the character encoding for their input or output data and present only a limited choice of encodings. This is the case for the `-X` option in `a2ps-4.13b` and `Enscript-1.6.4`, the `-input-charset` option in unpatched `Cdrtools-2.01`, and the character sets offered for display in the menu of `Links-2.1pre23`. If the required encoding is not in the list, the program usually becomes completely unusable. For non-interactive programs, it may be possible to work around this by converting the document to a supported input character set before submitting to the program.

A solution to this type of problem is to implement the necessary support for the missing encoding as a patch to the original program (as done for `Cdrtools-2.01` in this book), or to find a replacement.

The Program Assumes the Locale-Based Encoding of External Documents

Severity: High for non-text documents, low for text documents

Some programs, `nano-2.0.1` or `JOE-3.5` for example, assume that documents are always in the encoding implied by the current locale. While this assumption may be valid for the user-created documents, it is not safe for external ones. When this assumption fails, non-ASCII characters are displayed incorrectly, and the document may become unreadable.

If the external document is entirely text based, it can be converted to the current locale encoding using the **iconv** program.

For documents that are not text-based, this is not possible. In fact, the assumption made in the program may be completely invalid for documents where the Microsoft Windows operating system has set de facto standards. An example of this problem is ID3v1 tags in MP3 files (see the BLFS Wiki ID3v1Coding page for more details). For these cases, the only solution is to find a replacement program that doesn't have the issue (e.g., one that will allow you to specify the assumed document encoding).

Among BLFS packages, this problem applies to nano-2.0.1, JOE-3.5, and all media players except audacious-1.0.0.

Another problem in this category is when someone cannot read the documents you've sent them because their operating system is set up to handle character encodings differently. This can happen often when the other person is using Microsoft Windows, which only provides one character encoding for a given country. For example, this causes problems with UTF-8 encoded TeX documents created in Linux. On Windows, most applications will assume that these documents have been created using the default Windows 8-bit encoding. See the teTeX Wiki page for more details.

In extreme cases, Windows encoding compatibility issues may be solved only by running Windows programs under Wine.

The Program Uses or Creates Filenames in the Wrong Encoding

Severity: Critical

The POSIX standard mandates that the filename encoding is the encoding implied by the current LC_CTYPE locale category. This information is well-hidden on the page which specifies the behavior of Tar and Cpio programs. Some programs get it wrong by default (or simply don't have enough information to get it right). The result is that they create filenames which are not subsequently shown correctly by **ls**, or they refuse to accept filenames that **ls** shows properly. For the GLib-2.10.3 library, the problem can be corrected by setting the `G_FILENAME_ENCODING` environment variable to the special "@locale" value. Glib2 based programs that don't respect that environment variable are buggy.

The Zip-2.32, UnZip-5.52, and Nautilus CD Burner-2.14.3 have this problem because they hard-code the expected filename encoding. UnZip contains a hard-coded conversion table between the CP850 (DOS) and ISO-8859-1 (UNIX) encodings and uses this table when extracting archives created under DOS or Microsoft Windows. However, this assumption only works for those in the US and not for anyone using a UTF-8 locale. Non-ASCII characters will be mangled in the extracted filenames.

On the other hand, Nautilus CD Burner checks names of files added to its window for UTF-8 validity. This is wrong for users of non-UTF-8 locales. Also, Nautilus CD Burner unconditionally calls **mkisofs** with the `-input-charset UTF-8` parameter, which is only correct in UTF-8 locales.

The general rule for avoiding this class of problems is to avoid installing broken programs. If this is impossible, the `convmv` command-line tool can be used to fix filenames created by these broken programs, or intentionally mangle the existing filenames to meet the broken expectations of such programs.

In other cases, a similar problem is caused by importing filenames from a system using a different locale with a tool that is not locale-aware (e.g., NFS Utilities-1.0.10 or OpenSSH-4.5p1). In order to avoid mangling non-ASCII characters when transferring files to a system with a different locale, any of the following methods can be used:

- Transfer anyway, fix the damage with **convmv**.
- On the sending side, create a tar archive with the `--format=posix` switch passed to **tar** (this will be the default in a future version of **tar**).
- Mail the files as attachments. Mail clients specify the encoding of attached filenames.
- Write the files to a removable disk formatted with a FAT or FAT32 filesystem.

- Transfer the files using Samba.
- Transfer the files via FTP using RFC2640-aware server (this currently means only wu-ftp, which has bad security history) and client (e.g., lftp).

The last four methods work because the filenames are automatically converted from the sender's locale to UNICODE and stored or sent in this form. They are then transparently converted from UNICODE to the recipient's locale encoding.

The Program Breaks Multibyte Characters or Doesn't Count Character Cells Correctly

Severity: High or critical

Many programs were written in an older era where multibyte locales were not common. Such programs assume that C "char" data type, which is one byte, can be used to store single characters. Further, they assume that any sequence of characters is a valid string and that every character occupies a single character cell. Such assumptions completely break in UTF-8 locales. The visible manifestation is that the program truncates strings prematurely (i.e., at 80 bytes instead of 80 characters). Terminal-based programs don't place the cursor correctly on the screen, don't react to the "Backspace" key by erasing one character, and leave junk characters around when updating the screen, usually turning the screen into a complete mess.

Fixing this kind of problems is a tedious task from a programmer's point of view, like all other cases of retrofitting new concepts into the old flawed design. In this case, one has to redesign all data structures in order to accommodate to the fact that a complete character may span a variable number of "char"s (or switch to wchar_t and convert as needed). Also, for every call to the "strlen" and similar functions, find out whether a number of bytes, a number of characters, or the width of the string was really meant. Sometimes it is faster to write a program with the same functionality from scratch.

Among BLFS packages, this problem applies to Ed-0.2, xine User Interface-0.99.4 and all shells.

The Package Installs Manual Pages in Incorrect or Non-Displayable Encoding

Severity: Low

LFS expects that manual pages are in the language-specific (usually 8-bit) encoding, as specified on the LFS Man DB page. However, some packages install translated manual pages in UTF-8 encoding (e.g., Shadow, already dealt with), or manual pages in languages not in the table. Not all BLFS packages have been audited for conformance with the requirements put in LFS (the large majority have been checked, and fixes placed in the book for packages known to install non-conforming manual pages). If you find a manual page installed by any of BLFS packages that is obviously in the wrong encoding, please remove or convert it as needed, and report this to BLFS team as a bug.

You can easily check your system for any non-conforming manual pages by copying the following short shell script to some accessible location,

```
#!/bin/sh
# Begin checkman.sh
# Usage: find /usr/share/man -type f | xargs checkman.sh
for a in "$@"
```

```
do
    # echo "Checking $a..."
    # Pure-ASCII manual page (possibly except comments) is OK
    grep -v '.\|\' "$a" | iconv -f US-ASCII -t US-ASCII >/dev/null 2>&1 && continue
    # Non-UTF-8 manual page is OK
    iconv -f UTF-8 -t UTF-8 "$a" >/dev/null 2>&1 || continue
    # If we got here, we found UTF-8 manual page, bad.
    echo "UTF-8 manual page: $a" >&2
done
# End checkman.sh
```

and then issuing the following command (modify the command below if the **checkman.sh** script is not in your PATH environment variable):

```
find /usr/share/man -type f | xargs checkman.sh
```

Note that if you have manual pages installed in any location other than `/usr/share/man` (e.g., `/usr/local/share/man`), you must modify the above command to include this additional location.

Going Beyond BLFS

The packages that are installed in this book are only the tip of the iceberg. We hope that the experience you gained with the LFS book and the BLFS book will give you the background needed to compile, install and configure packages that are not included in this book.

When you want to install a package to a location other than `/`, or `/usr`, you are installing outside the default environment settings on most machines. The following examples should assist you in determining how to correct this situation. The examples cover the complete range of settings that may need updating, but they are not all needed in every situation.

- Expand the `PATH` to include `$PREFIX/bin`.
- Expand the `PATH` for `root` to include `$PREFIX/sbin`.
- Add `$PREFIX/lib` to `/etc/ld.so.conf` or expand `LD_LIBRARY_PATH` to include it. Before using the latter option, check out http://xahlee.org/UnixResource_dir/_ldpath.html. If you modify `/etc/ld.so.conf`, remember to update `/etc/ld.so.cache` by executing **ldconfig** as the `root` user.
- Add `$PREFIX/man` to `/etc/man_db.conf` or expand `MANPATH`.
- Add `$PREFIX/info` to `INFOPATH`.
- Add `$PREFIX/lib/pkgconfig` to `PKG_CONFIG_PATH`. Some packages are now installing `.pc` files in `$PREFIX/share/pkgconfig`, so you may have to include this directory also.
- Add `$PREFIX/include` to `CPPFLAGS` when compiling packages that depend on the package you installed.

If you are in search of a package that is not in the book, the following are different ways you can search for the desired package.

- If you know the name of the package, then search FreshMeat for it at <http://freshmeat.net/>. Also search Google at <http://google.com/>. Sometimes a search for the `rpm` at <http://rpmfind.net/> or the `deb` at http://www.debian.org/distrib/packages#search_packages can also lead to a link to the package.
- If you know the name of the executable, but not the package that the executable belongs to, first try a Google search with the name of the executable. If the results are overwhelming, try searching for the given executable in the Debian repository at http://www.debian.org/distrib/packages#search_contents.

Some general hints on handling new packages:

- Many of the newer packages follow the **`./configure && make && make install`** process. Help on the options accepted by `configure` can be obtained via the command **`./configure --help`**.
- Most of the packages contain documentation on compiling and installing the package. Some of the documents are excellent, some not so excellent. Check out the homepage of the package for any additional and updated hints for compiling and configuring the package.
- If you are having a problem compiling the package, try searching the LFS archives at <http://search.linuxfromscratch.org/> for the error or if that fails, try searching Google. If everything else fails,

try the blfs-support mailing-list.

**Tip**

If you have found a package that is only available in `.deb` or `.rpm` format, there are two small scripts, **`rpm2targz`** and **`deb2targz`** that are available at <http://downloads.linuxfromscratch.org/deb2targz.tar.bz2> and <http://downloads.linuxfromscratch.org/rpm2targz.tar.bz2> to convert the archives into a simple `tar.gz` format.

Part II. Post LFS Configuration and Extra Software

Chapter 3. After LFS Configuration Issues

The intention of LFS is to provide a basic system which you can build upon. There are several things about tidying up the system which many people wonder about once they have done the base install. We hope to cover these issues in this chapter.

Most people coming from non-Unix like backgrounds to Linux find the concept of text-only configuration files slightly strange. In Linux, just about all configuration is done via the manipulation of text files. The majority of these files can be found in the `/etc` hierarchy. There are often graphical configuration programs available for different subsystems but most are simply pretty front ends to the process of editing a text file. The advantage of text-only configuration is that you can edit parameters using your favorite text editor, whether that be **vim**, **emacs**, or any other editor.

The first task is making a recovery boot device in Creating a Custom Boot Device because it's the most critical need. Then the system is configured to ease addition of new users, because this can affect the choices you make in the two subsequent topics—The Bash Shell Startup Files and The `vimrc` Files.

The remaining topics, Customizing your Logon with `/etc/issue`, The `/etc/shells` File, Random number generation, Compressing man and info pages, `autofs-4.1.4`, and Configuring for Network Filesystems are then addressed, in that order. They don't have much interaction with the other topics in this chapter.

Creating a Custom Boot Device

Decent Rescue Boot Device Needs

This section is really about creating a *rescue* device. As the name *rescue* implies, the host system has a problem, often lost partition information or corrupted file systems, that prevent it from booting and/or operating normally. For this reason, you *must not* depend on resources from the host being "rescued". To presume that any given partition or hard drive *will* be available is a risky presumption.

In a modern system, there are many devices that can be used as a rescue device: floppy, cdrom, usb drive, or even a network card. Which one you use depends on your hardware and your BIOS. In the past, we usually thought of rescue device as a floppy disk. Today, many systems do not even have a floppy drive.

Building a complete rescue device is a challenging task. In many ways, it is equivalent to building an entire LFS system. In addition, it would be a repetition of information already available. For these reasons, the procedures for a rescue device image are not presented here.

Creating a Rescue Floppy

The software of today's systems has grown large. Linux 2.6 no longer supports booting directly from a floppy. In spite of this, there are solutions available using older versions of Linux. One of the best is Tom's Root/Boot Disk available at <http://www.toms.net/rb/>. This will provide a minimal Linux system on a single floppy disk and provides the ability to customize the contents of your disk if necessary.

Creating a Bootable CD-ROM

There are several sources that can be used for a rescue CD-ROM. Just about any commercial distribution's installation CD-ROMs or DVDs will work. These include RedHat, Mandrake, and SuSE. One very popular option is Knoppix.

Also, the LFS Community has developed its own LiveCD available at <http://www.linuxfromscratch.org/livedcd/>. This LiveCD, in addition to having boot and rescue capabilities, is capable of building an entire LFS/BLFS system. A copy of this CD-ROM is available with the printed version of the Linux From Scratch book. If you download the ISO image, use **cdrecord** to copy the image to a CD-ROM.

Creating a Bootable USB Drive

A USB Pen drive, sometimes called a Thumb drive, is recognized by Linux as a SCSI device. Using one of these devices as a rescue device has the advantage that it is usually large enough to hold more than a minimal boot image. You can save critical data to the drive as well as use it to diagnose and recover a damaged system. Booting such a drive requires BIOS support, but building the system consists of formatting the drive, adding GRUB as well as the Linux kernel and supporting files.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/CreatingCustomBootDevice>

Configuring for Adding Users

Together, the `/usr/sbin/useradd` command and `/etc/skel` directory (both are easy to set up and use) provide a way to assure new users are added to your LFS system with the same beginning settings for things such as the `PATH`, keyboard processing and other environmental variables. Using these two facilities makes it easier to assure this initial state for each new user added to the system.

The `/etc/skel` directory holds copies of various initialization and other files that may be copied to the new user's home directory when the `/usr/sbin/useradd` program adds the new user.

Useradd

The **useradd** program uses a collection of default values kept in `/etc/default/useradd`, if it exists. If this file does not exist, then it uses some internal defaults. You can see the default values by running `/usr/sbin/useradd -D`.

To change these values to something new, create a base `/etc/default/useradd` file as the `root` user with the same values as the output of `/usr/sbin/useradd -D`. Here is a sample:

```
# Begin /etc/default/useradd

GROUP=100
HOME=/home
INACTIVE=-1
EXPIRE=
SHELL=
SKEL=/etc/skel

# End /etc/default/useradd
```

The only thing missing from the file is a default shell. Add that by running the following command as the `root` user:

```
/usr/sbin/useradd -D -s/bin/bash
```

This will set the `SHELL=` line to `SHELL=/bin/bash`.

useradd has many parameters that can be set in the `/etc/default/useradd` file. For more information see **man useradd**.

/etc/skel

To get started, create an `/etc/skel` directory and make sure it is writable only by the system administrator, usually `root`. Creating the directory as `root` is the best way to go.

The mode of any files from this part of the book that you put in `/etc/skel` should be writable only by the owner. Also, since there is no telling what kind of sensitive information a user may eventually place in their copy of these files, you should make them unreadable by "group" and "other".

You can also put other files in `/etc/skel` and different permissions may be needed for them.

Decide which initialization files should be provided in every (or most) new user's home directory. The decisions you make will affect what you do in the next two sections, The Bash Shell Startup Files and The `vimrc` Files. Some or all of those files will be useful for `root`, any already-existing users, and new users.

The files from those sections that you might want to place in `/etc/skel` include `.inputrc`, `.bash_profile`, `.bashrc`, `.bash_logout`, `.dircolors`, and `.vimrc`. If you are unsure which of these should be placed there, just continue to the following sections, read each section and any references provided, and then make your decision.

You will run a slightly modified set of commands for files which are placed in `/etc/skel`. Each section will remind you of this. In brief, the book's commands have been written for files *not* added to `/etc/skel` and instead just sends the results to the user's home directory. If the file is going to be in `/etc/skel`, change the book's command(s) to send output there instead and then just copy the file from `/etc/skel` to the appropriate directories, like `/etc`, `~` or the home directory of any other user already in the system.

When Adding a User

When adding a new user with **useradd**, use the `-m` parameter, which tells **useradd** to create the user's home directory and copy files from `/etc/skel` (can be overridden) to the new user's home directory. For example (perform as the `root` user):

```
useradd -m <newuser>
```

About System Users and Groups

Throughout BLFS, many packages install programs that run as daemons or in some way should have a user or group name assigned. Generally these names are used to map a user ID (uid) or group ID (gid) for system use. Generally the specific uid or gid numbers used by these applications are not significant. The exception of course, is that `root` has a uid and gid of 0 (zero) that is indeed special. The uid values are stored in `/etc/passwd` and the gid values are found in `/etc/group`.

Customarily, Unix systems classify users and groups into two categories: system users and regular users. The system users and groups are given low numbers and regular users and groups have numeric values greater than all the system values. The cutoff for these numbers is found in two parameters in the `/etc/login.defs` configuration file. The default `UID_MIN` value is 1000 and the default `GID_MIN` value is 100. If a specific uid or gid value is not specified when creating a user with **useradd** or a group with **groupadd** the values assigned will always be above these cutoff values.

Additionally, the Linux Standard Base recommends that system uid and gid values should be below 100.

Below is a table of suggested uid/gid values used in BLFS beyond those defined in a base LFS installation. These can be changed as desired, but provide a suggested set of consistent values.

Table 3.1. UID/GID Suggested Values

Name	uid	gid
bin	1	
lp	9	
messagebus	18	18
haldaemon	19	19
named	20	20
gdm	21	21
fcron	22	22
apache	25	25
smmsp	26	26
exim	31	31
postfix	32	32
postdrop		33
sendmail	34	
mail		34
vmailman	35	35
news	36	36
mysql	40	40
postgres	41	41
ftp	45	45
proftpd	46	46

Name	uid	gid
vsftpd	47	47
rsyncd	48	48
sshd	50	50
stunnel	51	51
svn	56	56
svntest		57
games	60	60
anonymous	98	
nobody	99	
nogroup		99

One value that is missing is 65534. This value is customarily assigned to the user `nobody` and group `nogroup` and is unnecessary. The issue is explained in more detail in the first note in the NFS Utilities Installation section.

About Devices

Although most devices needed by packages in BLFS and beyond are set up properly by udev using the default rules installed by LFS in `/etc/udev/rules.d`, there are cases where the rules must be modified or augmented.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/aboutdevices>

Multiple Sound Cards

If there are multiple sound cards in a system, the "default" sound card becomes random. The method to establish sound card order depends on whether the drivers are modules or not. If the sound card drivers are compiled into the kernel, control is via kernel command line parameters in `/boot/grub/menu.lst`. For example, if a system has both an FM801 card and a SoundBlaster PCI card, the following can be appended to the command line:

```
snd-fm801.index=0 snd-ens1371.index=1
```

If the sound card drivers are built as modules, the order can be established in the `/etc/modprobe.conf` file with:

```
options snd-fm801 index=0
options snd-ens1371 index=1
```

Udev Device Attributes

Fine-tuning of device attributes such as group name and permissions is possible by creating extra udev rules, matching on something like this (on one line). The vendor and product can be found by searching the `/sys/devices` directory entries or using **udevinfo** after the device has been attached. See the documentation in the current udev directory of `/usr/share/doc` for details.

```
SUBSYSTEM=="usb_device", SYSFS{idVendor}=="05d8",
    SYSFS{idProduct}=="4002", GROUP=="scanner", MODE=="0640"
```

USB Device Issues

Some older applications, such as VMware, need the following deprecated entry in the `/etc/fstab` file. This is not normally needed.

```
usbfs /proc/bus/usb usbfs devgid=14,devmode=0660 0 0
```

Devices for Servers

In some cases, it makes sense to disable udev completely and create static devices. Servers are one example of this situation. Does a server need the capability of handling dynamic devices? Only the system administrator can answer that question, but in many cases the answer will be no.

If dynamic devices are not desired, then static devices must be created on the system. In the default configuration, the `/etc/rc.d/rcsysinit.d/S10udev` boot script mounts a `tmpfs` partition over the `/dev` directory. This problem can be overcome by mounting the root partition temporarily:

**Warning**

If the instructions below are not followed carefully, your system could become unbootable.

```
mount --bind / /mnt
cp -a /dev/* /mnt/dev
rm /etc/rc.d/rcsysinit.d/{S10udev,S45udev_retry}
umount /mnt
```

At this point, the system will use static devices upon the next reboot. Create any desired additional devices using **mknod**.

If you want to restore the dynamic devices, recreate the `/etc/rc.d/rcsysinit.d/{S10udev,S45udev_retry}` symbolic links and reboot again. Static devices do not need to be removed (console and null are always needed) because they are covered by the `tmpfs` partition. Disk usage for devices is negligible (about 20–30 bytes per entry.)

The Bash Shell Startup Files

The shell program `/bin/bash` (hereafter referred to as just "the shell") uses a collection of startup files to help create an environment. Each file has a specific use and may affect login and interactive environments differently. The files in the `/etc` directory generally provide global settings. If an equivalent file exists in your home directory it may override the global settings.

An interactive login shell is started after a successful login, using `/bin/login`, by reading the `/etc/passwd` file. This shell invocation normally reads `/etc/profile` and its private equivalent `~/.bash_profile` upon startup.

An interactive non-login shell is normally started at the command-line using a shell program (e.g., `[prompt]$/bin/bash`) or by the `/bin/su` command. An interactive non-login shell is also started with a terminal program such as **xterm** or **konsole** from within a graphical environment. This type of shell invocation normally copies the parent environment and then reads the user's `~/.bashrc` file for additional startup configuration instructions.

A non-interactive shell is usually present when a shell script is running. It is non-interactive because it is processing a script and not waiting for user input between commands. For these shell invocations, only the environment alluded from the parent shell is used.

The file `~/.bash_logout` is not used for an invocation of the shell. It is read and executed when a user exits from an interactive login shell.

Many distributions use `/etc/bashrc` for system wide initialization of non-login shells. This file is usually called from the user's `~/.bashrc` file and is not built directly into **bash** itself. This convention is followed in this section.

For more information see **info bash -- Nodes: Bash Startup Files and Interactive Shells**.



Note

Most of the instructions below are used to create files located in the `/etc` directory structure which requires you to execute the commands as the `root` user. If you elect to create the files in user's home directories instead, you should run the commands as an unprivileged user.

`/etc/profile`

Here is a base `/etc/profile`. This file starts by setting up some helper functions and some basic parameters. It specifies some **bash** history parameters and, for security purposes, disables keeping a permanent history file for the `root` user. It also sets a default user prompt. It then calls small, single purpose scripts in the `/etc/profile.d` directory to provide most of the initialization.

For more information on the escape sequences you can use for your prompt (i.e., the `PS1` environment variable) see **info bash -- Node: Printing a Prompt**.

```
cat > /etc/profile << "EOF"
# Begin /etc/profile
# Written for Beyond Linux From Scratch
# by James Robertson <jameswrobertson@earthlink.net>
# modifications by Dagmar d'Surreal <rivyqntzne@pbzpnfg.arg>
```



```

# System wide environment variables and startup programs.

# System wide aliases and functions should go in /etc/bashrc.  Personal
# environment variables and startup programs should go into
# ~/.bash_profile.  Personal aliases and functions should go into
# ~/.bashrc.

# Functions to help us manage paths.  Second argument is the name of the
# path variable to be modified (default: PATH)
pathremove () {
    local IFS=':'
    local NEWPATH
    local DIR
    local PATHVARIABLE=${2:-PATH}
    for DIR in ${!PATHVARIABLE} ; do
        if [ "$DIR" != "$1" ] ; then
            NEWPATH=${NEWPATH:+$NEWPATH:}$DIR
        fi
    done
    export $PATHVARIABLE="$NEWPATH"
}

pathprepend () {
    pathremove $1 $2
    local PATHVARIABLE=${2:-PATH}
    export $PATHVARIABLE="$1${!PATHVARIABLE:+:${!PATHVARIABLE}} "
}

pathappend () {
    pathremove $1 $2
    local PATHVARIABLE=${2:-PATH}
    export $PATHVARIABLE="${!PATHVARIABLE:+${!PATHVARIABLE}:}$1 "
}

# Set the initial path
export PATH=/bin:/usr/bin

if [ $EUID -eq 0 ] ; then
    pathappend /sbin:/usr/sbin
    unset HISTFILE
fi

# Setup some environment variables.
export HISTSIZE=1000
export HISTIGNORE="&:[bf]g:exit"
#export PS1="[u@\h \w]\\$ "
export PS1='\u@\h:\w\$ '

for script in /etc/profile.d/*.sh ; do
    if [ -r $script ] ; then
        . $script
    fi
done

```

```

        fi
done

# Now to clean up
unset pathremove pathprepend pathappend

# End /etc/profile
EOF

```

The /etc/profile.d Directory

Now create the `/etc/profile.d` directory, where the individual initialization scripts are placed:

```
install --directory --mode=0755 --owner=root --group=root /etc/profile.d
```

/etc/profile.d/dircolors.sh

This script uses the `~/.dircolors` and `/etc/dircolors` files to control the colors of file names in a directory listing. They control colorized output of things like `ls --color`. The explanation of how to initialize these files is at the end of this section.

```

cat > /etc/profile.d/dircolors.sh << "EOF"
# Setup for /bin/ls to support color, the alias is in /etc/bashrc.
if [ -f "/etc/dircolors" ] ; then
    eval $(dircolors -b /etc/dircolors)

    if [ -f "$HOME/.dircolors" ] ; then
        eval $(dircolors -b $HOME/.dircolors)
    fi
fi
alias ls='ls --color=auto'
EOF

```

/etc/profile.d/extrapaths.sh

This script adds several useful paths to the `PATH` and `PKG_CONFIG_PATH` environment variables. If you want, you can uncomment the last section to put a dot at the end of your path. This will allow executables in the current working directory to be executed without specifying a `./`, however you are warned that this is generally considered a security hazard.

```

cat > /etc/profile.d/extrapaths.sh << "EOF"
if [ -d /usr/local/lib/pkgconfig ] ; then
    pathappend /usr/local/lib/pkgconfig PKG_CONFIG_PATH
fi
if [ -d /usr/local/bin ]; then
    pathprepend /usr/local/bin
fi
if [ -d /usr/local/sbin -a $EUID -eq 0 ]; then
    pathprepend /usr/local/sbin
fi
for directory in $(find /opt/*/lib/pkgconfig -type d 2>/dev/null); do
    pathappend $directory PKG_CONFIG_PATH

```

```
done
for directory in $(find /opt/*/bin -type d 2>/dev/null); do
    pathappend $directory
done
if [ -d ~/bin ]; then
    pathprepend ~/bin
fi
#if [ $EUID -gt 99 ]; then
#    pathappend .
#fi
EOF
```

/etc/profile.d/readline.sh

This script sets up the default `inputrc` configuration file. If the user does not have individual settings, it uses the global file.

```
cat > /etc/profile.d/readline.sh << "EOF"
# Setup the INPUTRC environment variable.
if [ -z "$INPUTRC" -a ! -f "$HOME/.inputrc" ] ; then
    INPUTRC=/etc/inputrc
fi
export INPUTRC
EOF
```

/etc/profile.d/umask.sh

Setting the **umask** value is important for security. Here the default group write permissions are turned off for system users and when the user name and group name are not the same.

```
cat > /etc/profile.d/umask.sh << "EOF"
# By default we want the umask to get set.
if [ "$(id -gn)" = "$(id -un)" -a $EUID -gt 99 ] ; then
    umask 002
else
    umask 022
fi
EOF
```

/etc/profile.d/X.sh

If X is installed, the `PATH` and `PKG_CONFIG_PATH` variables are also updated.

```
cat > /etc/profile.d/X.sh << "EOF"
if [ -x /usr/X11R6/bin/X ]; then
    pathappend /usr/X11R6/bin
fi
if [ -d /usr/X11R6/lib/pkgconfig ] ; then
    pathappend /usr/X11R6/lib/pkgconfig PKG_CONFIG_PATH
fi
EOF
```

/etc/profile.d/extra-prompt.sh

This script shows an example of a different way of setting the prompt. The normal variable, `PS1`, is supplemented by `PROMPT_COMMAND`. If set, the value of `PROMPT_COMMAND` is executed as a command prior to issuing each primary prompt. The sequence `\e` is an ESC character. `\a` is a BEL character. For a reference on **xterm** escape sequences, see <http://rtfm.etla.org/xterm/ctlseq.html>.

```
cat > /etc/profile.d/extra-prompt.sh << "EOF"
PROMPT_COMMAND='echo -ne "\e[1m${USER}@${HOSTNAME} : ${PWD}\e[0m\a"'
export PROMPT_COMMAND
EOF
```

The escape sequences above are BOLD, NORMAL, and BEL.

'/etc/profile.d/i18n.sh'

This script sets an environment variable necessary for native language support. A full discussion on determining this variable can be found on the LFS Bash Shell Startup Files page.

```
cat > /etc/profile.d/i18n.sh << "EOF"
# Set up i18n variables
export LANG=<ll>_<CC>.<charmap><@modifiers>
EOF
```

Other Initialization Values

Other initialization can easily be added to the profile by adding additional scripts to the `/etc/profile.d` directory.

/etc/bashrc

Here is a base `/etc/bashrc`. Comments in the file should explain everything you need.

```
cat > /etc/bashrc << "EOF"
# Begin /etc/bashrc
# Written for Beyond Linux From Scratch
# by James Robertson <jameswrobertson@earthlink.net>
# updated by Bruce Dubbs <bdubbs@linuxfromscratch.org>

# Make sure that the terminal is set up properly for each shell

if [ -f /etc/profile.d/tinker-term.sh ]; then
    source /etc/profile.d/tinker-term.sh
fi

# System wide aliases and functions.

# System wide environment variables and startup programs should go into
# /etc/profile. Personal environment variables and startup programs
# should go into ~/.bash_profile. Personal aliases and functions should
# go into ~/.bashrc

# Provides a colored /bin/ls command. Used in conjunction with code in
```

```
# /etc/profile.

alias ls='ls --color=auto'

# Provides prompt for non-login shells, specifically shells started
# in the X environment. [Review the LFS archive thread titled
# PS1 Environment Variable for a great case study behind this script
# addendum.]

#export PS1="[\u@\h \w]\$\n"
export PS1='\u@\h:\w\$ '

# End /etc/bashrc
EOF
```

~/.bash_profile

Here is a base ~/.bash_profile. If you want each new user to have this file automatically, just change the output of the command to /etc/skel/.bash_profile and check the permissions after the command is run. You can then copy /etc/skel/.bash_profile to the home directories of already existing users, including root, and set the owner and group appropriately.

```
cat > ~/.bash_profile << "EOF"
# Begin ~/.bash_profile
# Written for Beyond Linux From Scratch
# by James Robertson <jameswrobertson@earthlink.net>
# updated by Bruce Dubbs <bdubbs@linuxfromscratch.org>

# Personal environment variables and startup programs.

# Personal aliases and functions should go in ~/.bashrc. System wide
# environment variables and startup programs are in /etc/profile.
# System wide aliases and functions are in /etc/bashrc.

append () {
    # First remove the directory
    local IFS=:
    local NEWPATH
    for DIR in $PATH; do
        if [ "$DIR" != "$1" ]; then
            NEWPATH=${NEWPATH:+$NEWPATH:}$DIR
        fi
    done

    # Then append the directory
    export PATH=$NEWPATH:$1
}

if [ -f "$HOME/.bashrc" ] ; then
    source $HOME/.bashrc
fi

if [ -d "$HOME/bin" ] ; then
```

```

    append $HOME/bin
fi

unset append

# End ~/.bash_profile
EOF

```

~/.bashrc

Here is a base ~/.bashrc. The comments and instructions for using /etc/skel for .bash_profile above also apply here. Only the target file names are different.

```

cat > ~/.bashrc << "EOF"
# Begin ~/.bashrc
# Written for Beyond Linux From Scratch
# by James Robertson <jameswrobertson@earthlink.net>

# Personal aliases and functions.

# Personal environment variables and startup programs should go in
# ~/.bash_profile. System wide environment variables and startup
# programs are in /etc/profile. System wide aliases and functions are
# in /etc/bashrc.

if [ -f "/etc/bashrc" ] ; then
    source /etc/bashrc
fi

# End ~/.bashrc
EOF

```

~/.bash_logout

This is an empty ~/.bash_logout that can be used as a template. You will notice that the base ~/.bash_logout does not include a **clear** command. This is because the clear is handled in the /etc/issue file.

```

cat > ~/.bash_logout << "EOF"
# Begin ~/.bash_logout
# Written for Beyond Linux From Scratch
# by James Robertson <jameswrobertson@earthlink.net>

# Personal items to perform on logout.

# End ~/.bash_logout
EOF

```

/etc/dircolors

If you want to use the dircolors capability, then run the following command. The /etc/skel setup steps

shown above also can be used here to provide a `~/ .dircolors` file when a new user is set up. As before, just change the output file name on the following command and assure the permissions, owner, and group are correct on the files created and/or copied.

```
dircolors -p > /etc/dircolors
```

If you wish to customize the colors used for different file types, you can edit the `/etc/dircolors` file. The instructions for setting the colors are embedded in the file.

Finally, Ian Macdonald has written an excellent collection of tips and tricks to enhance your shell environment. You can read it online at <http://www.caliban.org/bash/index.shtml>.

The /etc/vimrc and ~/.vimrc Files

The LFS book installs Vim as its text editor. At this point it should be noted that there are a *lot* of different editing applications out there including Emacs, nano, Joe and many more. Anyone who has been around the Internet (especially usenet) for a short time will certainly have observed at least one flame war, usually involving Vim and Emacs users!

The LFS book creates a basic `vimrc` file. In this section you'll find an attempt to enhance this file. At startup, **vim** reads `/etc/vimrc` and `~/.vimrc` (i.e., the global `vimrc` and the user-specific one). Note that this is only true if you compiled vim using LFS-3.1 onwards. Prior to this, the global `vimrc` was `/usr/share/vim/vimrc`.

Here is a slightly expanded `.vimrc` that you can put in `~/.vimrc` to provide user specific effects. Of course, if you put it into `/etc/skel/.vimrc` instead, it will be made available to users you add to the system later. You can also copy the file from `/etc/skel/.vimrc` to the home directory of users already on the system, such as `root`. Be sure to set permissions, owner, and group if you do copy anything directly from `/etc/skel`.

```
" Begin .vimrc

set columns=80
set wrapmargin=8
set ruler

" End .vimrc
```

Note that the comment tags are `"` instead of the more usual `#` or `//`. This is correct, the syntax for `vimrc` is slightly unusual.

Below you'll find a quick explanation of what each of the options in this example file means here:

- `set columns=80`: This simply sets the number of columns used on the screen.
- `set wrapmargin=8`: This is the number of characters from the right window border where wrapping starts.
- `set ruler`: This makes **vim** show the current row and column at the bottom right of the screen.

More information on the *many* **vim** options can be found by reading the help inside **vim** itself. Do this by typing `:help` in **vim** to get the general help, or by typing `:help usr_toc.txt` to view the User Manual Table of Contents.

Customizing your Logon with `/etc/issue`

When you first boot up your new LFS system, the logon screen will be nice and plain (as it should be in a bare-bones system). Many people however, will want their system to display some information in the logon message. This can be accomplished using the file `/etc/issue`.

The `/etc/issue` file is a plain text file which will also accept certain escape sequences (see below) in order to insert information about the system. There is also the file `issue.net` which can be used when logging on remotely. `ssh` however, will only use it if you set the option in the configuration file and will *not* interpret the escape sequences shown below.

One of the most common things which people want to do is clear the screen at each logon. The easiest way of doing that is to put a "clear" escape sequence into `/etc/issue`. A simple way of doing this is to issue the command `clear > /etc/issue`. This will insert the relevant escape code into the start of the `/etc/issue` file. Note that if you do this, when you edit the file, you should leave the characters (normally `^[[H^[[2J`) on the first line alone.



Note

Terminal escape sequences are special codes recognized by the terminal. The `^[[` represents an ASCII ESC character. The sequence `ESC [H` puts the cursor in the upper left hand corner of the screen and `ESC 2 J` erases the screen. For more information on terminal escape sequences see <http://rtfm.etla.org/xterm/ctlseq.html>

The following sequences are recognized by **agetty** (the program which usually parses `/etc/issue`). This information is from **man agetty** where you can find extra information about the logon process.

The `issue` file can contain certain character sequences to display various information. All `issue` sequences consist of a backslash (`\`) immediately followed by one of the letters explained below (so `\d` in `/etc/issue` would insert the current date).

```
b  Insert the baudrate of the current line.
d  Insert the current date.
s  Insert the system name, the name of the operating system.
l  Insert the name of the current tty line.
m  Insert the architecture identifier of the machine, e.g., i686.
n  Insert the nodename of the machine, also known as the hostname.
o  Insert the domainname of the machine.
r  Insert the release number of the kernel, e.g., 2.6.11.12.
t  Insert the current time.
u  Insert the number of current users logged in.
U  Insert the string "1 user" or "<n> users" where <n> is the
   number of current users logged in.
v  Insert the version of the OS, e.g., the build-date etc.
```

The `/etc/shells` File

The `shells` file contains a list of login shells on the system. Applications use this file to determine whether a shell is valid. For each shell a single line should be present, consisting of the shell's path, relative to the root of the directory structure (`/`).

For example, this file is consulted by **chsh** to determine whether an unprivileged user may change the login shell for her own account. If the command name is not listed, the user will be denied of change.

It is a requirement for applications such as GDM which does not populate the face browser if it can't find `/etc/shells`, or FTP daemons which traditionally disallow access to users with shells not included in this file.

```
cat > /etc/shells << "EOF"
# Begin /etc/shells

/bin/sh
/bin/bash

# End /etc/shells
EOF
```

Random Number Generation

The Linux kernel supplies a random number generator which is accessed through `/dev/random` and `/dev/urandom`. Programs that utilize the random and urandom devices, such as OpenSSH, will benefit from these instructions.

When a Linux system starts up without much operator interaction, the entropy pool (data used to compute a random number) may be in a fairly predictable state. This creates the real possibility that the number generated at startup may always be the same. In order to counteract this effect, you should carry the entropy pool information across your shut-downs and start-ups.

Install the `/etc/rc.d/init.d/random` init script included with the `blfs-bootscripts-20060910` package.

```
make install-random
```

Compressing Man and Info Pages

Man and info reader programs can transparently process files compressed with **gzip** or **bzip2**, a feature you can use to free some disk space while keeping your documentation available. However, things are not that simple; man directories tend to contain links—hard and symbolic—which defeat simple ideas like recursively calling **gzip** on them. A better way to go is to use the script below. If you would prefer to download the file instead of creating it by typing or cut-and-pasting, you can find it at <http://anduin.linuxfromscratch.org/files/BLFS/compressdoc> (the file should be installed in the `/usr/sbin` directory).

```
cat > /usr/sbin/compressdoc << "EOF"
#!/bin/bash
# VERSION: 20060311.0028
#
# Compress (with bzip2 or gzip) all man pages in a hierarchy and
# update symlinks - By Marc Heerdink <marc @ koelkast.net>
#
# Modified to be able to gzip or bzip2 files as an option and to deal
# with all symlinks properly by Mark Hymers <markh @ linuxfromscratch.org>
#
# Modified 20030930 by Yann E. Morin <yann.morin.1998 @ anciens.enib.fr>
# to accept compression/decompression, to correctly handle hard-links,
# to allow for changing hard-links into soft- ones, to specify the
# compression level, to parse the man.conf for all occurrences of MANPATH,
# to allow for a backup, to allow to keep the newest version of a page.
#
# Modified 20040330 by Tushar Teredesai to replace $0 by the name of the
# script.
#   (Note: It is assumed that the script is in the user's PATH)
#
# Modified 20050112 by Randy McMurchy to shorten line lengths and
# correct grammar errors.
#
# Modified 20060128 by Alexander E. Patrakov for compatibility with Man-DB.
#
# Modified 20060311 by Archaic to use Man-DB manpath utility which is a
# replacement for man --path from Man.
#
# TODO:
#   - choose a default compress method to be based on the available
#     tool : gzip or bzip2;
#   - offer an option to automatically choose the best compression
#     method on a per page basis (eg. check which of
#     gzip/bzip2/whatever is the most effective, page per page);
#   - when a MANPATH env var exists, use this instead of /etc/man_db.conf
#     (useful for users to (de)compress their man pages;
#   - offer an option to restore a previous backup;
#   - add other compression engines (compress, zip, etc?). Needed?
#
# Funny enough, this function prints some help.
function help ()
{
```

```

if [ -n "$1" ]; then
    echo "Unknown option : $1"
fi
( echo "Usage: $MY_NAME <comp_method> [options] [dirs]" && \
cat << EOT
Where comp_method is one of :
--gzip, --gz, -g
--bzip2, --bz2, -b
    Compress using gzip or bzip2.

--decompress, -d
    Decompress the man pages.

--backup
    Specify a .tar backup shall be done for all directories.
    In case a backup already exists, it is saved as .tar.old
    prior to making the new backup. If a .tar.old backup
    exists, it is removed prior to saving the backup.
    In backup mode, no other action is performed.

And where options are :
-1 to -9, --fast, --best
    The compression level, as accepted by gzip and bzip2.
    When not specified, uses the default compression level
    for the given method (-6 for gzip, and -9 for bzip2).
    Not used when in backup or decompress modes.

--force, -F
    Force (re-)compression, even if the previous one was
    the same method. Useful when changing the compression
    ratio. By default, a page will not be re-compressed if
    it ends with the same suffix as the method adds
    (.bz2 for bzip2, .gz for gzip).

--soft, -S
    Change hard-links into soft-links. Use with caution
    as the first encountered file will be used as a
    reference. Not used when in backup mode.

--hard, -H
    Change soft-links into hard-links. Not used when in
    backup mode.

--conf=dir, --conf dir
    Specify the location of man_db.conf. Defaults to /etc.

--verbose, -v
    Verbose mode, print the name of the directory being
    processed. Double the flag to turn it even more verbose,
    and to print the name of the file being processed.

--fake, -f
    Fakes it. Print the actual parameters compressdoc will use.

dirs
    A list of space-separated absolute pathnames to the
    man directories. When empty, and only then, use manpath
    to parse ${MAN_CONF}/man_db.conf for all valid occurrences
    of MANDATORY_MANPATH.

```

Note about compression:

There has been a discussion on blfs-support about compression ratios of both gzip and bzip2 on man pages, taking into account the hosting fs, the architecture, etc... On the overall, the conclusion was that gzip was much more efficient on 'small' files, and bzip2 on 'big' files, small and big being very dependent on the content of the files.

See the original post from Mickael A. Peters, titled "Bootable Utility CD", dated 20030409.1816(+0200), and subsequent posts: <http://linuxfromscratch.org/pipermail/blfs-support/2003-April/038817.html>

On my system (x86, ext3), man pages were 35564KB before compression. gzip -9 compressed them down to 20372KB (57.28%), bzip2 -9 got down to 19812KB (55.71%). That is a 1.57% gain in space. YMMV.

What was not taken into consideration was the decompression speed. But does it make sense to? You gain fast access with uncompressed man pages, or you gain space at the expense of a slight overhead in time. Well, my P4-2.5GHz does not even let me notice this... :-)

EOT

```
) | less
}
```

```
# This function checks that the man page is unique amongst bzip2'd,
# gzip'd and uncompressed versions.
# $1 the directory in which the file resides
# $2 the file name for the man page
# Returns 0 (true) if the file is the latest and must be taken care of,
# and 1 (false) if the file is not the latest (and has therefore been
# deleted).
function check_unique ()
{
    # NB. When there are hard-links to this file, these are
    # _not_ deleted. In fact, if there are hard-links, they
    # all have the same date/time, thus making them ready
    # for deletion later on.

    # Build the list of all man pages with the same name
    DIR=$1
    BASENAME=`basename "${2}" .bz2`
    BASENAME=`basename "${BASENAME}" .gz`
    GZ_FILE="${BASENAME}.gz"
    BZ_FILE="${BASENAME}.bz2"

    # Look for, and keep, the most recent one
    LATEST=`(cd "$DIR"; ls -lrt "${BASENAME}" "${GZ_FILE}" "${BZ_FILE}" \
        2>/dev/null | tail -n 1)`
    for i in "${BASENAME}" "${GZ_FILE}" "${BZ_FILE}"; do
        [ "$LATEST" != "$i" ] && rm -f "$DIR"/"$i"
    done

    # In case the specified file was the latest, return 0
}
```

```

[ "$LATEST" = "$2" ] && return 0
# If the file was not the latest, return 1
return 1
}

# Name of the script
MY_NAME=`basename $0`

# OK, parse the command-line for arguments, and initialize to some
# sensible state, that is: don't change links state, parse
# /etc/man_db.conf, be most silent, search man_db.conf in /etc, and don't
# force (re-)compression.
COMP_METHOD=
COMP_SUF=
COMP_LVL=
FORCE_OPT=
LN_OPT=
MAN_DIR=
VERBOSE_LVL=0
BACKUP=no
FAKE=no
MAN_CONF=/etc
while [ -n "$1" ]; do
    case $1 in
        --gzip|--gz|-g)
            COMP_SUF=.gz
            COMP_METHOD=$1
            shift
            ;;
        --bzip2|--bz2|-b)
            COMP_SUF=.bz2
            COMP_METHOD=$1
            shift
            ;;
        --decompress|-d)
            COMP_SUF=
            COMP_LVL=
            COMP_METHOD=$1
            shift
            ;;
        -[1-9]|--fast|--best)
            COMP_LVL=$1
            shift
            ;;
        --force|-F)
            FORCE_OPT=-F
            shift
            ;;
        --soft|-S)
            LN_OPT=-S
            shift
            ;;
        --hard|-H)

```

```

    LN_OPT=-H
    shift
    ;;
--conf=*)
    MAN_CONF=`echo $1 | cut -d '=' -f2-`
    shift
    ;;
--conf)
    MAN_CONF="$2"
    shift 2
    ;;
--verbose|-v)
    let VERBOSE_LVL++
    shift
    ;;
--backup)
    BACKUP=yes
    shift
    ;;
--fake|-f)
    FAKE=yes
    shift
    ;;
--help|-h)
    help
    exit 0
    ;;
/*)
    MAN_DIR="${MAN_DIR} ${1}"
    shift
    ;;
-*)
    help $1
    exit 1
    ;;
*)
    echo "\"$1\" is not an absolute path name"
    exit 1
    ;;
esac
done

# Redirections
case $VERBOSE_LVL in
0)
    # 0, be silent
    DEST_FD0=/dev/null
    DEST_FD1=/dev/null
    VERBOSE_OPT=
    ;;
1)
    # 1, be a bit verbose
    DEST_FD0=/dev/stdout

```



```

    DEST_FD1=/dev/null
    VERBOSE_OPT=-v
    ;;
*)
    # 2 and above, be most verbose
    DEST_FD0=/dev/stdout
    DEST_FD1=/dev/stdout
    VERBOSE_OPT="-v -v"
    ;;
esac

# Note: on my machine, 'man --path' gives /usr/share/man twice, once
# with a trailing '/', once without.
if [ -z "$MAN_DIR" ]; then
    MAN_DIR=`manpath -C "$MAN_CONF"/man_db.conf \
        sed 's:/\n/g' \
        while read foo; do dirname "$foo"/.; done \
        sort -u \
        while read bar; do echo -n "$bar "; done`
fi

# If no MANDATORY_MANPATH in ${MAN_CONF}/man_db.conf, abort as well
if [ -z "$MAN_DIR" ]; then
    echo "No directory specified, and no directory found with `manpath`"
    exit 1
fi

# Fake?
if [ "$FAKE" != "no" ]; then
    echo "Actual parameters used:"
    echo -n "Compression.....: "
    case $COMP_METHOD in
        --bzip2|--bz2|-b) echo -n "bzip2";;
        --gzip|--gz|-g) echo -n "gzip";;
        --decompress|-d) echo -n "decompressing";;
        *) echo -n "unknown";;
    esac
    echo " ($COMP_METHOD)"
    echo "Compression level.: $COMP_LVL"
    echo "Compression suffix: $COMP_SUF"
    echo -n "Force compression.: "
    [ "foo$FORCE_OPT" = "foo-F" ] && echo "yes" || echo "no"
    echo "man_db.conf is....: ${MAN_CONF}/man_db.conf"
    echo -n "Hard-links.....: "
    [ "foo$LN_OPT" = "foo-S" ] &&
    echo "convert to soft-links" || echo "leave as is"
    echo -n "Soft-links.....: "
    [ "foo$LN_OPT" = "foo-H" ] &&
    echo "convert to hard-links" || echo "leave as is"
    echo "Backup.....: $BACKUP"
    echo "Faking (yes!)....: $FAKE"
    echo "Directories.....: $MAN_DIR"
    echo "Verbosity level...: $VERBOSE_LVL"

```

```

    exit 0
fi

# If no method was specified, print help
if [ -z "${COMP_METHOD}" -a "${BACKUP}" = "no" ]; then
    help
    exit 1
fi

# In backup mode, do the backup solely
if [ "$BACKUP" = "yes" ]; then
    for DIR in $MAN_DIR; do
        cd "${DIR}/.."
        DIR_NAME=`basename "${DIR}"`
        echo "Backing up $DIR..." > $DEST_FD0
        [ -f "${DIR_NAME}.tar.old" ] && rm -f "${DIR_NAME}.tar.old"
        [ -f "${DIR_NAME}.tar" ] &&
        mv "${DIR_NAME}.tar" "${DIR_NAME}.tar.old"
        tar -cvf "${DIR_NAME}.tar" "${DIR_NAME}" > $DEST_FD1
    done
    exit 0
fi

# I know MAN_DIR has only absolute path names
# I need to take into account the localized man, so I'm going recursive
for DIR in $MAN_DIR; do
    MEM_DIR=`pwd`
    cd "$DIR"
    for FILE in *; do
        # Fixes the case were the directory is empty
        if [ "foo$FILE" = "foo*" ]; then continue; fi

        # Fixes the case when hard-links see their compression scheme change
        # (from not compressed to compressed, or from bz2 to gz, or from gz
        # to bz2)
        # Also fixes the case when multiple version of the page are present,
        # which are either compressed or not.
        if [ ! -L "$FILE" -a ! -e "$FILE" ]; then continue; fi

        # Do not compress whatis files
        if [ "$FILE" = "whatis" ]; then continue; fi

        if [ -d "$FILE" ]; then
            cd "${MEM_DIR}" # Go back to where we ran "$0",
                           # in case "$0"=="./compressdoc" ...
            # We are going recursive to that directory
            echo "-> Entering ${DIR}/${FILE}..." > $DEST_FD0
            # I need not pass --conf, as I specify the directory to work on
            # But I need exit in case of error
            "$MY_NAME" ${COMP_METHOD} ${COMP_LVL} ${LN_OPT} ${VERBOSE_OPT} \
            ${FORCE_OPT} "${DIR}/${FILE}" || exit 1
            echo "<- Leaving ${DIR}/${FILE}." > $DEST_FD1
            cd "$DIR" # Needed for the next iteration of the loop
        fi
    done
done

```

```

else # !dir
    if ! check_unique "$DIR" "$FILE"; then continue; fi

    # Check if the file is already compressed with the specified method
    BASE_FILE=`basename "$FILE" .gz`
    BASE_FILE=`basename "$BASE_FILE" .bz2`
    if [ "${FILE}" = "${BASE_FILE}${COMP_SUF}" \
        -a "foo${FORCE_OPT}" = "foo" ]; then continue; fi

    # If we have a symlink
    if [ -h "$FILE" ]; then
        case "$FILE" in
            *.bz2)
                EXT=bz2 ;;
            *.gz)
                EXT=gz ;;
            *)
                EXT=none ;;
        esac

        if [ ! "$EXT" = "none" ]; then
            LINK=`ls -l "$FILE" | cut -d ">" -f2 \
                | tr -d " " | sed s/\.${EXT}$//`
            NEWNAME=`echo "$FILE" | sed s/\.${EXT}$//`
            mv "$FILE" "$NEWNAME"
            FILE="$NEWNAME"
        else
            LINK=`ls -l "$FILE" | cut -d ">" -f2 | tr -d " "`
        fi

        if [ "$LN_OPT" = "-H" ]; then
            # Change this soft-link into a hard- one
            rm -f "$FILE" && ln "${LINK}${COMP_SUF}" "${FILE}${COMP_SUF}"
            chmod --reference "${LINK}${COMP_SUF}" "${FILE}${COMP_SUF}"
        else
            # Keep this soft-link a soft- one.
            rm -f "$FILE" && ln -s "${LINK}${COMP_SUF}" "${FILE}${COMP_SUF}"
        fi
        echo "Relinked $FILE" > $DEST_FD1

    # else if we have a plain file
    elif [ -f "$FILE" ]; then
        # Take care of hard-links: build the list of files hard-linked
        # to the one we are {de,}compressing.
        # NB. This is not optimum as the file will eventually be
        # compressed as many times it has hard-links. But for now,
        # that's the safe way.
        inode=`ls -li "$FILE" | awk '{print $1}'`
        HLINKS=`find . \! -name "$FILE" -inum $inode`

        if [ -n "$HLINKS" ]; then
            # We have hard-links! Remove them now.

```

```

    for i in $HLINKS; do rm -f "$i"; done
fi

# Now take care of the file that has no hard-link
# We do decompress first to re-compress with the selected
# compression ratio later on...
case "$FILE" in
    *.bz2)
        bunzip2 $FILE
        FILE=`basename "$FILE" .bz2`
        ;;
    *.gz)
        gunzip $FILE
        FILE=`basename "$FILE" .gz`
        ;;
esac

# Compress the file with the given compression ratio, if needed
case $COMP_SUF in
    *bz2)
        bzip2 ${COMP_LVL} "$FILE" && chmod 644 "${FILE}${COMP_SUF}"
        echo "Compressed $FILE" > $DEST_FD1
        ;;
    *gz)
        gzip ${COMP_LVL} "$FILE" && chmod 644 "${FILE}${COMP_SUF}"
        echo "Compressed $FILE" > $DEST_FD1
        ;;
    *)
        echo "Uncompressed $FILE" > $DEST_FD1
        ;;
esac

# If the file had hard-links, recreate those (either hard or soft)
if [ -n "$HLINKS" ]; then
    for i in $HLINKS; do
        NEWFILE=`echo "$i" | sed s/\.gz$// | sed s/\.bz2$//`
        if [ "$LN_OPT" = "-S" ]; then
            # Make this hard-link a soft- one
            ln -s "${FILE}${COMP_SUF}" "${NEWFILE}${COMP_SUF}"
        else
            # Keep the hard-link a hard- one
            ln "${FILE}${COMP_SUF}" "${NEWFILE}${COMP_SUF}"
        fi
        # Really work only for hard-links. Harmless for soft-links
        chmod 644 "${NEWFILE}${COMP_SUF}"
    done
fi

else
    # There is a problem when we get neither a symlink nor a plain
    # file. Obviously, we shall never ever come here... :-(
    echo -n "Whaaaa... \"${DIR}/${FILE}\" is neither a symlink "
    echo "nor a plain file. Please check:"

```

```

        ls -l "${DIR}/${FILE}"
        exit 1
    fi
fi
done # for FILE
done # for DIR

EOF

```

As root, make **compressdoc** executable for all users:

```
chmod -v 755 /usr/sbin/compressdoc
```

Now, as root, you can issue the command **compressdoc --bz2** to compress all your system man pages. You can also run **compressdoc --help** to get comprehensive help about what the script is able to do.

Don't forget that a few programs, like the X Window System and XEmacs also install their documentation in non-standard places (such as `/usr/X11R6/man`, etc.). Be sure to add these locations to the file `/etc/man_db.conf`, as `MANDATORY_MANPATH </path>` lines.

Example:

```

...
MANDATORY_MANPATH      /usr/share/man
MANDATORY_MANPATH      /usr/X11R6/man
MANDATORY_MANPATH      /usr/local/man
MANDATORY_MANPATH      /opt/qt/doc/man
...

```

Generally, package installation systems do not compress man/info pages, which means you will need to run the script again if you want to keep the size of your documentation as small as possible. Also, note that running the script after upgrading a package is safe; when you have several versions of a page (for example, one compressed and one uncompressed), the most recent one is kept and the others are deleted.

Automate Mounting of File Systems

Introduction to Autofs

The autofs package contains userspace tools that work with the kernel to mount and un-mount removable file systems. This is useful for allowing users to mount floppies, cdroms and other removable storage devices without requiring the system administrator to mount the devices. This may not be ideal for all installations, so be aware of the risks before implementing this feature.

Package Information

- Download (HTTP): <http://ftp.kernel.org/pub/linux/daemons/autofs/v4/autofs-4.1.4.tar.bz2>
- Download (FTP): <ftp://ftp.kernel.org/pub/linux/daemons/autofs/v4/autofs-4.1.4.tar.bz2>
- Download MD5 sum: 7e3949114c00665b4636f0c318179657
- Download size: 168 KB
- Estimated disk space required: 2.3 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/autofs-4.1.4-consolidated-1.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/autofs>

Kernel Configuration

Verify that kernel support has been compiled in or built as modules in the following areas:

```
File systems #
  Kernel automounter version 4 support  Y or M
Network File Systems #
  NFS file system support              Y or M (optional)
  SMB file system support              Y or M (optional)
```

Recompile and install the new kernel, if necessary.

Installation of Autofs

Install autofs by running the following commands:

```
patch -Np1 -i ../autofs-4.1.4-consolidated-1.patch &&
./configure --prefix=/ --mandir=/usr/share/man &&
make
```

Now, as the root user:

```
make install &&
rm /etc/rc.d/init.d/autofs
```

Command Explanations

patch -Np1 -i ../autofs-4.1.4-consolidated-1.patch: This patch is a consolidation of nine small patches available at <http://ftp.kernel.org/pub/linux/daemons/autofs/v4/>. The patches can be applied individually if desired.

rm /etc/rc.d/init.d/autofs: This command removes the installed script which only works on specific distributions.

Configuring Autofs

Config Files

`/etc/sysconfig/autofs.conf`, `/etc/auto.master`, `/etc/auto.misc`, and `/etc/auto.net`

Configuration Information

The installation process creates `auto.master`, `auto.misc` and `auto.net`. You will replace the `auto.master` with the following commands:

```
mv /etc/auto.master /etc/auto.master.bak &&
cat > /etc/auto.master << "EOF"
# Begin /etc/auto.master

/media /etc/auto.misc

# End /etc/auto.master
EOF
```



Note

This file mounts a new media directory over the one created by LFS and will therefore hide any mounts made by the `fstab` file into that directory.

While this package could be used to mount NFS shares and SMB shares, that feature is not configured in these instructions. NFS shares are covered on the next page.

The `auto.misc` must be configured to your working hardware. The loaded configuration file should load your `cdrom` if `/dev/cdrom` is active or it can be edited to match your device setup and examples for floppies are available in the file and easily activated. Documentation for this file is available using the **man 5 autofs** command.

Boot Script

Install the `/etc/rc.d/init.d/autofs` mount script and `/etc/sysconfig/autofs.conf` support file included with the `blfs-bootscripts-20060910` package.

```
make install-autofs
```

The time-out variable is set in `/etc/sysconfig/autofs.conf`. The installed file sets a default of 60 seconds of inactivity before unmounting the device. A much shorter time may be necessary to protect buffer

writing to a floppy if users tend to remove the media prior to the timeout setting.

Contents

Installed Program: automount
Installed Libraries: autofs modules
Installed Directories: /lib/autofs and /var/run/autofs

Short Descriptions

automount is the daemon that performs the mounting when a request is made for the device.

Configuring for Network Filesystems

While LFS is capable of mounting network file systems such as NFS, these are not mounted by the `mountfs` init script. Network file systems must be mounted after the networking is activated and unmounted before the network goes down. The `netfs` bootscript was written to handle both boot-time mounting of network filesystems, if the entry in `/etc/fstab` contains the `_netdev` option, and unmounting of all network filesystems before the network is brought down.

As the `root` user, install the `/etc/rc.d/init.d/netfs` bootscript included with the `blfs-bootscripts-20060910` package.

```
make install-netfs
```

Chapter 4. Security

Security takes many forms in a computing environment. This chapter gives examples of three different types of security: access, prevention and detection.

Access for users is usually handled by **login** or an application designed to handle the login function. In this chapter, we show how to enhance **login** by setting policies with PAM modules. Access via networks can also be secured by policies set by iptables, commonly referred to as a firewall. The Network Security Services (NSS) and Netscape Portable Runtime (NSPR) libraries can be installed and shared among the many applications requiring them. For applications that don't offer the best security, you can use the Stunnel package to wrap an application daemon inside an SSL tunnel.

Prevention of breaches, like a trojan, are assisted by applications like GnuPG, specifically the ability to confirm signed packages, which recognizes modifications of the tarball after the packager creates it.

Finally, we touch on detection with a package that stores "signatures" of critical files (defined by the administrator) and then regenerates those "signatures" and compares for files that have been changed.

OpenSSL-0.9.8d

Introduction to OpenSSL

The OpenSSL package contains management tools and libraries relating to cryptography. These are useful for providing cryptography functions to other packages, notably OpenSSH, email applications and web browsers (for accessing HTTPS sites).

Package Information

- Download (HTTP): <http://www.openssl.org/source/openssl-0.9.8d.tar.gz>
- Download (FTP): <ftp://ftp.openssl.org/source/openssl-0.9.8d.tar.gz>
- Download MD5 sum: 8ed1853538e1d05a1f5ada61ebf8bffa
- Download size: 3.2 MB
- Estimated disk space required: 38.1 MB
- Estimated build time: 1.1 SBU (additional 0.6 SBU to run the test suite)

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/openssl-0.9.8d-fix_manpages-1.patch

OpenSSL Dependencies

Optional

bc-1.06 (recommended if you run the test suite during the build)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/OpenSSL>

Installation of OpenSSL

To avoid a lot of warnings caused by using a deprecated compilation option, run:

```
sed -i -e 's/mcpu/march/' config
```

Install OpenSSL by running the following commands:

```
patch -Np1 -i ../openssl-0.9.8d-fix_manpages-1.patch &&
./config --openssldir=/etc/ssl --prefix=/usr shared &&
make MANDIR=/usr/share/man
```

To test the results, issue: **make test**.

Now, as the root user:

```
make MANDIR=/usr/share/man install &&
cp -v -r certs /etc/ssl &&
install -v -d -m755 /usr/share/doc/openssl-0.9.8d &&
cp -v -r doc/{HOWTO,README,*.txt,html,gif} \
  /usr/share/doc/openssl-0.9.8d
```

Command Explanations

no-rc5 no-idea: When added to the **./config** command, this will eliminate the building of those encryption methods. Patent licenses may be needed for you to utilize either of those methods in your projects.

make MANDIR=/usr/share/man; make MANDIR=/usr/share/man install: These commands install OpenSSL with the man pages in **/usr/share/man** instead of **/etc/ssl/man**.

cp -v -r certs /etc/ssl: The certificates must be copied manually as the default installation skips this step.

Configuring OpenSSL

Config Files

/etc/ssl/openssl.cnf

Configuration Information

Most people who just want to use OpenSSL for providing functions to other programs such as OpenSSH and web browsers won't need to worry about configuring OpenSSL. Configuring OpenSSL is an advanced topic and so those who do would normally be expected to either know how to do it or to be able to find out how to do it.

Contents

Installed Programs:	c_rehash and openssl
Installed Libraries:	libcrypto.{so,a} and libssl.{so,a}
Installed Directories:	/etc/ssl , /usr/include/ssl , /usr/lib/engines and /usr/share/doc/openssl-0.9.8d

Short Descriptions

c_rehash is a Perl script that scans all files in a directory and adds symbolic links to their hash

values.

- openssl** is a command-line tool for using the various cryptography functions of OpenSSL's crypto library from the shell. It can be used for various functions which are documented in **man 1 openssl**.
- libcrypto.{so,a}** implements a wide range of cryptographic algorithms used in various Internet standards. The services provided by this library are used by the OpenSSL implementations of SSL, TLS and S/MIME, and they have also been used to implement OpenSSH, OpenPGP, and other cryptographic standards.
- libssl.{so,a}** implements the Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS v1) protocols. It provides a rich API, documentation on which can be found by running **man 3 ssl**.

CrackLib-2.8.9

Introduction to CrackLib

The CrackLib package contains a library used to enforce strong passwords by comparing user selected passwords to words in chosen word lists.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/cracklib/cracklib-2.8.9.tar.gz>
- Download (FTP):
- Download MD5 sum: 9a8c9eb26b48787c84024ac779f64bb2
- Download size: 575 KB
- Estimated disk space required: 29.2 MB (without Python bindings)
- Estimated build time: 0.1 SBU

Additional Downloads

- Recommended word list for English-speaking countries (size: 4.4 MB; md5sum: d18e670e5df560a8745e1b4dede8f84f): <http://downloads.sourceforge.net/cracklib/cracklib-words.gz>
- Required patch to create a library used with the Heimdal Kerberos 5 package:
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/cracklib-2.8.9-heimdal-1.patch>

There are additional word lists available for download, e.g., from <http://www.cotse.com/tools/wordlists.htm>. CrackLib can utilize as many, or as few word lists you choose to install.



Important

Users tend to base their passwords on regular words of the spoken language, and crackers know that. CrackLib is intended to filter out such bad passwords at the source using a dictionary created from word lists. To accomplish this, the word list(s) for use with CrackLib must be an exhaustive list of words and word-based keystroke combinations likely to be chosen by users of the system as (guessable) passwords.

The default word list recommended above for downloading mostly satisfies this role in English-speaking countries. In other situations, it may be necessary to download (or even create) additional word lists.

Note that word lists suitable for spell-checking are not usable as CrackLib word lists in countries with non-Latin based alphabets, because of “word-based keystroke combinations” that make bad passwords.

CrackLib Dependencies

Optional

Python-2.4.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cracklib>

Installation of CrackLib

If desired, apply the Heimdal patch (note that with this patch the original library is not affected; this patch only creates an additional library used by the Heimdal password-checking routines):

```
patch -Np1 -i ../cracklib-2.8.9-heimdal-1.patch
```

Install CrackLib by running the following commands:

```
./configure --prefix=/usr \
            --with-default-dict=/lib/cracklib/pw_dict &&
make
```

Now, as the root user:

```
make install &&
mv -v /usr/lib/libcrack.so.2* /lib &&
ln -v -sf ../../lib/libcrack.so.2.8.0 /usr/lib/libcrack.so
```

Issue the following commands as the root user to install the recommended word list and create the CrackLib dictionary. Other word lists (text based, one word per line) can also be used by simply installing them into `/usr/share/dict` and adding them to the **create-cracklib-dict** command.

```
install -v -m644 -D ../cracklib-words.gz \
    /usr/share/dict/cracklib-words.gz &&
gunzip -v /usr/share/dict/cracklib-words.gz &&
ln -v -s cracklib-words /usr/share/dict/words &&
echo $(hostname) >>/usr/share/dict/cracklib-extra-words &&
install -v -m755 -d /lib/cracklib &&
create-cracklib-dict /usr/share/dict/cracklib-words \
    /usr/share/dict/cracklib-extra-words
```

If desired, check the proper operation of the library as an unprivileged user using the tests included with the package:

```
make test
```



Important

If you are installing CrackLib after your LFS system has been completed and you have the Shadow package installed, you must reinstall Shadow-4.0.15 if you wish to provide strong password support on your system. If you are now going to install the Linux-PAM-0.99.4.0 package, you may disregard this note as Shadow will be reinstalled after the Linux-PAM installation.

Command Explanations

`--with-default-dict=/lib/cracklib/pw_dict`: This parameter forces the installation of the CrackLib dictionary to the `/lib` hierarchy.

`mv -v /usr/lib/libcrack.so.2* /lib` and `ln -v -sf ../../lib/libcrack.so.2.8.0 ...`: These two commands move the `libcrack.so.2.8.0` library and associated symlink from `/usr/lib` to `/lib`, then recreates the

`/usr/lib/libcrack.so` symlink pointing to the relocated file.

install -v -m644 -D ...: This command creates the `/usr/share/dict` directory (if it doesn't already exist) and installs the compressed word list there.

ln -v -s cracklib-words /usr/share/dict/words: The word list is linked to `/usr/share/dict/words` as historically, `words` is the primary word list in the `/usr/share/dict` directory. Omit this command if you already have a `/usr/share/dict/words` file installed on your system.

echo \$(hostname) >>...: The value of **hostname** is echoed to a file called `cracklib-extra-words`. This extra file is intended to be a site specific list which includes easy to guess passwords such as company or department names, user's names, product names, computer names, domain names, etc.

create-cracklib-dict ...: This command creates the CrackLib dictionary from the word lists. Modify the command to add any additional word lists you have installed.

Contents

Installed Programs:	<code>cracklib-check</code> , <code>cracklib-format</code> , <code>cracklib-packer</code> , <code>cracklib-unpacker</code> and <code>create-cracklib-dict</code>
Installed Libraries:	<code>libcrack.{so,a}</code> and optionally, <code>libcrack_heimdal.{so,a}</code> and <code>cracklibmodule.{so,a}</code> Python module
Installed Directories:	<code>/lib/cracklib</code> , <code>/usr/share/dict</code> and <code>/usr/share/cracklib</code>

Short Descriptions

`create-cracklib-dict` is used to create the CrackLib dictionary from the given word list(s).

`libcrack.{so,a}` provides a fast dictionary lookup method for strong password enforcement.

Linux-PAM-0.99.4.0

Introduction to Linux-PAM

The Linux-PAM package contains Pluggable Authentication Modules. This is useful to enable the local system administrator to choose how applications authenticate users.

Package Information

- Download (HTTP): <http://www.kernel.org/pub/linux/libs/pam/pre/library/Linux-PAM-0.99.4.0.tar.bz2>
- Download (FTP): <ftp://ftp.kernel.org/pub/linux/libs/pam/pre/library/Linux-PAM-0.99.4.0.tar.bz2>
- Download MD5 sum: 267ea71253615342261f9fc486d06647
- Download size: 783 KB
- Estimated disk space required: 19.8 MB
- Estimated build time: 0.5 SBU

Additional Downloads

- Optional documentation:
<http://www.kernel.org/pub/linux/libs/pam/pre/doc/Linux-PAM-0.99.4.0-docs.tar.bz2>

Linux-PAM Dependencies

Optional

CrackLib-2.8.9, Prelude, and sgmltools-lite

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/linux-pam>

Installation of Linux-PAM

If you downloaded the documentation, unpack the tarball into the `doc` directory of the source tree:

```
tar -xf ../Linux-PAM-0.99.4.0-docs.tar.bz2 -C doc
```

Install Linux-PAM by running the following commands:

```
./configure --libdir=/usr/lib \
            --sbindir=/lib/security \
            --enable-securedir=/lib/security \
            --enable-docdir=/usr/share/doc/Linux-PAM-0.99.4.0 \
            --enable-read-both-confs &&
make
```

The test suite will not provide meaningful results until the package has been installed and configured. If, after installing the package and creating a minimum configuration as shown below in the 'other' example, you wish to run the tests, issue **make check**.



Tip

Don't delete the Linux-PAM source tree until after you reinstall the Shadow package. The reinstallation of the Shadow package includes much more stringent security for the PAM configuration, and you can run the Linux-PAM test suite after completing the Shadow instructions to test the new setup. All the tests should pass.

Now, as the root user:

```
make install &&
chmod -v 4755 /lib/security/unix_chkpwd &&
mv -v /lib/security/pam_tally /sbin &&
mv -v /usr/lib/libpam*.so.0* /lib &&
ln -v -sf ../../lib/libpam.so.0.81.3 /usr/lib/libpam.so &&
ln -v -sf ../../lib/libpamc.so.0.81.0 /usr/lib/libpamc.so &&
ln -v -sf ../../lib/libpam_misc.so.0.81.2 /usr/lib/libpam_misc.so
```

If you downloaded the documentation, install it using the following command:

```
for DOCTYPE in html pdf ps txts
do
    cp -v -R doc/$DOCTYPE /usr/share/doc/Linux-PAM-0.99.4.0
done
```

Command Explanations

--libdir=/usr/lib: This parameter results in the libraries being installed in `/usr/lib`.

--sbindir=/lib/security: This parameter results in two executables, one which is not intended to be run from the command line, being installed in the same directory as the PAM modules. One of the executables is later moved to the `/sbin` directory.

--enable-securedir=/lib/security: This parameter results in the PAM modules being installed in `/lib/security`.

--enable-docdir=...: This parameter results in the documentation being installed in a versioned directory name.

--enable-read-both-confs: This parameter allows the local administrator to choose which configuration file setup to use.

chmod -v 4755 /lib/security/unix_chkpwd: The `unix_chkpwd` password-helper program must be setuid so that non-root processes can access the shadow-password file.

mv -v /lib/security/pam_tally /sbin: The `pam_tally` program is designed to be run by the system administrator, possibly in single-user mode, so it is moved to the appropriate directory.

mv -v /usr/lib/libpam*.so.0* /lib: This command moves the dynamic libraries to `/lib` as they may be required in single user mode.

ln -v -sf ...: These commands recreate the `.so` symlinks as the libraries they pointed to were moved to `/lib`.

Configuring Linux-PAM

Config Files

`/etc/security/*` and `/etc/pam.d/*` or `/etc/pam.conf`

Configuration Information

Configuration information is placed in `/etc/pam.d/` or `/etc/pam.conf` depending on system administrator preference. Below are example files of each type:

```
# Begin /etc/pam.d/other

auth                required                pam_unix.so        nullok
account             required                pam_unix.so
session             required                pam_unix.so
password            required                pam_unix.so        nullok

# End /etc/pam.d/other

# Begin /etc/pam.conf

other               auth                  required           pam_unix.so        nullok
other               account               required           pam_unix.so
other               session               required           pam_unix.so
other               password              required           pam_unix.so        nullok

# End /etc/pam.conf
```

The PAM man page (**man pam**) provides a good starting point for descriptions of fields and allowable entries. The Linux-PAM System Administrators' Guide is recommended for additional information.

Refer to <http://www.kernel.org/pub/linux/libs/pam/modules.html> for a list of various modules available.



Important

You should now reinstall the Shadow-4.0.15 package.

Contents

Installed Program: `pam_tally`
Installed Libraries: `libpam.{so,a}`, `libpamc.{so,a}`, and `libpam_misc.{so,a}`
Installed Directories: `/etc/pam.d`, `/etc/security`, `/lib/security` and `/usr/include/security`

Short Descriptions

pam_tally is used to view or manipulate the `faillog` file.

libpam.{so,a} provides the interfaces between applications and the PAM modules.

Shadow-4.0.15

Introduction to Shadow

Shadow was indeed installed in LFS and there is no reason to reinstall it unless you installed CrackLib or Linux-PAM after your LFS system was completed. If you have installed CrackLib after LFS, then reinstalling Shadow will enable strong password support. If you have installed Linux-PAM, reinstalling Shadow will allow programs such as **login** and **su** to utilize PAM.

Package Information

- Download (HTTP): <http://ftp.pld.org.pl/software/shadow/old/shadow-4.0.15.tar.bz2>
- Download (FTP): <ftp://ftp.pld.org.pl/software/shadow/old/shadow-4.0.15.tar.bz2>
- Download MD5 sum: a0452fa989f8ba45023cc5a08136568e
- Download size: 1.2 MB
- Estimated disk space required: 15.5 MB
- Estimated build time: 0.3 SBU

Shadow Dependencies

Required

Linux-PAM-0.99.4.0 and/or CrackLib-2.8.9

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/shadow>

Installation of Shadow



Important

The installation shown below is for a situation where Linux-PAM has been installed (with or without a CrackLib installation) and Shadow is being reinstalled to support the Linux-PAM installation. If you are reinstalling Shadow to provide strong password support via the CrackLib library and you have not installed Linux-PAM, ensure you add the `--with-libcrack` parameter to the **configure** script below.

Reinstall Shadow by running the following commands:

```
./configure --libdir=/lib \
            --enable-shared \
            --without-selinux &&
sed -i 's/groups$(EXEEXT) //' src/Makefile &&
find man -name Makefile -exec sed -i '/groups/d' {} \; &&
sed -i -e 's/ ko//' \
      -e 's/ zh_CN zh_TW//' \
      man/Makefile &&

for i in de es fi fr id it pt_BR; do
    convert-mans UTF-8 ISO-8859-1 man/${i}/*.?
done &&
```

```
for i in cs hu pl; do
    convert-mans UTF-8 ISO-8859-2 man/${i}/*.?
done &&

convert-mans UTF-8 EUC-JP man/ja/*.? &&
convert-mans UTF-8 KOI8-R man/ru/*.? &&
convert-mans UTF-8 ISO-8859-9 man/tr/*.? &&

make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
mv -v /usr/bin/passwd /bin &&
mv -v /lib/libshadow.*a /usr/lib &&
rm -v /lib/libshadow.so &&
ln -v -sf ../../lib/libshadow.so.0 /usr/lib/libshadow.so
```

Command Explanations

`--without-selinux`: Support for selinux is enabled by default, but selinux is not built in a base LFS system. The `configure` script will fail if this option is not used.

`sed -i 's/groups$(EXEEXT) //' src/Makefile`: This command is used to suppress the installation of the **groups** program as the version from the Coreutils package installed during LFS is preferred.

`find man -name Makefile -exec ... {} \;`: This command is used to suppress the installation of the **groups** man pages so the existing ones installed from the Coreutils package are not replaced.

`sed -i -e '...' -e '...' man/Makefile`: This command disables the installation of Chinese and Korean manual pages, since Man-DB cannot format them properly.

`convert-mans ...`: These commands are used to convert some of the man pages so that Man-DB will display them in the expected encodings.

`mv -v /usr/bin/passwd /bin`: The `passwd` program may be needed during times when the `/usr` filesystem is not mounted so it is moved into the root partition.

`mv -v ...; rm -v ...; ln -v ...`: These commands are used to move the `libshadow` library to the root partition to support the moving of the `passwd` program earlier.

Configuring Linux-PAM to Work with Shadow



Note

The rest of this page is devoted to configuring Shadow to work properly with Linux-PAM. If you do not have Linux-PAM installed, and you reinstalled Shadow to support strong passwords via the CrackLib library, no further configuration is required.

Config Files

`/etc/pam.d/*` or alternatively `/etc/pam.conf`, `/etc/login.defs` and `/etc/security/*`

Configuration Information

Configuring your system to use Linux-PAM can be a complex task. The information below will provide a basic setup so that Shadow's login and password functionality will work effectively with Linux-PAM. Review the information and links on the Linux-PAM-0.99.4.0 page for further configuration information. For information specific to integrating Shadow, Linux-PAM and CrackLib, you can visit the following links:

- <http://www.kernel.org/pub/linux/libs/pam/Linux-PAM-html/pam-6.html#ss6.3>
- http://www.deer-run.com/~hal/sysadmin/pam_cracklib.html

Configuring `/etc/login.defs`

The **login** program currently performs many functions which Linux-PAM modules should now handle. The following **sed** command will comment out the appropriate lines in `/etc/login.defs`, and stop **login** from performing these functions (a backup file named `/etc/login.defs.orig` is also created to preserve the original file's contents). Issue the following commands as the root user:

```
install -v -m644 /etc/login.defs /etc/login.defs.orig &&
for FUNCTION in LASTLOG_ENAB MAIL_CHECK_ENAB \
    PORTTIME_CHECKS_ENAB CONSOLE \
    MOTD_FILE NOLOGINS_FILE PASS_MIN_LEN \
    SU_WHEEL_ONLY MD5_CRYPT_ENAB \
    CONSOLE_GROUPS ENVIRON_FILE \
    ULIMIT ENV_TZ ENV_HZ ENV_SUPATH \
    ENV_PATH QMAIL_DIR MAIL_DIR MAIL_FILE \
    CHFN_AUTH FAILLOG_ENAB QUOTAS_ENAB FTMP_FILE \
    OBSCURE_CHECKS_ENAB CRACKLIB_DICTPATH \
    PASS_CHANGE_TRIES PASS_ALWAYS_WARN
do
    sed -i "s/^$FUNCTION/# &/" /etc/login.defs
done
```

Configuring the `/etc/pam.d/` Files

As mentioned previously in the Linux-PAM instructions, Linux-PAM has two supported methods for configuration. The commands below assume that you've chosen to use a directory based configuration, where each program has its own configuration file. You can optionally use a single `/etc/pam.conf` configuration file by using the text from the files below, and supplying the program name as an additional first field for each line.

As the root user, create the `/etc/pam.d` directory with the following command:

```
install -v -d -m755 /etc/pam.d
```

While still the root user, add the following Linux-PAM configuration files to the `/etc/pam.d/` directory (or add the contents to the `/etc/pam.conf` file) with the following commands:

'login' (with CrackLib)

```
cat > /etc/pam.d/login << "EOF"
# Begin /etc/pam.d/login

auth      requisite      pam_securetty.so
auth      requisite      pam_nologin.so
auth      required       pam_unix.so
account   required       pam_access.so
account   required       pam_unix.so
session   required       pam_env.so
session   required       pam_motd.so
session   required       pam_limits.so
session   optional       pam_mail.so      dir=/var/mail standard
session   optional       pam_lastlog.so
session   required       pam_unix.so
password  required       pam_cracklib.so  retry=3 difok=8 minlen=5 \
                                     dcredit=3 ocredit=3 \
                                     ucredit=2 lcredit=2
password  required       pam_unix.so      md5 shadow use_authtok

# End /etc/pam.d/login
EOF
```

'login' (without CrackLib)

```
cat > /etc/pam.d/login << "EOF"
# Begin /etc/pam.d/login

auth      requisite      pam_securetty.so
auth      requisite      pam_nologin.so
auth      required       pam_env.so
auth      required       pam_unix.so
account   required       pam_access.so
account   required       pam_unix.so
session   required       pam_motd.so
session   required       pam_limits.so
session   optional       pam_mail.so      dir=/var/mail standard
session   optional       pam_lastlog.so
session   required       pam_unix.so
password  required       pam_unix.so      md5 shadow

# End /etc/pam.d/login
EOF
```

'passwd' (with CrackLib)

```
cat > /etc/pam.d/passwd << "EOF"
# Begin /etc/pam.d/passwd

password  required       pam_cracklib.so  retry=3 difok=8 minlen=5 \
                                     dcredit=3 ocredit=3 \
                                     ucredit=2 lcredit=2
password  required       pam_unix.so      md5 shadow use_authtok
```

```
# End /etc/pam.d/passwd
EOF
```

'passwd' (without CrackLib)

```
cat > /etc/pam.d/passwd << "EOF"
# Begin /etc/pam.d/passwd

password      required          pam_unix.so      md5 shadow

# End /etc/pam.d/passwd
EOF
```

'su'

```
cat > /etc/pam.d/su << "EOF"
# Begin /etc/pam.d/su

auth          sufficient        pam_rootok.so
auth          required          pam_unix.so
account       required          pam_unix.so
session       optional          pam_mail.so      dir=/var/mail standard
session       required          pam_env.so
session       required          pam_unix.so

# End /etc/pam.d/su
EOF
```

'chage'

```
cat > /etc/pam.d/chage << "EOF"
# Begin /etc/pam.d/chage

auth          sufficient        pam_rootok.so
auth          required          pam_unix.so
account       required          pam_unix.so
session       required          pam_unix.so
password      required          pam_permit.so

# End /etc/pam.d/chage
EOF
```

'chpasswd', 'newusers', 'groupadd', 'groupdel', 'groupmod', 'useradd', 'userdel', and 'usermod'

```
for PROGRAM in chpasswd newusers groupadd groupdel \
               groupmod useradd userdel usermod
do
    install -v -m644 /etc/pam.d/chage /etc/pam.d/$PROGRAM
    sed -i "s/chage/$PROGRAM/" /etc/pam.d/$PROGRAM
done
```

**Warning**

At this point, you should do a simple test to see if Shadow is working as expected. Open another terminal and log in as a user, then **su** to **root**. If you do not see any errors, then all is well and you should proceed with the rest of the configuration. If you did receive errors, stop now and double check the above configuration files manually. You can also run the test suite from the Linux-PAM package to assist you in determining the problem. If you cannot find and fix the error, you should recompile Shadow replacing `--with-libpam` with `--without-libpam` in the above instructions (also move the `/etc/login.defs.orig` backup file to `/etc/login.defs`). If you fail to do this and the errors remain, you will be unable to log into your system.

Other

Currently, `/etc/pam.d/other` is configured to allow anyone with an account on the machine to use PAM-aware programs without a configuration file for that program. After testing Linux-PAM for proper configuration, install a more restrictive `other` file so that program-specific configuration files are required:

```
cat > /etc/pam.d/other << "EOF"
# Begin /etc/pam.d/other

auth      required      pam_deny.so
auth      required      pam_warn.so
account   required      pam_deny.so
session   required      pam_deny.so
password  required      pam_deny.so
password  required      pam_warn.so

# End /etc/pam.d/other
EOF
```

If you preserved the source tree from the Linux-PAM package (or you feel like unpacking that tarball, then running **configure** and **make**), now would be a good time to run the test suite from this package. This test suite will use the configuration you just finished during the tests. All the tests should pass.

Configuring Login Access

Instead of using the `/etc/login.access` file for controlling access to the system, Linux-PAM uses the `pam_access.so` module along with the `/etc/security/access.conf` file. Rename the `/etc/login.access` file using the following command:

```
if [ -f /etc/login.access ]; then
    mv -v /etc/login.access /etc/login.access.NOUSE
fi
```

Configuring Resource Limits

Instead of using the `/etc/limits` file for limiting usage of system resources, Linux-PAM uses the `pam_limits.so` module along with the `/etc/security/limits.conf` file. Rename the `/etc/limits` file using the following command:

```
if [ -f /etc/limits ]; then
    mv -v /etc/limits /etc/limits.NOUSE
```


fi

Configuring Default Environment

During previous configuration, several items were removed from `/etc/login.defs`. Some of these items are now controlled by the `pam_env.so` module and the `/etc/security/pam_env.conf` configuration file. In particular, the default path has been changed. To recover your default path, execute the following commands:

```
ENV_PATH=`grep '^ENV_PATH' /etc/login.defs.orig | \
    awk '{ print $2 }' | sed 's/PATH=/'` &&
echo 'PATH            DEFAULT='`echo "${ENV_PATH}"` \
'            OVERRIDE=${PATH}' \
    >> /etc/security/pam_env.conf &&
unset ENV_PATH
```



Note

`ENV_SUPATH` is no longer supported. You must create a valid `/root/.bashrc` file to provide a modified path for the super-user.

Contents

A list of the installed files, along with their short descriptions can be found at [../..../lfs/view/6.2/chapter06/shadow.html#contents-shadow](http://lfs/view/6.2/chapter06/shadow.html#contents-shadow).

Iptables-1.3.5

Introduction to Iptables

The next part of this chapter deals with firewalls. The principal firewall tool for Linux, as of the 2.4 kernel series, is iptables. It replaces ipchains from the 2.2 series and ipfwadm from the 2.0 series. You will need to install iptables if you intend on using any form of a firewall.

Package Information

- Download (HTTP): <http://www.netfilter.org/projects/iptables/files/iptables-1.3.5.tar.bz2>
- Download (FTP): <ftp://ftp.netfilter.org/pub/iptables/iptables-1.3.5.tar.bz2>
- Download MD5 sum: 00fb916fa8040ca992a5ace56d905ea5
- Download size: 187 KB
- Estimated disk space required: 5.0 MB
- Estimated build time: 0.2 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/iptables>

Kernel Configuration

A firewall in Linux is accomplished through a portion of the kernel called netfilter. The interface to netfilter is iptables. To use it, the appropriate kernel configuration parameters are found in Networking # Networking Options # Network Packet Filtering # Core Netfilter Configuration (and) IP: Netfilter Configuration.

Installation of Iptables



Note

Installation of iptables will fail if raw kernel headers are found in `/usr/src/linux` either as actual files or a symlink. As of the Linux 2.6 kernel series, this directory should no longer exist because appropriate headers were installed from the Linux-Libc-Headers package during the base LFS installation.

For some non-x86 architectures, the raw kernel headers may be required. In that case, add the environment variable `KERNEL_DIR=/usr/src/linux` to the make commands below.

Install iptables by running the following commands:

```
make PREFIX=/usr LIBDIR=/lib BINDIR=/sbin
```

Now, as the root user:

```
make PREFIX=/usr LIBDIR=/lib BINDIR=/sbin install
```

Command Explanations

`PREFIX=/usr LIBDIR=/lib BINDIR=/sbin`: Compiles and installs iptables libraries into `/lib`, binaries into `/sbin` and the remainder into the `/usr` hierarchy instead of `/usr/local`. Firewalls are

generally activated during the boot process and `/usr` may not be mounted at that time.

Configuring Iptables

Introductory instructions for configuring your firewall are presented in the next section: Firewalling

Boot Script

To set up the iptables firewall at boot, install the `/etc/rc.d/init.d/iptables` init script included in the `blfs-bootscripts-20060910` package.

```
make install-iptables
```

Contents

Installed Programs:	iptables, iptables-restore, iptables-save and ip6tables
Installed Libraries:	libip6t_*.so and libipt_*.so
Installed Directory:	/lib/iptables

Short Descriptions

iptables	is used to set up, maintain, and inspect the tables of IP packet filter rules in the Linux kernel.
iptables-restore	is used to restore IP Tables from data specified on STDIN. Use I/O redirection provided by your shell to read from a file.
iptables-save	is used to dump the contents of an IP Table in easily parseable format to STDOUT. Use I/O-redirection provided by your shell to write to a file.
ip6tables	is used to set up, maintain, and inspect the tables of IPv6 packet filter rules in the Linux kernel. Several different tables may be defined. Each table contains a number of built-in chains and may also contain user-defined chains.
<code>libip*.so</code>	library modules are various modules (implemented as dynamic libraries) which extend the core functionality of iptables .

Setting Up a Network Firewall

Before you read this part of the chapter, you should have already installed iptables as described in the previous section.

Introduction to Firewall Creation

The general purpose of a firewall is to protect a computer or a network against malicious access.

In a perfect world, every daemon or service on every machine is perfectly configured and immune to flaws such as buffer overflows or other problems regarding its security. Furthermore, you trust every user accessing your services. In this world, you do not need to have a firewall.

In the real world however, daemons may be misconfigured and exploits against essential services are freely available. You may wish to choose which services are accessible by certain machines or you may wish to limit which machines or applications are allowed external access. Alternatively, you may simply not trust some of your applications or users. You are probably connected to the Internet. In this world, a firewall is essential.

Don't assume however, that having a firewall makes careful configuration redundant, or that it makes any negligent misconfiguration harmless. It doesn't prevent anyone from exploiting a service you intentionally offer but haven't recently updated or patched after an exploit went public. Despite having a firewall, you need to keep applications and daemons on your system properly configured and up to date. A firewall is not a cure all, but should be an essential part of your overall security strategy.

Meaning of the Word "Firewall"

The word firewall can have several different meanings.

Personal Firewall

This is a hardware device or software program commercially sold (or offered via freeware) by companies such as Symantec which claims that it secures a home or desktop computer connected to the Internet. This type of firewall is highly relevant for users who do not know how their computers might be accessed via the Internet or how to disable that access, especially if they are always online and connected via broadband links.

Masquerading Router

This is a system placed between the Internet and an intranet. To minimize the risk of compromising the firewall itself, it should generally have only one role—that of protecting the intranet. Although not completely risk free, the tasks of doing the routing and IP masquerading (rewriting IP headers of the packets it routes from clients with private IP addresses onto the Internet so that they seem to come from the firewall itself) are commonly considered relatively secure.

BusyBox

This is often an old computer you may have retired and nearly forgotten, performing masquerading or routing functions, but offering non-firewall services such as a web-cache or mail. This may be used for home networks, but is not to be considered as secure as a firewall only machine because the combination of server and router/firewall on one machine raises the complexity of the setup.

Firewall with a Demilitarized Zone [Not Further Described Here]

This box performs masquerading or routing, but grants public access to some branch of your network which, because of public IPs and a physically separated structure, is essentially a separate network with direct Internet access. The servers on this network are those which must be easily accessible from both the Internet and intranet. The firewall protects both networks. This type of firewall has a minimum of three network interfaces.

Packetfilter

This type of firewall does routing or masquerading, but does not maintain a state table of ongoing communication streams. It is fast, but quite limited in its ability to block undesired packets without blocking desired packets.

Now You Can Start to Build your Firewall



Caution

This introduction on how to setup a firewall is not a complete guide to securing systems. Firewalling is a complex issue that requires careful configuration. The scripts quoted here are simply intended to give examples of how a firewall works. They are not intended to fit into any particular configuration and may not provide complete protection from an attack.

Customization of these scripts for your specific situation will be necessary for an optimal configuration, but you should make a serious study of the iptables documentation and creating firewalls in general before hacking away. Have a look at the list of links for further reading at the end of this section for more details. There you will find a list of URLs that contain quite comprehensive information about building your own firewall.

The firewall configuration script installed in the iptables section differs from the standard configuration script. It only has two of the standard targets: start and status. The other targets are clear and lock. For instance if you issue:

```
/etc/rc.d/init.d/iptables start
```

the firewall will be restarted just as it is upon system startup. The status target will present a list of all currently implemented rules. The clear target turns off all firewall rules and the lock target will block all packets in and out of the computer with the exception of the loopback interface.

The main startup firewall is located in the file `/etc/rc.d/rc.iptables`. The sections below provide three different approaches that can be used for a system.



Note

You should always run your firewall rules from a script. This ensures consistency and a record of what was done. It also allows retention of comments that are essential for understanding the rules long after they were written.

Personal Firewall

A Personal Firewall is designed to let you access all the services offered on the Internet, but keep your box secure and your data private.

Below is a slightly modified version of Rusty Russell's recommendation from the Linux 2.4 Packet Filtering HOWTO. It is still applicable to the Linux 2.6 kernels.

```
cat > /etc/rc.d/rc.iptables << "EOF"
#!/bin/sh

# Begin $rc_base/rc.iptables

# Insert connection-tracking modules
# (not needed if built into the kernel)
modprobe ip_tables
modprobe iptable_filter
modprobe ip_conntrack
modprobe ip_conntrack_ftp
modprobe ipt_state
modprobe ipt_LOG

# Enable broadcast echo Protection
echo 1 > /proc/sys/net/ipv4/icmp_echo_ignore_broadcasts

# Disable Source Routed Packets
echo 0 > /proc/sys/net/ipv4/conf/all/accept_source_route

# Enable TCP SYN Cookie Protection
echo 1 > /proc/sys/net/ipv4/tcp_syncookies

# Disable ICMP Redirect Acceptance
echo 0 > /proc/sys/net/ipv4/conf/all/accept_redirects

# Don't send Redirect Messages
echo 0 > /proc/sys/net/ipv4/conf/all/send_redirects

# Drop Spoofed Packets coming in on an interface, where responses
# would result in the reply going out a different interface.
echo 1 > /proc/sys/net/ipv4/conf/all/rp_filter

# Log packets with impossible addresses.
echo 1 > /proc/sys/net/ipv4/conf/all/log_martians

# be verbose on dynamic ip-addresses (not needed in case of static IP)
echo 2 > /proc/sys/net/ipv4/ip_dynaddr

# disable Explicit Congestion Notification
# too many routers are still ignorant
echo 0 > /proc/sys/net/ipv4/tcp_ecn

# Set a known state
iptables -P INPUT DROP
iptables -P FORWARD DROP
iptables -P OUTPUT DROP

# These lines are here in case rules are already in place and the
# script is ever rerun on the fly. We want to remove all rules and
# pre-existing user defined chains before we implement new rules.
```

```

iptables -F
iptables -X
iptables -Z

iptables -t nat -F

# Allow local-only connections
iptables -A INPUT -i lo -j ACCEPT

# Free output on any interface to any ip for any service
# (equal to -P ACCEPT)
iptables -A OUTPUT -j ACCEPT

# Permit answers on already established connections
# and permit new connections related to established ones
# (e.g. port mode ftp)
iptables -A INPUT -m state --state ESTABLISHED,RELATED -j ACCEPT

# Log everything else. What's Windows' latest exploitable vulnerability?
iptables -A INPUT -j LOG --log-prefix "FIREWALL:INPUT "

# End $src_base/rc.iptables
EOF
chmod 700 /etc/rc.d/rc.iptables

```

This script is quite simple, it drops all traffic coming into your computer that wasn't initiated from your computer, but as long as you are simply surfing the Internet you are unlikely to exceed its limits.

If you frequently encounter certain delays at accessing FTP servers, take a look at BusyBox example number 4.

Even if you have daemons or services running on your system, these will be inaccessible everywhere but from your computer itself. If you want to allow access to services on your machine, such as **ssh** or **ping**, take a look at BusyBox.

Masquerading Router

A true Firewall has two interfaces, one connected to an intranet, in this example **eth0**, and one connected to the Internet, here **ppp0**. To provide the maximum security for the firewall itself, make sure that there are no unnecessary servers running on it such as X11 et al. As a general principle, the firewall itself should not access any untrusted service (think of a remote server giving answers that makes a daemon on your system crash, or even worse, that implements a worm via a buffer-overflow).

```

cat > /etc/rc.d/rc.iptables << "EOF"
#!/bin/sh

# Begin $src_base/rc.iptables

echo
echo "You're using the example configuration for a setup of a firewall"
echo "from Beyond Linux From Scratch."
echo "This example is far from being complete, it is only meant"
echo "to be a reference."
echo "Firewall security is a complex issue, that exceeds the scope"

```

```

echo "of the configuration rules below."
echo "You can find additional information"
echo "about firewalls in Chapter 4 of the BLFS book."
echo "http://www.linuxfromscratch.org/blfs"
echo

# Insert iptables modules (not needed if built into the kernel).

modprobe ip_tables
modprobe iptable_filter
modprobe ip_conntrack
modprobe ip_conntrack_ftp
modprobe ipt_state
modprobe iptable_nat
modprobe ip_nat_ftp
modprobe ipt_MASQUERADE
modprobe ipt_LOG
modprobe ipt_REJECT

# Enable broadcast echo Protection
echo 1 > /proc/sys/net/ipv4/icmp_echo_ignore_broadcasts

# Disable Source Routed Packets
echo 0 > /proc/sys/net/ipv4/conf/all/accept_source_route

# Enable TCP SYN Cookie Protection
echo 1 > /proc/sys/net/ipv4/tcp_syncookies

# Disable ICMP Redirect Acceptance
echo 0 > /proc/sys/net/ipv4/conf/all/accept_redirects

# Don't send Redirect Messages
echo 0 > /proc/sys/net/ipv4/conf/all/send_redirects

# Drop Spoofed Packets coming in on an interface where responses
# would result in the reply going out a different interface.
echo 1 > /proc/sys/net/ipv4/conf/all/rp_filter

# Log packets with impossible addresses.
echo 1 > /proc/sys/net/ipv4/conf/all/log_martians

# Be verbose on dynamic ip-addresses (not needed in case of static IP)
echo 2 > /proc/sys/net/ipv4/ip_dynaddr

# Disable Explicit Congestion Notification
# Too many routers are still ignorant
echo 0 > /proc/sys/net/ipv4/tcp_ecn

# Set a known state
iptables -P INPUT DROP
iptables -P FORWARD DROP
iptables -P OUTPUT DROP

```



```
# These lines are here in case rules are already in place and the
# script is ever rerun on the fly. We want to remove all rules and
# pre-existing user defined chains before we implement new rules.
iptables -F
iptables -X
iptables -Z

iptables -t nat -F

# Allow local connections
iptables -A INPUT -i lo -j ACCEPT
iptables -A OUTPUT -o lo -j ACCEPT

# Allow forwarding if the initiated on the intranet
iptables -A FORWARD -m state --state ESTABLISHED,RELATED -j ACCEPT
iptables -A FORWARD -i ! ppp+ -m state --state NEW -j ACCEPT

# Do masquerading
# (not needed if intranet is not using private ip-addresses)
iptables -t nat -A POSTROUTING -o ppp+ -j MASQUERADE

# Log everything for debugging
# (last of all rules, but before policy rules)
iptables -A INPUT -j LOG --log-prefix "FIREWALL:INPUT "
iptables -A FORWARD -j LOG --log-prefix "FIREWALL:FORWARD"
iptables -A OUTPUT -j LOG --log-prefix "FIREWALL:OUTPUT "

# Enable IP Forwarding
echo 1 > /proc/sys/net/ipv4/ip_forward
EOF
chmod 700 /etc/rc.d/rc.iptables
```

With this script your intranet should be reasonably secure against external attacks. No one should be able to setup a new connection to any internal service and, if it's masqueraded, makes your intranet invisible to the Internet. Furthermore, your firewall should be relatively safe because there are no services running that a cracker could attack.



Note

If the interface you're connecting to the Internet doesn't connect via PPP, you will need to change `<ppp+>` to the name of the interface (e.g., **eth1**) which you are using.

BusyBox

This scenario isn't too different from the Masquerading Router, but additionally offers some services to your intranet. Examples of this can be when you want to administer your firewall from another host on your intranet or use it as a proxy or a name server.



Note

Outlining a true concept of how to protect a server that offers services on the Internet goes far

beyond the scope of this document. See the references at the end of this section for more information.

Be cautious. Every service you have enabled makes your setup more complex and your firewall less secure. You are exposed to the risks of misconfigured services or running a service with an exploitable bug. A firewall should generally not run any extra services. See the introduction to the Masquerading Router for some more details.

If you want to add services such as internal Samba or name servers that do not need to access the Internet themselves, the additional statements are quite simple and should still be acceptable from a security standpoint. Just add the following lines into the script *before* the logging rules.

```
iptables -A INPUT -i ! ppp+ -j ACCEPT
iptables -A OUTPUT -o ! ppp+ -j ACCEPT
```

If daemons, such as squid, have to access the Internet themselves, you could open OUTPUT generally and restrict INPUT.

```
iptables -A INPUT -m state --state ESTABLISHED,RELATED -j ACCEPT
iptables -A OUTPUT -j ACCEPT
```

However, it is generally not advisable to leave OUTPUT unrestricted. You lose any control over trojans who would like to "call home", and a bit of redundancy in case you've (mis-)configured a service so that it broadcasts its existence to the world.

To accomplish this, you should restrict INPUT and OUTPUT on all ports except those that it's absolutely necessary to have open. Which ports you have to open depends on your needs: mostly you will find them by looking for failed accesses in your log files.

Have a Look at the Following Examples:

- Squid is caching the web:

```
iptables -A OUTPUT -p tcp --dport 80 -j ACCEPT
iptables -A INPUT -p tcp --sport 80 -m state --state ESTABLISHED \
-j ACCEPT
```

- Your caching name server (e.g., named) does its lookups via UDP:

```
iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
```

- You want to be able to ping your computer to ensure it's still alive:

```
iptables -A INPUT -p icmp -m icmp --icmp-type echo-request -j ACCEPT
iptables -A OUTPUT -p icmp -m icmp --icmp-type echo-reply -j ACCEPT
```

- If you are frequently accessing FTP servers or enjoy chatting, you might notice certain delays because some implementations of these daemons have the feature of querying an identd on your system to obtain usernames. Although there's really little harm in this, having an identd running is not recommended because many security experts feel the service gives out too much additional information.

To avoid these delays you could reject the requests with a 'tcp-reset':

```
iptables -A INPUT -p tcp --dport 113 -j REJECT --reject-with tcp-reset
```

- To log and drop invalid packets (packets that came in after netfilter's timeout or some types of network scans):

```
iptables -I INPUT -p tcp -m state --state INVALID \
-j LOG --log-prefix "FIREWALL:INVALID"
iptables -I INPUT -p tcp -m state --state INVALID -j DROP
```

- Anything coming from the outside should not have a private address, this is a common attack called IP-spoofing:

```
iptables -A INPUT -i ppp+ -s 10.0.0.0/8 -j DROP
iptables -A INPUT -i ppp+ -s 172.16.0.0/12 -j DROP
iptables -A INPUT -i ppp+ -s 192.168.0.0/16 -j DROP
```

There are other addresses that you may also want to drop: 0.0.0.0/8, 127.0.0.0/8, 224.0.0.0/3 (multicast and experimental), 169.254.0.0/16 (Link Local Networks), and 192.0.2.0/24 (IANA defined test network).

- If your firewall is a DHCP client, you need to allow those packets:

```
iptables -A INPUT -i ppp0 -p udp -s 0.0.0.0 --sport 67 \
-d 255.255.255.255 --dport 68 -j ACCEPT
```

- To simplify debugging and be fair to anyone who'd like to access a service you have disabled, purposely or by mistake, you could REJECT those packets that are dropped.

Obviously this must be done directly after logging as the very last lines before the packets are dropped by policy:

```
iptables -A INPUT -j REJECT
```

These are only examples to show you some of the capabilities of the firewall code in Linux. Have a look at the man page of iptables. There you will find much more information. The port numbers needed for this can be found in `/etc/services`, in case you didn't find them by trial and error in your log file.

Conclusion

Finally, there is one fact you must not forget: The effort spent attacking a system corresponds to the value the cracker expects to gain from it. If you are responsible for valuable information, you need to spend the time to protect it properly.

Extra Information

Where to Start with Further Reading on Firewalls

www.netfilter.org - Homepage of the netfilter/iptables project
 Netfilter related FAQ
 Netfilter related HOWTO's
en.tldp.org/LDP/nag2/x-087-2-firewall.html
en.tldp.org/HOWTO/Security-HOWTO.html
en.tldp.org/HOWTO/Firewall-HOWTO.html
www.ibm.com/developerworks/security/library/s-fire.html
www.ibm.com/developerworks/security/library/s-fire2.html

www.linuxsecurity.com/docs/
www.little-idiot.de/firewall (German & outdated, but very comprehensive)
www.linuxgazette.com/issue65/stumpel.html
linux.oreillynet.com/pub/a/linux/2000/03/10/netadmin/ddos.html
staff.washington.edu/dittrich/misc/ddos
www.e-infomax.com/ipmasq
www.circlemud.org/~jelson/writings/security/index.htm
www.securityfocus.com
www.cert.org - tech_tips
security.ittoolbox.com
www.linux-firewall-tools.com/linux/
logi.cc/linux/athome-firewall.php3
www.insecure.org/reading.html
www.robertgraham.com/pubs/firewall-seen.html

GnuPG-1.4.3

Introduction to GnuPG

The GnuPG package contains a public/private key encryptor. This is becoming useful for signing files or emails as proof of identity and preventing tampering with the contents of the file or email.

Package Information

- Download (HTTP): <http://public.ftp.planetmirror.com/pub/gnupg/gnupg-1.4.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnupg.org/gcrypt/gnupg/gnupg-1.4.3.tar.bz2>
- Download MD5 sum: d237d8fe1c4afa379f56dbda0e0b40e4
- Download size: 3.1 MB
- Estimated disk space required: 38.1 MB
- Estimated build time: 0.5 SBU

GnuPG Dependencies

Optional

OpenSSL-0.9.8d, OpenLDAP-2.3.27, libusb-0.1.12, cURL-7.15.3, an MTA, DocBook-utils-0.6.14, and docbook-to-man

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnupg>

Installation of GnuPG

Install GnuPG by running the following commands:

```
./configure --prefix=/usr --libexecdir=/usr/lib &&  
make
```

If you have teTeX-3.0 installed and you wish to create documentation in alternate formats, issue the following commands:

```
make -C doc pdf ps html &&  
makeinfo --plaintext -o doc/gpg.txt doc/gpg.texi &&  
makeinfo --plaintext -o doc/gpgv.txt doc/gpgv.texi
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&  
chmod -v 4755 /usr/bin/gpg &&  
install -v -m755 -d /usr/share/doc/gnupg-1.4.3 &&  
mv -v /usr/share/gnupg/{FAQ,faq.html} /usr/share/doc/gnupg-1.4.3 &&  
install -v -m644 \  
    doc/{highlights-1.4.txt,OpenPGP,samplekeys.asc,DETAILS,*.texi} \  
    /usr/share/doc/gnupg-1.4.3
```

If you created alternate formats of the documentation, install it using the following command as the `root` user:

```
cp -v -R doc/gpg{,v}.*{dvi,html,pdf,ps,txt} /usr/share/doc/gnupg-1.4.3
```

Command Explanations

`--libexecdir=/usr/lib`: This command creates a `gnupg` directory in `/usr/lib` instead of `/usr/libexec`.

`chmod -v 4755 /usr/bin/gpg`: `gpg` is installed setuid `root` to avoid swapping out sensitive data.

Contents

Installed Programs:	<code>gpg</code> , <code>gpg-zip</code> , <code>gpgsplit</code> , and <code>gpgv</code>
Installed Libraries:	None
Installed Directories:	<code>/usr/lib/gnupg</code> , <code>/usr/share/gnupg</code> and <code>/usr/share/doc/gnupg-1.4.3</code>

Short Descriptions

gpg	is the backend (command-line interface) for this OpenPGP implementation.
gpgsplit	separates key rings.
gpgv	is a verify only version of gpg .

Tripwire-2.4.0.1

Introduction to Tripwire

The Tripwire package contains programs used to verify the integrity of the files on a given system.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/tripwire/tripwire-2.4.0.1-src.tar.bz2?download>
- Download (FTP):
- Download MD5 sum: b371f79ac23cacc9ad40b1da76b4a0c4
- Download size: 1.2 MB
- Estimated disk space required: 37 MB
- Estimated build time: 1.6 SBU

Additional Downloads

- Required patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/tripwire-2.4.0.1-gcc4_build_fixes-1.patch

Tripwire Dependencies

Required

OpenSSL-0.9.8d

Optional

An MTA

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tripwire>

Installation of Tripwire

Compile Tripwire by running the following commands:

```
ln -s contrib install &&
patch -Np1 -i ../tripwire-2.4.0.1-gcc4_build_fixes-1.patch &&
sed -i -e 's@TWDB="${prefix}@TWDB="/var@' install/install.cfg &&
./configure --prefix=/usr --sysconfdir=/etc/tripwire &&
make
```



Warning

The default configuration is to use a local MTA. If you don't have an MTA installed and have no wish to install one, modify `install/install.cfg` to use an SMTP server instead. Otherwise the install will fail.

Now, as the `root` user:

```
make install &&
cp -v policy/*.txt /usr/share/doc/tripwire
```

Command Explanations

ln -s contrib install: This command creates a symbolic link in the build directory needed for installation.

sed -i -e 's@TWDB="\${prefix}@TWDB="/var@' install/install.cfg: This command tells the package to install the program database and reports in /var/lib/tripwire.

make install: This command creates the Tripwire security keys as well as installing the binaries. There are two keys: a site key and a local key which are stored in /etc/tripwire/.

cp -v policy/*.txt /usr/share/doc/tripwire: This command installs the documentation.

Configuring Tripwire

Config Files

/etc/tripwire/*

Configuration Information

Tripwire uses a policy file to determine which files are integrity checked. The default policy file (/etc/tripwire/twpol.txt) is for a default Redhat installation and will need to be updated for your system.

Policy files should be tailored to each individual distribution and/or installation. Some custom policy files can be found below:

```
http://home.iprimus.com.au/glombowski/blfs/twpol-all.txt
Checks integrity of all files
http://home.iprimus.com.au/glombowski/blfs/twpol-lfs.txt
Custom policy file for Base LFS 3.0 system
http://home.iprimus.com.au/glombowski/blfs/twpol-suse7.2.txt
Custom policy file for SuSE 7.2 system
```

Download the custom policy file you'd like to try, copy it into /etc/tripwire/, and use it instead of twpol.txt. It is, however, recommended that you make your own policy file. Get ideas from the examples above and read /usr/share/doc/tripwire/policyguide.txt for additional information. twpol.txt is a good policy file for beginners as it will note any changes to the file system and can even be used as an annoying way of keeping track of changes for uninstallation of software.

After your policy file has been transferred to /etc/tripwire/ you may begin the configuration steps (perform as the root):

```
twadmin --create-polfile --site-keyfile /etc/tripwire/site.key \
/etc/tripwire/twpol.txt &&
tripwire --init
```

Usage Information

To use Tripwire after creating a policy file to run a report, use the following command:

```
tripwire --check > /etc/tripwire/report.txt
```

View the output to check the integrity of your files. An automatic integrity report can be produced by using a cron facility to schedule the runs.

Please note that after you run an integrity check, you must examine the report (or email) and then modify the Tripwire database to reflect the changed files on your system. This is so that Tripwire will not continually notify you that files you intentionally changed are a security violation. To do this you must first **ls -l /var/lib/tripwire/report/** and note the name of the newest file which starts with `linux-` and ends in `.twr`. This encrypted file was created during the last report creation and is needed to update the Tripwire database of your system. Then, as the `root` user, type in the following command making the appropriate substitutions for `<?>`:

```
tripwire --update -twrfile \
/var/lib/tripwire/report/linux-<???????>-<???????>.twr
```

You will be placed into vim with a copy of the report in front of you. If all the changes were good, then just type `:x` and after entering your local key, the database will be updated. If there are files which you still want to be warned about, remove the 'x' before the filename in the report and type `:x`.

A good summary of tripwire operations can be found at <http://www.redhat.com/docs/manuals/linux/RHL-9-Manual/ref-guide/ch-tripwire.html>.

Changing the Policy File

If you are unhappy with your policy file and would like to modify it or use a new one, modify the policy file and then execute the following commands as the `root` user:

```
twadmin --create-polfile /etc/tripwire/twpol.txt &&
tripwire --init
```

Contents

Installed Programs:	siggen, tripwire, twadmin, and twprint.
Installed Libraries:	None
Installed Directories:	/etc/tripwire, /usr/share/doc/tripwire, and /var/lib/tripwire

Short Descriptions

siggen	is a signature gathering utility that displays the hash function values for the specified files.
tripwire	is the main file integrity checking program.
twadmin	administrative and utility tool used to perform certain administrative functions related to Tripwire files and configuration options.
twprint	prints Tripwire database and report files in clear text format.

Heimdal-0.7.2

Introduction to Heimdal

Heimdal is a free implementation of Kerberos 5 that aims to be compatible with MIT krb5 and is backward compatible with krb4. Kerberos is a network authentication protocol. Basically it preserves the integrity of passwords in any untrusted network (like the Internet). Kerberized applications work hand-in-hand with sites that support Kerberos to ensure that passwords cannot be stolen or compromised. A Kerberos installation will make changes to the authentication mechanisms on your network and will overwrite several programs and daemons from the Coreutils, Inetutils, Qpopper and Shadow packages.

Package Information

- Download (HTTP): <http://ftp.vc-graz.ac.at/mirror/crypto/kerberos/heimdal/heimdal-0.7.2.tar.gz>
- Download (FTP): <ftp://ftp.pdc.kth.se/pub/heimdal/src/heimdal-0.7.2.tar.gz>
- Download MD5 sum: c937580d6f8b11bf7f0e540530e1dc18
- Download size: 4.5 MB
- Estimated disk space required: 96.9 MB
- Estimated build time: 2.5 SBU

Additional Downloads

- Required Patch: <ftp://ftp.pdc.kth.se/pub/heimdal/src/heimdal-0.7.2-setuid-patch.txt>
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/heimdal-0.7.2-fhs_compliance-1.patch
- Required patch for CrackLib support:
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/heimdal-0.7.2-cracklib-1.patch>

Heimdal Dependencies

Required to Build the Server-Side Tools

Berkeley DB-4.4.20 is recommended (installed in LFS) or GDBM-1.8.3

Recommended

OpenSSL-0.9.8d

Optional

Linux-PAM-0.99.4.0, OpenLDAP-2.3.27, X Window System, CrackLib-2.8.9 (compiled with the heimdal patch), and krb4



Note

Some sort of time synchronization facility on your system (like NTP-4.2.0a) is required since Kerberos won't authenticate if the time differential between a kerberized client and the KDC server is more than 5 minutes.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/heimdal>

Installation of Heimdal



Warning

Ensure you really need a Kerberos installation before you decide to install this package. Failure to install and configure the package in accordance with the instructions below can alter your system so that users cannot log in.

If you wish the Heimdal package to link against the CrackLib library to provide enforcement of strong passwords (requires CrackLib-2.8.9 installed with the heimdal patch), you must apply a patch:

```
patch -Np1 -i ../heimdal-0.7.2-cracklib-1.patch
```

Install Heimdal by running the following commands:

```
patch -Np1 -i ../heimdal-0.7.2-setuid-patch.txt &&
patch -Np1 -i ../heimdal-0.7.2-fhs_compliance-1.patch &&
./configure --prefix=/usr \
    --sysconfdir=/etc/heimdal \
    --libexecdir=/usr/sbin \
    --datadir=/var/lib/heimdal \
    --localstatedir=/var/lib/heimdal \
    --enable-shared \
    --with-readline=/usr &&
make
```

If you wish to create HTML documentation, issue the following command:

```
make -C doc heimdal.html
```

If you wish to create a text-based version of the documentation, issue the following commands:

```
cd doc &&
makeinfo --plaintext -o heimdal.txt heimdal.texi &&
cd ..
```

To test the results, issue: **make check**.

Now, as the root user:

```
mv -v /usr/include/fnmatch.h /usr/include/fnmatch.h.glibc &&
mv -v /usr/include/glob.h /usr/include/glob.h.glibc &&
mv -v /usr/include/ss/ss.h /usr/include/ss/ss.h.e2fsprogs &&
mv -v /usr/lib/libss.a /usr/lib/libss.a.e2fsprogs &&
mv -v /usr/lib/libss.so /usr/lib/libss.so.e2fsprogs &&
make install &&
mv -v /usr/include/fnmatch.h /usr/include/fnmatch.h.heimdal &&
mv -v /usr/include/fnmatch.h.glibc /usr/include/fnmatch.h &&
mv -v /usr/include/glob.h /usr/include/glob.h.heimdal &&
mv -v /usr/include/glob.h.glibc /usr/include/glob.h &&
install -v -m755 -d /usr/share/doc/heimdal-0.7.2/standardisation &&
install -v -m644 doc/{init-creds,layman.asc} \
```

```

    /usr/share/doc/heimdal-0.7.2 &&
install -v -m644 doc/standardisation/* \
    /usr/share/doc/heimdal-0.7.2/standardisation &&
mv -v /bin/login /bin/login.shadow &&
mv -v /bin/su /bin/su.shadow &&
mv -v /usr/bin/{login,su} /bin &&
ln -v -sf ../../bin/login /usr/bin &&
mv -v /usr/lib/lib{otp,kafs,krb5,asn1,roken,crypto}.so.* \
    /usr/lib/libdb-4.4.so /lib &&
ln -v -sf ../../lib/libdb-4.4.so /usr/lib/libdb.so &&
ln -v -sf ../../lib/libdb-4.4.so /usr/lib/libdb-4.so &&
for SYMLINK in otp.so.0.1.3 kafs.so.0.4.1 krb5.so.17.4.0 \
    asn1.so.6.1.0 roken.so.16.1.0 crypto.so.0.9.8
do
    ln -v -sf ../../lib/lib$SYMLINK \
        /usr/lib/lib`echo $SYMLINK | cut -d. -f1`.so
done
ldconfig

```

If you built the HTML or text-based documentation, install it using the following commands as the root user:

```

install -v -m755 -d /usr/share/doc/heimdal-0.7.2/html &&
install -v -m644 doc/heimdal.html/* \
    /usr/share/doc/heimdal-0.7.2/html &&
install -v -m644 doc/heimdal.txt /usr/share/doc/heimdal-0.7.2

```

Command Explanations

mv -v /usr/include/... and **mv -v /usr/lib/libss.***: The Heimdal installation will overwrite two interface headers from the Glibc package and an interface header, static library and library symbolic link from the E2fsprogs package. These commands move the original files out of the way before the installation, and then restore the original Glibc headers after the installation. The two Heimdal headers are renamed and preserved on the system. Testing has shown that the system is stable using the Heimdal version of the libss library and interface header.

--libexecdir=/usr/sbin: This switch puts the daemon programs into /usr/sbin.



Tip

If you want to preserve all your existing Inetutils package daemons, install the Heimdal daemons into /usr/sbin/heimdal (or wherever you want). Since these programs will be called from **(x)inetd** or **rc** scripts, it really doesn't matter where they are installed, as long as they are correctly specified in the /etc/(x)inetd.conf file and rc scripts. If you choose something other than /usr/sbin, you may want to move some of the user programs (such as **kadmin**) to /usr/sbin manually so they'll be in the privileged user's default PATH.

mvshadow; mv ... /bin; ln -v -sf ../../bin...: The **login** and **su** programs installed by Heimdal belong in the /bin directory. The **login** program is symlinked because Heimdal is expecting to find it in /usr/bin. The old executables are preserved before the move so that they can be restored if you experience problems logging into the system after the Heimdal package is installed and configured.

mv ... /lib; ln -v -sf ../lib/lib... /usr/lib...: The **login** and **su** programs installed by Heimdal link against Heimdal libraries as well as libraries provided by the OpenSSL and Berkeley DB packages. These libraries are moved to `/lib` to be FHS compliant and also in case `/usr` is located on a separate partition which may not always be mounted.

Configuring Heimdal

Config Files

`/etc/heimdal/*`

Configuration Information



Note

All the configuration steps shown below must be accomplished by the `root` user unless otherwise noted.

Master KDC Server Configuration

Create the Kerberos configuration file with the following commands:

```
install -v -m755 -d /etc/heimdal &&
cat > /etc/heimdal/krb5.conf << "EOF"
# Begin /etc/heimdal/krb5.conf

[libdefaults]
    default_realm = <EXAMPLE.COM>
    encrypt = true

[realms]
    <EXAMPLE.COM> = {
        kdc = <hostname.example.com>
        admin_server = <hostname.example.com>
        kpasswd_server = <hostname.example.com>
    }

[domain_realm]
    .<example.com> = <EXAMPLE.COM>

[logging]
    kdc = FILE:/var/log/kdc.log
    admin_server = FILE:/var/log/kadmin.log
    default = FILE:/var/log/krb.log

# End /etc/heimdal/krb5.conf
EOF
chmod -v 644 /etc/heimdal/krb5.conf
```

You will need to substitute your domain and proper hostname for the occurrences of the `<hostname>` and `<EXAMPLE.COM>` names.

`default_realm` should be the name of your domain changed to ALL CAPS. This isn't required, but both Heimdal and MIT krb5 recommend it.

`encrypt = true` provides encryption of all traffic between kerberized clients and servers. It's not necessary and can be left off. If you leave it off, you can encrypt all traffic from the client to the server using a switch on the client program instead.

The `[realms]` parameters tell the client programs where to look for the KDC authentication services.

The `[domain_realm]` section maps a domain to a realm.

Store the master password in a key file using the following commands:

```
install -v -m755 -d /var/lib/heimdal &&  
kstash
```

Create the KDC database:

```
kadmin -l
```

The commands below will prompt you for information about the principles. Choose the defaults for now unless you know what you are doing and need to specify different values. You can go in later and change the defaults, should you feel the need. You may use the up and down arrow keys to use the history feature of **kadmin** in a similar manner as the **bash** history feature.

At the `kadmin>` prompt, issue the following statement:

```
init <EXAMPLE.COM>
```

The database must now be populated with at least one principle (user). For now, just use your regular login name or root. You may create as few, or as many principles as you wish using the following statement:

```
add <loginname>
```

The KDC server and any machine running kerberized server daemons must have a host key installed:

```
add --random-key host/<hostname.example.com>
```

After choosing the defaults when prompted, you will have to export the data to a keytab file:

```
ext host/<hostname.example.com>
```

This should have created two files in `/etc/heimdal`: `krb5.keytab` (Kerberos 5) and `srvtab` (Kerberos 4). Both files should have 600 (root rw only) permissions. Keeping the keytab files from public access is crucial to the overall security of the Kerberos installation.

Eventually, you'll want to add server daemon principles to the database and extract them to the keytab file. You do this in the same way you created the host principles. Below is an example:

```
add --random-key ftp/<hostname.example.com>
```

(choose the defaults)

```
ext ftp/<hostname.example.com>
```

Exit the **kadmin** program (use **quit** or **exit**) and return back to the shell prompt. Start the KDC daemon manually, just to test out the installation:

```
/usr/sbin/kdc &
```

Attempt to get a TGT (ticket granting ticket) with the following command:

```
kinit <loginname>
```

You will be prompted for the password you created. After you get your ticket, you should list it with the following command:

```
klist
```

Information about the ticket should be displayed on the screen.

To test the functionality of the `keytab` file, issue the following command:

```
ktutil list
```

This should dump a list of the host principals, along with the encryption methods used to access the principals.

At this point, if everything has been successful so far, you can feel fairly confident in the installation, setup and configuration of your new Heimdal Kerberos 5 installation.

Install the `/etc/rc.d/init.d/heimdal` init script included in the `blfs-bootscripts-20060910` package:

```
make install-heimdal
```

Using Kerberized Client Programs

To use the kerberized client programs (**telnet**, **ftp**, **rsh**, **rxterm**, **rxtnet**, **rcp**, **xnlock**), you first must get a TGT. Use the **kinit** program to get the ticket. After you've acquired the ticket, you can use the kerberized programs to connect to any kerberized server on the network. You will not be prompted for authentication until your ticket expires (default is one day), unless you specify a different user as a command line argument to the program.

The kerberized programs will connect to non-kerberized daemons, warning you that authentication is not encrypted.

In order to use the Heimdal X programs, you'll need to add a service port entry to the `/etc/services` file for the **kxd** server. There is no 'standardized port number' for the 'kx' service in the IANA database, so you'll have to pick an unused port number. Add an entry to the `services` file similar to the entry below (substitute your chosen port number for `<49150>`):

```
kx          <49150>/tcp    # Heimdal kerberos X
kx          <49150>/udp    # Heimdal kerberos X
```

For additional information consult the Heimdal hint on which the above instructions are based.

Contents

Installed Programs: `afslog`, `dump_log`, `ftp`, `ftpd`, `hprop`, `hpropd`, `ipropd-master`, `ipropd-slave`, `kadmin`,

kadmind, kauth, kcm, kdc, kdestroy, kf, kfd, kgetcred, kinit, klist, kpasswd, kpasswd, krb5-config, kstash, ktutil, kx, kxd, login, mk_cmds, otp, otpprint, pagsh, pfrom, popper, push, rcp, replay_log, rsh, rshd, rxtelnet, rxterm, string2key, su, telnet, telnetd, tenletxr, truncate-log, verify_krb5_conf and xnlock

Installed Libraries: libasn1.{so,a}, libeditline.{so,a}, libgssapi.{so,a}, libhdb.{so,a}, libkadm5clnt.{so,a}, libkadm5srv.{so,a}, libkafs.{so,a}, libkrb5.{so,a}, libotp.{so,a}, libroken.{so,a}, libsl.{so,a} and libss.{so,a}

Installed Directories: /etc/heimdal, /usr/include/kadm5, /usr/share/doc/heimdal-0.7.2 and /var/lib/heimdal

Short Descriptions

afslog	obtains AFS tokens for a number of cells.
ftp	is a kerberized FTP client.
ftpd	is a kerberized FTP daemon.
hprop	takes a principal database in a specified format and converts it into a stream of Heimdal database records.
hpropd	is a server that receives a database sent by hprop and writes it as a local database.
ipropd-master	is a daemon which runs on the master KDC server which incrementally propagates changes to the KDC database to the slave KDC servers.
ipropd-slave	is a daemon which runs on the slave KDC servers which incrementally propagates changes to the KDC database from the master KDC server.
kadmin	is a utility used to make modifications to the Kerberos database.
kadmind	is a server for administrative access to the Kerberos database.
kauth	is a symbolic link to the kinit program.
kcm	is a process based credential cache for Kerberos tickets.
kdc	is a Kerberos 5 server.
kdestroy	removes a principle's current set of tickets.
kf	is a program which forwards tickets to a remote host through an authenticated and encrypted stream.
kfd	is a server used to receive forwarded tickets.
kgetcred	obtains a ticket for a service.
kinit	is used to authenticate to the Kerberos server as a principal and acquire a ticket granting ticket that can later be used to obtain tickets for other services.
klist	reads and displays the current tickets in the credential cache.
kpasswd	is a program for changing Kerberos 5 passwords.

kpasswd	is a Kerberos 5 password changing server.
krb5-config	gives information on how to link programs against Heimdal libraries.
kstash	stores the KDC master password in a file.
ktutil	is a program for managing Kerberos keytabs.
kx	is a program which securely forwards X connections.
kxd	is the daemon for kx .
login	is a kerberized login program.
otp	manages one-time passwords.
otpprint	prints lists of one-time passwords.
pfrom	is a script that runs push --from .
popper	is a kerberized POP-3 server.
push	is a kerberized POP mail retrieval client.
rcp	is a kerberized rcp client program.
rsh	is a kerberized rsh client program.
rshd	is a kerberized rsh server.
rxtnet	starts a secure xterm window with a tnet to a given host and forwards X connections.
rxterm	starts a secure remote xterm .
string2key	maps a password into a key.
su	is a kerberized su client program.
tnet	is a kerberized tnet client program.
tnetd	is a kerberized tnet server.
tnetxr	forwards X connections backwards.
verify_krb5_conf	checks <code>krb5.conf</code> file for obvious errors.
xnlock	is a program that acts as a secure screen saver for workstations running X.
<code>libasn1.{so,a}</code>	provides the ASN.1 and DER functions to encode and decode the Kerberos TGTs.
<code>libeditline.a</code>	is a command-line editing library with history.
<code>libgssapi.{so,a}</code>	contain the Generic Security Service Application Programming Interface (GSSAPI) functions which provides security services to callers in a generic fashion, supportable with a range of underlying mechanisms and technologies and hence allowing source-level portability of applications to different environments.

<code>libhdb.{so,a}</code>	is a Heimdal Kerberos 5 authentication/authorization database access library.
<code>libkadm5clnt.{so,a}</code>	contains the administrative authentication and password checking functions required by Kerberos 5 client-side programs.
<code>libkadm5srv.{so,a}</code>	contain the administrative authentication and password checking functions required by Kerberos 5 servers.
<code>libkafs.{so,a}</code>	contains the functions required to authenticated to AFS.
<code>libkrb5.{so,a}</code>	is an all-purpose Kerberos 5 library.
<code>libotp.{so,a}</code>	contains the functions required to handle authenticating one time passwords.
<code>libroken.{so,a}</code>	is a library containing Kerberos 5 compatibility functions.

MIT Kerberos V5-1.6

Introduction to MIT Kerberos V5

MIT Kerberos V5 is a free implementation of Kerberos 5. Kerberos is a network authentication protocol. It centralizes the authentication database and uses kerberized applications to work with servers or services that support Kerberos allowing single logins and encrypted communication over internal networks or the Internet.

Package Information

- Download (HTTP): <http://web.mit.edu/kerberos/www/dist/krb5/1.6/krb5-1.6-signed.tar>
- Download (FTP):
- Download MD5 sum: a365e39ff7d39639556c2797a0e1c3f4
- Download size: 12.0 MB
- Estimated disk space required: 124 MB
- Estimated build time: 1.4 SBU

MIT Kerberos V5 Dependencies

Optional

Linux-PAM-0.99.4.0 (for **x**dm based logins), OpenLDAP-2.3.27, and DejaGnu-1.4.4 (required to run the test suite)



Note

Some sort of time synchronization facility on your system (like NTP-4.2.0a) is required since Kerberos won't authenticate if there is a time difference between a kerberized client and the KDC server.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mitkrb>

Installation of MIT Kerberos V5

MIT Kerberos V5 is distributed in a TAR file containing a compressed TAR package and a detached PGP ASC file. You'll need to unpack the distribution tar file, then unpack the compressed tar file before starting the build.

After unpacking the distribution tarball and if you have GnuPG-1.4.3 installed, you can authenticate the package with the following command:

```
gpg - -verify krb5-1.6.tar.gz.asc
```

Build MIT Kerberos V5 by running the following commands:

```
cd src &&
./configure CPPFLAGS="-I/usr/include/et -I/usr/include/ss" \
  --prefix=/usr \
  --sysconfdir=/etc/krb5 \
  --localstatedir=/var/lib \
  --with-system-et \
```

```

--with-system-ss \
--enable-dns-for-realm \
--mandir=/usr/share/man &&
make

```

The regression test suite is designed to be run after the installation has been completed.

Now, as the root user:

```

make install &&

mv -v /usr/bin/ksu /bin &&
chmod -v 755 /bin/ksu &&
mv -v /usr/lib/libkrb5.so.3* /lib &&
mv -v /usr/lib/libk5crypto.so.3* /lib &&
mv -v /usr/lib/libkrb5support.so.0* /lib &&

ln -v -sf ../../lib/libkrb5.so.3.3 /usr/lib/libkrb5.so &&
ln -v -sf ../../lib/libk5crypto.so.3.1 /usr/lib/libk5crypto.so &&
ln -v -sf ../../lib/libkrb5support.so.0.1 /usr/lib/libkrb5support.so&&

install -m644 -v ../doc/*.info* /usr/share/info &&
for INFOFILE in 425 5-admin 5-install 5-user; do
    install-info --info-dir=/usr/share/info \
                /usr/share/info/krb$INFOFILE.info
    rm ../doc/krb$INFOFILE.info*
done &&

install -m755 -v -d /usr/share/doc/krb5-1.6 &&
cp -Rv ../doc/* /usr/share/doc/krb5-1.6

```



Warning

login.krb5 does not support Shadow passwords. As a result, when the Kerberos server is unavailable, the default fall through to `/etc/passwd` will not work because the passwords have been moved to `/etc/shadow` during the LFS build process. Entering the following commands without moving the passwords back to `/etc/passwd` could prevent any logins.

After considering (and understanding) the above warning, the following commands can be entered as the root user to replace the existing **login** program with the Kerberized version (after preserving the original) and move the support libraries to a location available when the `/usr` filesystem is not mounted:

```

mv -v /bin/login /bin/login.shadow &&
install -m755 -v /usr/sbin/login.krb5 /bin/login &&

mv -v /usr/lib/libdes425.so.3* /lib &&
mv -v /usr/lib/libkrb4.so.2* /lib &&

ln -v -sf ../../lib/libdes425.so.3.0 /usr/lib/libdes425.so &&
ln -v -sf ../../lib/libkrb4.so.2.0 /usr/lib/libkrb4.so &&

ldconfig

```

To test the installation, you must have DejaGnu-1.4.4 installed and issue: **make check**. The RPC layer tests will require a portmap daemon (see portmap-5beta) running and configured to listen on the regular network interface (not localhost). See the “Testing the Build” section of the `krb5-install.html` file in the `../doc` directory for complete information on running the regression tests.

Command Explanations

`--enable-dns-for-realm`: This parameter allows realms to be resolved using the DNS server.

`--with-system-et`: This parameter causes the build to use the system-installed versions of the error-table support software.

`--with-system-ss`: This parameter causes the build to use the system-installed versions of the subsystem command-line interface software.

`--localstatedir=/var/lib`: This parameter is used so that the Kerberos variable run-time data is located in `/var/lib` instead of `/usr/var`.

`mv -v /usr/bin/ksu /bin`: Moves the `ksu` program to the `/bin` directory so that it is available when the `/usr` filesystem is not mounted.

`mv -v ... /lib && ln -v -sf ...`: These libraries are moved to `/lib` so they are available when the `/usr` filesystem is not mounted.

Configuring MIT Kerberos V5

Config Files

`/etc/krb5/krb5.conf` and `/var/lib/krb5kdc/kdc.conf`

Configuration Information

Kerberos Configuration



Tip

You should consider installing some sort of password checking dictionary so that you can configure the installation to only accept strong passwords. A suitable dictionary to use is shown in the CrackLib-2.8.9 instructions. Note that only one file can be used, but you can concatenate many files into one. The configuration file shown below assumes you have installed a dictionary to `/usr/share/dict/words`.

Create the Kerberos configuration file with the following commands issued by the `root` user:

```
install -v -m755 -d /etc/krb5 &&
cat > /etc/krb5/krb5.conf << "EOF"
# Begin /etc/krb5/krb5.conf

[libdefaults]
    default_realm = <LFS.ORG>
    encrypt = true
```

```
[realms]
  <LFS.ORG> = {
    kdc = <belgarath.lfs.org>
    admin_server = <belgarath.lfs.org>
    dict_file = /usr/share/dict/words
  }

[domain_realm]
  .<lfs.org> = <LFS.ORG>

[logging]
  kdc = SYSLOG[:INFO[:AUTH]]
  admin_server = SYSLOG[INFO[:AUTH]]
  default = SYSLOG[[:SYS]]

# End /etc/krb5/krb5.conf
EOF
```

You will need to substitute your domain and proper hostname for the occurrences of the `<belgarath>` and `<lfs.org>` names.

`default_realm` should be the name of your domain changed to ALL CAPS. This isn't required, but both Heimdal and MIT recommend it.

`encrypt = true` provides encryption of all traffic between kerberized clients and servers. It's not necessary and can be left off. If you leave it off, you can encrypt all traffic from the client to the server using a switch on the client program instead.

The `[realms]` parameters tell the client programs where to look for the KDC authentication services.

The `[domain_realm]` section maps a domain to a realm.

Create the KDC database:

```
kdb5_util create -r <LFS.ORG> -s
```

Now you should populate the database with principles (users). For now, just use your regular login name or `root`.

```
kadmin.local
kadmin: add_policy dict-only
kadmin: addprinc -policy dict-only <loginname>
```

The KDC server and any machine running kerberized server daemons must have a host key installed:

```
kadmin: addprinc -randkey host/<belgarath.lfs.org>
```

After choosing the defaults when prompted, you will have to export the data to a keytab file:

```
kadmin: ktadd host/<belgarath.lfs.org>
```

This should have created a file in `/etc/krb5` named `krb5.keytab` (Kerberos 5). This file should have 600 (`root rw only`) permissions. Keeping the keytab files from public access is crucial to the overall security of the Kerberos installation.

Eventually, you'll want to add server daemon principles to the database and extract them to the keytab file. You do this in the same way you created the host principles. Below is an example:

```
kadmin: addprinc -randkey ftp/<belgarath.lfs.org>
kadmin: ktadd ftp/<belgarath.lfs.org>
```

Exit the **kadmin** program (use **quit** or **exit**) and return back to the shell prompt. Start the KDC daemon manually, just to test out the installation:

```
/usr/sbin/krb5kdc &
```

Attempt to get a ticket with the following command:

```
kinit <loginname>
```

You will be prompted for the password you created. After you get your ticket, you can list it with the following command:

```
klist
```

Information about the ticket should be displayed on the screen.

To test the functionality of the keytab file, issue the following command:

```
ktutil
ktutil: rkt /etc/krb5/krb5.keytab
ktutil: l
```

This should dump a list of the host principal, along with the encryption methods used to access the principal.

At this point, if everything has been successful so far, you can feel fairly confident in the installation and configuration of the package.

Install the `/etc/rc.d/init.d/kerberos` init script included in the `blfs-bootscripts-20060910` package.

```
make install-kerberos
```

Using Kerberized Client Programs

To use the kerberized client programs (**telnet**, **ftp**, **rsh**, **rcp**, **rlogin**), you first must get an authentication ticket. Use the **kinit** program to get the ticket. After you've acquired the ticket, you can use the kerberized programs to connect to any kerberized server on the network. You will not be prompted for authentication until your ticket expires (default is one day), unless you specify a different user as a command line argument to the program.

The kerberized programs will connect to non kerberized daemons, warning you that authentication is not encrypted.

Using Kerberized Server Programs

Using kerberized server programs (**telnetd**, **kpropd**, **klogind** and **kshd**) requires two additional configuration steps. First the `/etc/services` file must be updated to include `eklogin` and `krb5_prop`. Second, the `inetd.conf` or `xinetd.conf` must be modified for each server that will be activated, usually replacing the server from `Inetutils-1.4.2`.

Additional Information

For additional information consult Documentation for krb-1.6 on which the above instructions are based.

Contents

Installed Programs:	ftp, ftpd, gss-client, gss-server, k5srvutil, kadmin, kadmin.local, kadmind, kdb5_ldap_util, kdb5_util, kdestroy, kinit, klist, klogind, kpasswd, kprop, kpropd, krb5-config, krb5-send-pr, krb524d, krb524init, krb5kdc, kshd, ksu, ktutil, kvno, login.krb5, rcp, rlogin, rsh, sclient, sim_client, sim_server, sserver, telnet, telnetd, uuclient, uuserver and v4rcp
Installed Libraries:	libdes425.so, libgssapi_krb5.so, libgssrpc.so, libk5crypto.so, libkadm5clnt.so, libkadm5srv.so, libkdb5.so, libkdb_ldap.so, libkrb4.so, libkrb5.so and libkrb5support.so
Installed Directories:	/etc/krb5, /usr/include/{gssapi,gssrpc,kerberosIV,krb5}, /usr/lib/krb5, /usr/share/{doc/krb5-1.6,examples,gnats} and /var/lib/krb5kdc

Short Descriptions

ftp	is a kerberized FTP client.
ftpd	is a kerberized FTP daemon.
k5srvutil	is a host keytable manipulation utility.
kadmin	is an utility used to make modifications to the Kerberos database.
kadmind	is a server for administrative access to a Kerberos database.
kdb5_util	is the KDC database utility.
kdestroy	removes the current set of tickets.
kinit	is used to authenticate to the Kerberos server as a principal and acquire a ticket granting ticket that can later be used to obtain tickets for other services.
klist	reads and displays the current tickets in the credential cache.
klogind	is the server that responds to rlogin requests.
kpasswd	is a program for changing Kerberos 5 passwords.
kprop	takes a principal database in a specified format and converts it into a stream of database records.
kpropd	receives a database sent by kprop and writes it as a local database.
krb5-config	gives information on how to link programs against libraries.
krb5kdc	is a Kerberos 5 server.
kshd	is the server that responds to rsh requests.

ksu	is the super user program using Kerberos protocol. Requires a properly configured <code>/etc/shells</code> and <code>~/.k5login</code> containing principals authorized to become super users.
ktutil	is a program for managing Kerberos keytabs.
kvno	prints keyversion numbers of Kerberos principals.
login.krb5	is a kerberized login program.
rcp	is a kerberized rcp client program.
rlogin	is a kerberized rlogin client program.
rsh	is a kerberized rsh client program.
telnet	is a kerberized telnet client program.
telnetd	is a kerberized telnet server.
libgssapi_krb5.so	contain the Generic Security Service Application Programming Interface (GSSAPI) functions which provides security services to callers in a generic fashion, supportable with a range of underlying mechanisms and technologies and hence allowing source-level portability of applications to different environments.
libkadm5clnt.so	contains the administrative authentication and password checking functions required by Kerberos 5 client-side programs.
libkadm5srv.so	contain the administrative authentication and password checking functions required by Kerberos 5 servers.
libkdb5.so	is a Kerberos 5 authentication/authorization database access library.
libkrb5.so	is an all-purpose Kerberos 5 library.

Cyrus SASL-2.1.21

Introduction to Cyrus SASL

The Cyrus SASL package contains a Simple Authentication and Security Layer, a method for adding authentication support to connection-based protocols. To use SASL, a protocol includes a command for identifying and authenticating a user to a server and for optionally negotiating protection of subsequent protocol interactions. If its use is negotiated, a security layer is inserted between the protocol and the connection.

Package Information

- Download (HTTP): <http://ftp.andrew.cmu.edu/pub/cyrus-mail/cyrus-sasl-2.1.21.tar.gz>
- Download (FTP): <ftp://ftp.andrew.cmu.edu/pub/cyrus-mail/cyrus-sasl-2.1.21.tar.gz>
- Download MD5 sum: dde02db234dea892bee298390890502e
- Download size: 1.6 MB
- Estimated disk space required: 16 MB
- Estimated build time: 0.3 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/cyrus-sasl-2.1.21-openldap23-1.patch>
- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/cyrus-sasl-2.1.21-openssl98-1.patch>

Cyrus SASL Dependencies

Required

OpenSSL-0.9.8d

Optional

Linux-PAM-0.99.4.0, OpenLDAP-2.3.27, Heimdal-0.7.2 or MIT Kerberos V5-1.6, JDK-1.5.0_10, MySQL-5.0.21, PostgreSQL-8.1.3, GDBM-1.8.3, krb4, SQLite, and Dmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cyrus-sasl>

Installation of Cyrus SASL

Install Cyrus SASL by running the following commands:

```
patch -Np1 -i ../cyrus-sasl-2.1.21-openldap23-1.patch &&
patch -Np1 -i ../cyrus-sasl-2.1.21-openssl98-1.patch &&
sed -i '/sasl_global/s/^static //' lib/client.c &&
sed -i 's/cat8/man8/' saslauthd/Makefile.in &&
./configure --prefix=/usr --sysconfdir=/etc \
            --with-dbpath=/var/lib/sasl/sasldb2 \
            --with-saslauthd=/var/run &&
make
```

This package does not come with a test suite. If you are planning on using the GSSAPI authentication

mechanism, it is recommended to test it after installing the package using the sample server and client programs which were built in the preceding step. Instructions for performing the tests can be found at <http://www.linuxfromscratch.org/hints/downloads/files/cyrus-sasl.txt>.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/cyrus-sasl-2.1.21 &&
install -v -m644 doc/{*.{html,txt,fig},ONEWS,TODO} \
    saslauthd/LDAP_SASLAUTHD /usr/share/doc/cyrus-sasl-2.1.21 &&
install -v -m700 -d /var/lib/sasl
```

Command Explanations

sed ... lib/client.c: This command fixes an issue when compiling Cyrus SASL with GCC-4.

sed 's/cat8/man8/' ...: This command puts the **saslauthd** man page in a more standard location.

--with-dbpath=/var/lib/sasl/sasldb2: This parameter forces the **saslauthd** database to be created in `/var/lib/sasl` instead of `/etc`.

--with-saslauthd=/var/run: This parameter forces **saslauthd** to use the FHS compliant directory `/var/run` for variable run-time data.

--with-ldap: This parameter enables use with OpenLDAP.

--enable-ldapdb: This parameter enables the LDAPDB authentication backend. There is a circular dependency with this parameter. See <http://wiki.linuxfromscratch.org/blfs/wiki/cyrus-sasl> for a solution to this problem.

install -v -m644 ...: These commands install documentation which is not installed by the **make install** command.

install -v -m700 -d /var/lib/sasl: This directory must exist when starting **saslauthd**. If you're not going to be running the daemon, you may omit the creation of this directory.

Configuring Cyrus SASL

Config Files

`/etc/saslauthd.conf` (for **saslauthd** LDAP configuration) and `/usr/lib/sasl2/Appname.conf` (where "Appname" is the application defined name of the application)

Configuration Information

See file:///usr/share/doc/cyrus-sasl-2.1.21/sysadmin.html for information on what to include in the application configuration files. See file:///usr/share/doc/cyrus-sasl-2.1.21/LDAP_SASLAUTHD for configuring **saslauthd** with OpenLDAP.

Init Script

If you need to run the **saslauthd** daemon at system startup, install the `/etc/rc.d/init.d/cyrus-sasl` init script included in the `blfs-bootscripts-20060910` package.

```
make install-cyrus-sasl
```



Note

You'll need to modify the init script and replace the `<authmech>` parameter to the `-a` switch with your desired authentication mechanism.

Contents

Installed Programs:	<code>saslauthd</code> , <code>sasldblistusers2</code> , and <code>saslpasswd2</code>
Installed Libraries:	<code>libjasasasl.so</code> , <code>libsasl2.so</code> , and numerous SASL plugins and Java classes
Installed Directories:	<code>/usr/include/sasl</code> , <code>/usr/lib/java/classes/sasl</code> , <code>/usr/lib/sasl2</code> , <code>/usr/share/doc/cyrus-sasl-2.1.21</code> , and <code>/var/lib/sasl</code>

Short Descriptions

<code>saslauthd</code>	is the SASL authentication server.
<code>sasldblistusers2</code>	is used to list the users in the SASL password database <code>sasldb2</code> .
<code>saslpasswd2</code>	is used to set and delete a user's SASL password and mechanism specific secrets in the SASL password database <code>sasldb2</code> .
<code>libsasl2.so</code>	is a general purpose authentication library for server and client applications.

Stunnel-4.15

Introduction to Stunnel

The Stunnel package contains a program that allows you to encrypt arbitrary TCP connections inside SSL (Secure Sockets Layer) so you can easily communicate with clients over secure channels. Stunnel can be used to add SSL functionality to commonly used Inetd daemons like POP-2, POP-3, and IMAP servers, to standalone daemons like NNTP, SMTP and HTTP, and in tunneling PPP over network sockets without changes to the server package source code.

Package Information

- Download (HTTP): <http://www.stunnel.org/download/stunnel/src/stunnel-4.15.tar.gz>
- Download (FTP): <ftp://stunnel.mirt.net/stunnel/stunnel-4.15.tar.gz>
- Download MD5 sum: 2c00153ad099a5f9c5609e8d1dbbe470
- Download size: 497 KB
- Estimated disk space required: 4.2 MB
- Estimated build time: 0.1 SBU

Stunnel Dependencies

Required

OpenSSL-0.9.8d

Optional

TCP Wrapper-7.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/stunnel>

Installation of Stunnel

The **stunnel** daemon will be run in a **chroot** jail by an unprivileged user. Create the new user, group and **chroot** home directory structure using the following commands as the **root** user:

```
groupadd -g 51 stunnel &&
useradd -c "Stunnel Daemon" -d /var/lib/stunnel \
        -g stunnel -s /bin/false -u 51 stunnel &&
install -v -m 1770 -o stunnel -g stunnel -d /var/lib/stunnel/run
```



Note

A signed SSL Certificate and a Private Key is necessary to run the **stunnel** daemon. If you own, or have already created a signed SSL Certificate you wish to use, copy it to `/etc/stunnel/stunnel.pem` before starting the build (ensure only **root** has read and write access), otherwise you will be prompted to create one during the installation process. The `.pem` file must be formatted as shown below:

```
-----BEGIN RSA PRIVATE KEY-----
```

```

<many encrypted lines of unencrypted key>
-----END RSA PRIVATE KEY-----
-----BEGIN CERTIFICATE-----
<many encrypted lines of certificate>
-----END CERTIFICATE-----

```

Install Stunnel by running the following commands:

```

sed -i -e 's|nogroup|stunnel|' \
    -e 's|$(prefix)/var/lib|$(localstatedir)|' \
    tools/Makefile.in
sed -i 's|doc/stunnel|&-${VERSION}|' {,doc/,tools/}Makefile.in &&

./configure --prefix=/usr --sysconfdir=/etc \
    --localstatedir=/var/lib --disable-libwrap &&
make

```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

sed -i -e '...' -e '...' tools/Makefile.in: This **sed** command modifies the group and directory used for the **chroot** jail to conform with the parameters created earlier.

sed -i '...' {,doc/,tools/}Makefile.in: This **sed** command modifies the location of the installed docs to a versioned directory.

--sysconfdir=/etc: This parameter forces the configuration directory to `/etc` instead of `/usr/etc`.

--localstatedir=/var/lib: This parameter sets the installation to use `/var/lib/stunnel` instead of creating and using `/usr/var/stunnel`.

--disable-libwrap: This parameter is required if you don't have `tcpwrappers` installed. Remove the parameter if `tcpwrappers` is installed.

make install: This command installs the package and, if you did not copy an `stunnel.pem` file to the `/etc/stunnel` directory, prompts you for the necessary information to create one. Ensure you reply to the

```
Common Name (FQDN of your server) [localhost]:
```

prompt with the name or IP address you will be using to access the service(s).

Configuring Stunnel

Config Files

```
/etc/stunnel/stunnel.conf
```

Configuration Information

Create a basic `/etc/stunnel/stunnel.conf` configuration file using the following commands:

```
cat >/etc/stunnel/stunnel.conf << "EOF" &&
# File: /etc/stunnel/stunnel.conf

pid = /run/stunnel.pid
chroot = /var/lib/stunnel
client = no
setuid = stunnel
setgid = stunnel

EOF
chmod -v 644 /etc/stunnel/stunnel.conf
```

Next, you need to add the service(s) you wish to encrypt to the configuration file. The format is as follows:

```
[<service>]
accept  = <hostname:portnumber>
connect = <hostname:portnumber>
```

If you use Stunnel to encrypt a daemon started from **[x]inetd**, you may need to disable that daemon in the `/etc/[x]inetd.conf` file and enable a corresponding `<service>_stunnel` service. You may have to add an appropriate entry in `/etc/services` as well.

For a full explanation of the commands and syntax used in the configuration file, run **man stunnel**. To see a BLFS example of an actual setup of an **stunnel** encrypted service, read the the section called “Configuring SWAT” in the Samba instructions.

Boot Script

To automatically start the **stunnel** daemon when the system is rebooted, install the `/etc/rc.d/init.d/stunnel` bootscript from the `blfs-bootscripts-20060910` package.

```
make install-stunnel
```

Contents

Installed Programs:	stunnel and stunnel3
Installed Library:	libstunnel.so
Installed Directories:	/etc/stunnel, /var/lib/stunnel and /usr/share/doc/stunnel-4.15

Short Descriptions

stunnel	is a program designed to work as an SSL encryption wrapper between remote clients and local ({x}inetd -startable) or remote servers.
stunnel3	is a Perl wrapper script to use stunnel 3.x syntax with stunnel ≥ 4.05 .

`libstunnel.so` contains the API functions required by Stunnel.

Sudo-1.6.8p12

Introduction to Sudo

The sudo package allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as `root` or another user while logging the commands and arguments.

Package Information

- Download (HTTP): <http://www.courtesan.com/sudo/dist/sudo-1.6.8p12.tar.gz>
- Download (FTP):
- Download MD5 sum: b29893c06192df6230dd5f340f3badf5
- Download size: 576 KB
- Estimated disk space required: 3.6 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/sudo-1.6.8p12-envvar_fix-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sudo>

Installation of Sudo

Install sudo by running the following commands:

```
patch -Np1 -i ../sudo-1.6.8p12-envvar_fix-1.patch &&
./configure --prefix=/usr --libexecdir=/usr/lib \
    --enable-noargs-shell --with-ignore-dot --with-all-insults \
    --enable-shell-sets-home &&
make
```

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-noargs-shell`: This switch allows sudo to run a shell if invoked with no arguments.

`--with-ignore-dot`: This switch causes sudo to ignore '.' in the PATH.

`--with-all-insults`: This switch includes all the sudo insult sets.

`--enable-shell-sets-home`: This switch sets HOME to the target user in shell mode.



Note

There are many options to sudo's **configure** command. Check the **configure --help** output for a complete list.

Configuring Sudo

Config File

`/etc/sudoers`

Configuration Information

The `sudoers` file can be quite complicated. It is composed of two types of entries: aliases (basically variables) and user specifications (which specify who may run what). The installation installs a default configuration that has no privileges installed for any user.

One example usage is to allow the system administrator to execute any program without typing a password each time root privileges are needed. This can be configured as:

```
# User alias specification
User_Alias  ADMIN = YourLoginId

# Allow people in group ADMIN to run all commands without a password
ADMIN      ALL = NOPASSWD: ALL
```

For details, see **man sudoers**.



Note

The Sudo developers highly recommend using the **visudo** program to edit the `sudoers` file. This will provide basic sanity checking like syntax parsing and file permission to avoid some possible mistakes that could lead to a vulnerable configuration.

Contents

Installed Programs: `sudo`, `sudoedit`, and `visudo`

Installed Library: `sudo_noexec.so`

Installed Directories: None

Short Descriptions

sudo	executes a command as another user as permitted by the <code>/etc/sudoers</code> configuration file.
sudoedit	is a hard link to sudo that implies the <code>-e</code> option to invoke an editor as another user.
visudo	allows for safer editing of the <code>sudoers</code> file.
<code>sudo_noexec.so</code>	enables support for the "noexec" functionality which prevents a dynamically-linked program being run by <code>sudo</code> from executing another program (think shell escapes).

NSS-3.11.3

Introduction to NSS

The Network Security Services (NSS) package is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards. This is useful for implementing SSL and S/MIME or other Internet security standards into an application.

The NSS package requires the Netscape Portable Runtime (NSPR) libraries as a prerequisite for building. The NSS package tarball contains the code necessary to build the NSPR libraries. These libraries are built and installed using the instructions below. Essentially, the NSS package is now a combined NSS/NSPR installation.

Package Information

- Download (HTTP):
[http://ftp.mozilla.org/pub/mozilla.org/security/nss/releases/NSS_3_11_3_RTM/src/nss-3.11.3-with-nspr-4.6.3.tar.g](http://ftp.mozilla.org/pub/mozilla.org/security/nss/releases/NSS_3_11_3_RTM/src/nss-3.11.3-with-nspr-4.6.3.tar.gz)
- Download (FTP):
[ftp://ftp.mozilla.org/pub/mozilla.org/security/nss/releases/NSS_3_11_3_RTM/src/nss-3.11.3-with-nspr-4.6.3.tar.g](ftp://ftp.mozilla.org/pub/mozilla.org/security/nss/releases/NSS_3_11_3_RTM/src/nss-3.11.3-with-nspr-4.6.3.tar.gz)
- Download MD5 sum: e50f0e1ccb964ed02c22eec02e4d30d2
- Download size: 4.9 MB
- Estimated disk space required: 65.2 MB
- Estimated build time: 0.8 SBU (additional 0.9 SBU to run the test suite)

Additional Downloads

- Required patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/nss-3.11.3-with-nspr-4.6.3-fedora_fixes-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nss>

Installation of NSS

Install NSS by running the following commands:

```
bash

export WORKINGDIR=$PWD &&
export BUILD_OPT=1 &&

patch -Np1 -i ../nss-3.11.3-with-nspr-4.6.3-fedora_fixes-1.patch &&

cd mozilla/security/nss &&
make nss_build_all &&
cd ../.. &&

export NSS_LINUXDIR=$(basename `ls -d $WORKINGDIR/mozilla/dist/Linux*`)
```

To test the results, you'll need to set the domain name of your system in the DOMSUF environment variable.

Most of the tests will fail if you don't provide the correct domain name. A self-generated log file will be parsed at the end of the test to display how many tests passed. It should return 800. To run the tests, ensure you change the **export DOMSUF** command below to an appropriate value, e.g., *mydomain.com* and issue the following commands:

```
bash

export DOMSUF=<validdomain.name> &&
export PATH=$PATH:$WORKINGDIR/mozilla/dist/$NSS_LINUXDIR/bin &&
export TEST_RESULTSDIR=$WORKINGDIR/mozilla/tests_results/security &&

cd security/nss/tests &&
sed -i 's/gmake/make/' common/init.sh &&
./all.sh &&

grep Passed $TEST_RESULTSDIR/$(hostname).1/results.html | wc -l &&

exit
```



Caution

If you switch to the `root` user using a method that does not all the environment from the unprivileged user, ensure that `root`'s `NSS_LINUXDIR` environment variable is set correctly before proceeding with the installation commands.

Now, as the `root` user:

```
install -v -m755 nsprpub/$NSS_LINUXDIR/config/nspr-config \
    security/nss/cmd/config/nss-config \
    /usr/bin &&
install -v -m755 -d /usr/lib/pkgconfig &&
install -v -m644 nsprpub/lib/pkgconfig/nspr.pc \
    security/nss/lib/pkgconfig/nss.pc \
    /usr/lib/pkgconfig &&

cd dist &&

install -v -m755 $NSS_LINUXDIR/lib/*.so /usr/lib &&
install -v -m644 $NSS_LINUXDIR/lib/{*.chk,libcrmf.a} /usr/lib &&

install -v -m755 -d /usr/include/{nss,nspr} &&
install -v -m644 {public,private}/nss/* /usr/include/nss &&
cp -v -RL $NSS_LINUXDIR/include/* /usr/include/nspr &&
chmod -v 644 /usr/include/nspr/prvrsion.h
```

Now as the unprivileged user, exit the **bash** shell started at the beginning of the installation to restore the environment to the original state.

```
exit
```

Command Explanations

bash: Shells are started as many environment variables are created during the installation process. Exiting the shells serves the purpose of restoring the environment and returning back to the original directory when the installation is complete.

export WORKINGDIR=\$PWD: This variable is set because many of the commands are dependent on knowing the full path of certain directories. WORKINGDIR establishes a known path so that all others can be determined relative to this.

export BUILD_OPT=1: This variable is set so that the build is performed with no debugging symbols built into the binaries and that the default compiler optimizations are used.

export NSS_LINUXDIR=...: This variable is set so that the exact name of the architecture specific directories where the binaries are stored in the source tree can be determined.

make nss_build_all: This command builds the NSPR and NSS libraries and creates a `dist` directory which houses all the programs, libraries and interface headers. None of the programs created by this process are installed onto the system using the default instructions. If you need any of these programs installed, you can find them in the `mozilla/dist/bin` directory of the source tree.

export PATH=...: This command sets the PATH environment variable to include the executables in the source tree as some of them are required to run the test suite.

sed -i 's/gmake/make/' common/init.sh: This command changes the command used to compile some test programs.

Contents

Installed Programs:	<code>nspr-config</code> and <code>nss-config</code>
Installed Libraries:	<code>libcrmf.a</code> , <code>libfreebl3.so</code> , <code>libnspr4.so</code> , <code>libnss3.so</code> , <code>libnssckbi.so</code> , <code>libplc4.so</code> , <code>libplds4.so</code> , <code>libsmime3.so</code> , <code>libsoftokn3.so</code> and <code>libssl3.so</code>
Installed Directories:	<code>/usr/include/nspr</code> and <code>/usr/include/nss</code>

Short Descriptions

nspr-config	is used to determine the NSPR installation settings of the installed NSPR libraries.
nss-config	is used to determine the NSS library settings of the installed NSS libraries.

The `libnspr4.so`, `libplc4.so` and `libplds4.so` libraries make up the Netscape Portable Runtime (NSPR) libraries. These libraries provide a platform-neutral API for system level and libc like functions. The API is used in the Mozilla client, many of the Netscape/AOL/iPlanet offerings and other software applications.

The `libcrmf.a`, `libfreebl.so`, `libnss3.so`, `libnssckbi.so`, `libsmime3.so`, `libsoftokn3.so` and `libssl3.so` libraries make up the NSS libraries.

Chapter 5. File Systems

Journaling file systems reduce the time needed to recover a file system that was not unmounted properly. While this can be extremely important in reducing downtime for servers, it has also become popular for desktop environments. This chapter contains two other journaling file systems you can use instead of the default LFS third extended file system.

ReiserFS-3.6.19

Introduction to ReiserFS

The ReiserFS package contains various utilities for use with the Reiser file system.

Package Information

- Download (HTTP): <http://ftp.namesys.com/pub/reiserfsprogs/reiserfsprogs-3.6.19.tar.gz>
- Download (FTP): <ftp://ftp.namesys.com/pub/reiserfsprogs/reiserfsprogs-3.6.19.tar.gz>
- Download MD5 sum: b42cf15f6651c3ceff5cb84996c0d539
- Download size: 400 KB
- Estimated disk space required: 7.9 MB
- Estimated build time: 0.16 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/reiserfs-3.6.19-header_fix-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/reiser>

Installation of ReiserFS

ReiserFS uses the `asm/unaligned.h` Linux header that should not be used by applications. While LFS-6.2 provides this header, later LFS versions don't do this. Apply the patch to fix the issue:

```
patch -Np1 -i ../reiserfs-3.6.19-header_fix-1.patch
```

Install ReiserFS by running the following commands:

```
./configure --prefix=/usr --sbindir=/sbin &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
ln -sf reiserfsck /sbin/fsck.reiserfs &&  
ln -sf mkreiserfs /sbin/mkfs.reiserfs
```

Command Explanations

`--prefix=/usr`: This ensures that the manual pages are installed in the correct location while still installing the programs in `/sbin` as they should be.

`--sbindir=/sbin`: This ensures that the ReiserFS utilities are installed in `/sbin` as they should be.

Contents

Installed Programs:	debugreiserfs, mkreiserfs, reiserfsck, reiserfstune, and resize_reiserfs
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

debugreiserfs	can sometimes help to solve problems with ReiserFS file systems. If it is called without options, it prints the super block of any ReiserFS file system found on the device.
mkreiserfs	creates a ReiserFS file system.
reiserfsck	is used to check or repair a ReiserFS file system.
reiserfstune	is used for tuning the ReiserFS journal. <i>WARNING</i> : Don't use this utility without first reading the man page thoroughly.
resize_reiserfs	is used to resize an unmounted ReiserFS file system.

XFS-2.8.18

Introduction to XFS

The XFS package contains administration and debugging tools for the XFS file system.

Package Information

- Download (HTTP): http://mirrors.sunsite.dk/xfs/download/cmd_tars/xfsprogs_2.8.18-1.tar.gz
- Download (FTP): ftp://oss.sgi.com/projects/xfs/download/cmd_tars/xfsprogs_2.8.18-1.tar.gz
- Download MD5 sum: 6ce9e198cc79ebec6f6fb1f34ffa7709
- Download size: 956 KB
- Estimated disk space required: 17.9 MB
- Estimated build time: 0.57 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xfs>

Installation of XFS

Install XFS by running the following commands:

```
sed -i '/autoconf/d' Makefile &&
make DEBUG=-DNDEBUG INSTALL_USER=root INSTALL_GROUP=root \
    LOCAL_CONFIGURE_OPTIONS="--enable-readline=yes"
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
make install-dev &&
install -v -m755 -D libhandle/libhandle.la /usr/lib/libhandle.la &&
chmod -v 755 /lib/libhandle.so* &&
rm -f /lib/libhandle.{a,la,so} &&
ln -svf ../../lib/libhandle.so.1 /usr/lib/libhandle.so
```

Command Explanations

sed -i '/autoconf/d' Makefile: This command disables running **autoconf** because it is unnecessary.

make DEBUG=-DNDEBUG: The XFS build will fail using the default -DDEBUG flags.

INSTALL_USER=root INSTALL_GROUP=root: This sets the owner and group of the installed files.

LOCAL_CONFIGURE_OPTIONS="...": This passes extra configuration options to the `configure` script. The example `--enable-readline=yes` parameter enables linking the XFS programs with the `libreadline.so` library, in order to allow editing interactive commands.

OPTIMIZER="...": Adding this parameter to the end of the **make** command overrides the default optimization settings.

make install-dev: This command installs static XFS libraries, their headers and the corresponding

documentation. Currently, DMAPi and xfsdump are the only packages that use the installed libraries.

install -v ... and the three following commands fix the installation of `libhandle` libraries.

Contents

Installed Programs:	<code>fsck.xfs</code> , <code>mkfs.xfs</code> , <code>xfs_admin</code> , <code>xfs_bmap</code> , <code>xfs_check</code> , <code>xfs_copy</code> , <code>xfs_db</code> , <code>xfs_freeze</code> , <code>xfs_growfs</code> , <code>xfs_info</code> , <code>xfs_io</code> , <code>xfs_logprint</code> , <code>xfs_mkfile</code> , <code>xfs_ncheck</code> , <code>xfs_quota</code> , <code>xfs_repair</code> , and <code>xfs_rtcp</code>
Installed Libraries:	<code>libdisk.a</code> , <code>libhandle.{so,a}</code> , <code>libxcmd.a</code> , <code>libxfs.a</code> , and <code>libxlog.a</code>
Installed Directory:	<code>/usr/share/doc/xfsprogs</code>

Short Descriptions

fsck.xfs	simply exits with a zero status, since XFS partitions are checked at mount time.
mkfs.xfs	constructs an XFS file system.
xfs_admin	changes the parameters of an XFS file system.
xfs_bmap	prints block mapping for an XFS file.
xfs_check	checks XFS file system consistency.
xfs_copy	copies the contents of an XFS file system to one or more targets in parallel.
xfs_db	is used to debug an XFS file system.
xfs_freeze	suspends access to an XFS file system.
xfs_growfs	expands an XFS file system.
xfs_info	is equivalent to invoking xfs_growfs , but specifying that no change to the file system is to be made.
xfs_io	is a debugging tool like xfs_db , but is aimed at examining the regular file I/O path rather than the raw XFS volume itself.
xfs_logprint	prints the log of an XFS file system.
xfs_mkfile	creates an XFS file, padded with zeroes by default.
xfs_ncheck	generates pathnames from inode numbers for an XFS file system.
xfs_quota	is a utility for reporting and editing various aspects of filesystem quota.
xfs_repair	repairs corrupt or damaged XFS file systems.
xfs_rtcp	copies a file to the real-time partition on an XFS file system.
libhandle.so	contains XFS-specific functions that provide a way to perform certain filesystem operations without using a file descriptor to access filesystem objects.

Chapter 6. Editors

This chapter is referenced in the LFS book for those wishing to use other editors on their LFS system. You're also shown how some LFS installed programs benefit from being recompiled after GUI libraries have been installed.

Vim-7.0

Introduction to Vim

The Vim package, which is an abbreviation for VI IMproved, contains a **vi** clone with extra features as compared to the original **vi**.

The default LFS instructions install vim as a part of the base system. If you would prefer to link vim against X, you should recompile vim to enable GUI mode. There is no need for special instructions since X support is automatically detected.

Package Information

- Download (HTTP): <http://ftp.at.vim.org/pub/vim/unix/vim-7.0.tar.bz2>
- Download (FTP): <ftp://ftp.vim.org/pub/vim/unix/vim-7.0.tar.bz2>
- Download MD5 sum: 4ca69757678272f718b1041c810d82d8
- Download size: 6.3 MB
- Estimated disk space required: 73 MB
- Estimated build time: 0.8 SBU

Additional Downloads

- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/vim-7.0-fixes-14.patch>
- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/vim-7.0-mandir-1.patch>
- Translated Vim messages: <http://ftp.at.vim.org/pub/vim/extra/vim-7.0-lang.tar.gz>

Vim Dependencies

Recommended

X Window System

Optional

GTK+-2.8.20 OR LessTif-0.94.4 OR GTK+-1.2.10, Python-2.4.4, Tcl-8.4.13, Ruby-1.8.5, and GPM-1.20.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/vim>

Installation of Vim



Note

If you recompile Vim to link against X, and your X libraries are not on the root partition, you will

no longer have an editor for use in emergencies. You may choose to install an additional editor, not link Vim against X, or move the current **vim** executable to the `/bin` directory under a different name such as `vi`.

If desired, unpack the translated messages archive:

```
tar -xf ../vim-7.0-lang.tar.gz --strip-components=1
```

Install Vim by running the following commands:

```
patch -Np1 -i ../vim-7.0-fixes-14.patch &&
patch -Np1 -i ../vim-7.0-mandir-1.patch &&
echo '#define SYS_VIMRC_FILE "/etc/vimrc"' >> src/feature.h &&
echo '#define SYS_GVIMRC_FILE "/etc/gvimrc"' >> src/feature.h &&
./configure --prefix=/usr --with-features=huge &&
make
```

Now, as the root user:

```
make install
```

By default, Vim's documentation is installed in `/usr/share/vim`. The following symlink allows the documentation to be accessed via `/usr/share/doc/vim-7.0`, making it consistent with the location of documentation for other packages:

```
ln -snfv ../vim/vim70/doc /usr/share/doc/vim-7.0
```

Command Explanations

patch ...: These patches are the same as LFS and update the package with upstream patches and ensure the man pages are placed in the proper locations.

--with-features=huge: This switch enables all the additional features available in Vim.

--enable-gui=no: This will prevent compilation of the GUI. Vim will still link against X so that some nice eye-candy such as updating the title bar of an Xterm window are available.

--without-x: If you prefer not to link Vim against X, use this switch.

--enable-perlinterp, --enable-pythoninterp, --enable-tclinterp,
--enable-rubyinterp: These options include the Perl, Python, Tcl, or Ruby interpreters that allow using other application code in vim scripts.

Configuring Vim

Config Files

`/etc/vimrc` and `~/.vimrc`

Configuration Information

Vim-7.0 introduced an integrated spell checker that doesn't require additional libraries to be installed. To

enable the spell checker you can set the following in one of the configuration files:

```
set spell
spelllang=en,ru
```

By default, Vim only installs spell files for the English language. If a spell file is not available for your language, then Vim will call `$VIMRUNTIME/plugin/spellfile.vim` and will try to obtain the `*.spl` and optionally `*.sug` from the vim ftp server, using the `$VIMRUNTIME/plugin/netrw` plugin.

Alternatively you can manually download the `*.spl` and `*.sug` files from: `ftp://ftp.vim.org/pub/vim/runtime/spell/` and save them to `~/.vim/spell` or in `/usr/share/vim/vim70/spell/`.

For more information about the spell checker and some other features in Vim-7.0 (such as vimgrep, tab-pages, and omni-completion), issue the following command inside Vim:

```
:help version7
```

For additional information on setting up Vim configuration files, see The vimrc Files and <http://www.vi-improved.org/vimrc.php>.

Contents

A list of the reinstalled files, along with their short descriptions can be found in the LFS Vim Installation Instructions

Installed Programs:	gview, gvim, gvimdiff, rgview, and rgvim
Installed Libraries:	None
Installed Directory:	/usr/share/vim

Short Descriptions

gview	starts gvim in read-only mode.
gvim	is the editor that runs under X and includes a GUI.
gvimdiff	edits two or three versions of a file with gvim and shows the differences.
rgview	is a restricted version of gview .
rgvim	is a restricted version of gvim .

Emacs-21.4a

Introduction to Emacs

The Emacs package contains an extensible, customizable, self-documenting real-time display editor.

Package Information

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/emacs/emacs-21.4a.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/pub/gnu/emacs/emacs-21.4a.tar.gz>
- Download MD5 sum: 8f9d97cbd126121bd5d97e5e31168a87
- Download size: 20.4 MB
- Estimated disk space required: 96.8 MB
- Estimated build time: 4.2 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/emacs-21.4a-altgr-1.patch>

Emacs Dependencies

Optional

X Window System, libjpeg-6b, libpng-1.2.12, LibTIFF-3.8.2, and libungif

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/emacs>

Installation of Emacs

In some circumstances, the AltGr modifier key present on some keyboards is not recognized. Ensure that it is by applying the following patch:

```
patch -Np1 -i ../emacs-21.4a-altgr-1.patch
```

Install Emacs by running the following commands:

```
./configure --prefix=/usr --libexecdir=/usr/lib &&  
make bootstrap
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--libexecdir=/usr/lib`: Place library executables in a Filesystem Hierarchy Standard (FHS) location.

Contents

Installed Programs: b2m, ctags, ebrowse, emacs, emacsclient, etags, grep-changelog, and rcs-checkin
Installed Libraries: None
Installed Directories: /usr/sbin/emacs and /usr/share/emacs

Short Descriptions

b2m is a program to convert mail files from RMAIL format to Unix “mbox” format.
ctags creates cross-reference tagfile database files for source code.
ebrowse permits browsing of C++ class hierarchies from within **emacs**.
emacs is an editor.
emacsclient attaches an **emacs** session to an already running **emacsserver** instance.
etags is another program to generate source code cross-reference tagfiles.
grep-changelog prints entries in Change Logs matching various criteria.
rcs-checkin is a shell script used to check files into RCS.

Nano-2.0.1

Introduction to Nano

The nano package contains a small, simple text editor which aims to replace Pico, the default editor in the Pine package.

Package Information

- Download (HTTP): <http://www.nano-editor.org/dist/v2.0/nano-2.0.1.tar.gz>
- Download (FTP): <ftp://ftp.uni-koeln.de/editor/nano-2.0.1.tar.gz>
- Download MD5 sum: 8abe33be6816ad9acd17391806b42d92
- Download size: 1.2 MB
- Estimated disk space required: 4.5 MB
- Estimated build time: 0.1 SBU

Nano Dependencies

Optional

S-Lang-2.0.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Nano>

Installation of Nano

Install nano by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc/nano \
--enable-color --enable-multibuffer --enable-nanorc &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 -D doc/nanorc.sample /etc/nano/nanorc.sample &&
install -v -m755 -d /usr/share/doc/nano-2.0.1 &&
install -v -m644 doc/{,man/,texinfo/}*.html /usr/share/doc/nano-2.0.1
```

Configuring nano

Config Files

/etc/nano/nanorc and ~/.nanorc

Configuration Information

Example configuration (create as a system-wide /etc/nano/nanorc or a personal ~/.nanorc file)

```
set autoindent
set const
set fill 72
set historylog
set multibuffer
set nohelp
set regexp
set smooth
set suspend
```

Another example is the `nanorc.sample` file in the `/etc/nano` directory. It includes color configurations and has some documentation included in the comments.

Contents

Installed Programs:	nano and rnano
Installed Libraries:	None
Installed Directories:	/etc/nano and /usr/share/doc/nano-2.0.1

Short Descriptions

nano is a small, simple text editor which aims to replace Pico, the default editor in the Pine package.

rnano is a restricted mode for **nano**.

JOE-3.5

Introduction to JOE

JOE (Joe's own editor) is a small text editor capable of emulating WordStar, Pico, and Emacs.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/joe-editor/joe-3.5.tar.gz>
- Download (FTP):
- Download MD5 sum: 9bdfecce7ef910feaa06452d48843de
- Download size: 600 KB
- Estimated disk space required: 8.4 MB
- Estimated build time: 0.13 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/joe>

Installation of JOE

Install JOE by running the following commands:

```
./configure --sysconfdir=/etc --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring JOE

Config Files

`/etc/joe/jmacsrc`, `/etc/joe/joerc`, `/etc/joe/jpicorc`, `/etc/joe/jstarrc`,
`/etc/joe/rjoerc`, and `~/.joerc`

Contents

Installed Programs: `jmacs`, `joe`, `jpico`, `jstar`, `rjoe`, and `termidx`
Installed Libraries: None
Installed Directory: `/etc/joe`

Short Descriptions

`jmacs` is a symbolic link to `joe` used to launch Emacs emulation mode.

joe	is a small text editor capable of emulating WordStar, Pico, and Emacs.
jpico	is a symbolic link to joe used to launch Pico emulation mode.
jstar	is a symbolic link to joe used to launch WordStar emulation mode.
rjoe	is a symbolic link to joe that restricts JOE to editing only files which are specified on the command-line.
termidx	is a program used by joe to generate the termcap index file.

Ed-0.2

Introduction to Ed

Ed is a line-oriented text editor. It is used to create, display, modify and otherwise manipulate text files, both interactively and via shell scripts. Ed isn't something which many people use. It's described here because it can be used by the patch program if you encounter an ed-based patch file. This happens rarely because diff-based patches are preferred these days.



Caution

Ed determines character boundaries incorrectly in multibyte locales. See the Breaks Multibyte Characters section of the Locale Related Issues page for a more general discussion of this problem. Use of Ed in installation instructions for BLFS packages such as teTeX-3.0 is not a problem, as BLFS instructions never use Ed to modify a file containing non-ASCII characters.

Package Information

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/ed/ed-0.2.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/pub/gnu/ed/ed-0.2.tar.gz>
- Download MD5 sum: ddd57463774cae9b50e70cd51221281b
- Download size: 182 KB
- Estimated disk space required: 2.9 MB
- Estimated build time: 0.02 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/ed-0.2-mkstemp-2.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ed>

Installation of Ed

Ed normally uses the `mktemp` function to create temporary files in `/tmp`, but this function contains a vulnerability (see the section on Temporary Files at <http://en.tldp.org/HOWTO/Secure-Programs-HOWTO/avoid-race.html>). Apply the following patch to make Ed use `mkstemp` instead, a secure way to create temporary files:

```
patch -Np1 -i ../ed-0.2-mkstemp-2.patch
```

Install Ed by running the following commands:

```
./configure --prefix=/usr --exec-prefix="" &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--exec-prefix=""`: This forces the programs to be installed into the `/bin` directory. Having the programs available there is useful in the event of the `/usr` partition being unavailable.

Contents

Installed Programs: `ed` and `red`

Installed Libraries: `None`

Installed Directories: `None`

Short Descriptions

ed is a line-oriented text editor.

red is a restricted **ed**—it can only edit files in the current directory and cannot execute shell commands.

Bluefish-1.0.5

Introduction to Bluefish

The Bluefish package contains a powerful X Window System editor designed for web designers, but also suitable as a programmer's editor. Bluefish supports many programming and markup languages, and as such is ideal for editing XML and HTML files.

Package Information

- Download (HTTP): <http://pkedu.fbt.eitn.wau.nl/~olivier/downloads/bluefish-1.0.5.tar.bz2>
- Download (FTP): <ftp://ftp.ratisbona.com/pub/bluefish/downloads/bluefish-1.0.5.tar.bz2>
- Download MD5 sum: 26701c09d41e5dea987155cdc9d0ac94
- Download size: 1.4 MB
- Estimated disk space required: 23.0 MB
- Estimated build time: 0.3 SBU

Bluefish Dependencies

Required

GTK+-2.8.20 and PCRE-6.7

Optional

GNOME Virtual File System-2.14.2 (for remote files), Aspell-0.60.4 (for spellchecking), libgnomeui-2.14.1, GNOME MIME Data-2.4.2, desktop-file-utils-0.11 and shared-mime-info-0.17

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bluefish>

Installation of Bluefish

Install Bluefish by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Configuring Bluefish

Config Files

~/.bluefish/*

Configuration Information

The directory `~/.bluefish` is created by the program when it is first run, and the configuration files are maintained by the program automatically to preserve settings from run to run.

Contents

Installed Program:	bluefish
Installed Libraries:	None
Installed Directory:	/usr/share/bluefish

Short Descriptions

bluefish is an X Window System editor for markup and programming.

Other Editors

pico is a text editor installed as a part of Pine-4.64.

mcedit is a text editor installed as part of MC-4.6.1.

Chapter 7. Shells

We are all familiar with the Bourne Again SHell, but there are two other user interfaces that are considered useful modern shells – the Berkeley Unix C shell and the Korn shell. This chapter installs packages compatible with these additional shell types.

ASH-0.4.0

Introduction to ASH

ash is a shell that is the most compliant with the Bourne Shell (not to be confused with Bourne Again SHell i.e., Bash installed in LFS) without any additional features. Bourne Shell is available on most commercial UNIX systems. Hence **ash** is useful for testing scripts to be **sh**-compliant. It also has small memory and space requirements compared to the other **sh**-compliant shells.



Caution

Ash has problems with command line editing in multibyte locales. The issue is discussed in more detail in the Breaks Multibyte Characters section of the Locale Related Issues page.

Package Information

- Download (HTTP):
- Download (FTP): ftp://slackware.mirrors.tds.net/pub/slackware/slackware_source/ap/ash/ash-0.4.0.tar.gz
- Download MD5 sum: 1c59f5b62a081cb0cb3b053c01d79529
- Download size: 118 KB
- Estimated disk space required: 2.2 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/ash-0.4.0-cumulative_fixes-2.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ash>

Installation of ASH

Install ASH by running the following commands:

```
patch -Np1 -i ../ash-0.4.0-cumulative_fixes-2.patch &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
install -v -m 755 sh /bin/ash &&
install -v -m 644 sh.1 /usr/share/man/man1/ash.1
```


If you would like to make **ash** the default **sh** shell, make a symlink.

```
ln -v -sf ash /bin/sh
```

Configuring ASH

Config Files

ASH sources `/etc/profile` and `$HOME/.profile`

Contents

Installed Program:	ash
Installed Libraries:	None
Installed Directories:	None

Short Description

ash is a **sh**-compliant shell.

Tcsh-6.14.00

Introduction to Tcsh

The Tcsh package contains “an enhanced but completely compatible version of the Berkeley Unix C shell (**csh**)”. This is useful as an alternative shell for those who prefer C syntax to that of the **bash** shell, and also because some programs require the C shell in order to perform installation tasks.



Caution

Tcsh has problems with command line editing in multibyte locales. The issue is discussed in more detail in the Breaks Multibyte Characters section of the Locale Related Issues page.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/utils/shells/tcsh/tcsh-6.14.00.tar.gz>
- Download (FTP): <ftp://ftp.funet.fi/pub/unix/shells/tcsh/tcsh-6.14.00.tar.gz>
- Download MD5 sum: 353d1bb7d2741bf8de602c7b6f0efd79
- Download size: 859 KB
- Estimated disk space required: 9 MB
- Estimated build time: 0.2 SBU

Additional Downloads

- Required patch for use with Coreutils-5.96:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/tcsh-6.14.00-colorls_compat-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tcsh>

Installation of Tcsh

Install Tcsh by running the following commands:

```
patch -Np1 -i ../tcsh-6.14.00-colorls_compat-1.patch &&
./configure --prefix=/usr --bindir=/bin &&
make &&
sh ./tcsh.man2html
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make install.man &&
ln -v -sf tcsh /bin/csh &&
ln -v -sf tcsh.1 /usr/man/man1/csh.1 &&
install -v -m755 -d /usr/share/doc/tcsh-6.14.00/html &&
install -v -m644 tcsh.html/* /usr/share/doc/tcsh-6.14.00/html &&
install -v -m644 FAQ /usr/share/doc/tcsh-6.14.00
```

Command Explanations

`--bindir=/bin`: This installs the **tcsh** program in `/bin` instead of `/usr/bin`.

`sh ./tcsh.man2html`: This creates HTML documentation from the formatted man page.

`ln -v -sf tcsh /bin/csh`: The FHS states that if there is a C shell installed, there should be a symlink from `/bin/csh` to it. This creates that symlink.

Configuring Tcsh

Config Files

There are numerous configuration files for the C shell. Examples of these are `/etc/csh.cshrc`, `/etc/csh.login`, `/etc/csh.logout`, `~/.tcshrc`, `~/.cshrc`, `~/.history`, `~/.cshdirs`, `~/.login`, and `~/.logout`. More information on these files can be found in the `tcsh(1)` man page.

Configuration Information

Update `/etc/shells` to include the C shell program names (as the root user):

```
cat >> /etc/shells << "EOF"
/bin/tcsh
/bin/csh
EOF
```

Contents

Installed Program:	tcsh
Installed Libraries:	None
Installed Directory:	/usr/share/doc/tcsh-6.14.00

Short Descriptions

tcsh is an enhanced but completely compatible version of the Berkeley Unix C shell, **csh**. It is usable as both an interactive shell and a script processor.

ZSH-4.2.6

Introduction to ZSH

The ZSH package contains a command interpreter (shell) usable as an interactive login shell and as a shell script command processor. Of the standard shells, ZSH most closely resembles KSH but includes many enhancements.



Warning

This version of ZSH does not work properly with multibyte locales (e.g., UTF-8). A development version is available that addresses many, but not all, locale related issues. You can download the development version from the [ZSH Sourceforge Download Page](#) and use the following BLFS instructions to build and install.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/zsh/zsh-4.2.6.tar.bz2>
- Download (FTP):
- Download MD5 sum: 2cefebf742c190cbc611baded825db64
- Download size: 2.0 MB
- Estimated disk space required: 41 MB (includes installing all documentation)
- Estimated build time: 0.5 SBU

Additional Downloads

- Optional Documentation: <http://downloads.sourceforge.net/zsh/zsh-4.2.6-doc.tar.bz2>
- MD5 sum: 3ca3b7c199db6eb942f2a296e3fad270

ZSH Dependencies

Optional

PCRE-6.7

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/zsh>

Installation of ZSH

If you downloaded the optional documentation, unpack it the same way you would the source tarball. The documentation will unpack into the Doc directory of the source tree.

Install ZSH by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc/zsh \
            --enable-etcdir=/etc/zsh &&
make
```

If you downloaded the optional documentation, and you have `teTeX-3.0` installed, you can build additional formats of the documentation by issuing any or all of the following commands:

```
texi2pdf Doc/zsh.texi -o Doc/zsh.pdf &&
texi2html Doc/zsh.texi --output=Doc/zsh_1file_t.html &&
makeinfo Doc/zsh.texi --html --no-split --no-headers \
-o Doc/zsh_1file_m.html &&
makeinfo Doc/zsh.texi --plaintext -o Doc/zsh.txt
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
make infodir=/usr/share/info install.info
```

If you downloaded the optional documentation, install it by issuing the following commands as the `root` user:

```
make htmdir=/usr/share/doc/zsh-4.2.6/html install.html &&
install -v -m644 Doc/*.{ps,dvi} /usr/share/doc/zsh-4.2.6
```

If you built any additional formats of the documentation, install them by issuing the following command as the `root` user:

```
install -v -m644 Doc/{zsh_1file*,*}.{pdf,txt} \
/usr/share/doc/zsh-4.2.6
```

Command Explanations

`--sysconfdir=/etc/zsh` and `--enable-etcdir=/etc/zsh`: These parameters are used so that all the ZSH configuration files are consolidated into the `/etc/zsh` directory. Omit these parameters if you wish to retain historical compatibility by having all the files located in the `/etc` directory.

Configuring ZSH

Config Files

There are a whole host of configuration files for ZSH including `/etc/zsh/zshenv`, `/etc/zsh/zprofile`, `/etc/zsh/zshrc`, `/etc/zsh/zlogin` and `/etc/zsh/zlogout`. You can find more information on these in the `zsh(1)` and related manual pages.

Configuration Information

Update `/etc/shells` to include the ZSH shell program names (as the `root` user):

```
cat >> /etc/shells << "EOF"
/usr/bin/zsh
/usr/bin/zsh-4.2.6
EOF
```

Contents

Installed Programs: zsh and zsh-4.2.6
Installed Libraries: Numerous plugin helper modules
Installed Directories: /etc/zsh, /usr/lib/zsh, /usr/share/doc/zsh-4.2.6 and /usr/share/zsh

Short Description

zsh is a shell which has command-line editing, built-in spelling correction, programmable command completion, shell functions (with autoloading), a history mechanism, and a host of other features.

Part III. General Libraries and Utilities

Chapter 8. General Libraries

Libraries contain code which is often required by more than one program. This has the advantage that each program doesn't need to duplicate code (and risk introducing bugs), it just has to call functions from the libraries installed on the system. The most obvious example of a set of libraries is Glibc which is installed during the LFS book. This contains all of the C library functions which programs use.

There are two types of libraries: static and shared. Shared libraries (usually `libXXX.so`) are loaded into memory from the shared copy at runtime (hence the name). Static libraries (`libXXX.a`) are actually linked into the program executable file itself, thus making the program file larger. Quite often, you will find both static and shared copies of the same library on your system.

Generally, you only need to install libraries when you are installing software that needs the functionality they supply. In the BLFS book, each package is presented with a list of (known) dependencies. Thus, you can figure out which libraries you need to have before installing that program. If you are installing something without using BLFS instructions, usually the `README` or `INSTALL` file will contain details of the program's requirements.

There are certain libraries which nearly *everyone* will need at some point. In this chapter we list these and some others and explain why you may want to install them.

PCRE-6.7

Introduction to PCRE

The PCRE package contains Perl Compatible Regular Expression libraries. These are useful for implementing regular expression pattern matching using the same syntax and semantics as Perl 5.

Package Information

- Download (HTTP):
- Download (FTP): `ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/pcre-6.7.tar.bz2`
- Download MD5 sum: `dbbec9d178ce199e67e98c9a4f994f90`
- Download size: 564 KB
- Estimated disk space required: 8.9 MB
- Estimated build time: 0.2 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pcre>

Installation of PCRE

Install PCRE by running the following commands:

```
./configure --prefix=/usr --enable-utf8 &&  
make
```

To test the results, issue: **make runtest**.

Now, as the `root` user:

```
make install &&
```



```
install -v -m755 -d /usr/share/doc/pcre-6.7/html &&
install -v -m644 doc/html/* /usr/share/doc/pcre-6.7/html &&
install -v -m644 doc/{Tech.Notes,*.txt} /usr/share/doc/pcre-6.7
```

If you reinstall Grep after installing PCRE, Grep will get linked against PCRE and may cause problems if `/usr` is a separate mount point. To avoid this, either pass the option `--disable-perl-regexp` when executing `./configure` for Grep or move `libpcre` to `/lib` as follows.

```
mv -v /usr/lib/libpcre.so.* /lib/ &&
ln -v -sf ../../lib/libpcre.so.0 /usr/lib/libpcre.so
```

Command Explanations

`--enable-utf8`: This switch includes the code for handling UTF-8 character strings in the library.

Contents

Installed Programs:	pcregrep, pcretest, and pcre-config
Installed Libraries:	libpcre.{so,a}, libpcrecpp.{so,a} and libpcreposix.{so,a}
Installed Directory:	/usr/share/doc/pcre-6.7

Short Descriptions

pcregrep	is a grep that understands Perl compatible regular expressions.
pcretest	can test a Perl compatible regular expression.
pcre-config	is used during the compile process of programs linking to the PCRE libraries.

Popt-1.10.4

Introduction to Popt

The popt package contains the popt libraries which are used by some programs to parse command-line options.

Package Information

- Download (HTTP): <http://rpm.net.in/mirror/rpm-4.4.x/popt-1.10.4.tar.gz>
- Download (FTP): <ftp://wraptastic.org/pub/rpm-4.4.x/popt-1.10.4.tar.gz>
- Download MD5 sum: dd22a6873b43d00f75e1c1b7dcfd1ff7
- Download size: 1.1 MB
- Estimated disk space required: 8.3 MB (includes installing documentation)
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/popt>

Installation of Popt

Install popt by running the following commands:

```
sed -i -e "/*origOptString ==/c 0)" popt.c &&
./configure --prefix=/usr &&
make
```

If you have Doxygen-1.4.6 installed and wish to build the API documentation, issue **doxygen**.

To test the results, issue:

```
make check
```

Now, as the **root** user:

```
make install
```

If you built the API documentation, install it using the following commands issued by the **root** user:

```
install -v -m755 -d /usr/share/doc/popt-1.10.4 &&
install -v -m644 doxygen/html/* /usr/share/doc/popt-1.10.4
```

Command Explanations

sed ...: This fix taken backported from the development version of popt fixes a problem identified by the included testsuite.

Contents

Installed Programs:	None
Installed Library:	libpopt.{so,a}

Installed Directories: /usr/share/doc/popt-1.10.4

Short Descriptions

`libpopt.{so,a}` is used to parse command-line options.

S-Lang-2.0.6

Introduction to S-Lang

The S-Lang package contains the S-Lang library, which provides facilities such as display/screen management, keyboard input, and keymaps.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/editors/davis/slang/v2.0/slang-2.0.6.tar.bz2>
- Download (FTP): <ftp://space.mit.edu/pub/davis/slang/v2.0/slang-2.0.6.tar.bz2>
- Download MD5 sum: efb055000636f312d5c3de56f3c70d12
- Download size: 1.0 MB
- Estimated disk space required: 24.5 MB
- Estimated build time: 0.5 SBU

S-Lang Dependencies

Optional

libpng-1.2.12 and PCRE-6.7

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/slang>

Installation of S-Lang

Install S-Lang by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&
make &&
make elf
```

To test the results, issue: **make runtests**.

Now, as the `root` user:

```
make install-elf &&
chmod -v 755 /usr/lib/libslang.so.2.0.6
```

Command Explanations

`--with-readline=gnu`: Use this parameter to use the system-installed version of Readline instead of the S-Lang internal version.

make elf and **make install-elf**: These commands create and install the dynamic shared version of the S-Lang library as well as an S-Lang script interpreter and related modules.

Configuring S-Lang

Config Files

`~/.slshrc` and `/etc/slsh.rc`

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., `/opt/lib` or `/usr/local/lib` should appear in `/etc/ld.so.conf` so that **ldd** can find the shared libraries. After checking that this is the case, **/sbin/ldconfig** should be run while logged in as `root`.

Contents

Installed Program:	<code>slsh</code>
Installed Libraries:	<code>libslang.{so,a}</code> and numerous support modules
Installed Directories:	<code>/usr/lib/slang</code> , <code>/usr/share/doc/slang</code> and <code>/usr/share/slsh</code>

Short Descriptions

slsh is a simple program for interpreting S-Lang scripts. It supports dynamic loading of S-Lang modules and includes a Readline interface for interactive use.

Gamin-0.1.7

Introduction to Gamin

The Gamin package contains a File Alteration Monitor which is useful for notifying applications of changes to the file system. Gamin is compatible with FAM.

Package Information

- Download (HTTP): <http://www.gnome.org/~veillard/gamin/sources/gamin-0.1.7.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/gamin-0.1.7.tar.gz>
- Download MD5 sum: 1a1991ffa749b7dc2cc0573d6a2867b8
- Download size: 542 KB
- Estimated disk space required: 5.7 MB
- Estimated build time: 0.1 SBU (up to 3 minutes, processor independent, to run the test suite)

Gamin Dependencies

Required

GLib-2.10.3

Optional

Python-2.4.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gamin>

Installation of Gamin

Install Gamin by running the following commands:

```
./configure --prefix=/usr --libexecdir=/usr/sbin &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/gamin-0.1.7 &&  
install -v -m644 doc/*.{html,fig,gif,txt} /usr/share/doc/gamin-0.1.7
```

Configuring Gamin

Configuration Information

No configuration is generally required and the default options should work for most users. See <http://www.gnome.org/~veillard/gamin/config.html> for details.

Contents

Installed Program:	<code>gam_server</code>
Installed Libraries:	<code>libfam.{so,a}</code> , <code>libgamin-1.{so,a}</code> , <code>libgamin_shared.a</code> and optionally, Python <code>_gamin.{so,a}</code> module
Installed Directory:	<code>/usr/share/doc/gamin-0.1.7</code>

Short Descriptions

<code>gam_server</code>	is the file alteration monitor daemon that is started on demand for each user.
<code>libgamin.{so,a}</code>	contains functions that support the file allocation monitor.
<code>libfam.{so,a}</code>	contains functions that provide compatibility with FAM.

libxml-1.8.17

Introduction to libxml

The libxml package contains the libxml libraries. These are useful for parsing XML files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libxml/1.8/libxml-1.8.17.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libxml/1.8/libxml-1.8.17.tar.bz2>
- Download MD5 sum: c7d1b9b1cbfcfbbc56c92f424c37d32c
- Download size: 743 KB
- Estimated disk space required: 14 MB
- Estimated build time: 0.3 SBU

libxml Dependencies

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libxml>

Installation of libxml

Install libxml by running the following commands:

```
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program:	xml-config
Installed Library:	libxml.{so,a}
Installed Directories:	/usr/include/gnome-xml and /usr/share/gnome-xml

Short Descriptions

`libxml.{so,a}` provides the functions for programs to parse files that use the XML format.

libxml2-2.6.26

Introduction to libxml2

The libxml2 package contains XML libraries. These are useful for parsing XML files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libxml2/2.6/libxml2-2.6.26.tar.gz>
- Download (FTP): <ftp://xmlsoft.org/libxml2/libxml2-2.6.26.tar.gz>
- Download MD5 sum: 2d8d3805041edab967368b497642f981
- Download size: 4.5 MB
- Estimated disk space required: 84 MB (additional 183 MB to run the test suite)
- Estimated build time: 1.3 SBU (additional 0.9 SBU to run the test suite)

libxml2 Dependencies

Optional

libxslt-1.1.17 (used for the test suite if found, but not required) and Python-2.4.4 (will install a Python library module if found)

Optional (Required to Run the Full Suite of Tests)

Python-2.4.4 and Wget-1.10.2



Note

Some packages which utilize libxml2 (such as GNOME Doc Utils) need the Python module installed to function properly and some packages (such as GNOME Panel) will not build properly if the Python module is not available.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libxml2>

Installation of libxml2

Install libxml2 by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

--with-history: If this option is used, it enables readline support when running `xmlcatalog` in shell mode.

**Caution**

When using history support, **make check** will hang forever if either `/etc/inputrc` or `~/.inputrc` has the option `show-all-if-ambiguous` turned on.

Contents

Installed Programs:	<code>xml2-config</code> , <code>xmlcatalog</code> , and <code>xmllint</code>
Installed Libraries:	<code>libxml2.{so,a}</code> and optionally, the <code>libxml2mod.{so,a}</code> Python module
Installed Directories:	<code>/usr/include/libxml2</code> , <code>/usr/share/doc/libxml2-2.6.26</code> , <code>/usr/share/doc/libxml2-python-2.6.26</code> and <code>/usr/share/gtk-doc/html/libxml2</code>

Short Descriptions

xml2-config	determines the compile and linker flags that should be used to compile and link programs that use <code>libxml2</code> .
xmlcatalog	is used to monitor and manipulate XML and SGML catalogs.
xmllint	parses XML files and outputs reports (based upon options) to detect errors in XML coding.
<code>libxml2.{so,a}</code>	libraries provide the functions for programs to parse files that use the XML format.

libxslt-1.1.17

Introduction to libxslt

The libxslt package contains XSLT libraries. These are useful for extending libxml2 libraries to support XSLT files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libxslt/1.1/libxslt-1.1.17.tar.gz>
- Download (FTP): <ftp://xmlsoft.org/libxslt/libxslt-1.1.17.tar.gz>
- Download MD5 sum: fde6a7a93c0eb14cba628692fa3a1000
- Download size: 2.7 MB
- Estimated disk space required: 37.6 MB
- Estimated build time: 0.3 SBU

libxslt Dependencies

Required

libxml2-2.6.26

Optional

Python-2.4.4 and Libgcrypt (requires Libgpg-error)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libxslt>

Installation of libxslt

Install libxslt by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	xslt-config and xsltproc
Installed Libraries:	libxslt.{so,a}, libxslt.{so,a} and optionally, libxsltmod.{so,a} Python modules
Installed Directories:	/usr/include/lib{e}xslt, /usr/lib/libxslt-plugins, /usr/share/doc/libxslt-1.1.17, and /usr/share/doc/libxslt-python-1.1.17

Short Descriptions

xslt-config	is used to find out the pre-processor, linking and compiling flags necessary to use the libxslt libraries in 3rd-party programs.
xsltproc	is used to apply XSLT stylesheets to XML documents.
<code>libxslt.{so,a}</code>	provides extensions to the libxml2 libraries to parse files that use the XSLT format.
<code>libexslt.{so,a}</code>	is used to provide extensions to XSLT functions.

libgtkhtml-2.11.0

Introduction to libgtkhtml

The libgtkhtml package contains the libgtkhtml-2 library. This library provides an API for rendering HTML.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgtkhtml/2.11/libgtkhtml-2.11.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgtkhtml/2.11/libgtkhtml-2.11.0.tar.bz2>
- Download MD5 sum: ae7fbfda3b5d118c17f089f4de64b5ef
- Download size: 560 KB
- Estimated disk space required: 34.2 MB
- Estimated build time: 0.8 SBU

libgtkhtml Dependencies

Required

GTK+-2.8.20 and libxml2-2.6.26

Optional

GAIL-1.8.11 and GNOME Virtual File System-2.14.2 (only used in the test suite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgtkhtml>

Installation of libgtkhtml

Install libgtkhtml by running the following commands:

```
./configure --prefix=/usr --disable-accessibility &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

--disable-accessibility: This forces the package to build without linking to the libgailutil accessibility library. Remove this switch if you have GAIL installed.

Contents

Installed Programs: None

Installed Library: libgtkhtml-2.{so,a}

Installed Directory: /usr/include/gtkhtml-2.0

Short Descriptions

`libgtkhtml-2.{so,a}` provides the functions necessary to render and/or edit HTML.

GMP-4.2

Introduction to GMP

The GMP package contains math libraries. These have useful functions for arbitrary precision arithmetic.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/gmp/gmp-4.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnu.org/gnu/gmp/gmp-4.2.tar.bz2>
- Download MD5 sum: aa4a4534e8870ab8ba3c093239057cca
- Download size: 1.7 MB
- Estimated disk space required: 47.2 MB
- Estimated build time: 1.0 SBU (additional 0.6 SBU to run the testsuite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gmp>

Installation of GMP

Install GMP by running the following commands:

```
./configure --prefix=/usr --enable-cxx --enable-mpbsd &&  
make
```

If you have teTeX-3.0 installed and you wish to create alternate formats of the documentation, issue any or all of the following commands:

```
make -C doc pdf &&  
make -C doc ps &&  
make -C doc html &&  
texi2html -o doc/gmp_nochunks.html doc/gmp.texi &&  
makeinfo --plaintext -o doc/gmp.txt doc/gmp.texi
```

To test the results, issue: **make check**. Owing to various reports of mis-compilations, the maintainer strongly recommends running the test-suite and reporting any failures. The libraries should not be used in a production environment if there are problems running **make check**. An easy way to determine if all the tests passed is to redirect the output of the tests to a file (**make check >check.log 2>&1**) and issue the following command:

```
awk '/tests passed/{total+= $2} ; END{print total}' check.log
```

139 should be returned.

Now, as the root user:

```
make install
```

If you created any of the alternate formats of the documentation, install it using the following commands as the root user:

```
install -v -m755 -d /usr/share/doc/gmp-4.2/html &&  
install -v -m644 doc/gmp.html/* /usr/share/doc/gmp-4.2/html &&
```



```
install -v -m644 doc/{isa_abi_headache,configuration} \
            doc/*.{pdf,dvi,ps,html,txt} \
            /usr/share/doc/gmp-4.2
```

Command Explanations

`--enable-cxx`: This parameter enables C++ support by building the `libgmpxx` libraries.

`--enable-mpbsd`: This parameter enables building the Berkeley MP compatibility (`libmp`) libraries.

Contents

Installed Programs:	None
Installed Libraries:	<code>libgmp.{so,a}</code> , <code>libgmpxx.{so,a}</code> and <code>libmp.{so,a}</code>
Installed Directories:	None

Short Descriptions

`libgmp.{so,a}` contains functions to operate on signed integers, rational numbers, and floating point numbers.

GDBM-1.8.3

Introduction to GDBM

The GDBM package contains the GNU Database Manager. This is a disk file format database which stores key/data-pairs in single files. The actual data of any record being stored is indexed by a unique key, which can be retrieved in less time than if it was stored in a text file.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/gdbm/gdbm-1.8.3.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/gdbm/gdbm-1.8.3.tar.gz>
- Download MD5 sum: 1d1b1d5c0245b1c00aff92da751e9aa1
- Download size: 223 KB
- Estimated disk space required: 2.75 MB
- Estimated build time: 0.08 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gdbm>

Installation of GDBM

Install GDBM by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make BINOWN=root BINGRP=root install
```

In addition, you may need to install the DBM and NDBM compatibility headers and library since some applications look for these older dbm routines.

```
make BINOWN=root BINGRP=root install-compat
```

Command Explanations

make BINOWN=root BINGRP=root install: This command overrides the `BINOWN` and `BINGRP` variables in the `Makefile` changing ownership of the installed files to `root` instead of the `bin` user.

Contents

Installed Programs:	None
Installed Libraries:	libgdbm.{so,a} and libgdbm_compat.{so,a}
Installed Directories:	None

Short Descriptions

`libgdbm.{so,a}` contains functions to manipulate a hashed database.

GLib-1.2.10

Introduction to GLib

The glib package contains a low-level core library. This is useful for providing data structure handling for C, portability wrappers and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/graphics/gimp/gtk/v1.2/glib-1.2.10.tar.gz>
- Download (FTP): <ftp://ftp.gtk.org/pub/gtk/v1.2/glib-1.2.10.tar.gz>
- Download MD5 sum: 6fe30dad87c77b91b632def29dd69ef9
- Download size: 412 KB
- Estimated disk space required: 6.4 MB
- Estimated build time: 0.19 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/glib-1.2.10-gcc34-1.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/glib>

Installation of GLib

Install glib by running the following commands:

```
patch -Np1 -i ../glib-1.2.10-gcc34-1.patch &&
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
chmod -v 755 /usr/lib/libgmodule-1.2.so.0.0.10
```

Contents

Installed Programs:	glib-config
Installed Libraries:	libglib.{so,a}, libgmodule.{so,a} and libgthread.{so,a}
Installed Directories:	/usr/include/glib-1.2 and /usr/lib/glib

Short Descriptions

glib-config is a tool that is used by **configure** scripts to determine the compiler and linker flags that

should be used to compile and link programs that use GLib.

`libglib.{so,a}` libraries contain a low-level core library for the GIMP Toolkit.

GLib-2.10.3

Introduction to GLib

The GLib package contains a low-level core library. This is useful for providing data structure handling for C, portability wrappers and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/glib/2.10/glib-2.10.3.tar.bz2>
- Download (FTP): <ftp://ftp.gtk.org/pub/glib/2.10/glib-2.10.3.tar.bz2>
- Download MD5 sum: 87206e721c12d185d17dd9ecd7e30369
- Download size: 2.7 MB
- Estimated disk space required: 48.4 MB
- Estimated build time: 0.5 SBU (additional 1.4 SBU to run the test suite)

GLib Dependencies

Required

pkg-config-0.20

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/glib2>

Installation of GLib

Install GLib by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Configuring GLib

Configuration Information

By default, GLib assumes that all filenames are in the UTF-8 charset. See the Wrong Filename Encoding section of the Locale Related Issues page for more details on this kind of issue. In order to tell GLib and applications that use it that filenames are in the default locale encoding, set the variable `G_FILENAME_ENCODING` to the value `"@locale"`:

```
cat > /etc/profile.d/glib2-locale.sh << "EOF"
# Use the current locale charset for filenames
# in applications using GLib
export G_FILENAME_ENCODING=@locale
EOF
```

Contents

Installed Programs:	<code>glib-genmarshal</code> , <code>glib-gettextize</code> , <code>glib-mkenums</code> , and <code>gobject-query</code>
Installed Libraries:	<code>libglib-2.0.so</code> , <code>libgobject-2.0.so</code> , <code>libgmodule-2.0.so</code> , and <code>libgthread-2.0.so</code>
Installed Directories:	<code>/usr/include/glib-2.0</code> , <code>/usr/lib/glib-2.0</code> , <code>/usr/share/glib-2.0</code> , <code>/usr/share/gtk-doc/html/glib</code> , and <code>/usr/share/gtk-doc/html/gobject</code>

Short Descriptions

<code>glib-genmarshal</code>	is a C code marshaller generation utility for GLib closures.
<code>glib-gettextize</code>	is a variant of the gettext internationalization utility.
<code>glib-mkenums</code>	is a C language enum description generation utility.
<code>gobject-query</code>	is a small utility that draws a tree of types.
GLib libraries	contain a low-level core library for the GIMP Toolkit.

LibIDL-0.8.7

Introduction to LibIDL

The libIDL package contains libraries for Interface Definition Language files. This is a specification for defining portable interfaces.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libIDL/0.8/libIDL-0.8.7.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libIDL/0.8/libIDL-0.8.7.tar.bz2>
- Download MD5 sum: 53a3874beb42ddfd9a5030047a0db740
- Download size: 342 KB
- Estimated disk space required: 5.9 MB
- Estimated build time: 0.1 SBU

LibIDL Dependencies

Required

GLib-2.10.3

Optional to Build Documentation

teTeX-3.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libidl>

Installation of LibIDL

Install libIDL by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you have teTeX installed and wish to build the documentation, issue the following commands:

```
make pdf &&  
make ps &&  
make html &&  
makeinfo --plaintext libIDL2.texi >libIDL2.txt
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

If you built the documentation, issue the following commands as the root user to install it:

```
install -v -m755 -d /usr/share/doc/libIDL-0.8.7/html &&  
install -v -m644 libIDL2.{pdf,dvi,ps,txt} README \
```



```
/usr/share/doc/libIDL-0.8.7 &&
install -v -m644 libIDL2.html/* /usr/share/doc/libIDL-0.8.7/html
```

Contents

Installed Program: libIDL-config-2

Installed Library: libIDL-2.{so,a}

Installed Directories: /usr/include/libIDL-2.0/libIDL and /usr/share/doc/libIDL-0.8.7

Short Descriptions

libIDL-config-2 determines the compile and linker flags that should be used to compile and link programs that use libIDL-2.

libIDL-2.{so,a} libraries provide the functions to create and maintain trees of CORBA Interface Definition Language (IDL) files.

Libcroco-0.6.1

Introduction to libcroco

The libcroco package contains `libcroco` libraries. This is useful for providing a CSS API.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libcroco/0.6/libcroco-0.6.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libcroco/0.6/libcroco-0.6.1.tar.bz2>
- Download MD5 sum: b0975bd01eb11964f1b3f254f267a43d
- Download size: 381 KB
- Estimated disk space required: 9.8 MB
- Estimated build time: 0.3 SBU

libcroco Dependencies

Required

GLib-2.10.3 and libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libcroco>

Installation of libcroco

Install libcroco by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **LD_LIBRARY_PATH=\$(pwd)/src/.libs make test.**

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/libcroco-0.6.1/examples &&  
install -v -m644 README docs/usage.txt \  
    /usr/share/doc/libcroco-0.6.1 &&  
install -v -m644 docs/examples/*.c \  
    /usr/share/doc/libcroco-0.6.1/examples
```

Contents

Installed Programs:	<code>croco-0.6-config</code> and <code>csslint-0.6</code>
Installed Library:	<code>libcroco-0.6.{so,a}</code>
Installed Directories:	<code>/usr/include/libcroco-0.6.1</code> and <code>/usr/share/doc/libcroco-0.6.1</code>

libgsf-1.14.1

Introduction to libgsf

The libgsf package contains `libgsf-1` libraries. These are useful for providing an extensible input/output abstraction layer for structured file formats.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgsf/1.14/libgsf-1.14.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgsf/1.14/libgsf-1.14.1.tar.bz2>
- Download MD5 sum: 00de00b99382d0b7e034e0fffd8951d4
- Download size: 530 KB
- Estimated disk space required: 13.5 MB
- Estimated build time: 0.3 SBU

libgsf Dependencies

Required

GLib-2.10.3, libxml2-2.6.26, and XML::Parser-2.34

Optional

GConf-2.14.0 (required to build the **gsf-office-thumbnailer** program), GNOME Virtual File System-2.14.2 (required to build the `libgsf-gnome-1.so` library which provides GNOME-2 support), and GTK-Doc-1.6

Note: you need to build the `libgsf-gnome-1.so` library if you plan on building Gnumeric-1.6.3 with GNOME support.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgsf>

Installation of libgsf

Install libgsf by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Running **make check** will build a battery of test programs which are built using the just-created `libgsf-1` library. All the programs should build successfully with no errors displayed.

Now, as the `root` user:

```
make install
```

Command Explanations

`--sysconfdir=/etc/gnome/2.14.3`: Pass this parameter to the **configure** script if you have GNOME-2 installed so that the GConf schema files are installed in the correct location.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program:	gsf-office-thumbnailer (optional)
Installed Libraries:	libgsf-1.{so,a} and optionally, libgsf-gnome-1.{so,a}
Installed Directories:	/usr/include/libgsf-1 and /usr/share/gtk-doc/html/gsf

libglade-2.6.0

Introduction to libglade

The libglade package contains libglade libraries. These are useful for loading Glade interface files in a program at runtime.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libglade/2.6/libglade-2.6.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libglade/2.6/libglade-2.6.0.tar.bz2>
- Download MD5 sum: 81d7b2b64871ce23a5fae1e5da0b1f6e
- Download size: 319 KB
- Estimated disk space required: 5.2 MB
- Estimated build time: 0.1 SBU

libglade Dependencies

Required

libxml2-2.6.26 and GTK+-2.8.20

Optional

Python-2.4.4 and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libglade>

Installation of libglade

Install libglade by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program: libglade-convert (requires **python**)

Installed Library: libglade-2.0.{so,a}

Installed Directories: /usr/include/libglade-2.0, /usr/share/xml/libglade, and
/usr/share/gtk-doc/html/libglade

Short Descriptions

libglade-convert is used to convert old Glade interface files to Glade-2.0 standards.

libglade-2.0.{so,a} contain the functions necessary to load Glade interface files.

Expat-2.0.0

Introduction to Expat

The Expat package contains a stream oriented C library for parsing XML.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/expat/expat-2.0.0.tar.gz>
- Download (FTP):
- Download MD5 sum: d945df7f1c0868c5c73cf66ba9596f3f
- Download size: 450 KB
- Estimated disk space required: 5.8 MB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/expat>

Installation of Expat

Install Expat by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/expat-2.0.0 &&  
install -v -m644 doc/*.{html,png,css} /usr/share/doc/expat-2.0.0
```

To test the results, issue: **make check** as an unprivileged user. Note this must be done after the package is installed.

Contents

Installed Program:	xmlwf
Installed Library:	libexpat.{so,a}
Installed Directory:	/usr/share/doc/expat-2.0.0

Short Descriptions

xmlwf is a non-validating utility to check whether or not XML documents are well formed.

libexpat.{so,a} contains API functions for parsing XML.

libESMTP-1.0.4

Introduction to libESMTP

The libESMTP package contains the libESMTP libraries which are used by some programs to manage email submission to a mail transport layer.

Package Information

- Download (HTTP): <http://www.stafford.uklinux.net/libesntp/libesntp-1.0.4.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libesntp-1.0.4.tar.bz2>
- Download MD5 sum: 8b4e8a794adc46268f0c6a0b3fb79486
- Download size: 351 KB
- Estimated disk space required: 5.8 MB
- Estimated build time: 0.2 SBU

libESMTP Dependencies

Optional

OpenSSL-0.9.8d

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libesmtp>

Installation of libESMTP

Install libESMTP by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Program: libesntp-config

Installed Libraries: libesmtplib.so and libESMTP SASL plugins

Installed Directory: /usr/lib/esmtp-plugins

Short Descriptions

libesmtplib-config displays version information and the options used to compile libESMTP.

`libesmtp.{so,a}` is used to manage submission of electronic mail to a Mail Transport Agent.

`libesmtp SASL plugins` are used to integrate `libesmtp` with SASL authentication.

Aspell-0.60.4

Introduction to Aspell

The Aspell package contains an interactive spell checking program and the Aspell libraries. Aspell can either be used as a library or as an independent spell checker.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/aspell/aspell-0.60.4.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/aspell/aspell-0.60.4.tar.gz>
- Download MD5 sum: 4f1737e726d66476b9c7388831305510
- Download size: 1.6 MB
- Estimated disk space required: 40.0 MB (Additional 8.1 MB for EN dictionary)
- Estimated build time: 0.7 SBU

Additional Downloads

You'll need to download at least one dictionary. The link below will take you to a page containing links to dictionaries in many languages.

- Aspell dictionaries: <ftp://ftp.gnu.org/gnu/aspell/dict>

Aspell Dependencies

Required

which-2.16

Optional

teTeX-3.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/aspell>

Installation of Aspell

Install Aspell by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Pre-built HTML documentation is included in the package. If you have teTeX installed and you wish to build additional formats of the documentation, issue any or all of the following commands:

```
make -C manual pdf &&  
make -C manual pdf &&  
make -C manual ps &&  
cd manual &&  
makeinfo --plaintext -o aspell.txt aspell.texi &&  
makeinfo --plaintext -o aspell-dev.txt aspell-dev.texi &&
```

```
cd ..
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/aspell-0.60.4/aspell{,-dev}.html &&
install -v -m644 manual/aspell.html/* \
    /usr/share/doc/aspell-0.60.4/aspell.html &&
install -v -m644 manual/aspell-dev.html/* \
    /usr/share/doc/aspell-0.60.4/aspell-dev.html
```

If you built additional formats of the documentation, install them by issuing the following command as the `root` user:

```
install -v -m644 manual/aspell{,-dev}.{ps,pdf,dvi,txt} \
    /usr/share/doc/aspell-0.60.4
```

If you do not plan to install Ispell, then copy the wrapper script **ispell**:

```
install -v -m 755 scripts/ispell /usr/bin/
```

If you do not plan to install Spell, then copy the wrapper script **spell**:

```
install -v -m 755 scripts/spell /usr/bin/
```

Command Explanations

make -C manual pdf: This command is listed twice as the first time it runs it will display an error and abort, although it creates the requested file. Running the command again ensures the other file is also created.

Configuring Aspell

Configuration Information

After Aspell is installed, you must set up at least one dictionary. Install one or more dictionaries by running the following commands:

```
./configure &&
make
```

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	aspell, aspell-import, precat, preunzip, prezip, prezip-bin, pspell-config, run-with-aspell, word-list-compress and optionally, ispell and spell
Installed Libraries:	libaspell.so and libpspell.so

Installed Directories: /usr/include/pspell and /usr/lib/aspell-0.60

Short Descriptions

aspell	is a utility that can function as an ispell -a replacement, as an independent spell checker, as a test utility to test out Aspell features, and as a utility for managing dictionaries.
ispell	is a wrapper around aspell to invoke it in ispell compatible mode.
spell	is a wrapper around aspell to invoke it in spell compatible mode.
aspell-import	imports old personal dictionaries into Aspell.
precat	decompresses a prezipped file to stdout.
preunzip	decompresses a prezipped file.
prezip	is a prefix delta compressor, used to compress sorted word lists or other similar text files.
prezip-bin	is called by the various wrapper scripts to perform the actual compressing and decompressing.
pspell-config	displays information about the libpspell installation, mostly for use in build scripts.
run-with-aspell	is a script to help use Aspell as an ispell replacement.
word-list-compress	compresses or decompresses sorted word lists for use with the Aspell spell checker.
libaspell.so	contains spell checking API functions.
libpspell.so	is an interface to the libaspell library. All the spell checking functionality is now in libaspell but this library is included for backward compatibility.

SLIB-3a3

Introduction to SLIB

The SLIB package is a portable library for the Scheme programming language. It provides a platform independent framework for using “packages” of Scheme procedures and syntax. SLIB contains useful packages for all Scheme implementations, including Guile. Its catalog can be transparently extended to accommodate packages specific to a site, implementation, user or directory.

Package Information

- Download (HTTP): <http://swiss.csail.mit.edu/ftplib/scm/OLD/slib3a3.tar.gz>
- Download (FTP):
- Download MD5 sum: eec6e9193c3c86254f7176dd8a833c4c
- Download size: 846 KB
- Estimated disk space required: 19.5 MB (includes building and installing all docs)
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/slib-3a3-blfs_install-2.patch

SLIB Dependencies

Required

Guile-1.6.7

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/slib>

Installation of SLIB

Install SLIB by issuing the following commands:

```
patch -Np1 -i ../slib-3a3-blfs_install-2.patch &&
make
```

If you have teTeX installed and wish to build PDF, Postscript, HTML and text documentation, issue any or all of the following commands:

```
make pdfdocs &&
make psdocs &&
make htldocs &&
make txtdocs
```

This package does not come with a functional test suite.

Now, as the root user:

```
make prefix=/usr/ install &&
```

```
ln -v -s ../slib /usr/share/guile/1.6 &&
make prefix=/usr/ catalogs &&
mv -v /usr/share/guile/1.6/slibcat /usr/share/guile &&
ln -v -s ../slibcat /usr/share/guile/1.6 &&
make prefix=/usr/ installinfo
```

Command Explanations

make prefix=/usr/ catalogs: This command builds the SLIB Scheme implementation catalog.

make prefix=/usr/ installinfo: This commands installs the **info** documentation.

Contents

Installed Program:	slib
Installed Libraries:	a Scheme library system
Installed Directory:	/usr/share/guile/slib and /usr/share/doc/slib-3a3

Short Descriptions

slib is a shell script used to initialize SLIB in a named Scheme implementation. It can also be used to initialize an SLIB session using a given executable.

G-Wrap-1.3.4

Introduction to G-Wrap

The G-Wrap package contains tools for exporting C libraries into Scheme interpreters.

Package Information

- Download (HTTP): <http://www.gnucash.org/pub/g-wrap/source/g-wrap-1.3.4.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/g-wrap-1.3.4.tar.gz>
- Download MD5 sum: bf29b8b563cc27d9f7fd90a6243653aa
- Download size: 403 KB
- Estimated disk space required: 6.0 MB
- Estimated build time: 0.2 SBU

G-Wrap Dependencies

Required

SLIB-3a3 and GLib-1.2.10

Optional

guile-gtk and GCC-4.0.3 (build Java so that `libffi` is built)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gwrap>

Installation of G-Wrap

Install G-Wrap by running the following commands:

```
./configure --prefix=/usr &&
make
```

If you have teTeX-3.0 installed and wish to create alternate formats of the documentation, issue the following commands:

```
cd doc &&
texi2pdf g-wrap.texi &&
texi2html g-wrap.texi &&
makeinfo --plaintext -o g-wrap.txt g-wrap.texi &&
mv texinfo.tex texinfo.tex.SAVE &&
texi2dvi g-wrap.texi &&
dvips -o g-wrap.ps g-wrap.dvi &&
cd ..
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

If you created the alternate formats of the documentation, install it using the following commands as the `root` user:

```
install -v -m755 -d /usr/share/doc/g-wrap-1.3.4 &&
install -v -m644 doc/g-wrap.{pdf,html,txt,dvi,ps} \
    /usr/share/doc/g-wrap-1.3.4
```

Contents

Installed Program:	<code>g-wrap-config</code>
Installed Libraries:	<code>libgw-glib.{so,a}</code> , <code>libgw-gtk.{so,a}</code> , <code>libgw-standard.{so,a}</code> , <code>libgw-wct.{so,a}</code> , <code>libgwrap-glib.{so,a}</code> and <code>libgwrap-wct.{so,a}</code>
Installed Directories:	<code>/usr/include/g-wrap</code> , <code>/usr/share/doc/g-wrap-1.3.4</code> and <code>/usr/share/guile/site</code>

Short Descriptions

g-wrap-config is a tool to generate CFLAGS for linking C code to the Scheme runtime libraries.

LZO-2.02

Introduction to LZO

LZO is a data compression library which is suitable for data decompression and compression in real-time. This means it favors speed over compression ratio.

Package Information

- Download (HTTP): <http://www.oberhumer.com/opensource/lzo/download/lzo-2.02.tar.gz>
- Download (FTP): <ftp://ftp.uni-koeln.de/util/arc/lzo-2.02.tar.gz>
- Download MD5 sum: 6760e5819f4238328709bf93bf10071c
- Download size: 599 KB
- Estimated disk space required: 11.9 MB
- Estimated build time: 0.3 SBU (additional 0.4 SBU to run the tests)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/lzo>

Installation of LZO

Install LZO by running the following commands:

```
./configure --prefix=/usr --enable-shared &&  
make
```

To test the results, issue **make check**. All the checks should pass. Now issue **make test** to run the full suite of tests.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/lzo-2.02 &&  
install -v -m644 doc/* /usr/share/doc/lzo-2.02
```

Contents

Installed Programs:	None
Installed Library:	liblzo2.{so,a}
Installed Directory:	/usr/include/lzo and /usr/share/doc/lzo-2.02

Short Descriptions

`liblzo2.{so,a}` is a data compression and decompression library.

libusb-0.1.12

Introduction to libusb

The libusb package contains a library used by some applications for USB device access.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libusb/libusb-0.1.12.tar.gz>
- Download (FTP):
- Download MD5 sum: caf182cbc7565dac0fd72155919672e6
- Download size: 389 KB
- Estimated disk space required: 8.4 MB (includes installing all documentation)
- Estimated build time: 0.3 SBU (includes building all documentation)

libusb Dependencies

Optional

pkg-config-0.20

Optional (Required to Build the HTML User Manual)

OpenJade-1.3.2 and DocBOOK SGML DTD-4.2

Optional (Required to Build the API Documentation)

Doxygen-1.4.6 and Graphviz-2.8

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libusb>

Installation of libusb

Install libusb by running the following commands:

```
./configure --prefix=/usr --disable-build-docs &&  
make
```

If you wish to build the API documentation (see the required dependencies), issue the following command:

```
make apidox
```

To test the results, issue **make -k check**.

Now, as the `root` user:

```
make install
```

If you built the HTML user manual (by having the required dependencies installed and removing the `--disable-build-docs` parameter from the **configure** command), install it using the following commands as the `root` user:

```
install -v -d -m755 /usr/share/doc/libusb-0.1.12/html &&
install -v -m644 doc/html/* /usr/share/doc/libusb-0.1.12/html
```

If you built the API documentation, install it using the following commands as the `root` user:

```
install -v -d -m755 /usr/share/doc/libusb-0.1.12/apidocs &&
install -v -m644 apidocs/html/* \
    /usr/share/doc/libusb-0.1.12/apidocs
```

Command Explanations

`--disable-build-docs`: This switch avoids building the HTML user manual. Remove it if you have the required dependencies installed and wish to build the manual.

Configuring Libusb

To access raw USB devices (those not treated as a disk by the mass-storage driver), appropriate support must be available in the kernel. Check your kernel configuration for Device Drivers # USB support # Support for Host-side USB. Select any USB hardware device drivers you may need on the same page.

To have raw USB devices set up properly, add the following udev rule and add any users that need to access raw USB devices to the "usb" group.

```
cat > /etc/udev/rules.d/23-usb.rules << "EOF"
# Set group ownership for raw USB devices
SUBSYSTEM=="usb_device", GROUP="usb"
EOF
```

Contents

Installed Program:	libusb-config
Installed Libraries:	libusb.{so,a} and libusbpp.{so,a}
Installed Directory:	/usr/share/doc/libusb-0.1.12

Short Descriptions

libusb-config is a script that provides the right compiler and linker flags for programs using libusb.

libusb.{so,a} libraries contain C functions for accessing USB hardware.

ISO Codes-0.58-1

Introduction to ISO Codes

The ISO Codes package contains a list of country, language and currency names. This is useful when used as a central database for accessing this data.

Package Information

- Download (HTTP): http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/i/iso-codes_0.58-1.tar.gz
- Download (FTP): ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/i/iso-codes_0.58-1.tar.gz
- Download MD5 sum: 05f90ad07a5169dd0faadf5ba0530497
- Download size: 8.8 MB
- Estimated disk space required: 59.4 MB
- Estimated build time: 0.1 SBU

ISO Codes Dependencies

Required

Python-2.4.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/iso-codes>

Installation of ISO Codes

Install ISO Codes by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	/usr/share/iso-codes, /usr/share/xml/iso-codes and many directories in the /usr/share/locale hierarchy

GMime-2.2.2

Introduction to GMime

The GMime package contains a set of utilities for parsing and creating messages using the Multipurpose Internet Mail Extension (MIME) as defined by the applicable RFCs. See the GMime web site for the RFCs resourced. This is useful as it provides an API which adheres to the MIME specification as closely as possible while also providing programmers with an extremely easy to use interface to the API functions.

Package Information

- Download (HTTP): <http://spruce.sourceforge.net/gmime/sources/v2.2/gmime-2.2.2.tar.gz>
- Download (FTP):
- Download MD5 sum: e9b07d187270dee4c30b1fe8392f396b
- Download size: 926 KB
- Estimated disk space required: 18.7 MB
- Estimated build time: 0.4 SBU

GMime Dependencies

Required

GLib-2.10.3

Optional

Gtk# (requires a .NET framework: Mono or DotGNU Portable.NET)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gmime>

Installation of GMime

Install GMime by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite that provides meaningful results.

This package will overwrite the **uudecode** and **uuencode** programs installed by the sharutils package (or any other package that may install these programs) if they exist in `/usr/bin`. If you wish to preserve the existing programs, ensure you rename them before issuing the following commands.

Now, as the root user:

```
make install &&  
install -v -m755 -d \  
    /usr/share/doc/gmime-2.2.2/{tutorial,examples,tests} &&  
install -v -m644 README /usr/share/doc/gmime-2.2.2 &&  
install -v -m644 examples/{README,{basic,imap}-example.c} \  
    /usr/share/doc/gmime-2.2.2/examples &&  
install -v -m755 examples/{basic,imap}-example \
```

```

/usr/share/doc/gmime-2.2.2/examples &&
install -v -m644 tests/test-{best,html,iconv,mbox,mime,parser}.c \
    tests/test-{partial,pgp{,mime},streams}.c,?.eml} \
    /usr/share/doc/gmime-2.2.2/tests &&
install -v -m755 tests/test-{best,html,iconv,mbox,mime,parser} \
    tests/test-{partial,pgp{,mime},streams} \
    /usr/share/doc/gmime-2.2.2/tests &&
cp -v -R docs/tutorial/html/* /usr/share/doc/gmime-2.2.2/tutorial

```

Contents

Installed Programs:	gmime-config, uuencode and uudecode
Installed Libraries:	libgmime-2.0.{so,a} and optionally, Mono bindings
Installed Directories:	/usr/include/gmime-2.0, /usr/lib/mono/gac/gmime-sharp, /usr/lib/mono/gmime-sharp, /usr/share/doc/gmime-2.2.2 and /usr/share/gtk-doc/html/gmime

Short Descriptions

gmime-config	is used to gather information about how and where GMime was installed. It is typically used by other programs seeking to link to the GMime library.
uudecode	is used to decode files or data encoded with uuencode .
uuencode	is a method of encoding binary data into 7-bit ASCII data.
libgmime-2.0.{so,a}	contains API functions used by programs that need to adhere to the MIME standards.

Libidn-0.6.3

Introduction to Libidn

Libidn is a package designed for internationalized string handling based on the Stringprep, Punycode, IDNA and TLD specifications defined by the Internet Engineering Task Force (IETF) Internationalized Domain Names (IDN) working group, used for internationalized domain names. This is useful for converting data from the system's native representation into UTF-8, transforming Unicode strings into ASCII strings, allowing applications to use certain ASCII name labels (beginning with a special prefix) to represent non-ASCII name labels, and converting entire domain names to and from the ASCII Compatible Encoding (ACE) form.

Package Information

- Download (HTTP): <http://josefsson.org/libidn/releases/libidn-0.6.3.tar.gz>
- Download (FTP): <ftp://alpha.gnu.org/pub/gnu/libidn/libidn-0.6.3.tar.gz>
- Download MD5 sum: d240631c93c7d3a0e93cdf66f536073f
- Download size: 2.1 MB
- Estimated disk space required: 18.4 MB
- Estimated build time: 0.2 SBU

Libidn Dependencies

Optional

Emacs-21.4a, pkg-config-0.20, GTK-Doc-1.6, a Java compiler—one of (looked for in this order) GCC-4.0.3 (for **gcj** and you must also have the **gjd** package installed), Jikes or JDK-1.5.0_10, and a C# compiler—Mono or DotGNU Portable.NET

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libidn>

Installation of Libidn

Install Libidn by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you have **teTeX-3.0** installed and wish to create a text version of the documentation, issue the following commands:

```
cd doc &&  
makeinfo --plaintext -o libidn.txt libidn.texi &&  
cd ..
```

To test the results, issue: **make check**.

Now, as the **root** user:

```
make install &&  
find doc -name "Makefile*" -exec rm {} \; &&
```

```
install -v -m755 -d \
    /usr/share/doc/libidn-0.6.3/{api,java,specifications,tld} &&
install -v -m644 doc/components* \
    doc/libidn.{pdf,ps,html} \
    /usr/share/doc/libidn-0.6.3 &&
install -v -m644 doc/reference/html/* \
    /usr/share/doc/libidn-0.6.3/api &&
install -v -m644 doc/specifications/* \
    /usr/share/doc/libidn-0.6.3/specifications &&
install -v -m644 doc/tld/* /usr/share/doc/libidn-0.6.3/tld &&
cp -v -R doc/java/* /usr/share/doc/libidn-0.6.3/java
```

If you created the text documentation, install it using the following command as the `root` user:

```
install -v -m644 doc/libidn.txt /usr/share/doc/libidn-0.6.3
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program: `idn`

Installed Libraries: `libidn.{so,a}` and optionally, Java and C# modules

Installed Directory: `/usr/share/doc/libidn-0.6.3`

Short Descriptions

idn is a command line interface to the internationalized domain name library.

`libidn.{so,a}` contains a generic Stringprep implementation that does Unicode 3.2 NFKC normalization, mapping and prohibition of characters, and bidirectional character handling. Profiles for Nameprep, iSCSI, SASL and XMPP are included as well as support for Punycode and ASCII Compatible Encoding (ACE) via IDNA. A mechanism to define Top-Level Domain (TLD) specific validation tables, and to compare strings against those tables, as well as default tables for some TLDs are included.

libdrm-2.0.1

Introduction to libdrm

libdrm provides core library routines for the X Window System to directly interface with video hardware using the Linux kernel's Direct Rendering Modules.

Package Information

- Download (HTTP): <http://dri.freedesktop.org/libdrm/libdrm-2.0.1.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libdrm-2.0.1.tar.gz>
- Download MD5 sum: 9d1aab104eb757ceeb2c1a6d38d57411
- Download size: 276 KB
- Estimated disk space required: 3.2 MB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libdrm>

Installation of libdrm



Note

This package should only be built if you are installing Xorg-7.1. If you have installed or will be installing Xorg-6.9.0 or XFree86, it is provided by those packages and should not be installed here.

Install libdrm by running the following commands:

```
./configure --prefix=$XORG_PREFIX &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Libraries: libdrm.{so,a}

Short Descriptions

libdrm.{so,a} contains the Direct Rendering Module library functions.

Chapter 9. Graphics and Font Libraries

Depending on what your system will be used for, you may or may not require the graphics and font libraries. Most desktop machines will want them for use with graphical applications. Most servers on the other hand, will not require them.

libjpeg-6b

Introduction to libjpeg

The libjpeg package contains libraries that allow compression of image files based on the Joint Photographic Experts Group standard. It is a "lossy" compression algorithm.

Package Information

- Download (HTTP): <http://www.ijg.org/files/jpegsrc.v6b.tar.gz>
- Download (FTP): <ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz>
- Download MD5 sum: dbd5f3b47ed13132f04c685d608a7547
- Download size: 599 KB
- Estimated disk space required: 4.6 MB
- Estimated build time: 0.2 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libjpeg>

Installation of libjpeg

Install libjpeg by running the following commands:

```
./configure --prefix=/usr --enable-static --enable-shared &&  
make
```

To test the results, issue: **make test**.

Now, as the **root** user:

```
make install
```

Command Explanations

--enable-static --enable-shared: These switches tell libjpeg to build both shared and static libraries.

Configuring libjpeg

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., `/opt/lib` or `/usr/local/lib` should appear in `/etc/ld.so.conf` so that **ldd** can find the shared libraries. After checking that this is the case, `/sbin/ldconfig` should be run while logged in as **root**.

Contents

Installed Programs: cjpeg, djpeg, jpegtran, rdjpgcom, and wrjpgcom
Installed Library: libjpeg.{so,a}
Installed Directories: None

Short Descriptions

cjpeg compresses image files to produce a JPEG/JFIF file on the standard output. Currently supported input file formats are: PPM (PBMPLUS color format), PGM (PBMPLUS gray-scale format), BMP, and Targa.

djpeg decompresses image files from JPEG/JFIF format to either PPM (PBMPLUS color format), PGM (PBMPLUS gray-scale format), BMP, or Targa format.

jpegtran is used for lossless transformation of JPEG files.

rdjpgcom displays text comments from within a JPEG file.

wrjpgcom inserts text comments into a JPEG file.

libjpeg.{so,a} library is used by many programs for reading and writing JPEG format files.

libpng-1.2.12

Introduction to libpng

The libpng package contains libraries used by other programs for reading and writing PNG files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libpng/libpng-1.2.12.tar.bz2>
- Download (FTP):
- Download MD5 sum: 2287cfaad53a714acdf6eb75a7c1d15f
- Download size: 621 KB
- Estimated disk space required: 12.0 MB
- Estimated build time: 0.3 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libpng>

Installation of libpng

Install libpng by running the following commands:

```
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the **root** user:

```
make install &&
install -v -m755 -d /usr/share/doc/libpng-1.2.12 &&
install -v -m644 README libpng.txt /usr/share/doc/libpng-1.2.12
```

Configuring libpng

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., `/opt/lib` or `/usr/local/lib` should appear in `/etc/ld.so.conf` so that **ldd** can find the shared libraries. After checking that this is the case, `/sbin/ldconfig` should be run while logged in as **root**.

Contents

Installed Programs:	libpng-config and libpng12-config
Installed Libraries:	libpng.so and libpng12.{so,a}
Installed Directory:	/usr/include/libpng12 and /usr/share/doc/libpng-1.2.12

Short Descriptions

libpng-config

libpng12-config

libpng.so and libpng12.{so,a}

is a symlink to **libpng12-config**.

provides configuration information for libpng.

are a collection of routines used to create and manipulate PNG format graphics files. The PNG format was designed as a replacement for GIF and, to a lesser extent, TIFF, with many improvements and extensions and lack of patent problems.

LibTIFF-3.8.2

Introduction to LibTIFF

The LibTIFF package contains the TIFF libraries and associated utilities. The libraries are used by many programs for reading and writing TIFF files and the utilities are useful for general work with TIFF files.

Package Information

- Download (HTTP): <http://libtiff.maptools.org/dl/tiff-3.8.2.tar.gz>
- Download (FTP): <ftp://ftp.remotesensing.org/libtiff/tiff-3.8.2.tar.gz>
- Download MD5 sum: fbb6f446ea4ed18955e2714934e5b698
- Download size: 1.3 MB
- Estimated disk space required: 18.8 MB
- Estimated build time: 0.5 SBU

LibTIFF Dependencies

Optional

libjpeg-6b, X Window System, and freeglut-2.4.0

Note that if you installed the optional MesaGLUT package with the MesaLib-6.5 package during an Xorg7 installation, a GLUT library is already installed and you don't need freeglut.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libtiff>

Installation of LibTIFF

Install LibTIFF by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	bmp2tiff, fax2ps, fax2tiff, gif2tiff, pal2rgb, ppm2tiff, ras2tiff, raw2tiff, rgb2ycbcr, thumbnail, tiff2bw, tiff2pdf, tiff2ps, tiff2rgba, tiffcmp, tiffcp, tiffdither, tiffdump, tiffgt, tiffinfo, tiffmedian, tiffset, and tiffsplit
Installed Libraries:	libtiff.{so,a} and libtiffxx.{so,a}
Installed Directory:	/usr/share/doc/tiff-3.8.2

Short Descriptions

bmp2tiff	converts a Microsoft Windows Device Independent Bitmap image file to a TIFF image.
fax2ps	converts a TIFF facsimile to compressed PostScript file.
fax2tiff	creates a TIFF Class F fax file from raw fax data.
gif2tiff	creates a TIFF file from a GIF87 format image file.
pal2rgb	converts a palette color TIFF image to a full color image.
ppm2tiff	creates a TIFF file from a PPM image file.
ras2tiff	creates a TIFF file from a Sun rasterfile.
raw2tiff	converts a raw byte sequence into TIFF.
rgb2ycbcr	converts non-YCbCr TIFF images to YCbCr TIFF images.
thumbnail	creates a TIFF file with thumbnail images.
tiff2bw	converts a color TIFF image to grayscale.
tiff2pdf	converts a TIFF image to a PDF document.
tiff2ps	converts a TIFF image to a PostScript file.
tiff2rgba	converts a wide variety of TIFF images into an RGBA TIFF image.
tiffcmp	compares two TIFF files.
tiffcp	copies (and possibly converts) a TIFF file.
tiffdither	converts a grayscale image to bilevel using dithering.
tiffdump	prints verbatim information about TIFF files.
tiffgt	displays an image stored in a TIFF file in an X window.
tiffinfo	prints information about TIFF files.
tiffmedian	applies the median cut algorithm to data in a TIFF file.
tiffset	sets the value of a TIFF header to a specified value.
tiffsplit	splits a multi-image TIFF into single-image TIFF files.
libtiff.{so,a}	contains the API functions used by the libtiff programs as well as other programs to read and write TIFF files.
libtiffxx.{so,a}	contains the C++ API functions used by programs to read and write TIFF files.

giflib-4.1.4

Introduction to giflib

The giflib package contains libraries for reading and writing GIFs as well as programs for converting and working with GIF files. The libraries are useful for any graphics program wishing to deal with GIF files while the programs are useful for conversion purposes as well as cleaning up images.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libungif/giflib-4.1.4.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/giflib-4.1.4.tar.gz>
- Download (HTTP) MD5 sum: 827d338961482a986f39c7f114531636
- Download (HTTP) size: 483 KB
- Download (FTP) MD5 sum: 950943daa71350a558c3edf41c3f0f9f
- Download (FTP) size: 605 KB
- Estimated disk space required: 6.8 MB
- Estimated build time: 0.2 SBU

giflib Dependencies

Optional

X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/giflib>

Installation of giflib

Install giflib by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/giflib-4.1.4/html &&  
install -v -m644 doc/*.{png,html} \  
    /usr/share/doc/giflib-4.1.4/html &&  
install -v -m644 doc/*.txt \  
    /usr/share/doc/giflib-4.1.4
```

Contents

Installed Programs: gif2epsn, gif2ps, gif2rgb, gif2x11, gifasm, gifbg, gifburst, gifclip, gifclrm, gifcolor, gifcomb, gifcompose, giffiltr, giffix, gifflip, gifhisto, gifinfo, gifinter, gifinto, gifovly, gifpos, gifrotat, gifsize, gifspnge, giftext, gifwedge, icon2gif, raw2gif,

rgb2gif, and text2gif
Installed Library: libgif.{so,a}
Installed Directory: /usr/share/doc/giflib-4.1.4

Short Descriptions

gif2epsn	dumps images saved as GIF files on Epson type printers.
gif2ps	prints GIF files on laser printers supporting PostScript.
gif2rgb	converts images saved as GIF to 24-bit RGB images.
gif2x11	displays images saved as GIF files under X Window System.
gifasm	assembles multiple GIFs into one, or burst a multiple-image GIF.
gifbg	generates a single-color test pattern GIF.
gifburst	bursts a GIF image into subrectangles.
gifclip	clips or crops a GIF image.
gifclrmf	modifies GIF image colormaps.
gifcolor	generates color test patterns.
gifcomb	combines two GIF images of exactly the same size into one.
gifcompose	uses giflib tools to compose images.
giffiltr	is a template for filtering a GIF sequentially.
giffix	clumsily attempts to fix truncated GIF images.
gifflip	flips a GIF image along the X or Y axis or rotates an image by 90 degrees.
gifhisto	generate a color-frequency histogram from a GIF.
gifinfo	gives information about a GIF file.
gifinter	converts between interlaced and non-interlaced images.
gifinto	is an end-of-pipe fitting for GIF-processing pipelines.
gifovly	generates one composite GIF from a multiple-image GIF.
gifpos	changes a GIF's screen size or reconditions it.
gifrotat	rotates a GIF through any desired angle.
gifrsize	resizes a GIF by deletion or duplication of bits.
gifspnge	is a template for filtering a GIF with in-core operations.
giftext	prints (text only) general information about a GIF file.
gifwedge	creates a test GIF image resembling a color monitor test pattern.

icon2gif	is a converter/deconverter to/from an editable text format.
raw2gif	converts raw 8-bit image data into GIF files.
rgb2gif	converts 24 bit images to a GIF image using color quantization.
text2gif	generates GIF images out of regular text in 8x8 font.
libgif.{so,a}	contains API functions required by the giflib programs and any other programs needing library functionality to read, write and manipulate GIF images.

little cms-1.15

Introduction to little cms

The little cms library is used by other programs to provide color management facilities.

Package Information

- Download (HTTP): <http://www.littlecms.com/lcms-1.15.tar.gz>
- Download (FTP):
- Download MD5 sum: 76c921973fdea4f880944a024197f924
- Download size: 777 KB
- Estimated disk space required: 20.7 MB
- Estimated build time: 0.4 SBU (includes building the Python module)

little cms Dependencies

Optional

LibTIFF-3.8.2, libjpeg-6b and Python-2.4.4 (with SWIG also)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/lcms>

Installation of little cms

Install little cms by running the following commands:

```
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/lcms-1.15 &&
install -v -m644 README.1ST doc/* /usr/share/doc/lcms-1.15
```

Contents

Installed Programs:	icc2ps, icclink, icctrans, wtpt and optionally, jpegicc, tiffdiff and tifficc
Installed Libraries:	liblcms.{so,a} and the optional _lcms.so Python module
Installed Directory:	/usr/share/doc/lcms-1.15

Short Descriptions

icc2ps generates PostScript CRD or CSA from ICC profiles.

icclink	links two or more profiles into a single device link profile.
icctrans	is a color space conversion calculator.
jpegicc	is an ICC profile applier for JPEG files.
tifficc	is an ICC profile applier for TIFF files.
wtpt	shows media white of profiles, identifying black body locus.
<code>liblcms.{so,a}</code>	is used by the lcms programs as well as other programs to provide color management facilities.

libmng-1.0.9

Introduction to libmng

The libmng libraries are used by programs wanting to read and write Multiple-image Network Graphics (MNG) files which are the animation equivalents to PNG files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libmng/libmng-1.0.9.tar.gz>
- Download (FTP):
- Download MD5 sum: ff1205ef70855a75c098ea09690413c6
- Download size: 554 KB
- Estimated disk space required: 7.1 MB
- Estimated build time: 0.1 SBU

libmng Dependencies

Required

libjpeg-6b and little cms-1.15

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmng>

Installation of libmng

Install libmng by running the following commands:

```
cp makefiles/makefile.linux Makefile &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make prefix=/usr install &&  
install -v -m644 doc/man/*.3 /usr/share/man/man3 &&  
install -v -m644 doc/man/*.5 /usr/share/man/man5 &&  
install -v -m755 -d /usr/share/doc/libmng-1.0.9 &&  
install -v -m644 doc/*.{png,txt} /usr/share/doc/libmng-1.0.9
```

Command Explanations

cp makefiles/makefile.linux Makefile: There are no autotools shipped with this package. The Linux Makefile is copied to the root of the source tree, facilitating the installation.

install ...: The documentation files are not installed by the installation procedure, so they are copied manually.

Contents

Installed Programs: None
Installed Library: libmng.{so,a}
Installed Directory: /usr/share/doc/libmng-1.0.9

Short Descriptions

`libmng.{so,a}` provides functions for programs wishing to read and write MNG files which are animation files without the patent problems associated with certain other formats.

FreeType-2.1.10

Introduction to FreeType2

The FreeType2 package contains a library to allow applications to properly render TrueType fonts.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/freetype/freetype-2.1.10.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/freetype-2.1.10.tar.bz2>
- Download MD5 sum: a4012e7d1f6400df44a16743b11b8423
- Download size: 1.0 MB
- Estimated disk space required: 25.0 MB (includes installing additional documentation)
- Estimated build time: 0.4 SBU

Additional Downloads

- Additional documentation: <http://downloads.sourceforge.net/freetype/freetype-doc-2.1.10.tar.bz2>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/freetype2>

Installation of FreeType2

If you downloaded the additional documentation, unpack it into the source tree using the following command:

```
tar xf ../freetype-doc-2.1.10.tar.bz2 \
  --strip-components=2 -C docs
```

Install FreeType2 by running the following commands:

```
sed -i -r 's:.*(.*BYTE.*) .*:1:' \
  include/freetype/config/ftoption.h &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/freetype-2.1.10 &&
cp -v -R docs/* /usr/share/doc/freetype-2.1.10
```

Command Explanations

`sed -i -r 's:.*(.*BYTE.*) .*:1:' include/freetype/config/ftoption.h`: This command enables the built-in TrueType bytecode interpreter which in turn enables hinting of TrueType glyphs. Enabling the interpreter results in much better rendering of TrueType fonts.

Contents

Installed Program: freetype-config
Installed Library: libfreetype.{so,a}
Installed Directory: /usr/include/freetype2

Short Descriptions

freetype-config is used to get FreeType compilation and linking information.
libfreetype.{so,a} contains functions for rendering various font types, such as TrueType and Type1.

Fontconfig-2.3.2

Introduction to Fontconfig

The Fontconfig package is a library for configuring and customizing font access.

Package Information

- Download (HTTP): <http://fontconfig.org/release/fontconfig-2.3.2.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/fontconfig-2.3.2.tar.gz>
- Download MD5 sum: 7354f9f125ea78a8f2851cb9c31d4866
- Download size: 942 KB
- Estimated disk space required: 13.0 MB
- Estimated build time: 0.2 SBU



Note

The numbering system of Fontconfig is unusual. The beta versions of the package are numbered with a 9x in the last portion of the release number. This means that 2.3.92 is a beta release and the most current release is of the form 2.3.2

Fontconfig Dependencies

Required

FreeType-2.1.10 and expat-2.0.0

Optional

DocBook-utils-0.6.14



Note

If you have DocBook-utils installed and you remove the `--disable-docs` parameter from the **configure** command below, you must have SGMLSpn-1.03ii and JadeTeX-3.13 installed also, or the Fontconfig build will fail.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Fontconfig>

Installation of Fontconfig

Install Fontconfig by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc \
  --disable-docs --without-add-fonts \
  --with-docdir=/usr/share/doc/fontconfig-2.3.2 &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
install -v -m644 doc/*.3 /usr/share/man/man3 &&
install -v -m644 doc/*.5 /usr/share/man/man5 &&
install -v -m755 \
    -d /usr/share/doc/fontconfig-2.3.2/fontconfig-devel &&
install -v -m644 doc/*.{html,pdf,txt} \
    /usr/share/doc/fontconfig-2.3.2 &&
install -v -m644 doc/fontconfig-devel/* \
    /usr/share/doc/fontconfig-2.3.2/fontconfig-devel
```

Command Explanations

--disable-docs: This switch avoids building the documentation (the release tarball includes pre-generated documentation).

--without-add-fonts: This switch disables the automatic search for X Window System fonts which, if found, may confuse some applications.

--with-docdir=/usr/share/doc/fontconfig-2.3.2: Though this parameter seems counter-intuitive following the preceding parameter to the **configure** command, it is used so that if the builder removes the *--disable-docs* parameter, the documentation will be installed in a versioned directory name instead of the default `/usr/share/doc/fontconfig`.

Configuring Fontconfig

Config Files

`/etc/fonts/*` and `/etc/fonts/conf.d/*`

Configuration Information

The configuration file for Fontconfig is `/etc/fonts/fonts.conf`. Generally you do not want to edit this file. To put a new font directory in the configuration, create (or update) the `/etc/fonts/local.conf` file with your local information. The default location of fonts in Fontconfig is:

- `/usr/share/fonts`
- `~/.fonts`

More information about configuring Fontconfig can be found in the user's manual at <http://fontconfig.org/fontconfig-user.html>. There are additional configuration files shipped with Fontconfig in `/etc/fonts/conf.d` that will be enabled if their names begin with 2 numbers, e.g., `/etc/fonts/conf.d/10-autohint.conf`.



Note

X also includes an internal (and older) version of Fontconfig and unless it is explicitly disabled when building Xorg or XFree86, the internal version is created leaving two slightly incompatible libraries on your system. It is recommended that you only install one version.

Contents

Installed Programs:	fc-cache, fc-list, and fc-match
Installed Library:	libfontconfig.{so,a}
Installed Directories:	/etc/fonts, /usr/include/fontconfig and /usr/share/doc/fontconfig-2.3.2

Short Descriptions

fc-cache	is used to create font information caches.
fc-list	is used to create font lists.
fc-match	is used to match available fonts, or find fonts that match a given pattern.
libfontconfig.{so,a}	contains functions used by the Fontconfig programs and also by other programs to configure or customize font access.

Libart_lgpl-2.3.17

Introduction to Libart_lgpl

The `libart_lgpl` package contains the `libart` libraries. These are useful for high-performance 2D graphics.

Package Information

- Download (HTTP): http://ftp.gnome.org/pub/gnome/sources/libart_lgpl/2.3/libart_lgpl-2.3.17.tar.bz2
- Download (FTP): ftp://ftp.gnome.org/pub/gnome/sources/libart_lgpl/2.3/libart_lgpl-2.3.17.tar.bz2
- Download MD5 sum: `dfca42529393c8a8f59dc4dc10675a46`
- Download size: 289 KB
- Estimated disk space required: 4.7 MB
- Estimated build time: 0.1 SBU

User Notes: http://wiki.linuxfromscratch.org/blfs/wiki/libart_lgpl

Installation of Libart_lgpl

Install `libart_lgpl` by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Program:	<code>libart2-config</code>
Installed Library:	<code>libart_lgpl_2.{so,a}</code>
Installed Directory:	<code>/usr/include/libart-2.0</code>

Short Descriptions

`libart_lgpl_2.{so,a}` is used as the anti-aliased render engine for `libgnomecanvas` and as a graphics support library for many other packages.

librsvg-2.14.4

Introduction to librsvg

The librsvg package contains librsvg libraries and tools used to manipulate, convert and view Scalable Vector Graphic (SVG) images.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/librsvg/2.14/librsvg-2.14.4.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/librsvg/2.14/librsvg-2.14.4.tar.bz2>
- Download MD5 sum: 945617bb094975d7353a3852302297c1
- Download size: 415 KB
- Estimated disk space required: 12.5 MB
- Estimated build time: 0.4 SBU

librsvg Dependencies

Required

GTK+-2.8.20, libxml2-2.6.26, libart_lgpl-2.3.17, and popt-1.10.4

Recommended

libcroco-0.6.1 and libgsf-1.14.1

Optional

GNOME Virtual File System-2.14.2, libgnomeprintui-2.12.1, Mozilla, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/librsvg>

Installation of librsvg

Install librsvg by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--disable-gtk-doc`: This parameter prevents the rebuilding of documentation during the **make** command. It will also prevent the existing documentation in the source tree from being installed.

Contents

Installed Programs: rsvg, rsvg-convert and rsvg-view
Installed Libraries: libsvg-2.{so,a}, GTK+ modules and optionally a Mozilla plugin
Installed Directories: /usr/include/libsvg-2 and /usr/share/gtk-doc/html/rsvg

Short Descriptions

rsvg is used to covert SVG images into PNG, JPEG and ICO raster images.
rsvg-view is used to view an SVG file in an X window.
libsvg-2.{so,a} libraries provide the functions to render Scalable Vector Graphics.

Imlib-1.9.15

Introduction to Imlib

The Imlib package contains image libraries. These are useful for loading, rendering and dithering a wide variety of image data formats.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/imlib/1.9/imlib-1.9.15.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/imlib/1.9/imlib-1.9.15.tar.bz2>
- Download MD5 sum: 7db987e6c52e4daf70d7d0f471238eae
- Download size: 668 KB
- Estimated disk space required: 13.3 MB
- Estimated build time: 0.4 SBU

Imlib Dependencies

Required

X Window System, libjpeg-6b, LibTIFF-3.8.2, and giflib-4.1.4

Optional

GTK+-1.2.10

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/imlib>

Installation of Imlib

Install Imlib by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc/imlib &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/imlib-1.9.15 &&  
install -v -m644 doc/{index.html,*.gif} /usr/share/doc/imlib-1.9.15
```

Command Explanations

`--sysconfdir=/etc/imlib`: This installs and combines the configuration files into `/etc/imlib` instead of `/usr/etc`.

Configuring Imlib

Config Files

`/etc/Imlib/imrc`

Contents

Installed Programs: `imlib-config` and `imlib_config`

Installed Libraries: `libgdk_imlib.{so,a}`, `libimlib-*.so,a`, and `libImlib.so,a`

Installed Directories: `/etc/Imlib` and `/usr/share/doc/imlib-1.9.15`

Short Descriptions

`libimlib-*.so,a` provide the functions for programs to display and edit a wide variety of image data formats.

AAlib-1.4rc5

Introduction to AAlib

AAlib is a library to render any graphic into ASCII Art.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/aa-project/aalib-1.4rc5.tar.gz>
- Download (FTP): <ftp://ftp.ratmir.tver.ru/pub/FreeBsd/ports/distfiles/aalib-1.4rc5.tar.gz>
- Download MD5 sum: 9801095c42bba12edebd1902bcf0a990
- Download size: 388 KB
- Estimated disk space required: 6.5 MB
- Estimated build time: 0.15 SBU

AAlib Dependencies

Optional

X Window System, S-Lang-2.0.6, and GPM-1.20.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/aalib>

Installation of AAlib

Install AAlib by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	aafire, aainfo, aalib-config, aasavefont, and aatest
Installed Library:	libaa.{so,a}
Installed Directories:	None

Short Descriptions

aafire	is little toy of AAlib, rendering an animated fire in ASCII Art.
aainfo	provides information for your current settings related to AAlib.

aalib-config provides configuration info for AALib.

aatest shows the abilities of AALib in a little test.

`libaa.{so,a}` is a collection of routines to render any graphical input in portable format to ASCII Art. It can be used through many programs and has a very well documented API, so you can easily put it into your own programs.

Imlib2-1.2.2

Introduction to Imlib2

Imlib2 is a graphics library for fast file loading, saving, rendering and manipulation.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/enlightenment/imlib2-1.2.2.tar.gz>
- Download (FTP):
- Download MD5 sum: 07b2a7745ddd3c7c4480b50cb916174c
- Download size: 928 KB
- Estimated disk space required: 14.5 MB
- Estimated build time: 0.5 SBU

Imlib2 Dependencies

Required

FreeType-2.1.10, libpng-1.2.12, and libjpeg-6b

Recommended

X Window System

Optional

LibTIFF-3.8.2, giflib-4.1.4, and libid3tag

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/imlib2>

Installation of Imlib2

Install Imlib2 by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/imlib2-1.2.2 &&  
install -v -m644 doc/{*.gif,index.html} \  
    /usr/share/doc/imlib2-1.2.2
```

Command Explanations

--without-x: Add this parameter if you do not have an X Window System installed.

Contents

Installed Programs:	<code>imlib2_bumpmap</code> , <code>imlib2_colorspace</code> , <code>imlib2-config</code> , <code>imlib2_conv</code> , <code>imlib2_grab</code> , <code>imlib2_poly</code> , <code>imlib2_show</code> , <code>imlib2_test</code> , and <code>imlib2_view</code>
Installed Libraries:	<code>libImlib2.{so,a}</code> and various filters and image loader modules.
Installed Directories:	<code>/usr/lib/imlib2</code> , <code>/usr/share/doc/imlib2-1.2.2</code> , and <code>/usr/share/imlib2</code>

Short Descriptions

`libImlib2.{so,a}` provides the functions for programs to deal with various image data formats.

libexif-0.6.13

Introduction to libexif

The libexif package contains a library for parsing, editing, and saving EXIF data. Most digital cameras produce EXIF files, which are JPEG files with extra tags that contain information about the image. All EXIF tags described in EXIF standard 2.1 are supported.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libexif/libexif-0.6.13.tar.bz2>
- Download (FTP):
- Download MD5 sum: 1b1e2b495c5aa20c08725f30545a110b
- Download size: 519 KB
- Estimated disk space required: 18.1 MB
- Estimated build time: 0.3 SBU

libexif Dependencies

Optional (to Build Documentation)

Doxygen-1.4.6 and Graphviz-2.8

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libexif>

Installation of libexif

Install libexif by running the following commands:

```
sed -i 's/^install-data-local/@HAVE_DOXYGEN_TRUE@&/' \
      doc/Makefile.in &&
./configure --prefix=/usr \
            --with-doc-dir=/usr/share/doc/libexif-0.6.13 &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Documentation was built and installed if you have the dependencies shown above installed. If you don't have the dependencies installed, there is a compressed tarball in the source tree `doc` directory that can be unpacked into `/usr/share/doc/libexif-0.6.13`.

Command Explanations

sed -i ... doc/Makefile.in: Installation of libexif will fail if Doxygen is not present on the system due to a packaging bug. The command does not affect the situation where Doxygen is installed.

Contents

Installed Programs: None
Installed Library: libexif.{so,a}
Installed Directory: /usr/include/libexif and /usr/share/doc/libexif-0.6.13

Short Descriptions

`libexif.{so,a}` contains functions used for parsing, editing, and saving EXIF data.

FriBidi-0.10.7

Introduction to FriBidi

The FriBidi package is an implementation of the Unicode Bidirectional Algorithm (bidi). This is useful for supporting Arabic and Hebrew alphabets in other packages.

Package Information

- Download (HTTP): <http://fribidi.org/download/fribidi-0.10.7.tar.gz>
- Download (FTP):
- Download MD5 sum: 0f602ed32869dbc551dc6bc83d8a3d28
- Download size: 593 KB
- Estimated disk space required: 5.1 MB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/fribidi>

Installation of FriBidi

Install FriBidi by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	fribidi and fribidi-config
Installed Library:	libfribidi.{so,a}
Installed Directory:	/usr/include/fribidi

Short Descriptions

fribidi	is a command-line interface to the libfribidi library and can be used to convert a logical string to visual output.
fribidi-config	is used to acquire information about the installed libfribidi library.
libfribidi.{so,a}	contains functions used to implement the Unicode Bidirectional Algorithm.

Poppler-0.4.5

Introduction to Poppler

The Poppler package contains a PDF rendering library. This is useful for providing PDF rendering functionality as a shared library.

Package Information

- Download (HTTP): <http://poppler.freedesktop.org/poppler-0.4.5.tar.gz>
- Download (FTP):
- Download MD5 sum: 2bb1c75aa3f9c42f0ba48b5492e6d32c
- Download size: 783 KB
- Estimated disk space required: 35.3 MB
- Estimated build time: 0.9 SBU

Poppler Dependencies

Optional

pkg-config-0.20, libjpeg-6b, Fontconfig-2.3.2, cairo-1.2.4, GTK+-2.8.20, Qt-3.3.7, and Qt-4.x.x

If you're installing Poppler to support kdegaphics-3.5.6, you will need to have Qt-3.3.7 installed so that the `libpoppler-qt` library is built.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/poppler>

Installation of Poppler



Note

If you are installing a version of Poppler ≥ 5.1 to support an installation of Evince-0.5.3, note that command-line utilities and man pages are installed which will overwrite these same files installed by the Xpdf package. If you'd prefer to keep the Xpdf versions of these files, use the `--bindir=` and `--mandir=` parameters passed to the **configure** script to install these files to a safe location (e.g., `$HOME` or `/tmp`). An alternative method to not overwrite the command-line utilities is to use the `--disable-utils` parameter.

Install Poppler by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc \
    --enable-opi \
    --enable-zlib \
    --disable-splash-output \
    --disable-cairo-output \
    --disable-poppler-glib --disable-gtk-test &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
install -v -m644 -D README /usr/share/doc/poppler-0.4.5/README
```

Command Explanations

`--enable-opi`: This parameter forces the build to include support for OPI comments.

`--enable-zlib`: This parameter forces the build to link with the system-installed `libz` library to enable compressed PDF functionality.

`--disable-splash-output`: This parameter disables building the Splash graphics backend. Remove this parameter if you have Fontconfig installed.

`--disable-cairo-output`: This parameter disables building the cairo graphics backend. Remove this parameter if you have cairo installed.

`--disable-poppler-glib` and `--disable-gtk-test`: These parameters disable building the GLib wrapper and GTK+ test program. Remove these parameters if you have GTK+2 installed. Note that if you plan on building Evince-0.5.3, you must build the GLib wrapper.

Configuring Poppler

Config Files

`/etc/xpdfrc`

Contents

Installed Programs:	None
Installed Libraries:	<code>libpoppler.{so,a}</code> , <code>libpoppler-glib.{so,a}</code> , <code>libpoppler-qt.{so,a}</code> and <code>libpoppler-qt4.{so,a}</code>
Installed Directories:	<code>/usr/include/poppler</code> and <code>/usr/share/doc/poppler-0.4.5</code>

Short Descriptions

<code>libpoppler.{so,a}</code>	contains the API functions to render PDF files.
<code>libpoppler-glib.{so,a}</code>	is a wrapper library used to interface the PDF rendering functions with GTK+.
<code>libpoppler-qt.{so,a}</code>	is a wrapper library used to interface the PDF rendering functions with Qt.
<code>libpoppler-qt4.{so,a}</code>	is a wrapper library used to interface the PDF rendering functions with Qt-4.

Chapter 10. General Utilities

This chapter contains various utilities that do not fit conveniently into other chapters. Programs include a command line calculator, several utilities for manipulating text and graphics, and a program to interface with a palm-pilot.

Bc-1.06

Introduction to Bc

The bc package contains an arbitrary precision numeric processing language.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/bc/bc-1.06.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/bc/bc-1.06.tar.gz>
- Download MD5 sum: d44b5dddebd8a7a7309aea6c36fda117
- Download size: 273 KB
- Estimated disk space required: 2.36 MB
- Estimated build time: less than 0.1 SBU (0.2 SBU if running the testsuite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bc>

Installation of Bc

Install bc by running the following commands:

```
sed -i '/PROTO.*readline/d' bc/scan.l &&
sed -i '/flex -I8/s/8//' configure &&
sed -i '/stdlib/a #include <string.h>' lib/number.c &&
sed -i 's/program.*save/static &/' bc/load.c &&
./configure --prefix=/usr --with-readline &&
make
```

To test bc, run the commands below. There is quite a bit of output, so you may want to redirect it to a file. There are a very small percentage of tests (10 of 12,144) that will indicate a roundoff error at the last digit.

```
echo "quit" | ./bc/bc -l Test/checklib.b
```

Now, as the root user:

```
make install
```

Command Explanations

sed -i '/PROTO.*readline/d' bc/scan.l: This command fixes the Readline library call.

sed -i '/flex -I8/s/8//' configure: This command fixes the Flex invocation.

sed -i '/stdlib/a #include <string.h>' lib/number.c: This command inserts a missing header.

sed -i 's/program.*save/static &/' bc/load.c: This command fixes a segfault when running bc with **bc -l**.
--with-readline: This option enables Readline support in interactive mode.

Contents

Installed Programs: bc and dc
Installed Libraries: None
Installed Directories: None

Short Descriptions

bc is a calculator.

dc is a reverse-polish calculator.

Rep-gtk-0.18

Introduction to Rep-gtk

The rep-gtk package contains a Lisp and GTK binding. This is useful for extending GTK-2 and GDK libraries with Lisp. Starting at rep-gtk-0.15, the package contains the bindings to GTK and uses the same instructions. Both can be installed, if needed.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/rep-gtk/rep-gtk-0.18.tar.gz>
- Download (FTP):
- Download MD5 sum: 220b0d728656472c068e40823f0a3b22
- Download size: 152 KB
- Estimated disk space required: 7.7 MB
- Estimated build time: 0.18 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/rep-gtk-0.18-gtk2.4-1.patch>

Rep-gtk Dependencies

Required

libglade-2.6.0 and librep-0.17

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/rep-gtk>

Installation of Rep-gtk

Install rep-gtk by running the following commands:

```
patch -Np1 -i ../rep-gtk-0.18-gtk2.4-1.patch &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	Lisp bindings
Installed Directory:	/usr/lib/rep/i686-pc-linux-gnu/gui/

Short Descriptions

Lisp bindings are libraries stored in `/usr/lib/rep/i686-pc-linux-gnu/gui/` that assist communication between Lisp and the GTK libraries.

Compface-1.4

Introduction to Compface

Compface provides utilities and a library to convert from/to X-Face format, a 48x48 bitmap format used to carry thumbnails of email authors in a mail header.

Package Information

- Download (HTTP): <http://www.ibiblio.org/pub/Linux/apps/graphics/convert/compface-1.4.tar.gz>
- Download (FTP):
- Download MD5 sum: c45b54f67cc5d3580a18e4113219bc26
- Download size: 28 KB
- Estimated disk space required: 520 KB
- Estimated build time: 0.01 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/compface-1.4-errno-2.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/compface>

Installation of Compface

Install Compface by running the following commands:

```
patch -Np1 -i ../compface-1.4-errno-2.patch &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	compface and uncomface
Installed Library:	libcompface.{so,a}
Installed Directories:	None

Short Descriptions

compface	is a filter for generating highly compressed representations of 48x48x1 face image files.
-----------------	-------------------------------------------------------------------------------------------

uncompface is an inverse filter which performs an inverse transformation with no loss of data.

`libcompface.{so,a}` allows the compression and decompression algorithms to be used in other programs such as MTAs.

ImageMagick-6.2.8-0

Introduction to ImageMagick

ImageMagick is a collection of tools and libraries to read, write, and manipulate an image in various image formats. Image processing operations are available from the command line. Bindings to various programming languages are also available.

Package Information

- Download (HTTP): <http://www.imagemagick.org/download/ImageMagick-6.2.8-0.tar.bz2>
- Download (FTP): <ftp://ftp.imagemagick.net/pub/ImageMagick/ImageMagick-6.2.8-0.tar.bz2>
- Download MD5 sum: 484cd7b62fac2164e8257449405f2563
- Download size: 5.2 MB
- Estimated disk space required: 174 MB (additional 68 MB if you run the Image::Magick demo)
- Estimated build time: 3.4 SBU (Additional 1.1 SBU to run the test suite)

The ImageMagick source releases are updated frequently and the version shown above may no longer be available from the download locations. You can download a more recent version and use the existing BLFS instructions to install it. Chances are that it will work just fine, but this has not been tested by the BLFS team. If the package version shown above is not available from the locations shown above, you can download it from the [BLFS package server](http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/i/ImageMagick-6.2.8-0.tar.bz2) at <http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/i/ImageMagick-6.2.8-0.tar.bz2>.

ImageMagick Dependencies

Recommended

X Window System

The optional dependencies listed below should be installed if you need support for the specific format or the conversion tool the dependency provides. Many of the dependencies' capabilities and uses are described in the "MAGICK DELEGATES" section of the `README.txt` file located in the source tree. Additional information about the dependencies can be found in the `Install-unix.txt` file located in the source tree as well as issuing the `./configure --help` command. A summary of this information, as well as some additional notes can be viewed on-line at <http://www.imagemagick.org/script/advanced-unix-installation.php>.

Optional System Utilities

pkg-config-0.20, CUPS-1.2.7 or LPRng-3.8.28 (or any other print utility that provides an **lpr** command), dcraw, Dmalloc, Electric Fence, PGP or GnuPG-1.4.3 (you'll have to do some hacking to use GnuPG), SANE-1.0.17, and Wget-1.10.2

Optional Graphics Libraries

corefonts, FlashPIX (or FlashPIX library), FreeType-2.1.10, Jasper, JBIG-KIT, little cms-1.15, libexif-0.6.13, libjpeg-6b, libpng-1.2.12, librsvg-2.14.4, LibTIFF-3.8.2, libxml2-2.6.26, and RALCGM (or RALCGM-3.50)

Optional Graphics Utilities

ESP Ghostscript-8.15.2 or AFPL Ghostscript-8.53, GhostPCL, GIMP-2.2.12, Gnuplot, Graphviz-2.8 (requires a

>2.8 development snapshot), POV-Ray, and Radiance

Optional Conversion Tools

AutoTrace, Enscript-1.6.4, hp2xx, html2ps, libwmf, MPEG-2 Video Codec, Netpbm, teTeX-3.0, Transfig, txt2html (requires Module::Build-0.2801 and Perl Module Getopt::ArgvFile), and Utah Raster Toolkit (or URT-3.1b)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/imagemagick>

Installation of ImageMagick

Install Imagemagick by running the following commands:

```
sed -i "s/\xc3\xa9/\\['e']/" utilities/ImageMagick.1 &&
./configure --prefix=/usr --with-modules &&
make
```

To test the results, issue: **make check**. Note that some of the tests may fail due to system and/or build parameter settings. In a recent test build performed on a current LFS SVN (20060508) platform with all the delegate dependencies installed, 11 of the 714 tests failed.

Now, as the `root` user:

```
make install
```

Command Explanations

sed -i "s/\xc3\xa9/\\['e']/" utilities/ImageMagick.1: One man page is installed with character encoding not displayable using the Man-db package. This command changes the offending bytes to characters **man** can properly display.

--with-modules: Enables support for dynamically loadable modules.

--with-gslib=/usr/lib: Enables support to use the Ghostscript shared library.

--with-fpx: Enables support to use the FlashPix library.

--with-windows-font-dir=<Some/Directory>: This option specifies the directory where the Windows CoreFonts are installed.

The options and parameters listed above are the only ones you should have to pass to the **configure** script to activate all the delegate dependencies. All other dependencies will be automatically detected and utilized in the build if they are installed.

Contents

Installed Programs:	animate, compare, composite, conjure, convert, display, identify, import, Magick-config, Magick++-config, mogrify, montage, and Wand-config
Installed Libraries:	libMagick.{so,a}, libMagick++.{so,a}, libWand.{so,a}, the Magick.so Perl module, and numerous plugin modules
Installed Directories:	/usr/include/Magick++, /usr/include/magick, /usr/include/wand,

/usr/lib/ImageMagick-6.2.8,
 /usr/lib/perl5/site_perl/5.8.8/i686-linux/auto/Image/Magick,
 /usr/share/ImageMagick-6.2.8 and /usr/share/doc/ImageMagick-6.2.8

Short Descriptions

animate	animates a sequence of images.
compare	compares an image to a reconstructed image.
composite	composites various images into the given base image.
conjure	processes a MSL script to create an image.
convert	converts image(s) from one format to another.
display	displays an image.
identify	describes the format and characteristics of an image file.
import	captures an X window.
Magick-config and Magick++-config	show information about the installed versions of ImageMagick and Magick++.
mogrify	transforms an image.
montage	composites various images into a new image.
Wand-config	shows the options required to use the Wand library.
Image::Magick	allows the reading, manipulation and writing of a large number of image file formats using the ImageMagick library. Run make in the <code>PerlMagick/demo</code> directory of the package source tree after the package is installed to see a nice demo of the module's capabilities.

Hd2u-1.0.0

Introduction to Hd2u

The hd2u package contains an any to any text format converter.

Package Information

- Download (HTTP): http://www.megaloman.com/~hany/_data/hd2u/hd2u-1.0.0.tgz
- Download (FTP):
- Download MD5 sum: 21249099fbb04b98e30e35d6a89061dd
- Download size: 54 KB
- Estimated disk space required: 312 KB
- Estimated build time: 0.1 SBU

Hd2u Dependencies

Required

popt-1.10.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/hd2u>

Installation of Hd2u

Install hd2u by running the following commands:

```
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Program:	dos2unix
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

dos2unix converts text between various OS formats (such as converting from DOS format to Unix).

GTK-Doc-1.6

Introduction to GTK-Doc

The GTK-Doc package contains a code documentor. This is useful for extracting specially formatted comments from the code to create API documentation. This package is *optional*; if it is not installed, packages will not build the documentation. This does not mean that you will not have any documentation. If GTK-Doc is not available, the install process will copy any pre-built documentation to your system.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtk-doc/1.6/gtk-doc-1.6.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gtk-doc/1.6/gtk-doc-1.6.tar.bz2>
- Download MD5 sum: 09c7a89efff2e0bbaba02a12bff58dfd
- Download size: 177 KB
- Estimated disk space required: 2.0 MB
- Estimated build time: less than 0.1 SBU

GTK-Doc Dependencies

Required

libxslt-1.1.17, DocBook XML DTD-4.4, and DocBook XSL Stylesheets-1.69.1

Optional

pkg-config-0.20, ScrollKeeper-0.3.14, OpenJade-1.3.2, DocBook SGML DTD-4.4, and DocBook DSSSL Stylesheets-1.79

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtk-doc>

Installation of GTK-Doc

Install GTK-Doc by running the following commands:

```
./configure --prefix=/usr --localstatedir=/var/lib &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Programs:	gtkdocize, gtkdoc-fixxref, gtkdoc-mkdb, gtkdoc-mkhtml, gtkdoc-mkman, gtkdoc-mktmpl, gtkdoc-scan, gtkdoc-scangobj, and gtkdoc-scanobj
Installed Libraries:	None
Installed Directories:	The following subdirectories of /usr/share/: doc/gtk-doc-1.6, gnome/help/gtk-doc-manual, gtk-doc/data and {omf,sgml}/gtk-doc

Short Descriptions

gtkdoc* these are all Perl scripts used by package Makefile scripts to generate documentation for the package being built.

ScrollKeeper-0.3.14

Introduction to ScrollKeeper

The ScrollKeeper package contains a cataloging system for documentation. This is useful for managing documentation metadata and providing an API to help browsers find, sort and search the document catalog.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/scrollkeeper/0.3/scrollkeeper-0.3.14.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/scrollkeeper/0.3/scrollkeeper-0.3.14.tar.bz2>
- Download MD5 sum: b175e582a6cec3e50a9de73a5bb7455a
- Download size: 546 KB
- Estimated disk space required: 12 MB
- Estimated build time: 0.1 SBU

ScrollKeeper Dependencies

Required

libxslt-1.1.17, DocBook XML DTD-4.4, and XML::Parser-2.34

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/scrollkeeper>

Installation of ScrollKeeper

Install ScrollKeeper by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --localstatedir=/var \
            --disable-static \
            --with-omfdirs=/usr/share/omf:/opt/gnome-1.4/share/omf:\
/opt/kde-3.5.6/share/omf:\
/opt/gnome-2.14.3/share/omf &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--sysconfdir=/etc`: This switch puts the configuration files in `/etc` instead of `/usr/etc`.

`--localstatedir=/var`: This switch puts ScrollKeeper's database directory in `/var/lib/scrollkeeper`.

`--disable-static`: This switch prevents the static library from being built.

`--with-omfdirs=...`: This switch defines the locations of OMF files for ScrollKeeper. Change the locations if you have KDE and/or GNOME-2 installed in a prefix other than the ones shown. This information is stored in `/etc/scrollkeeper.conf` and can be updated manually, if necessary.

Configuring ScrollKeeper

Config Files

`/etc/scrollkeeper.conf`

Configuration Information

The configuration file sets the `OMF_DIR` variable to the location of all of the `omf` directories in the system. This was set in the **configure** command so no further action is needed until another OMF directory is created.

Contents

Installed Programs:	<code>scrollkeeper-config</code> , <code>scrollkeeper-extract</code> , <code>scrollkeeper-gen-seriesid</code> , <code>scrollkeeper-get-cl</code> , <code>scrollkeeper-get-content-list</code> , <code>scrollkeeper-get-extended-content-list</code> , <code>scrollkeeper-get-index-from-docpath</code> , <code>scrollkeeper-get-toc-from-docpath</code> , <code>scrollkeeper-get-toc-from-id</code> , <code>scrollkeeper-install</code> , <code>scrollkeeper-preinstall</code> , <code>scrollkeeper-rebuilddb</code> , <code>scrollkeeper-uninstall</code> , and <code>scrollkeeper-update</code>
Installed Library:	<code>libscrollkeeper.so</code>
Installed Directories:	<code>/usr/share/doc/scrollkeeper-0.3.14</code> , <code>/usr/share/{omf, {,xml/}scrollkeeper}</code> , and <code>/var/lib/scrollkeeper</code>

Short Descriptions

ScrollKeeper utility programs	The ScrollKeeper utility programs and scripts listed above are for performing installation, building, getting and updating table of contents files.
<code>libscrollkeeper.so</code>	provides the API necessary for help browsers to interact with documentation written to utilize ScrollKeeper.

Intltool-0.34.2

Introduction to Intltool

The intltool package contains an internationalization tool. This is useful for extracting translatable strings from source files, collecting the extracted strings with messages from traditional source files (<source directory>/<package>/po) and merging the translations into .xml, .desktop and .oaf files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/intltool/0.34/intltool-0.34.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/intltool/0.34/intltool-0.34.2.tar.bz2>
- Download MD5 sum: 83914f744d927579cc47c52f8b08bf60
- Download size: 132 KB
- Estimated disk space required: 1.6 MB
- Estimated build time: less than 0.1 SBU

Intltool Dependencies

Required

XML::Parser-2.34

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/intltool>

Installation of Intltool

Install intltool by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&  
install -v -m644 -D doc/I18N-HOWTO \  
/usr/share/doc/intltool-0.34.2/I18N-HOWTO
```

Contents

Installed Programs:	intltoolize, intltool-extract, intltool-merge, intltool-prepare, and intltool-update
Installed Libraries:	None
Installed Directories:	/usr/share/intltool and /usr/share/doc/intltool-0.34.2

Short Descriptions

intltoolize	prepares a package to use intltool.
intltool-extract	generates header files that can be read by gettext .
intltool-merge	merges translated strings into various file types.
intltool-prepare	updates pot files and merges them with translation files.
intltool-update	updates the po template files and merges them with the translations.

Screen-4.0.3

Introduction to Screen

Screen is a terminal multiplexor that runs several separate processes, typically interactive shells, on a single physical character-based terminal. Each virtual terminal emulates a DEC VT100 plus several ANSI X3.64 and ISO 2022 functions and also provides configurable input and output translation, serial port support, configurable logging, multi-user support, and many character encodings, including UTF-8. Screen sessions can be detached and resumed later on a different terminal.

Package Information

- Download (HTTP): <http://ftp.uni-erlangen.de/pub/utilities/screen/screen-4.0.3.tar.gz>
- Download (FTP): <ftp://ftp.uni-erlangen.de/pub/utilities/screen/screen-4.0.3.tar.gz>
- Download MD5 sum: 8506fd205028a96c741e4037de6e3c42
- Download size: 821 KB
- Estimated disk space required: 5.8 MB
- Estimated build time: 0.2 SBU

Screen Dependencies

Optional

Linux-PAM-0.99.4.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/screen>

Installation of Screen

Install Screen by running the following commands:

```
./configure --prefix=/usr --with-socket-dir=/var/run/screen \
--with-sys-screenrc=/etc/screenrc &&
sed -i -e "s%/usr/local/etc/screenrc%/etc/screenrc%" {etc,doc}/* &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -m 644 etc/etcscreenrc /etc/screenrc
```

Command Explanations

`--with-socket-dir=/var/run/screen`: This option places the per-user sockets in a standard location.

`--with-sys-screenrc=/etc/screenrc`: This option places the global screenrc file in /etc.

`sed -i -e "s%/usr/local/etc/screenrc%/etc/screenrc%" {etc,doc}/*`: This command corrects the configuration and documentation files to the location that is used here for the global screenrc file.

Configuring Screen

Config Files

`/etc/screenrc` and `~/.screenrc`

Configuration Information

You may want to look at the example configuration file that was installed and customize it for your needs.

Contents

Installed Program:	screen
Installed Libraries:	None
Installed Directory:	/var/run/screen

Short Descriptions

screen is a terminal multiplexor with VT100/ANSI terminal emulation.

HTML Tidy-051026

Introduction to HTML Tidy

The HTML Tidy package contains a command line tool and libraries used to read HTML, XHTML and XML files and write cleaned up markup. It detects and corrects many common coding errors and strives to produce visually equivalent markup that is both W3C compliant and compatible with most browsers.

Package Information

- Download (HTTP): http://tidy.sourceforge.net/src/old/tidy_src_051026.tgz
- Download (FTP): ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/tidy_src_051026.tgz
- Download MD5 sum: 1e39fafd6808978871346658c8da1454
- Download size: 256 KB
- Estimated disk space required: 10.3 MB
- Estimated build time: 0.2 SBU

Additional Downloads

Documentation

- Documentation: http://tidy.sourceforge.net/docs/tidy_docs_051020.tgz
- Download MD5 sum: 86de2f198e57399c063d2567b2a25628
- Download size: 150 KB

Patches

- Required patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/tidy-051026-prevent_PRE_newlines-1.patch

HTML Tidy Dependencies

Recommended (To Build the Man Page and Quick Reference Docs)

libxslt-1.1.17

Optional

Dmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tidy>

Installation of HTML Tidy

The HTML Tidy documentation is contained in a separate tarball. Unpack both the source and docs tarballs before starting the build.

Install HTML Tidy by running the following commands:

```
patch -Np1 -i ../tidy-051026-prevent_PRE_newlines-1.patch &&
```

```
sh build/gnuauto/setup.sh &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you have `libxslt-1.1.17` installed, issue the following commands as an unprivileged user to build the man page and HTML documentation:

```
cd htmldoc &&
tidy -xml-help > tidy-help.xml &&
tidy -xml-config > tidy-config.xml &&
xsltproc -o tidy.1 tidy1.xsl tidy-help.xml &&
xsltproc -o quickref.html quickref-html.xsl tidy-config.xml &&
cd ..
```

If you built the man page and the Quick Reference HTML file, install the man page by issuing the following command as the `root` user:

```
install -v -m644 htmldoc/tidy.1 /usr/share/man/man1
```

Now finish the installation by installing the pre-built documentation as the `root` user:

```
install -v -m755 -d /usr/share/doc/tidy-051020 &&
cp -v -R htmldoc/* /usr/share/doc/tidy-051020
```

Command Explanations

sh build/gnuauto/setup.sh: This command prepares the source tree for building using the GNU “Auto” tools.

Configuring HTML Tidy

Config Files

The absolute path of the file specified in `$HTML_TIDY`.

Configuration Information

The default configuration options can be set in the file defined in `$HTML_TIDY`. Additional configuration options can be passed to **tidy** via command line parameters or the `-config <file>` parameter.

Contents

Installed Programs:	tab2space and tidy
Installed Library:	libtidy.{so,a}
Installed Directory:	/usr/share/doc/tidy-051020

Short Descriptions

tab2space	is a utility to expand tabs and ensure consistent line endings.
tidy	validates, corrects, and pretty-prints HTML files.
<code>libtidy.{so,a}</code>	libraries provide the HTML Tidy API functions to tidy and can also be called by other programs.

desktop-file-utils-0.11

Introduction to desktop-file-utils

The desktop-file-utils package contains command line utilities for working with desktop entries. These utilities are used by GNOME-2 and other applications to manipulate the MIME-types application databases and help adhere to the Desktop Entry Specification.

Package Information

- Download (HTTP): <http://freedesktop.org/software/desktop-file-utils/releases/desktop-file-utils-0.11.tar.gz>
- Download (FTP):
- Download MD5 sum: b27a1890979caaca8e72ffe22af6e389
- Download size: 340 KB
- Estimated disk space required: 2.5 MB
- Estimated build time: less than 0.1 SBU

desktop-file-utils Dependencies

Required

GLib-2.10.3

Optional

Emacs-21.4a

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/desktop-file-utils>

Installation of desktop-file-utils

Install desktop-file-utils by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Configuring desktop-file-utils

Configuration Information

The XDG Base Directory specification defines the standard locations for applications to place data and configuration files. These files can be used, for instance, to define the menu structure and menu items in a desktop environment.

The default location for configuration files to be installed is `/etc/xdg`, and the default locations for data files

are `/usr/local/share` and `/usr/share`. These locations can be extended with the environment variables `XDG_CONFIG_DIRS` and `XDG_DATA_DIRS`, respectively. The GNOME, KDE and XFCE environments respect these settings. Update the `XDG_DATA_DIRS` (if necessary) and `XDG_CONFIG_DIRS` environment variables so that the additional MIME-types application databases and desktop menu files are properly maintained and discovered by adding the following to the system-wide or personal profile:

For GNOME:

```
XDG_DATA_DIRS=$GNOME_PREFIX/share:/usr/local/share:/usr/share
XDG_CONFIG_DIRS=/etc/gnome/2.14.3/xdg:/etc/xdg
export XDG_DATA_DIRS XDG_CONFIG_DIRS
```

For KDE:

```
XDG_DATA_DIRS=$KDE_PREFIX/share:/usr/local/share:/usr/share
XDG_CONFIG_DIRS=/etc/kde/xdg:/etc/xdg
export XDG_DATA_DIRS XDG_CONFIG_DIRS
```

For XFCE, the default locations should be appropriate if the instructions in the BLFS book were followed.

When a package installs a `.desktop` file to a location in one the base data directories, a database mapping MIME-types to available applications can be updated. For instance, the cache file at `/usr/share/applications/mimeinfo.cache` can be rebuilt by executing the following command as the root user:

```
update-desktop-database /usr/share/applications
```

Contents

Installed Programs:	desktop-file-install, desktop-file-validate, and update-desktop-database
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

desktop-file-install	is used to install a new, or modify an existing desktop file entry. It is also used to rebuild or modify the MIME-types application database.
desktop-file-validate	is used to verify the integrity of a desktop file.
update-desktop-database	is used to update the MIME-types application database.

XScreenSaver-4.24

Introduction to XScreenSaver

The XScreenSaver is a modular screen saver and locker for the X Window System. It is highly customizable and allows the use of any program that can draw on the root window as a display mode. The purpose of XScreenSaver is to display pretty pictures on your screen when it is not in use, in keeping with the philosophy that unattended monitors should always be doing something interesting, just like they do in the movies. However, XScreenSaver can also be used as a screen locker, to prevent others from using your terminal while you are away.

Package Information

- Download (HTTP): <http://www.jwz.org/xscreensaver/xscreensaver-4.24.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xscreensaver-4.24.tar.gz>
- Download MD5 sum: 174b6a7cebd892c1a6c2d56bf5ac5af6
- Download size: 4.9 MB
- Estimated disk space required: 113.6 MB
- Estimated build time: 1.1 SBU

XScreenSaver Dependencies

Required

bc-1.06 and libglade-2.6.0 (alternatively LessTif-0.94.4 but not recommended)

Optional

libjpeg-6b, GLE, Netpbm, XDaliClock, Linux-PAM-0.99.4.0, MIT Kerberos V5-1.6 (built with Kerberos V4 backwards compatibility), and krb4 and Heimdal-0.7.2 (Kerberos authentication requires having Kerberos V4 and V5 on the system)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xscreensaver>

Installation of XScreenSaver

Install XScreenSaver by running the following commands:

```
sed -i 's,\xc3\xb6,oe,' hacks/flow.man &&
./configure --prefix=/usr --libexecdir=/usr/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

sed -i 's,\xc3\xb6,' hacks/flow.man: This command replaces the UTF-8 encoded character “ö” with its ASCII equivalent “oe” in one of the installed manual pages. Without this, Man-DB would interpret these two bytes as ISO-8859-1, resulting in the wrong “Ã¶” characters.

`--with-setuid-hacks`: This switch allows some demos to be installed setuid root which is needed in order to ping other hosts.

--enable-locking: This switch provides support for locking the display.

Configuring XScreenSaver

Config Files

```
/etc/X11/app-defaults/XScreenSaver,          ~/.xscreensaver          and
/etc/pam.d/xscreensaver or /etc/pam.conf
```

Contents

Installed Programs: xscreensaver, xscreensaver-command, xscreensaver-demo, xscreensaver-getimage, xscreensaver-getimage-file, xscreensaver-getimage-video, xscreensaver-gl-helper, and xscreensaver-text

Installed Libraries: None

Installed Directories: /usr/lib/xscreensaver and /usr/share/xscreensaver

Short Descriptions

xscreensaver	is a screen saver and locker daemon.
xscreensaver-command	controls a running xscreensaver process by sending it client messages.
xscreensaver-demo	is a graphical front-end for setting the parameters used by the background xscreensaver daemon.
xscreensaver-getimage	is a helper program for the xscreensaver modules that manipulate images.
xscreensaver-getimage-file	is a helper program for the xscreensaver modules that manipulate images.
xscreensaver-getimage-video	is a helper program for the xscreensaver modules that manipulate images.
xscreensaver-gl-helper	is a helper program for the xscreensaver OpenGL modules.
xscreensaver-text	prints some text to stdout, for use by screen savers.

Pilot-link-0.11.8

Introduction to Pilot-link

The pilot-link package provides a suite of tools containing a series of conduits, libraries, and language bindings for moving information to and from your Palm device and your desktop or server/workstation system, as well as across a network.

Package Information

- Download (HTTP): <http://www.pilot-link.org/files/pilot-link-0.11.8.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/pilot-link-0.11.8.tar.bz2>
- Download MD5 sum: 586f84add601e8b86da3093ab784e997
- Download size: 649 KB
- Estimated disk space required: 15 MB
- Estimated build time: 0.5 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/pilot-link-0.11.8-bindings_fix-1.patch

Pilot-link Dependencies

Optional

libpng-1.2.12, JDK-1.5.0_10, Tcl-8.4.13, Python-2.4.4 and Electric Fence

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pilot-link>

Kernel Configuration

You may need to configure the “USB_SERIAL_VISOR” device into the kernel before your system can communicate with your Palm device. Add this device by enabling the following kernel parameter setting and rebuilding the kernel (and modules, if applicable):

```
Device Drivers:
  USB support:
    USB Serial Converter support:
      USB Handspring Visor / Palm m50x / Sony Client Driver
```

Installation of Pilot-link

Install pilot-link by running the following commands:

```
patch -Np1 -i ../pilot-link-0.11.8-bindings_fix-1.patch &&
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--with-perl` `--with-java` `--with-tcl=/usr/lib` `--with-python`: Use any or all of these options to enable the respective language bindings desired.

Contents

Installed Programs:	addresses, ccexample, debugsh, dlpsh, hinotes, ietf2datebook, install-datebook, install-expenses, install-hinote, install-memo, install-netsync, install-todo, install-todos, install-user, memos, money2qif, pi-csd, pi-getram, pi-getrom, pi-getromtoken, pi-nredir, pilot-addresses, pilot-archive, pilot-clip, pilot-datebook, pilot-dedupe, pilot-file, pilot-foto, pilot-prc, pilot-schlep, pilot-undelete, pilot-xfer, pitclsh, read-expenses, read-ical, read-notepad, read-palmpix, read-todos, reminders, and sync-plan
Installed Libraries:	libpsock.{so,a}, libpsock++.{so,a}, and libpissync.{so,a}
Installed Bindings:	libjpsock.so JDK library, libpitcl.{so,a} Tcl library, Python and Perl modules
Installed Directory:	/usr/lib/perl5/site_perl/5.8.8/i686-linux/{,auto/}PDA, /usr/share/pilot-link

Short Descriptions

pilot-link programs and utilities

Describing the functionality of each pilot-link program and utility would take several pages. Instead, after you've installed the package, review the pilot-link man page (**man pilot-link**). If you wish to review before installing the package, unpack the tarball and issue **man doc/man/pilot-link.7.in**.

unixODBC-2.2.11

Introduction to unixODBC

The unixODBC package is an Open Source ODBC (Open DataBase Connectivity) sub-system and an ODBC SDK for Linux, Mac OSX, and UNIX. ODBC is an open specification for providing application developers with a predictable API with which to access data sources. Data sources include SQL Servers and any data source with an ODBC Driver. unixODBC contains the following components used to assist with the manipulation of ODBC data sources: a driver manager, an installer library and command line tool, command line tools to help install a driver and work with SQL, drivers and driver setup libraries and a suite of graphical tools used to administer ODBC, test drivers and browse data sources.

Package Information

- Download (HTTP): <http://www.unixodbc.org/unixODBC-2.2.11.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/unixODBC-2.2.11.tar.gz>
- Download MD5 sum: 9ae806396844e38244cf65ad26ba0f23
- Download size: 2.4 MB
- Estimated disk space required: 82.5 MB
- Estimated build time: 3.4 SBU (includes building the GUI tools)

unixODBC Dependencies

Optional

Qt-3.3.7 (required to build the GUI tools), GNU Pth and Mini SQL



Note

There is a circular dependency with Qt and unixODBC. If you need to build the Qt unixODBC plugin module, you will have to build and install unixODBC once without the GUI tools to satisfy the Qt build. Then, after Qt has been installed, you'll need to build and install unixODBC again if you wish to build the GUI tools.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/unixodbc>

Installation of unixODBC

Install unixODBC by running the following commands:

```
sed -i "s/void yyerror/#define YY_FLUSH_BUFFER\n\n/" sqp/lex.l &&
./configure --prefix=/usr --sysconfdir=/etc/unixodbc \
            --enable-ltdllib --enable-fdb --disable-gui &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
```

```
find doc -name "Makefile*" -exec rm {} \; &&
chmod 644 doc/{1st,ProgrammerManual/Tutorial}/* &&
install -v -m755 -d /usr/share/doc/unixODBC-2.2.11 &&
cp -v -R doc/* /usr/share/doc/unixODBC-2.2.11
```

Command Explanations

sed -i "..." *sqp/lex.l*: This fixes a build issue if using a compiler version greater than GCC-3.x.x.

--enable-ltdllib: This parameter causes the build to use the system-installed version of Libtool.

--enable-fdb: This parameter enables support for file-based data access.

--disable-gui: This parameter disables building the GUI tools. Remove it if you have Qt installed and wish to build the GUI tools.

Configuring unixODBC

Config Files

/etc/unixodbc/*

Configuration Information

The files in /etc/unixodbc are meant to be configured by the system administrator (or the ODBC site administrator if appropriate privileges are granted to /etc/unixodbc). These files are not meant to be directly edited. The ODBC installer library is responsible for reading and writing the unixODBC config files.

Unfortunately, there are no **man** or **info** pages for the various programs available in the unixODBC package. Along with the information in the “Short Descriptions” below and the documentation installed in /usr/share/doc/unixODBC-2.2.11, there are many README files throughout the source tree where the use and functionality of the programs can be found. Additionally, you can use the parameter **-?** with the non-GUI tools for syntax and usage information. Lastly, the unixODBC web site at <http://www.unixodbc.org/> has very good information.

Contents

Installed Programs:	DataManager, DataManagerII, ODBCConfig, dltest, isql, iusql, odbc_config, odbcinst and odbctest
Installed Libraries:	libboundparam.so, libsoobS.so, libgtrtst.so, libmimerS.so, libnn.so, libodbc.so, libodbccr.so, libodbcdrvfcg1S.so, libodbcdrvfcg2S.so, libodbcinst.so, libodbcinstQ.so, libodbcminiS.so, libodbcmyS.so, libodbcnnS.so, libodbcpsql.so, libodbcpsqlS.so, libodbctxt.so, libodbctxtS.so, liboplodbcS.so, liboraodbcS.so, libsapdbS.so, libtdsS.so and libtemplate.so
Installed Directories:	/etc/unixodbc and /usr/share/doc/unixODBC-2.2.11

Short Descriptions

DataManager	is a graphical program which can be used to browse/explore ODBC data sources.
DataManagerII	is an enhanced version of DataManager .
ODBCConfig	is a graphical program used to make configuration of ODBC data sources extremely easy.
dltest	is a utility used to check a share library to see if it can be loaded and if a given symbol exists in it.
isql	is a utility which can be used to submit SQL to a data source and to format/output results. It can be used in batch or interactive mode.
iusql	provides the same functionality as the isql program.
odbc_config	is used to find out details about the installation of the unixODBC package.
odbcinst	is a utility created for install script/RPM writers. It is a command line interface to key functionality in the <code>libodbcinst</code> library. It does not copy any files (i.e., libraries) but it will modify the ODBC System Information for the user.
odbcetest	is a graphical program used to test the ODBC API.

Graphviz-2.8

Introduction to Graphviz

The Graphviz package contains graph visualization software. Graph visualization is a way of representing structural information as diagrams of abstract graphs and networks. Graphviz has several main graph layout programs. It also has web and interactive graphical interfaces, auxiliary tools, libraries, and language bindings.

The Graphviz layout programs take descriptions of graphs in a simple text language, and creates diagrams in several useful formats such as images and SVG for web pages, Postscript for inclusion in PDF or other documents, or as objects displayed in an interactive graph browser. (Graphviz also supports GXL, an XML dialect.) In practice, graphs are usually generated from external data sources, but they can also be created and edited manually, either as raw text files or within a graphical editor. (Graphviz was not intended to be a Visio replacement, so it would probably be frustrating to try to use it that way.)

This package is useful for automatic graph drawing which has many important applications in software engineering, database and web design, networking, and in visual interfaces for many other domains. Graphviz has many useful features for concrete diagrams, such as options for colors, fonts, tabular node layouts, line styles, hyperlinks, and custom shapes.

Package Information

- Download (HTTP): <http://www.graphviz.org/pub/graphviz/ARCHIVE/graphviz-2.8.tar.gz>
- Download (FTP):
- Download MD5 sum: ca921b4a9bcd86da4a1092bb17a57d83
- Download size: 4.2 MB
- Estimated disk space required: 124 MB
- Estimated build time: 2.1 SBU

Graphviz Dependencies

Optional

X Window System, pkg-config-0.20, expat-2.0.0, libpng-1.2.12, libjpeg-6b, FreeType-2.1.10, Fontconfig-2.3.2, Tcl-8.4.13, Tk-8.4.13, and Electric Fence

Optional (to Build Language Bindings)

SWIG (SWIG must be installed or no bindings will be built), Guile-1.6.7, JDK-1.5.0_10, PHP-5.1.4, Python-2.4.4, Ruby-1.8.5, Tcl-8.4.13, C# (DotGNU Portable.NET or Mono), Io, Lua, and Objective Caml

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/graphviz>

Installation of Graphviz

Install Graphviz by running the following commands:

```
sed -i 's|JAVA_LIBS=|& \
if test -n "$JAVA_HOME"; then \
  CPPFLAGS="$CPPFLAGS -I$JAVA_HOME/include -I$JAVA_HOME/include/linux" \
fi|' configure &&
```

```
./configure --prefix=/usr &&
make
```

This package does not come with a test suite that provides meaningful results.

Now, as the `root` user:

```
make install
```

If desired, create a symbolic link in the system documents directory to the documentation installed in `/usr/share/graphviz/doc` using the following command as the `root` user:

```
ln -v -s /usr/share/graphviz/doc \
    /usr/share/doc/graphviz-2.8
```

Configuring Graphviz

Config Files

`/usr/lib/graphviz/config`

Configuration Information

There are no specific configuration requirements for Graphviz. You may consider installing the additional plugins and tools available from the download page at http://www.graphviz.org/Download_source.php for additional capabilities. If additional plugins are installed, you can run **dot_static -c** (as the `root` user) to update the `config` file in `/usr/lib/graphviz`.

Contents

Installed Programs:	acyclic, bcomps, ccomps, circo, dijkstra, dot, dot2gxl, dot_static, dotty, fdp, gc, gvclock, gvpack, gvpr, gxl2dot, lefty, lneato, nop, prune, sccmap, tred, twopi and unflatten
Installed Libraries:	libgraph.{so,a}, libcdt.{so,a}, libexpr.{so,a}, libgraph.{so,a}, libpack.{so,a}, libpathplan.{so,a}, additional support libraries and language bindings
Installed Directories:	<code>/usr/include/graphviz</code> , <code>/usr/lib/graphviz</code> and <code>/usr/share/graphviz</code>

Short Descriptions

acyclic	is a filter that takes a directed graph as input and outputs a copy of the graph with sufficient edges reversed to make the graph acyclic. The reversed edge alls all of the attributes of the original edge.
bcomps	decomposes graphs into their biconnected components, printing the components to standard output.
ccomps	decomposes graphs into their connected components, printing the components to standard output.

circo	draws graphs using a circular layout. The tool identifies biconnected components and draws the nodes of the component on a circle. The block-cutpoint tree is then laid out using a recursive radial algorithm. Edge crossings within a circle are minimized by placing as many edges on the circle's perimeter as possible. In particular, if the component is outerplanar, the component will have a planar layout.
dijkstra	reads a stream of graphs and for each computes the distance of every node from sourcenode.
dot	draws directed graphs. It works well on DAGs and other graphs that can be drawn as hierarchies. It reads attributed graph files and writes drawings. By default, the output format dot is the input file with layout coordinates appended.
dot2gxl	converts between graphs represented in GXL and in the DOT language. Unless a conversion type is specified using a flag, gxl2dot will deduce the type of conversion from the suffix of the input file, a .dot suffix causing a conversion from DOT to GXL, and a .gxl suffix causing a conversion from GXL to DOT.
dot_static	is a version of dot that has all the Graphviz libraries compiled statically.
dotty	is a graph editor for the X Window System. It may be run as a standalone editor, or as a front end for applications that use graphs. It can control multiple windows viewing different graphs.
fdp	draws undirected graphs using a “spring” model. It relies on a force-directed approach in the spirit of Fruchterman and Reingold.
gc	is a graph analogue to wc in that it prints to standard output the number of nodes, edges, connected components or clusters contained in the input files. It also prints a total count for all graphs if more than one graph is given.
gycolor	is a filter that sets node colors from initial seed values. Colors flow along edges from tail to head, and are averaged (as HSB vectors) at nodes. The graph must already have been processed by dot .
gvpack	reads in a stream of graphs, combines the graphs into a single layout, and produces a single graph serving as the union of the input graphs. The input graphs must be in dot format, and must have all necessary layout information.
gvpr	is a graph stream editor inspired by awk . It copies input graphs to its output, possibly transforming their structure and attributes, creating new graphs, or printing arbitrary information.
gxl2dot	converts between graphs represented in GXL and in the DOT language. Unless a conversion type is specified using a flag, gxl2dot will deduce the type of conversion from the suffix of the input file, a .dot suffix causing a conversion from DOT to GXL, and a .gxl suffix causing a conversion from GXL to DOT.
lefty	is a two-view graphics editor for technical pictures.
lneato	is a graph editor for the X Window System. It may be run as a standalone editor, or as a front end for applications that use graphs. It can control multiple windows viewing different graphs.

nop	reads a stream of graphs and prints each in pretty-printed (canonical) format on stdout. If no files are given, it reads from stdin.
prune	reads directed graphs in the same format used by dot and removes subgraphs rooted at nodes specified on the command line via options. These nodes themselves will not be removed, but can be given attributes so that they can be easily located by a graph stream editor such as gpr . prune correctly handles cycles, loops and multi-edges.
sccmap	decomposes digraphs into strongly connected components and an auxiliary map of the relationship between components. In this map, each component is collapsed into a node. The resulting graphs are printed to standard out. The number of nodes, edges and strongly connected components are printed to standard error. sccmap is a way of partitioning large graphs into more manageable pieces.
tred	computes the transitive reduction of directed graphs, and prints the resulting graphs to standard output. This removes edges implied by transitivity. Nodes and subgraphs are not otherwise affected. The “meaning” and validity of the reduced graphs is application dependent. tred is particularly useful as a preprocessor to dot to reduce clutter in dense layouts.
twopi	draws graphs using a radial layout. Basically, one node is chosen as the center and put at the origin. The remaining nodes are placed on a sequence of concentric circles centered about the origin, each a fixed radial distance from the previous circle.
unflatten	is a preprocessor to dot that is used to improve the aspect ratio of graphs having many leaves or disconnected nodes. The usual layout for such a graph is generally very wide or tall. unflatten inserts invisible edges or adjusts the minlen on edges to improve layout compaction.
<code>libagraph.{so,a}</code>	supports graph programming by maintaining graphs in memory and reading and writing graph files. Graphs, nodes and edges may be attributed with programmer-defined records and string name-value pairs. Graphs are composed of nodes, edges, and nested subgraphs. Internally, <code>libagraph</code> depends extensively on <code>libcdt</code> (formerly <code>libdict</code>) for set representation.
<code>libcdt.{so,a}</code>	manages run-time dictionaries using standard container data types: unordered set/multiset, ordered set/multiset, list, stack, and queue.
<code>libexpr.{so,a}</code>	is a C-like expression library.
<code>libgraph.{so,a}</code>	maintains directed and undirected attributed graphs in memory and reads and writes graph files. Graphs are composed of nodes, edges, and nested subgraphs. A subgraph may contain any nodes and edges of its parents, and may be passed to any <code>libgraph</code> function taking a graph pointer, except the three that create new attributes (where a main graph is required).
<code>libpack.{so,a}</code>	supports the use of connected components in the context of laying out graphs using other Graphviz libraries. One set of functions can be used to take a single graph and break it apart into connected components. A complementary set of functions takes a collection of graphs (not necessarily components of a single graph) which have been laid out separately, and packs them together moderately

tightly. The packing is done using the polyomino algorithm of K. Freivalds et al.

`libpathplan.{so,a}` contains functions to find the shortest path between two points in a simple polygon.

xterm-223

Introduction to xterm

xterm is a terminal emulator for the X Window System.

Package Information

- Download (HTTP):
- Download (FTP): <ftp://invisible-island.net/xterm/xterm-223.tgz>
- Download MD5 sum: bf5bb77496ddf95df32b8e752a6cabb0
- Download size: 786 KB
- Estimated disk space required: 5.1 MB
- Estimated build time: 0.2 SBU

xterm Dependencies

Required

Xorg Libraries

Optional

luit-1.0.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xterm>

Installation of xterm



Note

This package should only be built if you are installing Xorg-7.1. If you have installed or will be installing Xorg-6.9.0 or XFree86, it is provided by those packages and should not be installed here.

Install xterm by running the following commands:

```
TERMINFO=/usr/lib/terminfo ./configure $XORG_CONFIG \
  --enable-luit --with-wide-chars \
  --with-app-default=$XORG_PREFIX/share/X11/app-defaults&&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make install-ti
```

Command Explanations

`TERMINFO=/usr/lib/terminfo`: This ensures that the **xterm** terminfo file is installed to the system terminfo database when the installation prefix is not `/usr`.

`--with-app-defaults=...`: Sets the location for the `app-defaults` directory.

`--enable-luit`: Enables the `luit` filter for unicode translation.

`--with-wide-chars`: Adds support for wide characters.

make install-ti: This command installs corrected terminfo description files for use with `xterm`.

Configuring xterm

There are two ways to configure `xterm`. You can add X resource definitions to the user's `~/.Xresources` file, or add them to the system-wide `$XORG_PREFIX/lib/X11/app-defaults/Xterm` file.

In order for `xterm` to follow the locale settings in the environment and use TrueType fonts, add the following definitions as the `root` user:

```
cat >> $XORG_PREFIX/lib/X11/app-defaults/XTerm << "EOF"
*VT100*locale: true
*VT100*faceName: Monospace
*VT100*faceSize: 10
EOF
```

Contents

Installed Programs: `resize`, `uxterm`, and `xterm`

Short Descriptions

`resize` prints a shell command for setting the `TERM` and `TERMCAP` environment variables to indicate the current size of `xterm` window.

`uxterm` is a wrapper script to start `xterm` with the proper settings in UTF-8 locales.

`xterm` is a terminal emulator for the X Window System.

rman-3.2

Introduction to rman

rman is a utility to convert manual pages into other formats. It can currently supports HTML, ASCII, LaTeX, LaTeX2e, RTF, POD, and partial DocBook XML output.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/polyglotman/rman-3.2.tar.gz?download>
- Download (FTP):
- Download MD5 sum: 6d1d67641c6d042595a96a62340d3cc6
- Download size: 80 KB
- Estimated disk space required: 629 KB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/rman>

Installation of rman



Note

This package should only be built if you are installing Xorg-7.1. If you have installed or will be installing Xorg-6.9.0 or XFree86, it is provided by those packages and should not be installed here.

rman is no longer part of the Xorg distribution, however, packages that use it may expect it to be in the same location as your Xorg programs. Adjust the makefile to account for this:

```
sed -i -e "s@/opt/local@$XORG_PREFIX@" \
    -e "s@/usr/local@$XORG_PREFIX@" Makefile
```

Build rman by running the following command:

```
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs: rman

Short Description

rman is a manpage converter.

Chapter 11. System Utilities

This chapter contains mainly hardware utilities. It also contains some applications used by other applications in the book for installation purposes.

GPM-1.20.1

Introduction to GPM

The GPM (General Purpose Mouse daemon) package contains a mouse server for the console and **xterm**. It not only provides cut and paste support generally, but its library component is used by various software such as Links to provide mouse support to the application. It is useful on desktops, especially if following (Beyond) Linux From Scratch instructions; it's often much easier (and less error prone) to cut and paste between two console windows than to type everything by hand!

Package Information

- Download (HTTP): <http://ftp.schottelius.org/pub/linux/gpm/gpm-1.20.1.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/gpm-1.20.1.tar.bz2>
- Download MD5 sum: 2c63e827d755527950d9d13fe3d87692
- Download size: 556 KB
- Estimated disk space required: 6.7 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gpm-1.20.1-segfault-1.patch>
- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gpm-1.20.1-silent-1.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/GPM>

Installation of GPM

Install GPM by running the following commands:

```
patch -Np1 -i ../gpm-1.20.1-segfault-1.patch &&
patch -Np1 -i ../gpm-1.20.1-silent-1.patch &&
./configure --prefix=/usr --sysconfdir=/etc &&
LDFLAGS="-lm" make
```

Now, as the root user:

```
make install &&
cp -v conf/gpm-root.conf /etc &&
ldconfig
```

Command Explanations

LDFLAGS="-lm": The math library must be linked with **gpm**, as **ceil()** is used in some cursor scrolling logic.

Configuring GPM

Boot Script

Install the `/etc/rc.d/init.d/gpm` init script included in the `blfs-bootscripts-20060910` package.

```
make install-gpm
```

Config Files

`/etc/gpm-root.conf` and `~/.gpm-root`: The default and individual user **gpm-root** configuration files.

`/etc/sysconfig/mouse`: This file contains the name of your mouse device and the protocol which it uses. To create this file, run the following as the root user:

```
cat > /etc/sysconfig/mouse << "EOF"
# Begin /etc/sysconfig/mouse

MDEVICE="<yourdevice>"
PROTOCOL="<yourprotocol>"
GPMOPTS="<additional options>"

# End /etc/sysconfig/mouse
EOF
```

Configuration Information

Examples of values to set `MDEVICE`, `PROTOCOL`, and `GPMOPTS` to are:

```
MDEVICE="/dev/psaux"
PROTOCOL="imps2"
GPMOPTS=" "
```

A list of which protocol values are known can be found by running **gpm -m [device] -t -help**. The `MDEVICE` setting depends on which type of mouse you have. For example, `/dev/ttyS0` for a serial mouse (on Windows this is `COM1`), `/dev/input/mice` is often used for USB mice and `/dev/psaux` for PS2 mice. `GPMOPTS` is the 'catch all' for any additional options that are needed for your hardware.

Contents

Installed Programs:	<code>disable-paste</code> , <code>gpm</code> , <code>gpm-root</code> , <code>hltest</code> , <code>mev</code> , and <code>mouse-test</code>
Installed Libraries:	<code>libgpm.{so.a}</code>
Installed Directories:	None

Short Descriptions

disable-paste	is a security mechanism used to disable the paste buffer.
gpm	is a cut and paste utility and mouse server for virtual consoles.

gpm-root	is a default handler for gpm . It is used to draw menus on the root window.
hltest	is a simple sample application using the high-level library, meant to be read by programmers trying to use the high-level library.
mev	is a program to report mouse events.
mouse-test	is a tool for determining the mouse type and device it's attached to.
<code>libgpm.{so,a}</code>	contains the API functions to access the GPM daemon.

Fcron-3.0.1

Introduction to Fcron

The Fcron package contains a periodical command scheduler which aims at replacing Vixie Cron.

Package Information

- Download (HTTP): <http://fcron.free.fr/archives/fcron-3.0.1.src.tar.gz>
- Download (FTP): <ftp://ftp.seul.org/pub/fcron/fcron-3.0.1.src.tar.gz>
- Download MD5 sum: 8e5dcb3a646c11294294895954ef0a48
- Download size: 532 KB
- Estimated disk space required: 4.6 MB
- Estimated build time: 0.1 SBU

Fcron Dependencies

Optional

An MTA, text editor (default is **vi** from the Vim-7.0 package), Linux-PAM-0.99.4.0, DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/fcron>

Installation of Fcron

Fcron uses the cron facility of **syslog** to log all messages. Since LFS does not set up this facility in `/etc/syslog.conf`, it needs to be done prior to installing Fcron. This command will append the necessary line to the current `/etc/syslog.conf` (perform as the `root` user):

```
cat >> /etc/syslog.conf << "EOF"
# Begin fcron addition to /etc/syslog.conf

cron.* -/var/log/cron.log

# End fcron addition
EOF
```

The configuration file has been modified, so reloading the **sysklogd** daemon will activate the changes (again as the `root` user).

```
/etc/rc.d/init.d/sysklogd reload
```

For security reasons, an unprivileged user and group for Fcron should be created (perform as the `root` user):

```
groupadd -g 22 fcron &&
useradd -d /dev/null -c "Fcron User" -g fcron -s /bin/false -u 22 fcron
```

Install Fcron by running the following commands:

```
./configure --without-sendmail --with-boot-install=no &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--without-sendmail`: Fcron will use an installed MTA to email you the results of the **fcron** script. Omit the switch and use `--with-sendmail=</path/to/MTA>` if you wish to utilize this feature.

`--with-boot-install=no`: This prevents installation of the bootscript included with the package.

`--with-editor=</path/to/editor>`: This switch allows you to set the default text editor.

Configuring Fcron

Config Files

`/etc/fcron.conf`, `/etc/fcron.allow`, and `/etc/fcron.deny`

Configuration Information

There are no required changes in any of the config files. Configuration information can be found in the man page for `fcron.conf`.

fcron scripts are written using **fcrontab**. Refer to the **fcrontab** man page for proper parameters to address your situation.

If Linux-PAM is installed, two PAM configuration files are installed in `/etc/pam.d`. Alternatively if `/etc/pam.d` is not used, the installation will append two configuration sections to the exiting `/etc/pam.conf` file. You should ensure the files match your preferences. Modify them as required to suit your needs.

Boot Script

Install the `/etc/rc.d/init.d/fcron` init script from the `blfs-bootscripts-20060910` package.

```
make install-fcron
```

Contents

Installed Programs:	<code>fcron</code> , <code>fcrondyn</code> , <code>fcronsighup</code> , and <code>fcrontab</code>
Installed Libraries:	None
Installed Directories:	<code>/usr/share/doc/fcron-3.0.1</code> and <code>/var/spool/fcron</code>

Short Descriptions

fcron is the scheduling daemon.

fcron is a user tool intended to interact with a running **fcron** daemon.

fcron instructs **fcron** to reread the Fcron tables.

fcrontab is a program used to install, edit, list and remove the tables used by **fcron**.

Hdparm-6.6

Introduction to Hdparm

The `hdparm` package contains a utility that is useful for controlling ATA/IDE controllers and hard drives both to increase performance and sometimes to increase stability.



Warning

As well as being useful, incorrect usage of `hdparm` can destroy your information and in rare cases, drives. Use with caution and make sure you know what you are doing. If in doubt, it is recommended that you leave the default kernel parameters alone.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/hdparm/hdparm-6.6.tar.gz>
- Download (FTP):
- Download MD5 sum: `ecae69f775396e4ab6112dcf9066239f`
- Download size: 45 KB
- Estimated disk space required: 452 KB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/hdparm>

Installation of Hdparm

Build `hdparm` by running the following command:

```
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Note that by default, **hdparm** is installed in `/sbin` as some systems may require it during the boot process before `/usr` is mounted. If you wish to install **hdparm** under the `/usr` hierarchy, then replace the above command with the following:

```
make binprefix=/usr/ install
```

Contents

Installed Program:	<code>hdparm</code>
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

hdparm provides a command-line interface to various hard disk ioctls supported by the stock Linux ATA/IDE device driver subsystem.

Which-2.16 and Alternatives

The presence or absence of the **which** program in the main LFS book is probably one of the most contentious issues on the mailing lists. It has resulted in at least one flame war in the past. To hopefully put an end to this once and for all, presented here are two options for equipping your system with **which**. The question of which “**which**” is for you to decide.

The first option is to install the actual GNU which package.

Introduction to Which

Package Information

- Download (HTTP): <http://www.xs4all.nl/~carlo17/which/which-2.16.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/which/which-2.16.tar.gz>
- Download MD5 sum: 830b83af48347a9a3520f561e47cbc9b
- Download size: 123 KB
- Estimated disk space required: 940 KB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/which>

Installation of Which

Install which by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Program:	which
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

which shows the full path of (shell) commands installed in your `PATH`.

The 'which' Script

The second option (for those who don't want to install the package) is to create a simple script (execute as the root user):

```
cat > /usr/bin/which << "EOF"
#!/bin/bash
type -pa "$@" | head -n 1 ; exit ${PIPESTATUS[0]}
EOF
chmod -v 755 /usr/bin/which
chown -v root:root /usr/bin/which
```

This should work OK and is probably the easiest solution for most cases, but is not the most comprehensive implementation.

UnZip-5.52

Introduction to UnZip

The UnZip package contains ZIP extraction utilities. These are useful for extracting files from ZIP archives. ZIP archives are created with PKZIP or Info-ZIP utilities, primarily in a DOS environment.



Caution

The UnZip package has some locale related issues. See the discussion below in the section called “UnZip Locale Issues”. A more general discussion of these problems can be found in the Program Assumes Encoding section of the Locale Related Issues page.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/infozip/unzip552.tar.gz>
- Download (FTP): <ftp://tug.ctan.org/tex-archive/tools/zip/info-zip/src/unzip552.tar.gz>
- Download MD5 sum: 9d23919999d6eac9217d1f41472034a9
- Download size: 1.1 MB
- Estimated disk space required: 6.7 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/unzip-5.52-security_fix-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/unzip>

UnZip Locale Issues



Note

Use of UnZip in the JDK, Mozilla, DocBook or any other BLFS package installation is not a problem, as BLFS instructions never use UnZip to extract a file with non-ASCII characters in the file's name.

The UnZip package assumes that filenames stored in the ZIP archives created on non-Unix systems are encoded in CP850, and that they should be converted to ISO-8859-1 when writing files onto the filesystem. Such assumptions are not always valid. In fact, inside the ZIP archive, filenames are encoded in the DOS codepage that is in use in the relevant country, and the filenames on disk should be in the locale encoding. In MS Windows, the `OemToChar()` C function (from `User32.DLL`) does the correct conversion (which is indeed the conversion from CP850 to a superset of ISO-8859-1 if MS Windows is set up to use the US English language), but there is no equivalent in Linux.

When using **unzip** to unpack a ZIP archive containing non-ASCII filenames, the filenames are damaged because **unzip** uses improper conversion when any of its encoding assumptions are incorrect. For example, in the `ru_RU.KOI8-R` locale, conversion of filenames from CP866 to KOI8-R is required, but conversion from

CP850 to ISO-8859-1 is done, which produces filenames consisting of undecipherable characters instead of words (the closest equivalent understandable example for English-only users is rot13). There are several ways around this limitation:

- 1) For unpacking ZIP archives with filenames containing non-ASCII characters, use WinZip while running the Wine Windows emulator.
- 2) After running **unzip**, fix the damage made to the filenames using the **convmv** tool (<http://j3e.de/linux/convmv/>). The following is an example for the ru_RU.KOI8-R locale:

Step 1. Undo the conversion done by **unzip**:

```
convmv -f iso-8859-1 -t cp850 -r --nosmart --notest \
    </path/to/unzipped/files>
```

Step 2. Do the correct conversion instead:

```
convmv -f cp866 -t koi8-r -r --nosmart --notest \
    </path/to/unzipped/files>
```

- 3) Apply this patch to unzip: <https://bugzilla.altlinux.ru/attachment.cgi?id=532>. It will apply with some offsets.

It allows to specify the assumed filename encoding in the ZIP archive using the `-O charset_name` option and the on-disk filename encoding using the `-I charset_name` option. Defaults: the on-disk filename encoding is the locale encoding, the encoding inside the ZIP archive is guessed according to the builtin table based on the locale encoding. For US English users, this still means that unzip converts from CP850 to ISO-8859-1 by default.

Caveat: this method works only with 8-bit locale encodings, not with UTF-8. Attempting to use a patched **unzip** in UTF-8 locales may result in a segmentation fault and is probably a security risk.

Installation of UnZip

Note that if you applied the patch described above for locale issues, the required security patch will have some offsets. Now install UnZip by running the following commands:

```
patch -Np1 -i ../unzip-5.52-security_fix-1.patch &&
make -f unix/Makefile LOCAL_UNZIP=-D_FILE_OFFSET_BITS=64 linux
```

To test the results, issue: **make check**.

Now, as the root user:

```
make prefix=/usr install
```

Command Explanations

linux: This target in the Makefile makes assumptions that are useful for a Linux system when compiling the executables. To obtain alternatives to this target, use **make list**

LOCAL_UNZIP=...: This sets the compilation flags to allow UnZip to handle files up to 4 GB.

Contents

Installed Programs: funzip, unzip, unzipfsx, zipgrep, and zipinfo
Installed Libraries: None
Installed Directories: None

Short Descriptions

funzip allows the output of **unzip** commands to be redirected.

unzip lists, tests or extracts files from a ZIP archive.

unzipfsx is a self-extracting stub that can be prepended to a ZIP archive. Files in this format allow the recipient to decompress the archive without installing UnZip.

zipgrep searches files in a ZIP archive for lines matching a pattern.

zipinfo produces technical information about the files in a ZIP archive, including file access permissions, encryption status, type of compression, etc.

libunzip.so contains the API functions required by the UnZip programs.

Zip-2.32

Introduction to Zip

The Zip package contains Zip utilities. These are useful for compressing files into ZIP archives.

Package Information

- Download (HTTP): <http://fresh.t-systems-sfr.com/unix/src/misc/zip232.tar.gz>
- Download (FTP): <ftp://tug.ctan.org/tex-archive/tools/zip/info-zip/src/zip232.tar.gz>
- Download MD5 sum: 8a4da4460386e324debe97f3b7fe4d96
- Download size: 789 KB
- Estimated disk space required: 4.0 MB
- Estimated build time: Less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/zip>

Installation of Zip

Install Zip by running the following commands:

```
make -f unix/Makefile generic_gcc
```

This package does not come with a test suite.

Now, as the root user:

```
make prefix=/usr -f unix/Makefile install
```

Command Explanations

make prefix=/usr -f unix/Makefile install: This command overrides the `prefix` variable that is set to `/usr/local` in the `unix/Makefile`. Alternatives to `generic_gcc` can be seen with a **make -f unix/Makefile list** command.

Contents

Installed Programs:	zip, zipcloak, zipnote, and zipsplit
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

zip	compresses files into a ZIP archive.
zipcloak	is a utility to encrypt and decrypt a ZIP archive.
zipnote	reads or writes comments stored in a ZIP file.

zipsplit is a utility to split ZIP files into smaller files.

PCI Utilities-2.2.3

Introduction to PCI Utilities

The PCI Utilities package is a set of programs for listing PCI devices, inspecting their status and setting their configuration registers.

Package Information

- Download (HTTP): <http://www.kernel.org/pub/software/utils/pciutils/pciutils-2.2.3.tar.bz2>
- Download (FTP): <ftp://ftp.kernel.org/pub/software/utils/pciutils/pciutils-2.2.3.tar.bz2>
- Download MD5 sum: 86cc20eaa0360587497a8105d33e57fc
- Download size: 1.1 MB
- Estimated disk space required: 3.3 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pciutils>

Installation of PCI Utilities

Install PCI Utilities by running the following commands:

```
sed -i 's/null ;/null 2>\&1 ;/' update-pciids.sh &&
make PREFIX=/usr
```

This package does not come with a test suite.

Now, as the root user:

```
make PREFIX=/usr install
```

Some packages require the PCI static library. To install the library and headers, issue the following commands as the root user:

```
install -v -m 755 -d /usr/include/pci &&
install -v -m 644 lib/libpci.a /usr/lib &&
install -v -m 644 lib/*.h /usr/include/pci
```

Command Explanations

sed -i 's/null ;/null 2>\&1 ;/' update-pciids.sh: This command suppresses some unneeded screen output from the **update-pciids** command if you don't have either Lynx or Wget installed by redirecting the stderr output of the embedded **which** command to `/dev/null`.

Configuring PCI Utilities

The `pci.ids` data file is constantly being updated. To get a current version of this file, run **update-pciids** as the root user. This program requires the `which-2.16` script or program to find `cURL-7.15.3`, `Wget-1.10.2` or `Lynx-2.8.6` which are used to download the most current file, and then replace the existing file in `/usr/share`.

You may wish to add an entry to `root`'s (or any other user who has write privilege to `/usr/share`) crontab to automatically update the `pci.ids` file periodically.

Contents

Installed Programs: `lspci`, `setpci` and `update-pciids`
Installed Library: `libpci.a`
Installed Directory: `/usr/include/pci`

Short Descriptions

`lspci` is a utility for displaying information about all PCI buses in the system and all devices connected to them.

`setpci` is a utility for querying and configuring PCI devices.

`update-pciids` fetches the current version of the PCI ID list. Requires `cURL-7.15.3`, `Wget-1.10.2` or `Lynx-2.8.6`.

`libpci.a` is the static library that allows applications to access the PCI subsystem.

usbutils-0.72

Introduction to usbutils

The usbutils package contains a utility used to display information about USB buses in the system and the devices connected to them.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/linux-usb/usbutils-0.72.tar.gz>
- Download (FTP):
- Download MD5 sum: ee345fe605ffcfe843dae4aed81122b
- Download size: 166 KB
- Estimated disk space required: 1.6 MB
- Estimated build time: less than 0.1 SBU

usbutils Dependencies

Required

libusb-0.1.12

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/usbutils>

Installation of usbutils

Install usbutils by running the following commands:

```
sed -i 's|DEST=|&/usr/share/|' update-usbids.sh &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m755 update-usbids.sh /usr/sbin/update-usbids
```

Command Explanations

sed -i '...' update-usbids.sh: This command is used to modify the download script so that it will replace the existing file in `/usr/share` instead of in the current directory.

Configuring usbutils

The `usb.ids` data file is constantly being updated. To get a current version of this file, run **update-usbids** as the root user. This program requires the `which-2.16` script or program to find `Wget-1.10.2` or `Lynx-2.8.6` which are used to download the most current file, and replace the existing file in `/usr/share`.

You may wish to add an entry to root's (or any other user who has write privilege to `/usr/share`) crontab

to automatically update the `usb.ids` file periodically.

Contents

Installed Programs: `lsusb` and `update-usbids`

Installed Libraries: None

Installed Directories: None

Short Descriptions

lsusb is a utility for displaying information about all USB buses in the system and all devices connected to them.

update-usbids downloads the current version of the USB ID list. Requires `Wget-1.10.2` or `Lynx-2.8.6`.

pkg-config-0.20

Introduction to pkg-config

The pkg-config package contains a tool for passing the include path and/or library paths to build tools during the **configure** and **make** file execution.

Package Information

- Download (HTTP): <http://pkgconfig.freedesktop.org/releases/pkg-config-0.20.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/pkg-config-0.20.tar.gz>
- Download MD5 sum: fb42402593e4198bc252ab248dd4158b
- Download size: 969 KB
- Estimated disk space required: 11.3 MB
- Estimated build time: 0.3 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pkgconfig>

Installation of pkg-config

Install pkg-config by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Configuring pkg-config

The default setting for `PKG_CONFIG_PATH` is `/usr/lib/pkgconfig:/usr/share/pkgconfig` because of the prefix used to install pkg-config. You may add to `PKG_CONFIG_PATH` by exporting additional paths on your system where `.pc` files are installed. Note that `PKG_CONFIG_PATH` is only needed when compiling packages, not during run-time.

Contents

Installed Program:	pkg-config
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

pkg-config returns meta information for the specified library or package.

cpio-2.6

Introduction to cpio

The cpio package contains tools for archiving.

Package Information

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/cpio/cpio-2.6.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/pub/gnu/cpio/cpio-2.6.tar.gz>
- Download MD5 sum: 76b4145f33df088a5bade3bf4373d17d
- Download size: 561 KB
- Estimated disk space required: 5.3 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/cpio-2.6-security_fixes-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cpio>

Installation of cpio

Install cpio by running the following commands:

```
sed -i 's/invalid_arg/argmatch_invalid/' src/mt.c &&
patch -Np1 -i ../cpio-2.6-security_fixes-1.patch &&
./configure CPIO_MT_PROG=mt --prefix=/usr \
  --bindir=/bin --libexecdir=/tmp \
  --with-rmt=/usr/sbin/rmt &&
echo "#define HAVE_SETLOCALE 1" >> config.h &&
echo "#define HAVE_LSTAT 1" >> config.h &&
make
```

If you have teTeX-3.0 installed and wish to create alternate forms of the documentation, issue the any or all of the following commands:

```
make -C doc pdf &&
make -C doc ps &&
texi2html -o doc/cpio.html doc/cpio.texi &&
makeinfo --plaintext -o doc/cpio.txt doc/cpio.texi
```

To test the results, issue:

```
sed -i 's/static const char/const char/' tests/genfile.c &&
make check
```

Now, as the root user:

```
make install
```

If you built any of the alternate forms of documentation, install it by issuing the following commands as the root user:

```
install -v -m755 -d /usr/share/doc/cpio-2.6 &&
install -v -m644 doc/cpio.{pdf,ps,dvi,html,txt} \
    /usr/share/doc/cpio-2.6
```

Command Explanations

sed -i "s/invalid_arg/argmatch_invalid/" src/mt.c: This command fixes a build problem with the **mt** program.

CPIO_MT_PROG=mt: This parameter forces the building and installation of the **mt** program.

--bindir=/bin: This parameter installs **cpio** to /bin instead of /usr/bin as recommended by the FHS guidelines.

--libexecdir=/tmp: This parameter is used so that /usr/libexec is not created.

--with-rmt=/usr/sbin/rmt: This parameter inhibits building the **rmt** program as it is already installed by the Tar package in LFS.

echo "#define HAVE_SETLOCALE 1" >> config.h: This command specifies that the system Libc implements the setlocale function since it is not detected by **configure**.

echo "#define HAVE_LSTAT 1" >> config.h: This define fixes a bug that causes **cpio** to convert symlinks into regular files during archive creation.

sed -i 's/static const ...: This command fixes a build problem when compiling the tests with GCC-4.0.3.

Contents

Installed Programs: cpio and mt

Installed Libraries: None

Installed Directories: None

Short Descriptions

cpio copies files to and from archives.

mt controls magnetic tape drive operations.

MC-4.6.1

Introduction to MC

MC (Midnight Commander) is a text-mode full-screen file manager and visual shell. It provides a clear, user-friendly, and somewhat protected interface to a Unix system while making many frequent file operations more efficient and preserving the full power of the command prompt.

Package Information

- Download (HTTP): <http://www.ibiblio.org/pub/Linux/utils/file/managers/mc/mc-4.6.1.tar.gz>
- Download (FTP): <ftp://ftp.uni-koeln.de/utit/shell/mc-4.6.1.tar.gz>
- Download MD5 sum: 18b20db6e40480a53bac2870c56fc3c4
- Download size: 3.8 MB
- Estimated disk space required: 29 MB
- Estimated build time: 0.4 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/mc-4.6.1-bash32-1.patch>
- Recommended Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/mc-4.6.1-debian_fixes-1.patch

Do I Need the Debian Patch?

Midnight Commander without the Debian patch is completely unusable in multibyte locales because it assumes that characters and bytes are the same thing. The issue manifests itself as massive screen content corruption similar to what is depicted in this screenshot (taken in the ru_RU.UTF-8 locale). For a general discussion of this type of issue, see the Breaks Multibyte Characters section of the Locale Related Issues page. The Debian patch mostly fixes this issue, and adds support for recoding remote FTP filenames. Debian also fixed 64-bit issues, rare segfaults in **mcedit**, and improved syntax highlighting.

If you do not use a multibyte locale and do not need any of the new features or fixes, the patch is still supposed to be harmless. However, the patch changes the dependencies and build instructions, and in the past it caused unacceptable regressions for non-UTF-8 locale users. Thus, failsafe instructions without the patch are left in the book just in case. Due to the size and unofficial nature of the patch, please do not report bugs in the patched MC to the original MC developers.

MC Dependencies

Required

GLib-1.2.10 (untested with Debian patch) or GLib-2.10.3

Optional

GPM-1.20.1, X Window System, Samba-3.0.23d, S-Lang-2.0.6 (required when building with Debian patch), Zip-2.32, UnZip-5.52, and GNOME Libraries-1.4.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/MC>

Installation of MC

Fix incompatibility of MC-4.6.1 with Bash-3.2:

```
patch -Np1 -i ../mc-4.6.1-bash32-1.patch
```

If desired, apply Debian fixes:

```
patch -Np1 -i ../mc-4.6.1-debian_fixes-1.patch
```

Install MC by running the following commands:

```
CPPFLAGS="-DUTF8" ./configure --prefix=/usr \
    --enable-charset &&
make
```

MC with Debian patches expects its documentation to be stored in UTF-8 encoding on disk, and automatically converts it to the locale encoding when displaying on the terminal. This is different from the expectations of the unpatched MC, so the documentation files have to be converted if (and only if) the Debian patch has been applied:

```
convert-mans ISO-8859-1 UTF-8 lib/mc.hint{,.es,.it,.nl} &&
convert-mans ISO-8859-2 UTF-8 lib/mc.hint{.cs,.hu,.pl} &&
convert-mans ISO-8859-5 UTF-8 lib/mc.hint.sr &&
convert-mans KOI8-R UTF-8 lib/mc.hint.ru &&
convert-mans KOI8-U UTF-8 lib/mc.hint.uk &&
convert-mans BIG5 UTF-8 lib/mc.hint.zh &&
convert-mans ISO-8859-1 UTF-8 doc/{es,it}/mc.hlp.* &&
convert-mans ISO-8859-2 UTF-8 doc/{hu,pl}/mc.hlp.* &&
convert-mans ISO-8859-5 UTF-8 doc/sr/mc.hlp.sr &&
convert-mans KOI8-R UTF-8 doc/ru/mc.hlp.ru
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
chmod 1755 /usr/lib/mc/cons.saver
```

Command Explanations

`CPPFLAGS="-DUTF8"`: This parameter activates UTF-8 support in the Debian patch and has no effect without this patch.

`--enable-charset`: This option adds support to **mcedit** for editing files in encodings different from the one implied by the current locale. This feature works in non-UTF-8 locales only, even with the Debian patch.

`--with-screen=(slang/mcslang/ncurses)`: This parameter selects the screen library used by MC. NCurses support is currently buggy (MC does not handle mouse events in xterm correctly). UTF-8 support in the Debian patch is functional only when external S-Lang-2.0.6 is used as a screen library (this is the default).

`--with-codepagedir=DIR`: This parameter was useful only with SAMBA-2.x. New versions of SAMBA do not have codepage files.

chmod 1755 /usr/lib/mc/cons.saver: The **cons.saver** program has to be installed setuid root, because on LFS regular users have no access to `/dev/vcsa*` devices. This step is optional if MC is going to be started from X terminal emulators or **ssh** sessions only (thus rendering the **cons.saver** binary completely unneeded).

Configuring MC

Config Files

`~/ .mc / *`

Configuration Information

The `~/ .mc` directory and its contents are created when you start **mc** for the first time. Then you can edit the main `~/ .mc/ini` configuration file manually or through the MC shell. Consult the `mc(1)` man page for details.

Contents

Installed Programs:	<code>cons.saver</code> , <code>mc</code> , <code>mcedit</code> , <code>mcmfmt</code> , and <code>mcview</code>
Installed Libraries:	None
Installed Directories:	<code>/usr/share/mc</code> and <code>/usr/lib/mc</code>

Short Descriptions

cons.saver	is used internally by mc for saving and restoring the text behind the panels on Linux text console.
mc	is a visual shell.
mcedit	is an internal file editor.
mcmfmt	is used internally by mcview when viewing mailbox files.
mcview	is an internal file viewer.

Sysstat-6.0.2

Introduction to Sysstat

The Sysstat package contains utilities to monitor system performance and usage activity. Sysstat contains the **sar** utility, common to many commercial Unixes, and tools you can schedule via cron to collect and historize performance and activity data.

Package Information

- Download (HTTP): <http://perso.wanadoo.fr/sebastien.godard/sysstat-6.0.2.tar.bz2>
- Download (FTP): <ftp://ibiblio.org/pub/linux/system/status/sysstat-6.0.2.tar.bz2>
- Download MD5 sum: 99ed143d7e753f0b2220baa115859b44
- Download size: 120 KB
- Estimated disk space required: 1.9 MB
- Estimated build time: less than 0.1 SBU

Sysstat Dependencies

Recommended

Fcron-3.0.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sysstat>

Installation of Sysstat

Install Sysstat by running the following commands:

```
make config &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 sysstat.sysconfig /etc/sysconfig/sysstat
```

Command Explanations

make config: Runs the interactive configuration process. The first question prompts you for an “Installation directory”. Reply with `/usr`, as this is equivalent to Autoconf’s `--prefix=/usr` parameter to **configure**. For all other prompts, you may press **Enter** to accept the (very sane) defaults. When prompted for “Number of daily data files to keep: [7]”, you may wish to keep a larger number of files. Note that anything entered larger than 28 will result in 28 being used.

Configuring Sysstat

Cron Information

To begin gathering Sysstat history information, you must add to, or create a privileged user's crontab. The default history data location is `/var/log/sa`. The user running Sysstat utilities via cron must have write access to this location.

Below is an example of what to install in the crontab. Adjust the parameters to suit your needs. Use **man sa1** and **man sa2** for information about the commands.

```
# 8am-7pm activity reports every 10 minutes during weekdays
0 8-18 * * 1-5 /usr/lib/sa/sa1 600 6 &

# 7pm-8am activity reports every hour during weekdays
0 19-7 * * 1-5 /usr/lib/sa/sa1 &

# Activity reports every hour on Saturday and Sunday
0 * * * 0,6 /usr/lib/sa/sa1 &

# Daily summary prepared at 19:05
5 19 * * * /usr/lib/sa/sa2 -A &
```

Ensure you submit the revised crontab to the cron daemon.

System Startup Information

At system startup, a LINUX RESTART message must be inserted in the daily data file to reinitialize the kernel counters. This can be automated by installing the `/etc/rc.d/init.d/sysstat` init script included in the `blfs-bootscripts-20060910` package using the following command as the root user:

```
make install-sysstat
```

Contents

Installed Programs: iostat, mpstat, sar, sa1, sa2, sadc and sadf
Installed Libraries: None
Installed Directories: /usr/lib/sa, /usr/share/doc/sysstat-6.0.2 and /var/log/sa

Short Descriptions

iostat reports CPU statistics and input/output statistics for devices and partitions.
mpstat reports individual or combined processor related statistics.
sar collects, reports and saves system activity information.
sa1 collects and stores binary data in the system activity daily data file. It is a front end to `sadc` designed to be run from cron.
sa2 writes a summarized daily activity report. It is a front end to **sar** designed to be run from cron.
sadc is the system activity data collector, used as a backend for **sar**.
sadf is used for displaying the contents of data files created by the **sar** command. But unlike **sar**, **sadf** can

write its data in many different formats.

Apache Ant-1.6.5

Introduction to Apache Ant

The Apache Ant package is a Java-based build tool. In theory, it is kind of like **make**, but without **make**'s wrinkles. Ant is different. Instead of a model where it is extended with shell-based commands, Ant is extended using Java classes. Instead of writing shell commands, the configuration files are XML-based, calling out a target tree where various tasks get executed. Each task is run by an object that implements a particular task interface.

Package Information

- Download (HTTP): <http://archive.apache.org/dist/ant/source/apache-ant-1.6.5-src.tar.bz2>
- Download (FTP): <ftp://ftp.oregonstate.edu/pub/apache/ant/source/apache-ant-1.6.5-src.tar.bz2>
- Download MD5 sum: 80a7ad191c40b7d8c82533524b282b6b
- Download size: 6.2 MB
- Estimated disk space required: 94.5 MB
- Estimated build time: 0.4 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/apache-ant-1.6.5-blfs_install-1.patch

Apache Ant Dependencies

Required

JDK-1.5.0_10

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/apache-ant>

Installation of Apache Ant



Note

You may need additional libraries to satisfy the build requirements of various packages installed using Apache Ant. Review the table at <http://ant.apache.org/manual/install.html#librarydependencies> for any prerequisite libraries you may need. One such library is the JUnit-3.8.1 testing framework library. Many Ant-installed packages will use this library to perform the unit tests during the build process. To install the JUnit library along with the Apache Ant package, download it from <http://www.junit.org/>, unzip the distribution file (requires UnZip-5.52) and copy the `junit.jar` file into the `lib` subdirectory of the Apache Ant source tree before beginning the Apache Ant build.

Install Apache Ant by running the following commands:

```
patch -Np1 -i ../apache-ant-1.6.5-blfs_install-1.patch
```

This package does not come with a test suite.

Now, as the root user:

```
./build.sh -Ddist.dir=/opt/ant-1.6.5 dist &&
ln -v -sf /etc/ant /opt/ant-1.6.5/etc &&
ln -v -sf ant-1.6.5 /opt/ant
```

Command Explanations

./build.sh -Ddist.dir=/opt/ant-1.6.5 dist: This command does everything. It builds, then installs the package into `/opt/ant-1.6.5`.

ln -v -sf /etc/ant /opt/ant-1.6.5/etc: The patch changes the configuration directory to `/etc/ant` to conform with FHS guidelines. This command creates a symlink from the configuration directory back to the installation directory as the package is expecting to find the files there.

ln -v -sf ant-1.6.5 /opt/ant: This command is optional, and creates a convenience symlink.

Configuring Apache Ant

Config Files

`/etc/ant/ant.conf`, `~/.ant/ant.conf`, and `~/.antrc`

Configuration Information

Some packages will require **ant** to be in the search path and the `$ANT_HOME` environment variable defined. Satisfy these requirements by adding the following lines to `/etc/profile` or to individual user's `~/.profile` or `~/.bashrc` files:

```
export PATH=$PATH:/opt/ant/bin
export ANT_HOME=/opt/ant
```

Contents

Installed Programs:	<code>ant</code> , <code>antRun</code> , <code>antRun.pl</code> , <code>complete-ant-cmd.pl</code> , <code>runant.pl</code> , and <code>runant.py</code>
Installed Libraries:	<code>ant-*.jar</code> , <code>xercesImpl.jar</code> , and <code>xml-apis.jar</code>
Installed Directories:	<code>/etc/ant</code> and <code>/opt/ant-1.6.5</code>

Short Descriptions

ant	is a Java based build tool used by many packages instead of the conventional make program.
antRun	is a support script used to start ant build scripts in a given directory.
antRun.pl	is a Perl script that provides similar functionality offered by the antRun script.
complete-ant-cmd.pl	is a Perl script that allows Bash to complete an ant command-line.

runant.pl	is a Perl wrapper script used to invoke ant .
runant.py	is a Python wrapper script used to invoke ant .
ant-*.jar	files are the Apache Ant Java class libraries.
xercesImpl.jar	is a Java class library used by Apache Ant to perform XML parsing.
xml-apis.jar	contains the DOM Java classes required by the Apache Ant XML formatter.

D-BUS-0.62

Introduction to D-BUS

D-BUS is a message bus system, a simple way for applications to talk to one another. D-BUS supplies both a system daemon (for events such as “new hardware device added” or “printer queue changed”) and a per-user-login-session daemon (for general IPC needs among user applications). Also, the message bus is built on top of a general one-to-one message passing framework, which can be used by any two applications to communicate directly (without going through the message bus daemon).

Package Information

- Download (HTTP): <http://dbus.freedesktop.org/releases/dbus-0.62.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/dbus-0.62.tar.gz>
- Download MD5 sum: ba7692f63d0e9f1ef06703dff56cb650b
- Download size: 1.7 MB
- Estimated disk space required: 69.4 MB (includes building and installing all docs)
- Estimated build time: 1.0 SBU

D-BUS Dependencies

Optional

pkg-config-0.20, expat-2.0.0 or libxml2-2.6.26, GLib-2.10.3, GTK+-2.8.20, Qt-3.3.7, Qt-4.x.x, X Window System, GCC-4.0.3 (for the Java compiler and tools), Pyrex (version 0.9.4.1 is known to work and requires Python-2.4.4), GtkSharp-1.0.x (requires Mono), Monodoc, Doxygen-1.4.6 (to generate the API documentation), and xmlto (to generate HTML documentation and manuals)

Listed below are some additional notes about the dependencies

- Review the information from running **./configure --help** for the available parameters to pass to the **configure** script to enable the various dependencies.
- To build the Mono bindings, you must have GtkSharp installed. If you wish to use recent versions of GtkSharp, you'll need to make some trivial patches to the D-BUS sources. See <http://www.mono-project.com/GtkSharpUpgrade> for details.
- If you have a recent version of Monodoc installed ($\geq 1.1.10$) and you passed the `--enable-mono-docs` parameter to **configure**, the D-BUS build will fail. You can review the parts of this patch (<http://www.mail-archive.com/frugalware-darcs@frugalware.org/msg10156.html>) that apply to the Monodoc installation, to fix the build problems. Note this is untested by the BLFS Team, but should work just fine.

HAL Requirements

GLib-2.10.3 must be installed before you begin building D-BUS if you plan on installing HAL-0.5.7.1. GLib is required to build the `libdbus-glib` library, which is required by the HAL daemon.

If you plan on using HAL with KDE, you'll need to link D-BUS with the Qt libraries. Ensure you've installed Qt before beginning the D-BUS installation.

If you desire to use the **hal-device-manager** program, Pyrex (note the known working version listed in the

dependencies) must be installed before you begin building D-BUS as the D-BUS Python bindings are required. You will also need to remove the `--disable-python` parameter from the **configure** command in the instructions below.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dbus>

Kernel Configuration

Ensure the following option is enabled in the kernel configuration and recompile the kernel if necessary:

```
General Setup
System V IPC
```

Installation of D-BUS

As the `root` user, create a system user and group to handle the system message bus activity:

```
groupadd -g 18 messagebus &&
useradd -c "D-BUS Message Daemon User" -d /dev/null \
        -u 18 -g messagebus -s /bin/false messagebus
```

Install D-BUS by running the following commands (you may wish to review the output from `./configure --help` first and add any desired parameters to the **configure** command shown below):

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --localstatedir=/var \
            --disable-python &&
make
```

The `--enable-doxygen-docs` parameter does not work properly. If you have Doxygen installed and you wish to build the API documentation, issue **doxygen**.

This package's test suite cannot be run without passing additional parameters to **configure**. These parameters are not intended to be used in a production build of D-BUS so you will have to build twice (issuing **make distclean** after the first build) if you want to run the regression tests.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/dbus-0.62 &&
install -v -m644 doc/{TODO,*. {dtd,xml,xsl,html,txt,c}} \
        /usr/share/doc/dbus-0.62
```

If you built the API documentation, install it by issuing the following commands as the `root` user:

```
install -v -m755 -d /usr/share/doc/dbus-0.62/api &&
install -v -m644 doc/api/html/* \
        /usr/share/doc/dbus-0.62/api
```

Command Explanations

`--localstatedir=/var`: This parameter causes the daemon PID file to be created in `/var/run/dbus`

instead of `/usr/var/run/dbus`.

`--disable-python`: This parameter is required if Python is not installed. Remove the parameter if Python (and Pyrex) is installed and you wish to build the Python bindings.

Configuring dbus

Config Files

`/etc/dbus-1/session.conf`, `/etc/dbus-1/system.conf` and `/etc/dbus-1/system.d/*`

Configuration Information

The configuration files listed above should probably not be modified. If changes are required, you should create `/etc/dbus-1/session-local.conf` and/or `/etc/dbus-1/system-local.conf` and make any desired changes to these files.

If any packages install a D-Bus `.service` file outside of the standard `/usr/share/dbus-1/services` directory, that directory should be added to the local session configuration. For instance, `/usr/local/share/dbus-1/services` can be added by performing the following commands as the root user:

```
cat > /etc/dbus-1/session-local.conf << "EOF"
<!DOCTYPE busconfig PUBLIC
"-//freedesktop//DTD D-BUS Bus Configuration 1.0//EN"
"http://www.freedesktop.org/standards/dbus/1.0/busconfig.dtd">
<busconfig>

  <!-- Search for .service files in /usr/local -->
  <servicedir>/usr/local/share/dbus-1/services</servicedir>

</busconfig>
EOF
```

Boot Script

To automatically start **dbus-daemon** when the system is rebooted, install the `/etc/rc.d/init.d/dbus` bootscrip from the `blfs-bootscrip-20060910` package.

```
make install-dbus
```

Note that this boot script only starts the system-wide D-BUS daemon. Each user requiring access to D-BUS services will also need to run a session daemon as well. There are many methods you can use to start a session daemon using the **dbus-launch** command. Review the **dbus-launch** man page for details about the available parameters and options. Here are some suggestions and examples:

- Add **dbus-launch** to the line in the `~/.xinitrc` file that starts your graphical desktop environment as shown in the section called “Configuring the Core GNOME Packages”.
- If you use **xdm** or some other display manager that calls the `~/.xsession` file, you can add **dbus-launch** to the line in your `~/.xsession` file that starts your graphical desktop environment. The syntax would be similar to the example in the `~/.xinitrc` file.
- If you use **gdm** or some other display manager that utilizes custom files to initiate sessions, use the example

in the section called “Configuration Information”⁹⁰⁴ of the GDM instructions to create a file containing **dbus-launch**.

- The examples shown previously use **dbus-launch** to specify a program to be run. This has the benefit (when also using the `--exit-with-session` parameter) of stopping the session daemon when the specified program is stopped. You can also start the session daemon in your system or personal startup scripts by adding the following lines:

```
# Start the D-BUS session daemon
eval `dbus-launch`
export DBUS_SESSION_BUS_ADDRESS
```

This method will not stop the session daemon when you exit your shell, therefore you should add the following line to your `~/ .bash_logout` file:

```
# Kill the D-BUS session daemon
kill $DBUS_SESSION_BUS_PID
```

- A hint has been written that provides ways to start scripts using the KDM session manager of KDE. The concepts in this hint could possibly be used with other session managers as well. The hint is located at <http://www.linuxfromscratch.org/hints/downloads/files/execute-session-scripts-using-kdm.txt>.

Contents

Installed Programs:	dbus-binding-tool, dbus-cleanup-sockets, dbus-daemon, dbus-launch, dbus-monitor, dbus-send and dbus-viewer
Installed Libraries:	libdbus-1.{so,a} and optionally, dbus-1.jar, libdbus-gcj-1.{so,a}, libdbus-glib-1.{so,a}, libdbus-qt-1.{so,a}, libdbus-qt4-1.{so,a}, libdbus-mono-1.{so,a} and Python modules
Installed Directories:	/etc/dbus-1, /usr/include/dbus-1.0, /usr/lib/dbus-1.0, /usr/lib/python2.4/site-packages/dbus, /usr/share/dbus-1, /usr/share/doc/dbus-0.62 and /var/run/dbus

Short Descriptions

dbus-binding-tool	is used to create header files from GLib object files.
dbus-cleanup-sockets	is used to clean up leftover sockets in a directory.
dbus-daemon	is the D-BUS message bus daemon.
dbus-launch	is used to start dbus-daemon from a shell script. It would normally be called from a user's login scripts.
dbus-monitor	is used to monitor messages going through a D-BUS message bus.
dbus-send	is used to send a message to a D-BUS message bus.
dbus-viewer	is a graphical D-BUS frontend utility.
libdbus-1.{so,a}	contains the API functions used by the D-BUS message daemon. D-BUS is first a library that provides one-to-one communication between any two

applications; **dbus-daemon** is an application that uses this library to implement a message bus daemon.

HAL-0.5.7.1

Introduction to HAL

HAL is a hardware abstraction layer, which is a piece of software that provides a view of the various hardware attached to a system. In addition to this, HAL keeps detailed metadata for each piece of hardware and provides hooks such that system and desktop-level software can react to changes in the hardware configuration in order to maintain system policy.

The most important goal of HAL is to provide plug-and-play facilities for UNIX-like desktops with focus on providing a rich and extensible description of device characteristics and features. One example of the functionality provided by HAL is when you plug in a USB storage device. HAL can automatically create a mount point in `/media` and mount the device.

Package Information

- Download (HTTP): <http://freedesktop.org/~david/dist/hal-0.5.7.1.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/hal-0.5.7.1.tar.gz>
- Download MD5 sum: `d7a7741808ba130f8aff3f5d3b5689e4`
- Download size: 1.5 MB
- Estimated disk space required: 19.0 MB
- Estimated build time: 0.5 SBU

HAL Dependencies

Required

GLib-2.10.3, D-BUS-0.62 (see the HAL Requirements), Python-2.4.4, and XML::Parser-2.34

Recommended

PCI Utilities-2.2.3 (with a current `pci.ids` file) and `usbutils`-0.72 (with a current `usb.ids` file)

Optional

`pkg-config`-0.20, `intltool`-0.34.2, `libusb`-0.1.12, `Doxygen`-1.4.6, and `DocBook-utils`-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/hal>

Installation of HAL

You must create a dedicated user and group before installing the package. Though the default BLFS instructions run the HAL daemon as the `root` user, a configuration file is installed which has the dedicated user's name hard-coded in it. This causes a confusing message to be generated when starting the D-BUS daemon. Issue the following commands as the `root` user:

```
groupadd -g 19 haldaemon &&
useradd -c "HAL Daemon User" -d /dev/null -u 19 \
        -g haldaemon -s /bin/false haldaemon
```

Install HAL by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --libexecdir=/usr/lib/hal \
            --localstatedir=/var &&
make
```

To test the results, issue **make check**.

Now, as the root user:

```
make install &&
install -v -m755 -d /var/run/hald
```

Command Explanations

`--libexecdir=/usr/lib/hal`: This parameter forces the installation of libexec files to /usr/lib/hal instead of /usr/libexec.

`--localstatedir=/var`: This parameter forces the creation of the pid file to /var/run/hald instead of /usr/var/run/hald.

Run-Time Dependencies

The **hal-device-manager** program requires several additional packages to be installed before it will run. The list is significant and requires a substantial commitment to install them. It is left up to you to determine if the time and effort spent installing the following packages is worth using the **hal-device-manager** program.

Though the only requirement to run the **hal-device-manager** program is installing GNOME-Python, the dependency list is staggering. The following list does not include the dependencies already identified in the BLFS book. For example, libgnome already lists GNOME VFS, GConf, etc., so they are not repeated here. Note that some of the dependencies have their own dependencies, which have their own, and so forth and so on.

- GNOME-Python
 - PyGTK (required)
 - Pycairo (optional)
 - libsvg-cairo (optional)
 - libsvg (required)
 - PyGTK (optional, and circular)
 - Numerical Python (optional)
 - Numerical Python (optional)
 - libglade-2.6.0 (required)

- libgnomeui-2.14.1 (optional)
- libgnome-2.14.1 (required)
- PyORBit (optional)
- ORBit2-2.14.2 (required)



Note

The dependency list is designed to start at the bottom and work your way up until the last package to install is GNOME-Python. Note that the dependencies marked as “required” are required for the package it is listed under. For example, you don't need to install ORBit if you don't plan on installing PyORBit. The minimum packages you could install to support running **hal-device-manager** would be (in this order): libgnome-2.14.1, libglade-2.6.0, PyGTK and GNOME-Python.

Configuring HAL

Config Files

/etc/dbus-1/system.d/hal.conf, /etc/dbus-1/system.d/halusers.conf and
/etc/hal/*

Configuration Information

The default setup for HAL is to allow only certain users to invoke methods such as Mount(). These are the root user and the user determined to be at the active console using pam_console. If you are not set up to use Linux-PAM-0.99.4.0 and pam_console, create a group that is allowed to invoke HAL methods with the following commands:

```
groupadd -g 61 halusers &&
cat > /etc/dbus-1/system.d/halusers.conf << "EOF"
<!DOCTYPE busconfig PUBLIC
"-//freedesktop//DTD D-BUS Bus Configuration 1.0//EN"
"http://www.freedesktop.org/standards/dbus/1.0/busconfig.dtd">
<busconfig>

  <!-- Allow users in the halusers group invoke HAL methods -->
  <policy group="halusers">
    <allow send_interface="org.freedesktop.Hal.Device.SystemPowerManagement"/>
    <allow send_interface="org.freedesktop.Hal.Device.LaptopPanel"/>
    <allow send_interface="org.freedesktop.Hal.Device.Volume"/>
    <allow send_interface="org.freedesktop.Hal.Device.Volume.Crypto"/>
  </policy>

</busconfig>
EOF
```

Now add the users you would like to the `halusers` group to use HAL. Note that these users still need to have appropriate permissions to access the devices that HAL will invoke its methods on.

With the above configuration in place, authorized users now have the ability to unmount disk partitions mounted at non-standard locations such as `/pub`. If you'd like to restrict this policy to only drives which are considered removable or hotpluggable, add the following configuration file as the root user:

```
cat > /etc/hal/fdi/policy/no-fixed-drives.fdi << "EOF"
<?xml version="1.0" encoding="UTF-8"?> <!-- -*- SGML -*- -->

<!-- Don't allow HAL methods on disks that are not
      removable or hotpluggable -->

<deviceinfo version="0.2">
<device>
  <match key="@block.storage_device:storage.hotpluggable" bool="false">
    <match key="@block.storage_device:storage.removable" bool="false">
      <merge key="volume.ignore" type="bool">true</merge>
    </match>
  </match>
</device>
</deviceinfo>
EOF
```

HAL only provides the methods such as `Mount()` to act on hardware. In order to take advantage of these, a HAL event handler such as `gnome-volume-manager-1.5.15` or `Ivman` should be installed.



Note

HAL will ignore any devices listed in `/etc/fstab` for the purpose of automounting. You must remove any listings for devices that you would like automounted such as CD-ROMs or USB keys.

Boot Script

To automatically start the **hald** daemon when the system is rebooted, install the `/etc/rc.d/init.d/haldaemon` bootscript from the `blfs-bootscripts-20060910` package.



Important

If the system-wide D-BUS daemon was running during the installation of HAL, ensure you stop and restart the D-BUS daemon before attempting to start the **hald** daemon.

```
make install-haldaemon
```

Contents

Installed Programs:	<code>hal-device</code> , <code>hal-device-manager</code> , <code>hal-find-by-capability</code> , <code>hal-find-by-property</code> , <code>hal-get-property</code> , <code>hal-set-property</code> , <code>hald</code> and <code>lshal</code>
Installed Libraries:	<code>libhal.{so,a}</code> and <code>libhal-storage,{so,a}</code>

Installed Directories: /etc/hal, /usr/include/hal, /usr/lib/hal, /usr/share/doc/hal-0.5.7.1, /usr/share/hal and /var/run/hald

Short Descriptions

hal-device	is used to create, remove or show a HAL device.
hal-device-manager	shows a graphical representation of all the devices HAL is aware of. This program requires GNOME-Python. Here is a screenshot of hal-device-manager communicating with the HAL daemon and displaying a tree of device objects. The shown properties in the screenshot are for a device object representing a hard disk.
hal-find-by-capability	prints the Unique Device Identifiers for HAL device objects of a given capability.
hal-find-by-property	prints the Unique Device Identifiers for HAL device objects where a given property assumes a given value.
hal-get-property	retrieves a property from a device.
hal-set-property	attempts to set property for a device. Note that, due to security considerations, it may not be possible to set a property.
hald	is the HAL daemon program.
lshal	shows all devices and their properties. If the --monitor option is given then the device list and all devices are monitored for changes.
<code>libhal.{so,a}</code>	contains the API functions required by the HAL programs.
<code>libhal-storage.{so,a}</code>	contains the API functions required by the HAL storage and volume utility programs.

Chapter 12. Programming

A base LFS system can be used as a development platform, however the base system only includes language support for C, C++ and Perl. This chapter provides instructions to build many popular programming environments to greatly expand your system's development capabilities.

DejaGnu-1.4.4

Introduction to DejaGnu

DejaGnu is a framework for running test suites on GNU tools. It is written in **expect**, which uses Tcl (Tool command language).

Package Information

- Download (HTTP): http://freshmeat.net/redir/dejagnu/12564/url_tgz/dejagnu-1.4.4.tar.gz
- Download (FTP): <ftp://ftp.gnu.org/pub/gnu/dejagnu/dejagnu-1.4.4.tar.gz>
- Download MD5 sum: 053f18fd5d00873de365413cab17a666
- Download size: 1.08 MB
- Estimated disk space required: 8.5 MB
- Estimated build time: .04 SBU

DejaGnu Dependencies

Required (Run-time Only)

Expect-5.43.0

Optional

DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dejagnu>

Installation of DejaGnu

Install DejaGnu by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the root user:

```
make install &&  
make install-doc
```

To test the installation, issue **make check** as an unprivileged user.

Contents

Installed Program:	runtest
Installed Libraries:	None
Installed Scripts:	There are numerous Expect scripts installed in the <code>/usr/share/dejagnu</code> hierarchy.
Installed Directory:	<code>/usr/share/dejagnu</code>

Short Descriptions

runtest is the DejaGnu test driver program. It is used to control what tests to run, and variations on how to run them.

Doxygen-1.4.6

Introduction to Doxygen

The Doxygen package contains a documentation system for C++, C, Java, Objective-C, Corba IDL and to some extent PHP, C# and D. This is useful for generating HTML documentation and/or an off-line reference manual from a set of documented source files. There is also support for generating output in RTF, PostScript, hyperlinked PDF, compressed HTML, and Unix man pages. The documentation is extracted directly from the sources, which makes it much easier to keep the documentation consistent with the source code.

You can also configure Doxygen to extract the code structure from undocumented source files. This is very useful to quickly find your way in large source distributions. Used along with Graphviz, you can also visualize the relations between the various elements by means of include dependency graphs, allance diagrams, and collaboration diagrams, which are all generated automatically.

Package Information

- Download (HTTP): <http://ftp.stack.nl/pub/users/dimitri/doxygen-1.4.6.src.tar.gz>
- Download (FTP): <ftp://ftp.stack.nl/pub/users/dimitri/doxygen-1.4.6.src.tar.gz>
- Download MD5 sum: ebf11130bec7987e9b69b1e0301d151a
- Download size: 2.8 MB
- Estimated disk space required: 48.4 MB
- Estimated build time: 1.5 SBU

Doxygen Dependencies

Optional

Qt-3.3.7, teTeX-3.0, Python-2.4.4, ESP Ghostscript-8.15.2 or AFPL Ghostscript-8.53, and Graphviz-2.8

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/doxygen>

Installation of Doxygen

Install Doxygen by running the following commands:

```
rm src/unistd.h &&
./configure --prefix /usr --docdir /usr/share/doc &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you wish to generate and install the package documentation (note that man pages have already been installed), you must have Python, teTeX (for HTML docs) and Ghostscript (for PDF docs) installed, then issue the following command as the `root` user:

```
make install_docs
```

Command Explanations

rm src/unistd.h: There is a bug in Flex-2.5.33 which causes **make** to use this file instead of the system installed version. Removing this file allows the GUI front-end to build successfully. This command is not required if you don't pass the `--with-doxywizard` parameter (but won't affect the build otherwise).

`--with-doxywizard:` Use this parameter if Qt is installed and you wish to build the GUI front-end.

Configuring Doxygen

There is no real configuration necessary for the Doxygen package although three additional packages are required if you wish to use extended capabilities. If you need to use the language translation features, you must have Python-2.4.4 installed. If you require formulas to create PDF documentation, then you must have TeX -3.0 installed. If you require formulas to convert PostScript files to bitmaps, then you must have AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2 installed.

Contents

Installed Programs: doxygen, doxytag, and optionally, doxywizard

Installed Libraries: None

Installed Directory: /usr/share/doc/doxygen

Short Descriptions

doxygen is a command-line based utility used to generate template configuration files and then generate documentation from these templates. Use **doxygen --help** for an explanation of the command-line parameters.

doxytag is used to generate a tag file and/or a search index for a set of HTML files.

doxywizard is a GUI front-end for configuring and running **doxygen**.

Expect-5.43.0

Introduction to Expect

The Expect package contains tools for automating interactive applications such as **telnet**, **ftp**, **passwd**, **fsck**, **rlogin**, **tip**, etc. Expect is also useful for testing these same applications as well as easing all sorts of tasks that are prohibitively difficult with anything else.

Package Information

- Download (HTTP): <http://expect.nist.gov/old/expect-5.43.0.tar.gz>
- Download (FTP):
- Download MD5 sum: 230400129630335b3060a42f66fec11d
- Download size: 525 KB
- Estimated disk space required: 4.6 MB
- Estimated build time: 0.07 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/expect-5.43.0-spawn-2.patch>

Expect Dependencies

Required

Tcl-8.4.13

Optional

Tk-8.4.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/expect>

Installation of Expect

Install Expect by running the following commands:

```
patch -Np1 -i ../expect-5.43.0-spawn-2.patch &&
./configure --prefix=/usr \
            --with-tclinclude=/usr/include \
            --enable-shared &&
make
```

This package does not come with a reliable test suite.

Now, as the `root` user:

```
make install &&
ln -sf ../libexpect5.43.a /usr/lib/expect5.43
```

Command Explanations

`--enable-shared`: This option enables building the shared library.

`ln -sf ../libexpect5.43.a /usr/lib/expect5.43`: This command creates a required link to the static library.

Configuring Expect

Config Files

`$exp_library/expect.rc` and `~/.expect.rc`

Configuration Information

Reference the **expect** man page for information about utilizing the `expect.rc` configuration files. Additionally, many of the tools contained in the Expect package will use their own configuration files. Reference the respective man page, or examine the script directly for configuration file information.

Contents

Installed Programs:	autoexpect, autopasswd, cryptdir, decryptdir, dislocate, expect, ftp-rfc, kibitz, lpunlock, mkpasswd, passmass, rftp, rlogin-cwd, timed-read, timed-run, unbuffer, weather, and optionally (if Expect was linked against Tk), expectk, multixterm, tknewsbiff, tkpasswd, xkibitz, and xpstat
Installed Library:	libexpect5.43.{so,a}
Installed Directory:	/usr/lib/expect5.43

Short Descriptions

autoexpect	generates an Expect script from watching a session.
autopasswd	is a wrapper to make passwd (1) be non-interactive.
cryptdir	encrypts all files in a directory.
decryptdir	decrypts all files in a directory.
dislocate	allows processes to be disconnected and reconnected to a terminal.
expect	is a program that “talks” to other interactive programs according to a script.
ftp-rfc	retrieves an RFC (or the index) from UUNET.
kibitz	allows two (or more) people to interact with one shell (or any arbitrary program).
lpunlock	unhangs a printer which claims it is “waiting for lock”.
mkpasswd	generates passwords and can apply them automatically to users.
passmass	changes a password on multiple machines.

rftp	is much like ftp except it uses <code>~g</code> and <code>~p</code> instead of <code>mget</code> and <code>mput</code> .
rlogin-cwd	is rlogin except it uses the local current directory as the current working directory on the remote machine.
timed-read	reads a complete line from stdin and aborts after a given number of seconds.
timed-run	runs a program for a given amount of time.
unbuffer	disables the output buffering that occurs when program output is redirected.
weather	retrieves a weather report (courtesy University of Michigan) for a given city or geographical area.
expectk	is a combination of Expect with Tk and should run any wish or Expect script.
multixterm	creates multiple xterms that can be driven together or separately.
tknewsbiff	pops up a window when there is unread news in your favorite newsgroups and removes the window after you've read the news.
tkpasswd	is a script to change passwords using expectk .
xkibitz	allows users in separate xterms to share one shell (or any program that runs in an xterm).
xpstat	is a script that acts as a front-end for xpilot .
<code>libexpect5.43.{so,a}</code>	contains functions that allow Expect to be used as a Tcl extension or to be used directly from C or C++ (without Tcl).

GC-6.8

Introduction to GC

The GC package contains the Boehm-Demers-Weiser conservative garbage collector, which can be used as a garbage collecting replacement for the C malloc function or C++ new operator. It allows you to allocate memory basically as you normally would, without explicitly deallocating memory that is no longer useful. The collector automatically recycles memory when it determines that it can no longer be otherwise accessed. The collector is also used by a number of programming language implementations that either use C as intermediate code, want to facilitate easier interoperability with C libraries, or just prefer the simple collector interface. Alternatively, the garbage collector may be used as a leak detector for C or C++ programs, though that is not its primary goal.

Package Information

- Download (HTTP): http://www.hpl.hp.com/personal/Hans_Boehm/gc/gc_source/gc6.8.tar.gz
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/gc6.8.tar.gz>
- Download MD5 sum: 418d38bd9c66398386a372ec0435250e
- Download size: 739 KB
- Estimated disk space required: 7.1 MB
- Estimated build time: 0.2 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gc>

Installation of GC

Install GC by running the following commands:

```
sed -i 's|\$(datadir)/@PACKAGE@|&-6.8|" doc/Makefile.in &&
./configure --prefix=/usr \
    --datadir=/usr/share/doc --enable-cplusplus &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
install -v -m644 doc/gc.man /usr/share/man/man3/gc_malloc.3 &&
ln -v -s gc_malloc.3 /usr/share/man/man3/gc.3
```

Command Explanations

`sed -i 's|\$(datadir)/@PACKAGE@|&-6.8|" ...`: This command appends “-6.8” to the default documentation installation path of `/usr/share/doc/gc`.

`--datadir=/usr/share/doc`: This parameter changes the installation path of the documentation to `/usr/share/doc/gc` instead of `/usr/share/gc`.

`--enable-cplusplus`: This parameter forces the building and installation of the C++ library along with the

standard C library.

Contents

Installed Programs:	None
Installed Libraries:	libgc.{so,a} and libgccpp.{so,a}
Installed Directories:	/usr/include/gc and /usr/share/doc/gc-6.8

Short Descriptions

libgc.{so,a}	contains a C interface to the conservative garbage collector, primarily designed to replace the C malloc function.
libgccpp.{so,a}	contains a C++ interface to the conservative garbage collector.

GCC-4.0.3

Introduction to GCC

The GCC package contains GNU compilers. This package is useful for compiling programs written in C, C++, Fortran, Java, Objective C and Ada. Also included is GNU Treelang. Treelang is a sample language, useful only to help people understand how to implement a new language front end to GCC. It is not a useful language in itself other than as an example or basis for building a new language. Therefore only language developers are likely to have an interest in it.



Note

The Fortran compiler included with the GCC-4.x package now aims to be conformant with the Fortran 95 standard, not the Fortran 77 standard as all previous versions of GCC have been. Please note the following paragraph copied directly from the GCC-4.0.3 **gfortran** man page.

“Gfortran is not yet a fully conformant Fortran 95 compiler. It can generate code for most constructs and expressions, but work remains to be done. In particular, there are known deficiencies with ENTRY, NAMELIST, and sophisticated use of MODULES, POINTERS and DERIVED TYPES. For those whose Fortran codes conform to either the Fortran 77 standard or the GNU Fortran 77 language, we recommend to use **g77** from GCC 3.4.x”

Instructions to install the 3.4.6 version of the Fortran compiler can be found in GCC-3.3.6 and on the BLFS Wiki.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/gcc/gcc-4.0.3/gcc-4.0.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnu.org/gnu/gcc/gcc-4.0.3/gcc-4.0.3.tar.bz2>
- Download MD5 sum: 6ff1af12c53cbb3f79b27f2d6a9a3d50
- Download size: 32.9 MB
- Estimated disk space required: 1.7 GB
- Estimated build time: 60 SBU (build, test and install all compilers)

GCC Dependencies

Recommended

DejaGnu-1.4.4

Optional (Required to Build the Fortran Compiler)

GMP-4.2 and MPFR



Note

If you plan to compile Ada, you will need to install GNAT temporarily to satisfy the circular dependency when you recompile GCC to include Ada.

GNAT-3.15 Package Information

- Download (HTTP):
<http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/g/gnat-3.15p-i686-pc-redhat71-gnu-bin.tar.bz2>
- Download (FTP):
<ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/g/gnat-3.15p-i686-pc-redhat71-gnu-bin.tar.bz2>
- Download MD5 sum: c9aad2da908a40e876c24fc85f248b51
- Download size: 11.6 MB
- Estimated disk space required: 97.7 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gcc>

Installation of GNAT

Install GNAT by running the following command as the `root` user:

```
make ins-all prefix=/opt/gnat
```

The GNAT compiler can be invoked by executing the `gcc` binary installed in `/opt/gnat/bin`.

You may now remove the GNAT source directory:

```
cd .. &&
rm -rf gnat-3.15p-i686-pc-linux-gnu-bin
```

Prepare to compile GCC by placing the GNAT version of `gcc` at the beginning of the `PATH` variable by using the following commands:

```
PATH_HOLD=$PATH &&
export PATH=/opt/gnat/bin:$PATH_HOLD
```

Installation of GCC

Install GCC by running the following commands:



Important

The installation process may overwrite your existing GCC `gcc` and `c++` compilers and libraries. It is highly recommended that you have the Tcl, Expect and DejaGnu packages installed before beginning the build so you can run the full suite of tests.

Do not continue with the **make install** command until you are confident the build was successful. You can compare your test results with those found at <http://gcc.gnu.org/ml/gcc-testresults/>. There's also an i686 platform test result produced by an LFS-SVN-20051127 system at http://anduin.linuxfromscratch.org/files/BLFS/gcc403_test.txt. You may also want to refer to the information found in the GCC-Pass 2 section of Chapter 5 in the LFS book (<http://lfs/view/6.2/chapter05/gcc-pass2.html>).

```
sed -i 's/install_to_${INSTALL_DEST} //' libiberty/Makefile.in &&
sed -i 's@\.\/fixinc\.sh@-c true@' gcc/Makefile.in &&
```

```
mkdir ../gcc-build &&
cd ../gcc-build &&
../gcc-4.0.3/configure \
  --prefix=/usr \
  --libexecdir=/usr/lib \
  --enable-shared \
  --enable-threads=posix \
  --enable-__cxa_atexit \
  --enable-clocale=gnu \
  --enable-languages=c,c++,objc,f95,ada,java,treelang &&
make bootstrap &&
make -k check &&
../gcc-4.0.3/contrib/test_summary
```

Now, as the root user:

```
make install &&
ln -v -sf ../usr/bin/cpp /lib &&
ln -v -sf gcc /usr/bin/cc &&
chown -v -R root:root \
  /usr/lib/gcc/i686-pc-linux-gnu/4.0.3/include &&
chown -v -R root:root \
  /usr/lib/gcc/i686-pc-linux-gnu/4.0.3/ada{lib,include}
```

The `libffi` interface header is installed in a location where other packages will not be able to find it. If you included Java as one of the installed languages, create a symbolic link in `/usr/include` to remedy this:

```
ln -v -sf `find /usr/lib/gcc -name ffitarget.h` /usr/include
```

As the root user, remove the GNAT installation:

```
rm -rf /opt/gnat
```

Now, as the unprivileged user, restore your old `PATH`:

```
export PATH=$PATH_HOLD &&
unset PATH_HOLD
```

Command Explanations

`sed -i 's/install_to_${INSTALL_DEST} //' libiberty/Makefile.in`: This command suppresses the installation of `libiberty.a` as the version provided by Binutils is used instead.

`mkdir ../gcc-build; cd ../gcc-build`: The GCC documentation recommends building the package in a dedicated build directory.

`--enable-shared --enable-threads=posix --enable-__cxa_atexit`: These parameters are required to build the C++ libraries to published standards.

`--enable-clocale=gnu`: This command is a failsafe for incomplete locale data.

`--enable-languages=c,c++,objc,f95,ada,java,treelang`: This command identifies which languages to build. You may modify this command to remove undesired languages.

make -k check: This command runs the test suite without stopping if any errors are encountered.

../gcc-4.0.3/contrib/test_summary: This command will produce a summary of the test suite results. You can append **| grep -A7 Summ** to the command to produce an even more condensed version of the summary. You may also wish to redirect the output to a file for review and comparison later on.

ln -v -sf ../usr/bin/cpp /lib: This command creates a link to the C PreProcessor as some packages expect it to be installed in the `/lib` directory.

ln -v -sf gcc /usr/bin/cc: This link is created as some packages refer to the C compiler using an alternate name.

chown -v -R root:root /usr/lib/gcc/i686-pc-linux-gnu/...: If the package is built by a user other than root, the ownership of the installed `include` and `adalib` directories (and their contents) will be incorrect. These commands change the ownership to the `root` user and group. Omit the command changing the Ada directories if you did not include Ada as one of the installed languages.

Contents

Installed Programs:	<code>addr2name.awk</code> , <code>fastjar</code> , <code>gcj</code> , <code>gcj-dbtool</code> , <code>gcjh</code> , <code>gfortran</code> , <code>gij</code> , <code>gjni</code> , <code>gnat</code> , <code>gnatbind</code> , <code>gnatbl</code> , <code>gnatchop</code> , <code>gnatclean</code> , <code>gnatfind</code> , <code>gnatkr</code> , <code>gnatlink</code> , <code>gnatls</code> , <code>gnatmake</code> , <code>gnatname</code> , <code>gnatprep</code> , <code>gnatxref</code> , <code>gprmake</code> , <code>grepjar</code> , <code>grmic</code> , <code>grmiregistry</code> , <code>gtreelang</code> , <code>jcf-dump</code> , <code>jv-convert</code> , <code>jv-scan</code> and architecture specific names for <code>gcj</code> and <code>gcjh</code>
Installed Libraries:	<code>libffi.{so,a}</code> , <code>libgcj.{so,a}</code> , <code>libgfortran.{so,a}</code> , <code>libgfortranbegin.a</code> , <code>libgij.{so,a}</code> , <code>libobjc.{so,a}</code> and numerous other run-time libraries and executables in <code>/usr/lib/gcc</code>
Installed Directories:	<code>/usr/include/c++/4.0.3/{gcj,gnu,java,javax,org}</code> , <code>/usr/lib/gcc/i686-pc-linux-gnu/4.0.3/ada{include,lib}</code> , <code>/usr/lib/gcj-4.0.3</code> , <code>/usr/lib/security</code> and <code>/usr/share/java</code>

Some program and library names and descriptions are not listed here, but can be found at [../lfs/view/6.2/chapter06/gcc.html#contents-gcc](http://lfs/view/6.2/chapter06/gcc.html#contents-gcc) as they were initially installed during the building of LFS.

Short Descriptions

addr2name.awk	emulates some of the functionality of <code>addr2line</code> .
fastjar	is an archive tool for Java archives.
gcj	is an ahead-of-time compiler for the Java language.
gcj-dbtool	is a tool for creating and manipulating class file mapping databases.
gcjh	generates header files from Java class files.
gfortran	is the Fortran compiler invoked by gcc .
gij	is the GNU interpreter for Java bytecode.
gjni	is used to generate JNI header files from class files. Running it is equivalent to running gcjh -jni .
gnat	is the Ada compiler invoked by gcc .

gnatbind	is used to bind compiled objects.
gnatbl	is the Ada linker.
gnatchop	is useful for renaming files to meet the standard Ada default file naming conventions.
gnatclean	is used to remove files associated with a GNAT project.
gnatfind	is the GNAT definition/use finder.
gnatkr	is used to determine the crunched name for a given file, when crunched to a specified maximum length.
gnatlink	is used to link programs and build an executable file.
gnatls	is the compiled unit browser.
gnatmake	is an automatic make facility.
gnatname	will list the files associated with a GNAT project.
gnatprep	is the GNAT external preprocessor.
gnatxref	is the GNAT cross-referencer.
gprmake	is a tool used to create <code>Makefiles</code> that support compilation by multiple languages.
grepjar	searches <code>jar</code> files for a pattern.
grmic	generates stubs for Remote Method Invocation.
grmiregistry	starts a remote object registry on the current host.
gtreelang	is largely a cut down version of C, designed to showcase the features of the GCC code generation back end. Only those features that are directly supported by the GCC code generation back end are implemented. Features are implemented in a manner which is easiest and clearest to implement. Not all or even most code generation back end features are implemented. The intention is to add features incrementally until most features of the GCC back end are implemented in Treelang.
jcf-dump	prints information about Java class files.
jv-convert	converts files from one encoding to another.
jv-scan	prints information about Java source files.

GCC-3.3.6

Introduction to GCC-3.3.6

There are several reasons why you may wish to install GCC-3.3.6. Some packages have not been updated so they can be successfully compiled by GCC-4.0.3 as version 4.x.x of GCC is much stricter in enforcing coding standards. Additionally, some pre-compiled packages may require the GCC-3.3.6 libraries at run-time. Another reason you may need to install GCC-3.3.6 is to use the **g77** Fortran 77 compiler provided by pre-4.x.x versions of GCC. GCC-4.x.x only includes **gfortran**, a Fortran 95 compatible compiler that is not yet ready to be used in a production environment.

If all you need is a working **{f,g}77** Fortran 77 compiler, you may wish to use the one provided by GCC-3.4.x. This is what the GCC developers recommend. Instructions for building the GCC-3.4.x Fortran compiler can be found on the BLFS Wiki.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/gcc/gcc-3.3.6/gcc-3.3.6.tar.bz2>
- Download (FTP): <ftp://ftp.gnu.org/gnu/gcc/gcc-3.3.6/gcc-3.3.6.tar.bz2>
- Download MD5 sum: 6936616a967da5a0b46f1e7424a06414
- Download size: 24 MB
- Estimated disk space required: 433 MB (includes running the test suite)
- Estimated build time: 5.2 SBU (additional 11.2 SBU to run the test suite)

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/gcc-3.3.6-no_fixincludes-1.patch
- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gcc-3.3.6-linkonce-1.patch>

GCC-3.3.6 Dependencies

Optional

DejaGnu-1.4.4 (required to run the full test suite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gcc3>

Installation of GCC-3.3.6

Install GCC-3.3.6 by running the following commands:

```
patch -Np1 -i ../gcc-3.3.6-no_fixincludes-1.patch &&
patch -Np1 -i ../gcc-3.3.6-linkonce-1.patch &&
mkdir ../gcc-build &&
cd ../gcc-build &&
../gcc-3.3.6/configure --prefix=/opt/gcc-3.3.6 \
    --enable-shared --enable-languages=c,c++ --enable-threads=posix &&
make bootstrap
```

If desired, run the test suite using the following commands. The **test_summary** commands create log files

which can be compared to known good results located at http://anduin.linuxfromscratch.org/files/BLFS/gcc336_test.txt.

```
make -k check &&
../gcc-3.3.6/contrib/test_summary >test_summary.log 2>&1 &&
../gcc-3.3.6/contrib/test_summary | \
    grep -A7 Summ >test_summary_short.log 2>&1
```

Now, as the root user:

```
make install &&
mv -v /opt/gcc-3.3.6/lib/libstdc++.so.5* /usr/lib &&
ln -v -sf /usr/lib/libstdc++.so.5.0.7 /opt/gcc-3.3.6/lib &&
ln -v -sf libstdc++.so.5.0.7 /opt/gcc-3.3.6/lib/libstdc++.so.5 &&
chown -v -R root:root \
    /opt/gcc-3.3.6/lib/gcc-lib/i686-pc-linux-gnu/3.3.6/include
```

Command Explanations

mkdir ../gcc-build; cd ../gcc-build: The GCC development team recommends building in a separate directory.

--enable-shared --enable-languages=c,c++ --enable-threads=posix: Configures GCC to build the C and C++ compilers and enable the related C++ options. In addition to `c` and `c++`, you can add `f77` for FORTRAN (called `g77`). Note that GCC-4 no longer provides a FORTRAN 77 compiler.

mv -v /opt/gcc-3.3.6/lib/libstdc++.so.5* /usr/lib: Moves the C++ library to the standard lib directory to avoid having to add `/opt/gcc-3.3.6/lib` to `/etc/ld.so.conf`.

Configuring GCC-3.3.6

Configuration information

If you only need the GCC-3.3.6 C++ library, you may delete `/opt/gcc-3.3.6`.

Whenever you need to use GCC-3.3.6 instead of your system installed compiler, add `/opt/gcc-3.3.6/bin` to the front of your `PATH` or (preferably) set the `CC` environment variable before compiling the concerned package.

If you use `g77` programs, you also should move the `libg2c.*` libraries and symbolic links to `/usr/lib`. Using `export LD_LIBRARY_PATH=/opt/gcc-3.3.6/lib` or updating `/etc/ld.so.conf` to point to `/opt/gcc-3.3.6/lib` is not recommended as it may conflict with your normal libraries.

Contents

Installed Programs:	<code>c++</code> , <code>cpp</code> , <code>g++</code> , <code>gcc</code> , <code>gccbug</code> , <code>gcov</code> , and architecture specific names of these programs.
Installed Libraries:	<code>libgcc_s.so</code> , <code>libiberty.a</code> , <code>libstdc++.a</code> , <code>libsupc++.a</code> , and other support libraries and files.
Installed Directory:	<code>/opt/gcc-3.3.6</code>

Short Descriptions

The GCC-3.3.6 package contains the **gcc-3.3.6** C and C++ compilers and the GCC-3.3.6 `libstdc++.so` library that is required by some commercial and pre-compiled packages.

Guile-1.6.7

Introduction to Guile

The Guile package contains the Project GNU's extension language library. Guile also contains a stand alone Scheme interpreter.

Package Information

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/guile/guile-1.6.7.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/pub/gnu/guile/guile-1.6.7.tar.gz>
- Download MD5 sum: c2ff2a2231f0cbb2e838dd8701a587c5
- Download size: 3.0 MB
- Estimated disk space required: 39.6 MB (additional 32.2 MB to install all the docs)
- Estimated build time: 1.1 SBU (includes building all documentation)

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/guile-1.6.7-gcc4-1.patch>
- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/guile-1.6.7-slib-1.patch>

Guile Dependencies

Optional

Emacs-21.4a

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/guile>

Installation of Guile

Install Guile by running the following commands:

```
patch -Np1 -i ../guile-1.6.7-gcc4-1.patch &&
patch -Np1 -i ../guile-1.6.7-slib-1.patch &&
./configure --prefix=/usr --with-threads &&
make
```

If you have teTeX installed and wish to build alternate formats of the documentation, issue the following commands:

```
for DIRNAME in goops r5rs ref tutorial
do
    make -k -C doc/$DIRNAME pdf ps html
done &&
makeinfo --plaintext -o doc/goops/goops.txt doc/goops/goops.texi &&
makeinfo --plaintext -o doc/r5rs/r5rs.txt doc/r5rs/r5rs.texi &&
makeinfo --plaintext -o doc/ref/guile.txt doc/ref/guile.texi &&
makeinfo --plaintext -o doc/tutorial/guile-tut.txt \
    doc/tutorial/guile-tut.texi &&
```

```
unset DIRNAME
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
find examples -name "Makefile*" -exec rm {} \; &&
install -v -m755 -d /usr/share/doc/guile-1.6.7 &&
cp -v -R examples /usr/share/doc/guile-1.6.7
```

If you built the alternate formats of the documentation, install it using the following commands issued by the `root` user:

```
for DIRNAME in goops r5rs ref tutorial
do
    install -v -m755 -d /usr/share/doc/guile-1.6.7/$DIRNAME/html
    install -v -m644 doc/$DIRNAME/*.{pdf,ps,dvi,txt} \
        /usr/share/doc/guile-1.6.7/$DIRNAME
    if [ -d doc/$DIRNAME/$DIRNAME.html ]; then
        install -v -m644 doc/$DIRNAME/$DIRNAME.html/* \
            /usr/share/doc/guile-1.6.7/$DIRNAME/html
    fi
done &&

install -v -m644 doc/goops/hierarchy.{eps,png} \
    /usr/share/doc/guile-1.6.7/goops &&
install -v -m644 doc/ref/guile.html/* \
    /usr/share/doc/guile-1.6.7/ref/html &&
install -v -m644 doc/tutorial/guile-tut.html/* \
    /usr/share/doc/guile-1.6.7/tutorial/html
```

Contents

Installed Programs:	guile, guile-config, guile-snarf, and guile-tools
Installed Libraries:	libguile-ltdl.{so,a}, libguile-srfi-srfi-13-14-v-1.{so,a}, libguile-srfi-srfi-4-v-1.{so,a}, libguile.{so,a}, /libguilereadline-v-12.{so,a} and libqthreads.{so,a}
Installed Directories:	/usr/include/guile, /usr/include/libguile, /usr/share/doc/guile-1.6.7 and /usr/share/guile

Short Descriptions

guile	is a stand-alone Scheme interpreter for Guile.
guile-config	is a Guile script which provides the information necessary to link your programs against the Guile library, in much the same way pkg-config-0.20 does.
guile-snarf	is a script to parse declarations in your C code for Scheme visible C functions, i Scheme objects to be used by C code, etc.

guile-tools

is a wrapper program installed along with **guile** which knows where a particular module is installed and calls it passing its args to a program.

JDK-1.5.0_10

Introduction to JDK

The JDK package contains Sun's Java development environment. This is useful for developing Java programs and provides the runtime environment necessary to run Java programs. It also includes a plug-in for browsers so that they can be Java aware.

The JDK comes in two flavors, a precompiled binary and a source package. Previously, the plugin included in the JDK binary package was unusable on LFS owing to incompatibilities with GCC-3 compiled browsers. This is not the case anymore.

In order to use the source code and patches, you must read and agree to the Sun Java Research License or optionally, the Sun Java Internal Use License. In addition, the source code is not allowed to be downloaded to some countries, so for users in those countries, the binary is the only option.

You will first need to download and install the binary version of the JDK.

To build from the source, you will also need to download the additional files and patches to complete the source build as detailed below.

Package Information

- Binary download: <http://java.sun.com/j2se/1.5.0/download.jsp> (to download `jdk-1_5_0_10-linux-i586.bin`)
- Download MD5 sum (binary): `d916c24bed9eef7aebc2626115e14a11`
- Source download: <http://download.java.net/tiger/> (to download `jdk-1_5_0_10-fcs-src-b03-jrl-09_nov_2006.jar` (or optionally the JIUL version), `jdk-1_5_0_10-fcs-bin-b03-09_nov_2006.jar`, and `jdk-1_5_0_10-mozilla_headers-b03-unix-09_nov_2006.jar`)
- Download MD5 sums (source):

```
09842a4e68040db473e04dbcc284f1d5 jdk-1_5_0_10-fcs-bin-b03-09_nov_2006.jar
b59335f620e7da524be168b07319fa3b jdk-1_5_0_10-fcs-src-b03-jrl-09_nov_2006.jar
f49df1a1e7fe351b7fa9f66db121616e jdk-1_5_0_10-mozilla_headers-b03-unix-09_nov_2006.jar
```

- Download size (binary): 47.2 MB
- Download size (source): 64.2 MB (three .jar files)
- Estimated disk space required: 1882 MB
- Estimated build time: 34 SBU

Additional Downloads

Required Patches

- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-gcc4-1.patch
- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-motif_fixes-1.patch
- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-nptl-1.patch
- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-remove_broken_demo-1.patch
- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-remove_fixed_paths-1.patch

Recommended Patches

- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-remove_debug_image-1.patch (skips compiling of the JDK debug image)
- http://www.linuxfromscratch.org/patches/blfs/6.2.0/jdk-1.5.0_10-static_cxx-1.patch (forces dynamic linking to GCC libs)

JDK Dependencies

Required (to Build JDK from Source)

X Window System, Zip-2.32, UnZip-5.52, cpio-2.6, ALSA Library-1.0.13, and Tcsh-6.14.00

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/jdk>

Installation of JDK

Both the binary and source built versions will be installed. You may choose to keep either or both.



Tip

The **`./jdk-mod.bin`** command below unpacks the distribution into a `jdk1.5.0_10` directory. You will be required to view, and then accept (by entering a **y** keypress), a license agreement before any files are unpacked. If you are scripting (automating) the build, you'll need to account for this. There is information about automating build commands in the Automated Building Procedures section of Chapter 2. Towards the end of this section, specific information for automating this type of installation is discussed.

Normally in BLFS, the files are unpacked into a subdirectory and the starting point for the installation procedures is that location. For this application only, start in the directory where all the downloaded files are located.

Install the precompiled JDK with the following commands:

```
cp jdk-1_5_0_10-linux-i?86.bin jdk-mod.bin &&
sed -i "s:^PATH=.*::" jdk-mod.bin &&
chmod -v +x jdk-mod.bin &&
./jdk-mod.bin
```

Now, as the `root` user:

```
cd jdk1.5.0_10 &&
install -v -d /opt/jdk/jdk-precompiled-1.5.0_10 &&
mv -v * /opt/jdk/jdk-precompiled-1.5.0_10 &&
chown -v -R root:root /opt/jdk/jdk-precompiled-1.5.0_10 &&
ln -v -sf motif21/libmawt.so \
    /opt/jdk/jdk-precompiled-1.5.0_10/jre/lib/i386/ &&
cd ..
```

The binary version is now installed.

If you don't want to compile the source or are not in a position to download the source owing to license restrictions, skip ahead to the configuration section.

Save the existing path, and append the recently installed JDK.

```
export JAVA_HOME=/opt/jdk/jdk-precompiled-1.5.0_10 &&
export PATH_HOLD=${PATH} &&
export PATH=${PATH}:${JAVA_HOME}/bin
```

The source code is contained in self-extracting jar files. You will need to be in a windowed environment to extract the sources. Create a directory to store the extracted sources. Choose the newly created jdk-build directory when prompted for the target directory.

```
mkdir jdk-build &&
cd jdk-build &&
for JAR in ../jdk-1_5_0_10*.jar
do java -jar ${JAR}
done
```

Apply all the patches downloaded above:

```
for PATCH in ../jdk-1.5.0_10*.patch
do patch -Np1 -i ${PATCH}
done
```

If your X Window System is installed into any prefix other than /usr/X11R6, execute the following command, replacing <PREFIX> with the installation prefix of the X Window System:

```
find . -type f -exec sed -i 's@/usr/X11R6@<PREFIX>@g' {} \;
```

Set/unset some variables which affect the build:

```
export ALT_BOOTDIR=${JAVA_HOME} &&
export CLASSPATH_HOLD=${CLASSPATH} &&
unset JAVA_HOME CLASSPATH CFLAGS CXXFLAGS LDFLAGS &&
export ALT_DEVTOOLS_PATH="/usr/bin" &&
export BUILD_NUMBER="update-10" &&
export DEV_ONLY=true &&
export ALT_MOZILLA_HEADERS_PATH=${PWD}/share/plugin/ &&
export INSANE=true &&
export MAKE_VERBOSE=true &&
export ALT_CACERTS_FILE=${ALT_BOOTDIR}/jre/lib/security/cacerts
```



Warning

Setting CFLAGS/CXXFLAGS/LDFLAGS is guaranteed to make the build fail. If you are interested in optimizing the build, set OTHER_CFLAGS/OTHER_CXXFLAGS/OTHER_LDFLAGS instead. -O3, even in OTHER_C[,XX]FLAGS, is known to cause a build failure.

Additionally, if you would like to **make** in parallel, add the following:

```
export HOTSPOT_BUILD_JOBS=<3>
```

Build the JDK with the following commands. There will be a lot of messages about missing files that look like

errors. These are caused by not meeting the expected build environment (Red Hat). As long as the build doesn't stop, the messages are harmless.

```
cd control/make &&
make &&
cd ../build/linux-i?86
```

To test the results, you can run one of the provided demo programs using the newly created **java** binary. Issue the following commands:

```
cd j2sdk-image/demo/jfc/Java2D &&
../../../../bin/java -jar Java2Demo.jar &&
cd ../../../../..
```

Now, as the `root` user, install the JDK:

```
cp -v -a j2sdk-image /opt/jdk/jdk-1.5.0_10 &&
chown -v -R root:root /opt/jdk/jdk-1.5.0_10 &&
ln -v -sf motif21/libmawt.so /opt/jdk/jdk-1.5.0_10/jre/lib/i386/
```

Restore the unprivileged user's environment using the following commands:

```
export JAVA_HOME=${ALT_BOOTDIR} &&
export CLASSPATH=${CLASSPATH_HOLD} &&
export PATH=${PATH_HOLD} &&
unset ALT_BOOTDIR CLASSPATH_HOLD ALT_DEVTOOLS_PATH BUILD_NUMBER &&
unset DEV_ONLY ALT_MOZILLA_HEADERS_PATH INSANE MAKE_VERBOSE &&
unset ALT_CACERTS_FILE PATH_HOLD
```

Command Explanations

export ALT_BOOTDIR=\${JAVA_HOME}: This variable sets the location of the bootstrap JDK.

export ALT_MOZILLA_HEADERS_PATH=\${PWD}/share/plugin/: This tells the build exactly where to find the Mozilla headers. This has changed since the previous version and is not mentioned in the installation documentation included with the package source.

export ALT_DEVTOOLS_PATH="/usr/bin": This changes the location where the build finds the needed executables.

export BUILD_NUMBER="update-10": This will help you identify the compiled version of the runtime environment and virtual machine by appending this information to the version string.

export DEV_ONLY=true: This command skips compiling the documentation and eliminates a dependency on rpm.

unset JAVA_HOME CLASSPATH CFLAGS CXXFLAGS LDFLAGS: These variables cause miscompilation of the build. Never set them.

export INSANE=true: The certified platform for the build is Redhat Enterprise Advanced Server 2.1. This variable ensures that all the errors related to compiling on a non-certified platform will be displayed as warnings instead of errors.

export MAKE_VERBOSE=true: Allows the compiler commands to be displayed on the console.

export ALT_CACERTS_FILE...: Specifies the certificate file to use (from the installed binary JDK).

ln -sf motif21/libmawt.so /opt/jdk/jdk-1.5.0_10/jre/lib/i386/: This fixes linking issues with other applications that expect to find the motif libraries with the other JDK libraries.

Configuring JDK

Configuration Information

There are now two Java 2 SDKs installed in `/opt/jdk`. You should decide on which one you would like to use as the default. For example if you decide to use the source compiled JDK, do the following as the root user:

```
ln -v -nsf jdk-1.5.0_10 /opt/jdk/jdk
```

Add the following `jdk.sh` shell startup file to the `/etc/profile.d` directory with the following commands as the root user:

```
cat > /etc/profile.d/jdk.sh << "EOF"
# Begin /etc/profile.d/jdk.sh

# Set JAVA_HOME directory
JAVA_HOME=/opt/jdk/jdk

# Adjust PATH
pathappend ${JAVA_HOME}/bin PATH

# Auto Java CLASSPATH
# Copy jar files to, or create symlinks in this directory
AUTO_CLASSPATH_DIR=/usr/lib/classpath
pathprepend . CLASSPATH
for dir in `find ${AUTO_CLASSPATH_DIR} -type d 2>/dev/null`; do
    pathappend $dir CLASSPATH
done

export JAVA_HOME CLASSPATH
unset AUTO_CLASSPATH_DIR
unset dir

# End /etc/profile.d/jdk.sh
EOF
```

The Java plugin is located in `$JAVA_HOME/jre/plugin/i?86/ns7/`. Make a symbolic link to the file in that directory from your browser(s) plugins directory.



Important

The plugin must be a symlink for it to work. If not, the browsers will crash when you attempt to load a Java application.

Contents

Installed Programs: appletviewer, extcheck, idlj, jar, jarsigner, java, javac, javadoc, javah, javap, javaws, jdb, keytool, native2ascii, orbd, policytool, rmic, rmid, rmiregistry, serialver, servertool, and tnameserv

Installed Libraries: \$JAVA_HOME/lib/*, \$JAVA_HOME/jre/lib/*, and libjavaplugin_oji.so

Installed Directory: /opt/jdk

Short Descriptions

appletviewer	runs Java applets outside of the context of a browser.
extcheck	checks a specified JAR file for title and version conflicts with any extensions installed in the JDK software.
idlj	generates Java bindings from a given IDL file.
jar	combines multiple files into a single JAR archive file.
jarsigner	signs JAR (Java ARchive) files and verifies the signatures and integrity of a signed JAR.
java	launches a Java application by starting a Java runtime environment, loading a specified class and invoking its main method.
javac	reads class and interface definitions, written in the Java programming language, and compiles them into bytecode class files.
javadoc	parses the declarations and documentation comments in a set of Java source files and produces a corresponding set of HTML pages describing the classes, interfaces, constructors, methods, and fields.
jawah	generates C header and source files that are needed to implement native methods.
javap	disassembles a Java class file.
javaws	launches Java application/applets hosted on a network.
jdb	is a simple command-line debugger for Java classes.
keytool	is a key and certificate management utility.
native2ascii	converts files that contain non-supported character encoding into files containing Latin-1 or Unicode-encoded characters.
orbd	is used to enable clients to transparently locate and invoke persistent objects on servers in the CORBA environment.
policytool	creates and manages a policy file graphically.
rmic	generates stub and skeleton class files for remote objects from the names of compiled Java classes that contain remote object implementations.
rmid	starts the activation system daemon.
rmiregistry	creates and starts a remote object registry on the specified port on the current host.
serialver	returns the serialVersionUID for one or more classes in a form suitable for copying into an

evolving class.

servertool provides an ease-of-use interface for application programmers to register, unregister, startup and shutdown a server.

tnameserv starts the Java IDL name server.

Librep-0.17

Introduction to Librep

The librep package contains a Lisp system. This is useful for scripting or for applications that may use the Lisp interpreter as an extension language.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/librep/librep-0.17.tar.gz>
- Download (FTP):
- Download MD5 sum: ad4ad851ff9f82a5d61024cd96bc2998
- Download size: 1.2 MB
- Estimated disk space required: 13.4 MB
- Estimated build time: 0.47 SBU

Librep Dependencies

Required

GDBM-1.8.3

Optional

GMP-4.2 and GCC-4.0.3 (build Java so that `libffi` is built)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/librep>

Installation of Librep

Install librep by running the following commands:

```
./configure --prefix=/usr --libexecdir=/usr/lib &&  
make
```

Now, as the `root` user:

```
make install
```

Command Explanations

`--libexecdir=/usr/lib`: This parameter installs files to `/usr/lib/rep` instead of `/usr/libexec/rep`.

Contents

Installed Programs: rep, rep-config, rep-remote, rep-xgettext, and repdoc

Installed Libraries: librep.so and numerous modules installed in the `/usr/lib/rep` hierarchy

Installed Directories: /usr/lib/rep, /usr/share/emacs/site-lisp, and /usr/share/rep

Short Descriptions

rep is the Lisp interpreter.

librep.so contains the functions necessary for the Lisp interpreter.

NASM-0.98.39

Introduction to NASM

NASM (Netwide Assembler) is an 80x86 assembler designed for portability and modularity. It includes a disassembler as well.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/nasm/nasm-0.98.39.tar.bz2>
- Download (FTP):
- Download MD5 sum: 2032ad44c7359f7a9a166a40a633e772
- Download size: 543 KB
- Estimated disk space required: 17.3 MB (includes building and installing all docs)
- Estimated build time: 0.2 SBU

Additional Downloads

- Required patch to fix a buffer overrun vulnerability:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/nasm-0.98.39-security_fix-1.patch

NASM Dependencies

Optional (for Building Documentation)

teTeX-3.0, and ESP Ghostscript-8.15.2 or AFPL Ghostscript-8.53

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nasm>

Installation of NASM

Install NASM by running the following commands:

```
patch -Np1 -i ../nasm-0.98.39-security_fix-1.patch &&
./configure --prefix=/usr &&
make &&
make -C rdoff/doc &&
make -C rdoff/doc html
```

To build the base NASM documentation, ensure you have Ghostscript installed and issue:

```
make doc
```

To build the RDOFF Postscript documentation, ensure you have teTeX-3.0 installed and issue:

```
sed -i -e "s/dvips \$</& -o rdoff.ps/" rdoff/doc/Makefile &&
make -C rdoff/doc ps
```

To build the RDOFF PDF documentation, ensure you have Ghostscript installed and issue:

```
make -C rdoff/doc pdf
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
make install_rdf &&
install -v -m644 rdoff/doc/rdoff.info /usr/share/info &&
install -v -m755 -d /usr/share/doc/nasm/html &&
install -v -m644 rdoff/doc/v1-v2.txt /usr/share/doc/nasm &&
cp -v -R rdoff/doc/rdoff /usr/share/doc/nasm/html
```

If you built the Ghostscript generated documentation, install it using the following commands as the `root` user:

```
make install_doc &&
install -v -m644 rdoff/doc/rdoff.pdf /usr/share/doc/nasm
```

Lastly, if you built the RDOFF Postscript documentation, install it using the following command as the `root` user:

```
install -v -m644 rdoff/doc/rdoff.ps /usr/share/doc/nasm
```

Contents

Installed Programs:	<code>nasm</code> , <code>ndisasm</code> , <code>ldrdf</code> , <code>rdf2bin</code> , <code>rdf2com</code> , <code>rdf2ihx</code> , <code>rdfdump</code> , <code>rdflib</code> , and <code>rdx</code>
Installed Libraries:	None
Installed Directories:	<code>/usr/share/doc/nasm</code>

Short Descriptions

<code>nasm</code>	is a portable 80x86 assembler.
<code>ndisasm</code>	is an 80x86 binary file disassembler.
<code>ldrdf</code>	is an RDOFF linker.
<code>rdfdump</code>	dumps the contents of an RDOFF file.
<code>rdflib</code>	is an RDOFF librarian.
<code>rdx</code>	is used to load and execute an RDOFF module.

PDL-2.4.2

Introduction to PDL

PDL (Perl Data Language) gives standard Perl the ability to compactly store and quickly manipulate the large N-dimensional data arrays common to scientific computing. PDL turns Perl into an array-oriented, numerical language similar to such commercial packages as IDL and MatLab. One can write simple Perl expressions to manipulate entire numerical arrays all at once.

PDL provides extensive numerical and semi-numerical functionality with support for two- and three-dimensional visualisation as well as a variety of I/O formats. The goal is to allow PDL to interact with a variety of external numerical packages, graphics and visualisation systems. Easy interfacing to such systems is one of the core design features of PDL.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/pdl/PDL-2.4.2.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/PDL-2.4.2.tar.gz>
- Download MD5 sum: edd056a006eae8b46e8ef804b9774a93
- Download size: 2.1 MB
- Estimated disk space required: 74 MB
- Estimated build time: 2.56 SBU

PDL Dependencies

PDL is a collection of over 90 Perl modules. Some of these modules require additional libraries, packages and/or Perl modules for full functionality. Listed below are the modules which require additional software or configuration. If you don't need a particular module's functionality, you don't need to install its dependencies. The dependency tree for each module is listed downward, meaning you'll need to start at the bottom of a module's tree and work up. The dependencies are listed in the same order as they are in the `DEPENDENCIES` file, found in the package source tree.

This package (and many of the dependency packages) requires a Fortran compiler for full functionality of all the different modules. The **gfortran** compiler installed with the current BLFS version of GCC (4.0.3) will not work. If you want to compile the parts of this package that require a Fortran compiler, you'll need to install a GCC-3.x.x version of Fortran. The GCC developers recommend using Fortran from GCC-3.4.6. You can find specific instructions to install a GCC-3.4.6 compiler on the BLFS Wiki. Alternatively, if you have a need to install GCC-3.3.6, you can add the Fortran compiler to the list of compilers installed in those instructions. Don't forget to put the directory containing the `{g,f}77` commands at the beginning of your `PATH` environment variable before beginning the compilation.

PDL::NiceSlice

The `PDL::NiceSlice` module is used to enhance PDL's slice syntax. "Slicing" is a term used in the process of creating a cross-section, or slice, of a PDL object (piddle).

- Filter-1.32

Inline::Pdlpp

The `Inline::Pdlpp` module allows you to define fast PP code inline in your scripts.

- `Inline-0.44`
 - `Parse-RecDescent-1.94`

Perldl

perldl is a simple shell (written in Perl) which allows interactive use of PDL.

- `Term-ReadLine-Gnu-1.15`

PDL::Graphics::TriD

The `PDL::Graphics::TriD` module implements a generic 3D plotting interface for PDL. Points, lines and surfaces (among other objects) are supported.

- `OpenGL (X Window System)`

PDL::Graphics::PGPLOT

The `PDL::Graphics::PGPLOT` module is a convenience interface to the PGPLOT commands, implemented using the object oriented PGPLOT plotting package in the `PDL::Graphics::PGPLOT::Window` module.

- `PGPLOT-2.19`
 - `ExtUtils-F77-1.15`
 - a Fortran compiler
 - `PGPLOT`
 - `X Window System`, `LessTif-0.94.4`, `Tk-8.4.13`, and a Fortran compiler

PDL::Graphics::PLPLOT

The `PDL::Graphics::PLPLOT` module is a simple interface to the PLplot plotting library.

- `PLplot`
 - `pkg-config-0.20`, `X Window System`, `GTK+-1.2.10`, `FreeType-2.1.10`, `GD`, `SVGAlib`, `GNOME Libraries-1.4.2`, `JDK-1.5.0_10`, `Tk-8.4.13`, `Python-2.4.4` (with Numeric Python), a Fortran compiler, `SWIG`, and `iTcl`

PDL::Graphics::IIS

The `PDL::Graphics::IIS` module provides an interface to any image display “device” which supports the “IIS protocol”.

- SAOimage
 - X Window System
- X11 IRAF
 - X Window System and Tk-8.4.13

PDL::Graphics::Karma

The PDL::Graphics::Karma module is an interface to Karma visualisation applications.

- Karma
 - X Window System

Note: You may need to modify the `WHERE_KARMA => undef` line in the source tree `perlddl.conf` file to point to your installation of Karma

PDL::IO::Pic

The PDL::IO::Pic module implements I/O for a number of popular image formats by exploiting the **xxtopenm** and **pnmtoppm** converters from the Netpbm package and the **cjpeg** and **djpeg** converters. It also contains the routine `wmpeg` to write MPEG movies from piddles representing image stacks.

- Netpbm, libjpeg-6b and `mpeg_encode`

PDL::Slatec

The PDL::Slatec module serves the dual purpose of providing an interface to parts of the slatec library and showing how to interface PDL to an external library. The module provides routines to manipulate matrices, calculate FFTs, fit data using polynomials, and interpolate/integrate data using piecewise cubic Hermite interpolation.

- ExtUtils-F77-1.15
 - a Fortran compiler

PDL::GSL

The PDL::GSL module is an interface to the functions provided by the Gnu Scientific Library.

- GSL

PDL::FFTW

The PDL::FFTW module is a means to interface PDL with the FFTW library. It's similar to the standard FFT routine but it's usually faster and has support for real transforms. It works well for the types of piddles for which the library was compiled (otherwise it must do conversions).

- FFTW-2.x

PDL::IO::Browser

The PDL::IO::Browser module is a 2D cursor terminal data browser for piddles.

There is no additional software required to use the module. However, the default is to not install the module because some platforms don't provide a curses compatible library. To enable the module, issue the following command:

```
sed -i -e "s/WITH_IO_BROWSER => 0/WITH_IO_BROWSER => 1/" \
    perldl.conf
```

PDL::IO::NDF

The PDL::IO::NDF module adds the ability to read and write Starlink N-dimensional data files as N-dimensional piddles.

- Astro-FITS-Header-2.8.1
 - Astro-FITS-CFITSIO-1.03
 - CFITSIO
 - NDF-1.45
 - Starlink-Config-1.00
 - Starlink IMG
 - Starlink NDF (requires the following Starlink modules installed in this order, some will already be installed if you installed Starlink GSD): HTX, SAE, HLP, CNF, SLA, CHR, EMS, PSX, HDS, PCS, MER, PRM, PAR, ARY, AST)
 - a Fortran compiler
- GSD-1.13
 - Starlink-Config-1.00
 - Starlink GSD (requires the following Starlink modules installed in this order: HTX, SAE, CNF, CHR, EMS, PRM)
 - a Fortran compiler

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pdl>

Installation of PDL

Install PDL (and all the dependency Perl modules) by running the following commands:

```
sed -i 's/\(dirname\);\)/\1\nuse blib;/' Demos/BAD*demo.pm.PL &&
perl Makefile.PL &&
make &&
make test
```

Now, as the root user:

```
make install
```

Command Explanations

sed -i '...' Demos/BAD*demo.pm.PL: This is necessary to fix a build issue caused by changes in ExtUtils::MakeMaker-6.30 which was introduced in Perl-5.8.8.

Configuring PDL

Config Files

`~/.perldlrc` and `local.perldlrc` in the current directory

Configuration Information

See [http://pdl.sourceforge.net/PDLdocs/perldl.html#the startup file](http://pdl.sourceforge.net/PDLdocs/perldl.html#the%20startup%20file) `~/.perldlrc` for information about configuring **perldl** to suit your needs.

Contents

Installed Programs:	pdl, pdldoc, perldl, and pptemplate
Installed Modules:	90+ individual Perl modules
Installed Directories:	/usr/lib/perl5/site_perl/5.8.8/i686-linux/{,auto/}PDL

Short Descriptions

pdl	is a binary program called from PDL scripts which is used to interface perldl .
pdldoc	is a shell interface to PDL documentation.
perldl	is a simple shell (written in Perl) for interactive use of PDL.
pptemplate	is a script to generate <code>Makefile.PL</code> and PP file skeletons.

Perl Modules

Introduction to Perl Modules

The Perl module packages add useful objects to the Perl language. Modules utilized by packages throughout BLFS are listed here, along with their dependencies. Installation of the modules shown on this page should be accomplished by installing the listed dependencies (from the bottom and working up to the top) and then the desired module. Most references to Perl modules are in the form of `Module`, `Module::SubName` or `Module::Sub::Name`, though sometimes you'll see `Module`, `Module-SubName` or `Module-Sub-Name`. The references on this page that reflect an external URL are in the latter form, as these are the official package names.

- Download MD5 sums (HTTP): <http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/perl-modules/>
- Download MD5 sums (FTP): <ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/perl-modules/>



Note

Some dependencies, such as the `Test::Pod-1.24` module, are used by several of the listed dependencies of the main module and perhaps also the module being installed. Dependencies such as this are only listed once in the dependency chain for each main module (typically near the bottom-most dependency) to avoid redundancy and additional clutter in the instructions.

Archive::Zip-1.16

The `Archive::Zip` module allows a Perl program to create, manipulate, read, and write Zip archive files. The modules listed below are installed using the standard Perl module build and installation instructions.

- `Archive-Zip-1.16`
 - `Compress::Zlib-1.41`
 - `Test::Pod-1.24` (optionally used during the tests)

Compress::Zlib-1.41

The `Compress::Zlib` module provides a Perl interface to the Zlib compression library. Most of the functionality provided by Zlib is available in `Compress::Zlib`. The module can be split into two general areas of functionality, namely in-memory compression/decompression and read/write access to gzip files.



Note

The `Compress::Zlib` module requires the following `sed` after untarring the distribution tarball (before any other build commands) to use the system-installed copy of Zlib.

```
sed -i -e "s|BUILD_ZLIB = True|BUILD_ZLIB = False|" \
      -e "s|INCLUDE      = ./zlib-src|INCLUDE      = /usr/include|" \
      -e "s|LIB          = ./zlib-src|LIB          = /usr/lib|" \
      config.in
```

- Compress-Zlib-1.41 (build and installation instructions)

Date::Manip-5.44

Date::Manip is a set of routines designed to make any common date/time manipulation easy to do. Operations such as comparing two times, calculating a time a given amount of time from another, or parsing international times are all easily done. From the very beginning, the main focus of Date::Manip has been to be able to do ANY desired date/time operation easily.

- DateManip-5.44 (build and installation instructions)

Finance::Quote-1.11

Finance::Quote is used to get stock quotes from various Internet sources, including Yahoo! Finance, Fidelity Investments, and the Australian Stock Exchange. There are two methods of using this module – a functional interface that is depreciated, and an object-orientated method that provides greater flexibility and stability. With the exception of straight currency exchange rates, all information is returned as a two-dimensional hash (or a reference to such a hash, if called in a scalar context).

After you've installed the package, issue **perldoc Finance::Quote** for full information. Alternatively, you can issue **perldoc lib/Finance/Quote.pm** after unpacking the distribution tarball and changing into the top-level directory. The module and dependencies are installed using the standard Perl module build and installation instructions.



Note

To run the regression test suite, you'll need a working Internet connection and then create a symbolic link to the `test` directory using the following command after unpacking the tarball and changing into the root directory of the source tree:

```
ln -s test t
```

Some tests will fail depending on certain conditions. See the `INSTALL` file for full details.

- Finance-Quote-1.11
 - HTML::TableExtract-2.07
 - libwww-perl-5.805

Finance::QuoteHist-1.07

The Finance::QuoteHist bundle is several modules designed to fetch historical stock quotes from the web. The module and dependencies are installed using the standard Perl module build and installation instructions.

- Finance-QuoteHist-1.07
 - HTML::TableExtract-2.07
 - libwww-perl-5.805

- Date::Manip-5.44
- Text-CSV_PP-1.01
- Text-CSV_XS-0.23 (optional)

HTML::Parser-3.54

The HTML::Parser distribution is a collection of modules that parse and extract information from HTML documents. The modules listed below are installed using the standard Perl module build and installation instructions.

- HTML-Parser-3.54
 - HTML-Tagset-3.10
 - Test::Pod-1.24 (optionally used during the tests)
 - libwww-perl-5.805 (run-time requirement for the included HTML::HeadParser module)

HTML::TableExtract-2.07

HTML::TableExtract is a module that simplifies the extraction of the content contained in tables within HTML documents, extracted either as text or encoded element trees. Tables of note may be specified using Headers, Depth, Count, Attributes, or some combination of the four. The module and dependencies are installed using the standard Perl module build and installation instructions.

- HTML-TableExtract-2.07
 - HTML-Element-Extended-1.17
 - HTML-Tree-3.23
 - HTML::Parser-3.54
 - Test::Pod-1.24 (optionally used during the tests)
 - Test::Pod::Coverage-1.08 (optionally used during the tests)

libwww-perl-5.805 (a.k.a. LWP)

The libwww-perl (LWP) collection is a set of Perl modules which provide a simple and consistent application programming interface to the World-Wide Web. The main focus of the library is to provide classes and functions that allow you to write WWW clients. The library also contains modules that are of more general use and even classes that help you implement simple HTTP servers. The LWP collection and all its Perl module dependencies are installed using the standard Perl module build and installation instructions.

- libwww-perl-5.805

- URI-1.35
 - Business-ISBN-1.84 (optional, only used during the test suite)
 - LWP::Simple is required for many of the tests. This is a circular dependency.
 - Business-ISBN-Data-1.13
 - Test-Prereq-1.032 (you may need to set up your CPAN access parameters by issuing the command **perl -MCPAN -e shell** before running the test suite, else the tests may hang)
 - Module::Info-0.30
 - Module::Build-0.2801 (optional)
 - Module-CoreList-2.09
 - Test::Pod-1.24 (optionally used during the tests)
 - Test::Pod::Coverage-1.08 (optionally used during the tests)
- HTML::Parser-3.54
- Compress::Zlib-1.41
- Crypt::SSLeay-0.51 (optional, for HTTPS support)
 - OpenSSL-0.9.8d



Note

Newer versions of OpenSSL expose a bug in the Crypt::SSLeay sources. Issue the following **sed** command (after unpacking the Crypt::SSLeay tarball and changing directories into the root of the source tree) to fix the problem:

```
sed -i '/algorithms/ a\                SSL_library_init();' SSLeay.xs
```

Module::Build-0.2801

The Module::Build module is a system for building, testing, and installing Perl modules. It is meant to be an alternative to ExtUtils::MakeMaker. Developers may alter the behavior of the module through subclassing in a much more straightforward way than with MakeMaker. It also does not require a **make** command on your system. Most of the Module::Build code is pure-Perl and written in a very cross-platform way.

The Module::Build module (as well as any other Perl module that uses the Module::Build build system) uses modified build instructions. All the dependencies are installed using the standard Perl module build and installation instructions.

- Module-Build-0.2801
 - ExtUtils-ParseXS-2.15
 - ExtUtils-CBuilder-0.18
 - Archive-Tar-1.29
 - IO-Zlib-1.04
 - Compress::Zlib-1.41
 - Text::Diff-0.35
 - Pod-Readme-0.081 (optionally used to create a README file when creating a new module distribution)
 - Test-Portability-Files-0.05 (optionally used during the tests)
 - Test::Pod::Coverage-1.08 (optionally used during the tests)
 - Test::Pod-1.24 (optionally used during the tests)
 - Module::Signature-0.54 (required to use the Module::Build “distsign” run-time method and optionally used during the tests)
 - YAML-0.58 (optional, provides additional features to Module::Build)

Module::Build Build and Installation Instructions

```
perl Build.PL &&
./Build &&
./Build test
```

Now, as the `root` user:

```
./Build install
```

Module::Info-0.30

The Module::Info module is quite useful for tasks other than just support of other modules. It can be used from the command-line to tell you if a particular module is included in, or has been installed into your Perl installation. Additionally, Module::Info can tell you what version of a module is installed and what dependencies are required for it. You can even use Module::Info to gather dependencies of uninstalled modules. The Module::Info module installs using the standard Perl module build and installation instructions. The version module requires using the Module::Build modified build instructions.

- Module-Info-0.30
 - version-0.63 (optionally used during the tests)

- `Module::Build-0.2801`
- `Test::Pod-1.24` (optionally used during the tests)

Module::Signature-0.54

The `Module::Signature` module is used to check and create `SIGNATURE` files for CPAN distributions. After installing `Module::Signature` you can verify the content of a distribution tarball (if it includes a `SIGNATURE` file) by unpacking the tarball, changing into the newly created directory and issuing the command **`cpansign -v`**. It will check each file's integrity, as well as the signature's validity. Note that some of the dependencies appear to be circular, however, they are only run-time conflicts and you should be able to fully utilize them as long as everything is installed. `Module::Signature` and the dependency modules are installed using the standard Perl module build and installation instructions.

- `Module-Signature-0.54`
 - `Text::Diff-0.35`
 - `PAR-Dist-0.21`
 - `Archive::Zip-1.16`
 - `libwww-perl-5.805`
 - `Module::Signature-0.54`
 - `Digest-SHA-5.41`
 - `Test::Pod::Coverage-1.08` (optionally used during the tests)
 - `GnuPG-1.4.3`

Net::DNS-0.57

`Net::DNS` is a DNS resolver implemented in Perl. It can be used to perform nearly any type of DNS query from a Perl script. The `Net::DNS` module and all its dependencies are installed using the standard Perl module build and installation instructions.

- `Net-DNS-0.57`
 - `Digest-HMAC-1.01`
 - `Digest-SHA1-2.11`
 - `Net-IP-1.24`
 - `IO-Socket-INET6-2.51` (required for IPv6 support)

- Socket6-0.19
- Digest-BubbleBabble-0.01
- Test::Pod-1.24 (optional, only used during the test suite)

SGMLSpm-1.03ii

The SGMLSpm module is a Perl library used for parsing the output from James Clark's SGMLS and NSGMLS parsers. This module requires modified installation instructions, shown below.

- SGMLSpm-1.03ii

If your system's Perl version is different than 5.8.8, you'll need to modify the **sed** command below to reflect the version you have installed.

```
sed -i -e "s@/usr/local/bin@/usr/bin@" \
      -e "s@/usr/local/lib/perl5@/usr/lib/perl5/site_perl/5.8.8@" \
      -e "s@/usr/local/lib/www/docs@/usr/share/doc/perl5@" \
      Makefile
```

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/perl5 &&
make install_html &&
rm -v -f /usr/share/doc/perl5/SGMLSpm/sample.pl &&
install -v -m644 DOC/sample.pl /usr/share/doc/perl5/SGMLSpm
```

Test::Pod-1.24

The Test:Pod module is (most of the time, optionally) used by other modules during the build process to check the validity of POD (Plain Old Documentation) files. The Test::Pod module is typically included by module authors to automatically find and check all POD files in a module distribution. This module and all the dependencies are installed using the standard Perl module build and installation instructions.

- Test-Pod-1.24
 - Pod-Simple-3.04
 - Pod-Escapes-1.04
 - Test::Simple-0.62

Test::Pod::Coverage-1.08

The Test::Pod::Coverage module is used to check files in a distribution for POD coverage. It is normally used by developers to ensure their projects are adequately covered with POD and it is also used in the test suites of many module distributions. The Pod::Coverage module can use the Module::Build modified build instructions,

all the other modules are installed using the standard Perl module build and installation instructions.

- Test-Pod-Coverage-1.08
 - Test::Simple-0.62 or Test-Builder-Tester-1.01
 - Pod-Coverage-0.18
 - Devel-Symdump-2.07
 - Test::Pod::Coverage-1.08 (optionally used during the tests, and is a circular dependency)
 - Test::Pod-1.24 (optionally used during the tests)
- Module::Build-0.2801

Test::Simple-0.62

The Test::Simple module contains utilities designed to assist developers in creating tests. A version of Test::Simple was installed during LFS with the Perl-5.8.8 installation, however, some of the sub-modules contained in Test::Simple have been updated (notably, the Test::More module) and these updated modules are now required by other modules. This updated version of Test::Simple also now includes the Test::Builder::Tester module, required by many of the modules on this page. Note that installing this updated version of Test::Simple will overwrite some files from the original Perl installation, but there's really nothing to be alarmed about as these modules are only used by developers creating tests, or for running the test suites during additional module installations.

- Test-Simple-0.62 (build and installation instructions)
 - Module::Signature-0.54 (optionally used during the tests)

Text::Diff-0.35

Text::Diff is used to perform diffs on files and record sets. It provides a basic set of services akin to the GNU **diff** utility. It is not anywhere near as feature complete as GNU **diff**, but it is better integrated with Perl and available on all platforms. Text::Diff is often faster than shelling out to a system's **diff** executable for small files, and generally slower on larger files. The modules listed below are installed using the standard Perl module build and installation instructions.

- Text-Diff-0.35
 - Algorithm-Diff-1.1901
 - UnZip-5.52

Tk-804.027

The Tk module is a Perl interface to the Tk package. The goal of this release is Unicode support via Perl's and core-Tk's use of UTF-8. Tk-804.027 builds and loads into a threaded Perl but is NOT yet thread safe. The module is installed using the standard Perl module build and installation instructions.

- Tk-804.027
 - Tk-8.4.13 and libjpeg-6b

XML::Parser-2.34

The XML::Parser module is a Perl extension interface to James Clark's XML parser, expat. The module is installed using the standard Perl module build and installation instructions.

- XML-Parser-2.34
 - expat-2.0.0
 - libwww-perl-5.805 (optionally used during the tests)

YAML-0.58

The YAML modules implement a YAML Loader and Dumper based on the YAML 1.0 specification <http://www.yaml.org/spec/>. YAML is a generic data serialization language that is optimized for human readability. It can be used to express the data structures of most modern programming languages.



Note

The YAML, Test::Base and Spiffy modules will install UTF-8 encoded manual pages. To modify the manual pages so that non-UTF-8 encoded pages are installed, issue the following commands (before any other build commands):

```
For Spiffy:      sed -i 's,\xc3\xbf,o,' lib/Spiffy.pm

For Test::Base: sed -i 's,\xc3\xbf,o,' \
                  lib/Test/Base{/Filter}.pm \
                  lib/Module/Install/TestBase.pm

For YAML:       sed -i 's,\xc3\xbf,o,' \
                  ysh \
                  lib{/Test}/YAML.pm \
                  lib/YAML/{Types,Node,Error,Marshall,Tag,Base}.pm \
                  lib/YAML/{Loader,Dumper}/{,/Base}.pm
```

- YAML-0.58
 - Test-Base-0.50 (optionally used during the tests)
 - Spiffy-0.30

- `Text::Diff-0.35` (optionally used during the tests)
- `Test::Simple-0.62` (optionally used during the tests)

Standard Installation of Perl Modules

Install Perl modules by running the following commands:

```
perl Makefile.PL &&
make &&
make test
```

Now, as the `root` user:

```
make install
```

(Alternate) Auto Installation of Perl Modules.

There is an alternate way of installing the modules using the **cpan** shell **install** command. The command automatically downloads the source from the CPAN archive, extracts it, runs the compilation, testing and installation commands mentioned above, and removes the build source tree. You may still need to install dependent library packages before running the automated installation method.

The first time you run **cpan**, you'll be prompted to enter some information regarding download locations and methods. This information is retained in files located in `~/ .cpan`. Start the **cpan** shell by issuing '**cpan**' as the `root` user. Any module may now be installed from the `cpan>` prompt with the command:

```
install <Module::Name>
```

For additional commands and help, issue '**help**' from the `cpan>` prompt.

Alternatively, for scripted or non-interactive installations, use the following syntax as the `root` user to install one or more modules:

```
cpan -i <Module1::Name> <Module2::Name>
```

Review the `cpan.1` man page for additional parameters you can pass to **cpan** on the command line.

PHP-5.1.4

Introduction to PHP

PHP is the PHP Hypertext Preprocessor. Primarily used in dynamic web sites, it allows for programming code to be directly embedded into the HTML markup.

Package Information

- Download (HTTP): <http://us2.php.net/distributions/php-5.1.4.tar.bz2>
- Download (FTP): <ftp://ftp.isu.edu.tw/pub/Unix/Web/PHP/distributions/php-5.1.4.tar.bz2>
- Download MD5 sum: 66a806161d4a2d3b5153ebe4cd0f2e1c
- Download size: 6.3 MB
- Estimated disk space required: 213 MB (includes installing all documentation)
- Estimated build time: 2.5 SBU (additional 1.9 SBU to run the test suite)

Additional Downloads

- Pre-built documentation (optional): <http://www.php.net/download-docs.php>

PHP Dependencies

Required

Apache-2.2.2

Recommended

libxml2-2.6.26

Optional System Utilities and Libraries

libxslt-1.1.17, GMP-4.2, PCRE-6.7, Aspell-0.60.4, pkg-config-0.20, expat-2.0.0 (deprecated alternative to libxml2-2.6.26), OSSP mm, Net-SNMP, GNU Pth, re2c, XMLRPC-EPI, Dmalloc, recode, and an MTA (that provides a **sendmail** command)

Optional Graphics Utilities and Libraries

libjpeg-6b, LibTIFF-3.8.2, libpng-1.2.12, libexif-0.6.13, FreeType-2.1.10, X Window System, ClibPDF, GD, t1lib, and FDF Toolkit

Optional Web Utilities

cURL-7.15.3, HTML Tidy-051026, mnoGoSearch, Hyperwave, Roxen WebServer, Caudium, and WDDX

Optional Data Management Utilities and Libraries

OpenLDAP-2.3.27, GDBM-1.8.3, MySQL-5.0.21, PostgreSQL-8.1.3, unixODBC-2.2.11, QDBM, cdb, SQLite, Mini SQL, Empress, Birdstep, DBMaker, Adabas, FrontBase, and Monetra

PHP also provides support for many commercial database tools such as Oracle, SAP and ODBC Router.

Optional Security/Encryption Utilities and Libraries

OpenSSL-0.9.8d, Cyrus SASL-2.1.21, MIT Kerberos V5-1.6 or Heimdal-0.7.2, libmcrypt, and mhash

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/php>

Installation of PHP

You can use PHP for server-side scripting, command-line scripting or client-side GUI applications. This book provides instructions for setting up PHP for server-side scripting as it is the most common form.



Note

PHP has many more **configure** options that will enable support for various things. You can use **./configure --help** to see a full list of the available options. Also, use of the PHP web site is highly recommended, as their online docs are very good. An example of a **configure** command that utilizes many of the most common dependencies can be found at http://andu.in.linuxfromscratch.org/files/BLFS/php_configure.txt.

If, for whatever reason, you don't have libxml2-2.6.26 installed, you need to add **--disable-libxml** to the **configure** command in the instructions below. Note that this will prevent the **pear** command from being built.

Install PHP by running the following commands:

```
sed -i 's/const char *errpfx/,const DB_ENV *dbenv, & const/' \
    ext/dba/dba_db4.c &&
./configure --prefix=/usr \
    --sysconfdir=/etc \
    --with-apxs2 \
    --enable-force-cgi-redirect \
    --enable-discard-path \
    --with-config-file-path=/etc \
    --with-zlib \
    --enable-bcmath \
    --with-bz2 \
    --enable-calendar \
    --enable-dba \
    --enable-exif \
    --enable-ftp \
    --with-gettext \
    --enable-mbstring \
    --with-ncurses \
    --with-readline &&
make
```

To test the results, issue: **make test**. Three of the (over 1600) tests are known to fail: an **iconv** stream filter test (ext/iconv/tests/iconv_stream_filter.phpt) and two MBString function overload tests (ext/mbstring/tests/overload01.phpt and ext/mbstring/tests/overload02.phpt). Additionally, if you have the unixODBC package installed and linked into the build, you may see many failures related to it.

Now, as the **root** user:

```
make install &&
install -v -m644 php.ini-recommended /etc/php.ini &&
install -v -m755 -d /usr/share/doc/php-5.1.4 &&
install -v -m644 CODING_STANDARDS EXTENSIONS INSTALL NEWS \
    README* TODO* UPGRADING php.gif \
    /usr/share/doc/php-5.1.4 &&
ln -v -s /usr/lib/php/doc/Archive_Tar/docs/Archive_Tar.txt \
    /usr/share/doc/php-5.1.4
```

The pre-built HTML documentation is packaged in two forms: a tarball containing many individual files, useful for quick loading into your browser, and one large individual file, which is useful for using the search utility of your browser. If you downloaded either, or both, of the documentation files, issue the following commands as the `root` user to install them (note these instructions assume English docs, modify the tarball names below if necessary).

For the “Single HTML” file:

```
install -v -m644 ../php_manual_en.html.gz \
    /usr/share/doc/php-5.1.4 &&
gunzip -v /usr/share/doc/php-5.1.4/php_manual_en.html.gz
```

For the “Many HTML files” tarball:

```
tar -xvf ../php_manual_en.tar.gz -C /usr/share/doc/php-5.1.4 &&
chown -v -R root:root /usr/share/doc/php-5.1.4/html
```

Command Explanations

`sed -i '...' ext/dba/dba_db4.c`: This command is used to fix an issue with the use of Berkeley DB $\geq 4.3.x$.

`--with-apxs2`: This parameter builds the Apache HTTPD 2.0 module.

`--with-config-file-path=/etc`: This parameter makes PHP look for the `php.ini` configuration file in `/etc`.

`--with-zlib`: This parameter adds support for Zlib compression.

`--enable-bcmath`: Enables **bc** style precision math functions.

`--with-bz2`: Adds support for Bzip2 compression functions.

`--enable-calendar`: This parameter provides support for calendar conversion.

`--enable-dba`: This parameter enables support for database (dbm-style) abstraction layer functions.

`--enable-exif`: Enables functions to access metadata from images.

`--enable-ftp`: This parameter enables FTP functions.

`--with-gettext`: Enables functions that use Gettext text translation.

`--enable-mbstring`: This parameter enables multibyte string support.

`--with-ncurses`: Provides ncurses terminal independent cursor handling.

`--with-readline`: This parameter enables command line Readline support.

`--disable-libxml`: This parameter allows building PHP without libxml2 installed.

Configuring PHP

Config Files

`/etc/php.ini` and `/etc/pear.conf`

Configuration Information

The file used as the default `/etc/php.ini` configuration file is recommended by the PHP development team. This file modifies the default behavior of PHP. If no `/etc/php.ini` is used, all configuration settings fall to the defaults. You should review the comments in this file and ensure the changes are acceptable in your particular environment.

You may have noticed the following from the output of the **make install** command:

```
You may want to add: /usr/lib/php to your php.ini include_path
```

If desired, add the entry using the following command as the `root` user:

```
sed -i 's@php/includes"@&\ninclude_path = ".:usr/lib/php"@' \
/etc/php.ini
```

To enable PHP support in the Apache web server, a new `LoadModule` (which should be handled automatically by the **make install** command) and `AddType` directives must be added to the `httpd.conf` file:

```
LoadModule php5_module lib/apache/libphp5.so
AddType application/x-httpd-php .php
```

Additionally, it can be useful to add an entry for `index.php` to the `DirectoryIndex` directive of the `httpd.conf` file. Lastly, adding a line to setup the `.phps` extension to show highlighted PHP source may be desirable:

```
AddType application/x-httpd-php-source .phps
```

You'll need to restart the Apache web server after making any modifications to the `httpd.conf` file.

Contents

Installed Programs:	pear, peardev, pecl, php, php-config and phpize
Installed Library:	libphp5.so Apache module
Installed Directories:	/usr/include/php, /usr/lib/php and /usr/share/doc/php-5.1.4

Short Descriptions

php is a command line interface that enables you to parse and execute PHP code.

pear is the PHP Extension and Application Repository (PEAR) package manager.

Python-2.4.4

Introduction to Python

The Python package contains the Python development environment. This is useful for object-oriented programming, writing scripts, prototyping large programs or developing entire applications.

Package Information

- Download (HTTP): <http://www.python.org/ftp/python/2.4.4/Python-2.4.4.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/Python-2.4.4.tar.bz2>
- Download MD5 sum: 0ba90c79175c017101100ebf5978e906
- Download size: 7.8 MB
- Estimated disk space required: 110 MB
- Estimated build time: 1.0 SBU (additional 2.6 SBU to run the test suite)

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/Python-2.4.4-gdbm-1.patch>

Python Dependencies

Optional

OpenSSL-0.9.8d, Tk-8.4.13, and GDBM-1.8.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Python>

Installation of Python

Install Python by running the following commands:

```
patch -Np1 -i ../Python-2.4.4-gdbm-1.patch &&
./configure --prefix=/usr --enable-shared &&
make
```

To test the results, issue: **make test**.

Now, as the `root` user:

```
make install
```



Note

There is no documentation installed using the instructions above. However, There are LaTeX sources included with the distribution. See the `Doc/README` file in the source distribution for instructions to format the LaTeX sources. Alternatively, you can download preformatted documentation from <http://www.python.org/doc/current/download.html>.

Contents

Installed Programs:	pydoc, python, python2.4, smtpd.py, and optionally if Tk is installed, idle
Installed Libraries:	libpython2.4.so and numerous modules installed in /usr/lib/python2.4/lib-dynload
Installed Directories:	/usr/include/python2.4 and /usr/lib/python2.4

Short Descriptions

idle	is a wrapper script that opens a Python aware GUI editor.
pydoc	is the Python documentation tool.
python	is an interpreted, interactive, object-oriented programming language.
python2.4	is a version-specific name for the python program.
smtpd.py	is an SMTP proxy implemented in Python.

PyXML-0.8.4

Introduction to PyXML

The PyXML package contains a validating XML parser, an implementation of the SAX and DOM programming interfaces, an interface to the Expat parser, and a C helper module that can speed up `xml.lib.py` by a factor of five. This is useful for validating, parsing and manipulating XML files using Python programs.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/pyxml/PyXML-0.8.4.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/PyXML-0.8.4.tar.gz>
- Download MD5 sum: 1f7655050cebbb664db976405fdb209
- Download size: 734 KB
- Estimated disk space required: 14.6 MB
- Estimated build time: less than 0.1 SBU

PyXML Dependencies

Required

Python-2.4.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pyxml>

Installation of PyXML

Install PyXML by running the following commands:

```
python setup.py build
```

Now, as the `root` user:

```
python setup.py install &&  
install -v -m644 doc/man/xmlproc_*.1 /usr/share/man/man1 &&  
install -v -m755 -d /usr/share/doc/PyXML-0.8.4 &&  
cp -v -R doc demo test /usr/share/doc/PyXML-0.8.4 &&  
install -v -m644 README* /usr/share/doc/PyXML-0.8.4
```

To run the regression tests, the package must first be installed. Then, as an unprivileged user, issue the following commands:

```
cd test &&  
python regrtest.py &&  
cd ..
```

Command Explanations

python setup.py build: This command copies the `*.py` files to a staging area and compiles the C extensions.

python setup.py install: This command installs the package.

Contents

Installed Programs:	xmlproc_parse and xmlproc_val
Installed Libraries:	PyXML Python library modules
Installed Directories:	/usr/lib/python2.4/site-packages/_xmlplus and /usr/share/doc/PyXML-0.8.4

Short Descriptions

xmlproc_parse	is a simple XML file parser using the xmlproc parser.
xmlproc_val	is a validating XML file parser using the xmlproc parser.

Ruby-1.8.5

Introduction to Ruby

The Ruby package contains the Ruby development environment. This is useful for object-oriented scripting.

Package Information

- Download (HTTP):
- Download (FTP): <ftp://ftp.ruby-lang.org/pub/ruby/ruby-1.8.5.tar.gz>
- Download MD5 sum: 3fbb02294a8ca33d4684055adba5ed6f
- Download size: 4.2 MB
- Estimated disk space required: 86.9 MB
- Estimated build time: 2.1 SBU

Ruby Dependencies

Optional

OpenSSL-0.9.8d, Tk-8.4.13, and GDBM-1.8.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ruby>

Installation of Ruby

Install Ruby by running the following commands:

```
./configure --prefix=/usr \
            --enable-shared \
            --enable-pthread \
            --enable-install-doc &&
make
```

To test the results, issue: **make test**.

Now, as the `root` user:

```
make install
```

Command Explanations

--enable-shared: This parameter builds the `libruby` shared library.

--enable-pthread: This parameter links the threading library into the Ruby build.

Contents

Installed Programs: ruby, irb, erb, rdoc, ri, and testrb

Installed Libraries: libruby.so and numerous modules located in the `/usr/lib/ruby` hierarchy.

Installed Directories: /usr/lib/ruby and /usr/share/ri

Short Descriptions

ruby is an interpreted scripting language for quick and easy object-oriented programming.

irb is the interactive interface for Ruby.

erb is Tiny eRuby. It interprets a Ruby code embedded text file.

ri displays documentation from a database on Ruby classes, modules and methods.

libruby.so contains the API functions required by Ruby.

Tcl-8.4.13

Introduction to Tcl

The Tcl package contains the Tool Command Language, a robust general-purpose scripting language.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/tcl/tcl8.4.13-src.tar.gz>
- Download (FTP):
- Download MD5 sum: c6b655ad5db095ee73227113220c0523
- Download size: 3.5 MB
- Estimated disk space required: 24.6 MB
- Estimated build time: 0.3 SBU (additional 0.8 SBU to run the test suite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tcl>

Installation of Tcl



Note

This package is also installed in LFS during the bootstrap phase. As it is not installed during Chapter 6 of LFS, installation instructions are included here in BLFS.

Install Tcl by running the following commands:

```
cd unix &&
./configure --prefix=/usr --enable-threads &&
make
```

To test the results, issue: **make test**.

Now, as the `root` user:

```
make install &&
make install-private-headers &&
ln -v -sf tclsh8.4 /usr/bin/tclsh
```

Command Explanations

`--enable-threads`: This switch forces the package to build with thread support.

`make install-private-headers`: This command is used to install the Tcl library interface headers used by other packages if they link to the Tcl library.

`ln -v -sf tclsh8.4 /usr/bin/tclsh`: This command is used to create a compatibility symbolic link to the **`tclsh8.4`** file as many packages expect a file named **`tclsh`**.

Contents

Installed Programs: `tclsh` and `tclsh8.4`
Installed Libraries: `libtcl.so` and `libtclstub8.4.a`
Installed Directories: `/usr/lib/tcl8.4`

Short Descriptions

`tclsh` is a symlink to the **`tclsh8.4`** program.
`tclsh8.4` is a simple shell containing the Tcl interpreter.
`libtcl.so` contains the API functions required by Tcl.

Tk-8.4.13

Introduction to Tk

The Tk package contains a TCL GUI Toolkit.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/tcl/tk8.4.13-src.tar.gz>
- Download (FTP):
- Download MD5 sum: 0a16d4d9398e43cbb85784c85fb807a4
- Download size: 3.2 MB
- Estimated disk space required: 23.3 MB
- Estimated build time: 0.4 SBU

Tk Dependencies

Required

X Window System and Tcl-8.4.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tk>

Installation of Tk

Install Tk by running the following commands:

```
cd unix &&
./configure --prefix=/usr --enable-threads &&
make
```

Running the tests is not recommended. Some tests may crash your X Server. To test the results anyway, issue: **make test**. Ensure you run it from an X Window display device with the GLX extensions loaded, else the tests will hang.

Now, as the root user:

```
make install &&
make install-private-headers &&
ln -v -sf wish8.4 /usr/bin/wish
```

Command Explanations

--enable-threads: This switch forces the package to build with thread support.

make install-private-headers: This command is used to install the Tk library interface headers used by other packages if they link to the Tk library.

ln -v -sf wish8.4 /usr/bin/wish: This command is used to create a compatibility symbolic link to the **wish8.4** file as many packages expect a file named **wish**.

Contents

Installed Programs: wish and wish8.4
Installed Libraries: libtk.so and libtkstub8.4.a
Installed Directories: /usr/lib/tk8.4

Short Descriptions

wish is a symlink to the **wish8.4** program.
wish8.4 is a simple shell containing the Tk toolkit that creates a main window and then processes Tcl commands.
libtk.so contains the API functions required by Tk.

Other Programming Tools

Introduction

This section is provided to show you some additional programming tools for which instructions have not yet been created in the book or for those that are not appropriate for the book. Note that these packages may not have been tested by the BLFS team, but their mention here is meant to be a convenient source of additional information.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/OtherProgrammingTools>

Programming Frameworks, Languages and Compilers

A+

A+ is a powerful and efficient programming language. It is freely available under the GNU General Public License. It embodies a rich set of functions and operators, a modern graphical user interface with many widgets and automatic synchronization of widgets and variables, asynchronous execution of functions associated with variables and events, dynamic loading of user compiled subroutines, and many other features. Execution is by a rather efficient interpreter. A+ was created at Morgan Stanley. Primarily used in a computationally-intensive business environment, many critical applications written in A+ have withstood the demands of real world developers over many years. Written in an interpreted language, A+ applications tend to be portable.

- Project Home Page: <http://www.aplusdev.org/>
- Download Location: <http://www.aplusdev.org/Download/index.html>

ABC

ABC is an interactive programming language and environment for personal computing, originally intended as a good replacement for BASIC. It was designed by first doing a task analysis of the programming task. ABC is easy to learn (an hour or so for someone who has already programmed), and yet easy to use. Originally intended as a language for beginners, it has evolved into a powerful tool for beginners and experts alike. Some features of the language include: a powerful collection of only five data types that easily combines strong typing, yet without declarations, no limitations (such as max int), apart from sheer exhaustion of memory refinements to support top-down programming, nesting by indentation and programs typically are one fourth or one fifth the size of the equivalent Pascal or C program.

- Project Home Page: <http://homepages.cwi.nl/~steven/abc/>
- Download Location: <http://homepages.cwi.nl/~steven/abc/implementations.html>

ALF

ALF is a language which combines functional and logic programming techniques. The foundation of ALF is Horn clause logic with equality which consists of predicates and Horn clauses for logic programming, and functions and equations for functional programming. The ALF system is an efficient implementation of the combination of resolution, narrowing, rewriting and rejection. Similarly to Prolog, ALF uses a backtracking strategy corresponding to a depth-first search in the derivation tree.

- Project Home Page: <http://www.informatik.uni-kiel.de/~mh/systems/ALF.html>

- Download Location: <http://www.informatik.uni-kiel.de/~mh/systems/ALF/>

ASM

ASM is a Java bytecode manipulation framework. It can be used to dynamically generate stub classes or other proxy classes, directly in binary form, or to dynamically modify classes at load time, i.e., just before they are loaded into the Java Virtual Machine. ASM offers similar functionalities as BCEL or SERP, but is much smaller (33KB instead of 350KB for BCEL and 150KB for SERP) and faster than these tools (the overhead of a load time class transformation is of the order of 60% with ASM, 700% or more with BCEL, and 1100% or more with SERP). Indeed ASM was designed to be used in a dynamic way (though it works statically as well) and was therefore designed and implemented to be as small and as fast as possible.

- Project Home Page: <http://asm.objectweb.org/>
- Download Location: <http://forge.objectweb.org/projects/asm/>

BCPL

BCPL is a simple typeless language that was designed in 1966 by Martin Richards and implemented for the first time at MIT in the Spring of 1967.

- Project Home Page: <http://www.cl.cam.ac.uk/users/mr/BCPL.html>
- Download Location: <http://www.cl.cam.ac.uk/users/mr/BCPL/>

BETA

BETA is developed within the Scandinavian School of object-orientation, where the first object-oriented language, Simula, was developed. BETA is a modern language in the Simula tradition. The resulting language is smaller than Simula in spite of being considerably more expressive. BETA is a strongly typed language like Simula, Eiffel and C++, with most type checking being carried out at compile-time. It is well known that it is not possible to obtain all type checking at compile time without sacrificing the expressiveness of the language. BETA has optimum balance between compile-time type checking and run-time type checking.

- Project Home Page: <http://www.daimi.au.dk/~beta/>
- Download Location: <ftp://ftp.daimi.au.dk/pub/beta/>

<bigwig>

<bigwig> is a high-level programming language for developing interactive Web services. Programs are compiled into a conglomerate of lower-level technologies such as C code, HTTP, HTML, JavaScript, and SSL, all running on top of a runtime system based on an Apache Web server module. It is a descendant of the Mawl project but is a completely new design and implementation with vastly expanded ambitions. The <bigwig> language is really a collection of tiny domain-specific languages focusing on different aspects of interactive Web services. These contributing languages are held together by a C-like skeleton language. Thus, <bigwig> has the look and feel of C-programs but with special data and control structures.

- Project Home Page: <http://www.brics.dk/bigwig/>
- Download Location: <http://www.brics.dk/bigwig/download/>

Bigloo

Bigloo is a Scheme implementation devoted to one goal: enabling Scheme based programming style where C(++) is usually required. Bigloo attempts to make Scheme practical by offering features usually presented by traditional programming languages but not offered by Scheme and functional programming. Bigloo compiles Scheme modules and delivers small and fast stand-alone binary executables. It enables full connections between Scheme and C programs, between Scheme and Java programs, and between Scheme and C# programs.

- Project Home Page: <http://www-sop.inria.fr/mimosa/fp/Bigloo/>
- Download Location: <ftp://ftp-sop.inria.fr/mimosa/fp/Bigloo/>

C--

C-- is a portable assembly language that can be generated by a front end and implemented by any of several code generators. It serves as an interface between high-level compilers and retargetable, optimizing code generators. Authors of front ends and code generators can cooperate easily.

- Project Home Page: <http://www.cminusminus.org/>
- Download Location: <http://www.cminusminus.org/code.html>

Caml

Caml is a general-purpose programming language, designed with program safety and reliability in mind. It is very expressive, yet easy to learn and use. Caml supports functional, imperative, and object-oriented programming styles. It has been developed and distributed by INRIA, France's national research institute for computer science, since 1985. The Objective Caml system is the main implementation of the Caml language. It features a powerful module system and a full-fledged object-oriented layer. It comes with a native-code compiler that supports numerous architectures, for high performance; a bytecode compiler, for increased portability; and an interactive loop, for experimentation and rapid development.

- Project Home Page: <http://caml.inria.fr/>
- Download Location: <http://caml.inria.fr/pub/distrib/>

Cayenne

Cayenne is a simple(?) functional language with a powerful type system. The basic types are functions, products, and sums. Functions and products use dependent types to gain additional power. There are very few building blocks in the language, but a lot of “syntactic sugar” to make it more readable. There is no separate module language in Cayenne since the dependent types allow the normal expression language to be used at the module level as well. The design of Cayenne has been heavily influenced by Haskell and constructive type theory and with some things borrowed from Java. The drawback of such a powerful type system is that the type checking becomes undecidable.

- Project Home Page: <http://www.cs.chalmers.se/~augustss/cayenne/>
- Download Location: <http://www.cs.chalmers.se/~augustss/cayenne/get.html>

Ch

Ch is an embeddable C/C++ interpreter for cross-platform scripting, shell programming, 2D/3D plotting, numerical computing, and embedded scripting.

- Project Home Page: <http://www.softintegration.com/>

- Download Location: <http://www.softintegration.com/products/chstandard/download/>

Clean

Clean is a general purpose, state-of-the-art, pure and lazy functional programming language designed for making real-world applications. Clean is the only functional language in the world which offers uniqueness typing. This type system makes it possible in a pure functional language to incorporate destructive updates of arbitrary data structures (including arrays) and to make direct interfaces to the outside imperative world. The type system makes it possible to develop efficient applications.

- Project Home Page: <http://www.cs.ru.nl/~clean/>
- Download Location: <http://www.cs.ru.nl/~clean/Download/download.html>

CORN

CORN is designed for modeling concurrency and advanced computation. It provides lazy evaluation between concurrently worked threads, with object-oriented and functional style of semantic. This language can be also used for parallel computation.

- Project Home Page: <http://corn.telefonia.pl/>
- Download Location: <http://corn.telefonia.pl/download/download.html>

Cyclone

Cyclone is a programming language based on C that is safe, meaning that it rules out programs that have buffer overflows, dangling pointers, format string attacks, and so on. High-level, type-safe languages, such as Java, Scheme, or ML also provide safety, but they don't give the same control over data representations and memory management that C does (witness the fact that the run-time systems for these languages are usually written in C.) Furthermore, porting legacy C code to these languages or interfacing with legacy C libraries is a difficult and error-prone process. The goal of Cyclone is to give programmers the same low-level control and performance of C without sacrificing safety, and to make it easy to port or interface with legacy C code.

- Project Home Page: <http://www.research.att.com/projects/cyclone/>
- Download Location: <http://www.eecs.harvard.edu/~greg/cyclone/software/>

D

D is a general purpose systems and applications programming language. It is a higher level language than C++, but retains the ability to write high performance code and interface directly with the operating system APIs and with hardware. D is well suited to writing medium to large scale million line programs with teams of developers. It is easy to learn, provides many capabilities to aid the programmer, and is well suited to aggressive compiler optimization technology. D is not a scripting language, nor an interpreted language. It doesn't come with a VM, a religion, or an overriding philosophy. It's a practical language for practical programmers who need to get the job done quickly, reliably, and leave behind maintainable, easy to understand code. D is the culmination of decades of experience implementing compilers for many diverse languages, and attempting to construct large projects using those languages. It draws inspiration from those other languages (most especially C++) and tempers it with experience and real world practicality.

- Project Home Page: <http://www.digitalmars.com/d/>
- Download Location: <ftp://ftp.digitalmars.com/>

DMDScript

DMDScript is Digital Mars' implementation of the ECMA 262 scripting language. Netscape's implementation is called JavaScript, Microsoft's implementation is called JScript. DMDScript is much faster than other implementations, which you can verify with the included benchmark.

- Project Home Page: <http://www.digitalmars.com/dscript/index.html>
- Download Location: <ftp://ftp.digitalmars.com/>

DotGNU Portable.NET

DotGNU Portable.NET goal is to build a suite of free software tools to build and execute .NET applications, including a C# compiler, assembler, disassembler, and runtime engine. While the initial target platform was GNU/Linux, it is also known to run under Windows, Solaris, NetBSD, FreeBSD, and MacOS X. The runtime engine has been tested on the x86, PowerPC, ARM, Sparc, PARISC, s390, Alpha, and IA-64 processors. DotGNU Portable.NET is part of the DotGNU project, built in accordance with the requirements of the GNU Project. DotGNU Portable.NET is focused on compatibility with the ECMA specifications for CLI. There are other projects under the DotGNU meta-project to build other necessary pieces of infrastructure, and to explore non-CLI approaches to virtual machine implementation.

- Project Home Page: http://www.southern-storm.com.au/portable_net.html
- Download Location: http://www.southern-storm.com.au/portable_net.html#download

Dylan

Dylan is an advanced, object-oriented, dynamic language which supports rapid program development. When needed, programs can be optimized for more efficient execution by supplying more type information to the compiler. Nearly all entities in Dylan (including functions, classes, and basic data types such as integers) are first class objects. Additionally, Dylan supports multiple allance, polymorphism, multiple dispatch, keyword arguments, object introspection, macros, and many other advanced features... --Peter Hinely.

- Project Home Page: <http://www.gwydiondylan.org/>
- Download Location: <http://www.gwydiondylan.org/downloading.phtml>

E

E is a secure distributed Java-based pure-object platform and p2p scripting language. It has two parts: ELib and the E Language. ELib provides the stuff that goes on between objects. As a pure-Java library, ELib provides for inter-process capability-secure distributed programming. Its cryptographic capability protocol enables mutually suspicious Java processes to cooperate safely, and its event-loop concurrency and promise pipelining enable high performance deadlock free distributed pure-object computing. The E Language can be used to express what happens within an object. It provides a convenient and familiar notation for the ELib computational model, so you can program in one model rather than two. Under the covers, this notation expands into Kernel-E, a minimalist lambda-language much like Scheme or Smalltalk. Objects written in the E language are only able to interact with other objects according to ELib's semantics, enabling object granularity intra-process security, including the ability to safely run untrusted mobile code (such as caplets).

- Project Home Page: <http://www.erights.org/>
- Download Location: <http://www.erights.org/download/>

elastiC

elastiC is a portable high-level object-oriented interpreted language with a C like syntax. Its main characteristics are: open source, interpreted, has portable bytecode compilation, dynamic typing, automatic real very fast garbage collection, object oriented with meta-programming support (a la Smalltalk), functional programming support (Scheme-like closures with lexical scoping, and eval-like functionality), hierarchical namespaces, a rich set of useful built-in types (dynamic arrays, dictionaries, symbols, ...), extensible with C (you can add functions, types, classes, methods, packages, ...), embeddable in C. elastiC has been strongly influenced by C, Smalltalk, Scheme and Python and tries to merge the best characteristics of all these languages, while still coherently maintaining its unique personality.

- Project Home Page: <http://www.elasticworld.org/>
- Download Location: <http://www.elasticworld.org/download.html>

Erlang/OTP

Erlang/OTP is a development environment based on Erlang. Erlang is a programming language which has many features more commonly associated with an operating system than with a programming language: concurrent processes, scheduling, memory management, distribution, networking, etc. The initial open-source Erlang release contains the implementation of Erlang, as well as a large part of Ericsson's middleware for building distributed high-availability systems. Erlang is characterized by the following features: robustness, soft real-time, hot code upgrades and incremental code loading.

- Project Home Page: <http://www.erlang.org/>
- Download Location: <http://www.erlang.org/download.html>

Euphoria

Euphoria is a simple, flexible, and easy-to-learn programming language. It lets you quickly and easily develop programs for Windows, DOS, Linux and FreeBSD. Euphoria was first released in 1993. Since then Rapid Deployment Software has been steadily improving it with the help of a growing number of enthusiastic users. Although Euphoria provides subscript checking, uninitialized variable checking and numerous other run-time checks, it is extremely fast. People have used it to develop high-speed DOS games, Windows GUI programs, and Linux X Windows programs. It is also very useful for CGI (Web-based) programming.

- Project Home Page: <http://www.rapideuphoria.com/>
- Download Location: <http://www.rapideuphoria.com/v20.htm>

Felix

Felix is an advanced Algol like procedural programming language with a strong functional subsystem. It features ML style static typing, first class functions, pattern matching, garbage collection, polymorphism, and has built in support for high performance microthreading, regular expressions and context free parsing. The system provides a scripting harness so the language can be used like other scripting languages such as Python and Perl, but underneath it generates native code to obtain high performance. A key feature of the system is that it uses the C/C++ object model, and provides an advanced binding sublanguage to support integration with C/C++ at both the source and object levels, both for embedding C/C++ data types and functions into Felix, and for embedding Felix into existing C++ architectures. The Felix compiler is written in Objective Caml, and generates ISO C++ which should compile on any platform.

- Project Home Page: <http://felix.sourceforge.net/>
- Download Location: <http://felix.sourceforge.net/current/www/download.html>

ferite

ferite is a scripting language and engine all in one manageable chunk. It is designed to be easily extended in terms of API, and to be used within other applications making them more configurable and useful to the end user. It has a syntax similar to a number of other languages but remains clean and its own language.

- Project Home Page: <http://www.ferite.org/>
- Download Location: <http://www.ferite.org/download.html>

Forth

Forth is a stack-based, extensible language without type-checking. It is probably best known for its "reverse Polish" (postfix) arithmetic notation, familiar to users of Hewlett-Packard calculators. Forth is a real-time programming language originally developed to control telescopes. Forth has many unique features and applications: it can compile itself into a new compiler, reverse-polish coding, edit time error checking and compiling (similar to BASIC), extremely efficient thread based language, can be used to debug itself, extensible; thus can become what ever you need it to be. The links below lead to the website of the Forth Interest Group (FIG), a world-wide, non-profit organization for education in and the promotion of the Forth computer language. Another worthwhile website dedicated to the Forth community is <http://wiki.forthfreak.net/>.

- Project Home Page: <http://www.forth.org/>
- Download Location: <http://www.forth.org/compilers.html>

GNU Smalltalk

GNU Smalltalk is a free implementation of the Smalltalk-80 language which runs on most versions on Unix and, in general, everywhere you can find a POSIX-compliance library. An uncommon feature of it is that it is well-versed to scripting tasks and headless processing. See http://www.gnu.org/software/smalltalk/gst-manual/gst_1.html#SEC1 for a more detailed explanation of GNU Smalltalk.

- Project Home Page: <http://www.gnu.org/software/smalltalk/>
- Download Location: <http://ftp.gnu.org/gnu/smalltalk/>

Haskell

Haskell is a computer programming language. In particular, it is a polymorphically typed, lazy, purely functional language, quite different from most other programming languages. The language is named for Haskell Brooks Curry, whose work in mathematical logic serves as a foundation for functional languages. Haskell is based on lambda calculus. There are many implementations of Haskell, among them:

- GHC: <http://www.haskell.org/ghc/>
- HBC: <http://www.cs.chalmers.se/~augustss/hbc/hbc.html>
- Helium: <http://www.cs.uu.nl/helium/>
- Hugs: <http://www.haskell.org/hugs/>
- nhc98: <http://www.haskell.org/nhc98/>

HLA (High Level Assembly)

The HLA language was developed as a tool to help teach assembly language programming and machine organization to University students at the University of California, Riverside. The basic idea was to teach students assembly language programming by leveraging their knowledge of high level languages like C/C++ and Pascal/Delphi. At the same time, HLA was designed to allow advanced assembly language programmers write more readable and more powerful assembly language code.

- Project Home Page: <http://webster.cs.ucr.edu/AsmTools/HLA/>
- Download Location: <http://webster.cs.ucr.edu/AsmTools/HLA/dnld.html>

Icon

Icon is a high-level, general-purpose programming language with a large repertoire of features for processing data structures and character strings. It is an imperative, procedural language with a syntax reminiscent of C and Pascal, but with semantics at a much higher level.

- Project Home Page: <http://www.cs.arizona.edu/icon/>
- Download Location: <ftp://ftp.cs.arizona.edu/icon/>

Io

Io is a small, prototype-based programming language. The ideas in Io are mostly inspired by Smalltalk (all values are objects), Self (prototype-based), NewtonScript (differential alliance), Act1 (actors and futures for concurrency), LISP (code is a runtime inspectable/modifiable tree) and Lua (small, embeddable).

- Project Home Page: <http://www.iolanguage.com/about/>
- Download Location: <http://www.iolanguage.com/downloads/>

J

J is a modern, high-level, general-purpose, high-performance programming language. It is portable and runs on Windows, Unix, Mac, and PocketPC handhelds, both as a GUI and in a console. True 64-bit J systems are available for XP64 or Linux64, on AMD64 or Intel EM64T platforms. J systems can be installed and distributed for free.

- Project Home Page: <http://www.jsoftware.com/>
- Download Location: <http://www.jsoftware.com/download/>

Jamaica

Jamaica, the JVM Macro Assembler, is an easy-to-learn and easy-to-use assembly language for JVM bytecode programming. It uses Java syntax to define a JVM class except for the method body that takes bytecode instructions, including Jamaica's built-in macros. In Jamaica, bytecode instructions use mnemonics and symbolic names for all variables, parameters, data fields, constants and labels.

- Project Home Page: <http://www.judoscript.com/jamaica.html>
- Download Location: <http://www.judoscript.com/download.html>

Joy

Joy is a purely functional programming language. Whereas all other functional programming languages are based on the application of functions to arguments, Joy is based on the composition of functions. All such functions take a stack as an argument and produce a stack as a value. Consequently much of Joy looks like ordinary postfix notation. However, in Joy a function can consume any number of parameters from the stack and leave any number of results on the stack. The concatenation of appropriate programs denotes the composition of the functions which the programs denote.

- Project Home Page: <http://www.latrobe.edu.au/philosophy/phimvt/joy.html>

Judo

Judo is a practical, functional scripting language. It is designed to cover the use cases of not only algorithmic/object-oriented/multi-threaded programming and Java scripting but also a number of major application domain tasks, such as scripting for JDBC, WSDL, ActiveX, OS, multiple file/data formats, etc. Despite its rich functionality, the base language is extremely simple, and domain support syntax is totally intuitive to domain experts, so that even though you have never programmed in Judo, you would have little trouble figuring out what the code does.

- Project Home Page: <http://www.judoscript.com/home.html>
- Download Location: <http://www.judoscript.com/download.html>

JWIG

JWIG is a Java-based high-level programming language for development of interactive Web services. It contains an advanced session model, a flexible mechanism for dynamic construction of XML documents, in particular XHTML, and a powerful API for simplifying use of the HTTP protocol and many other aspects of Web service programming. To support program development, JWIG provides a unique suite of highly specialized program analyses that at compile time verify for a given program that no runtime errors can occur while building documents or receiving form input, and that all documents being shown are valid according to the document type definition for XHTML 1.0. The main goal of the JWIG project is to simplify development of complex Web services, compared to alternatives, such as, Servlets, JSP, ASP, and PHP. JWIG is a descendant of the <bigwig> research language.

- Project Home Page: <http://www.brics.dk/JWIG/>
- Download Location: <http://www.brics.dk/JWIG/download.html>

Lava

Lava is a name unfortunately chosen for several unrelated software development languages/projects. So it doesn't appear as though BLFS has a preference for one over another, the project web sites are listed below, without descriptions of the capabilities or features for any of them.

- Project Home Page: <http://lavape.sourceforge.net/index.htm>
- Project Home Page: <http://javalab.cs.uni-bonn.de/research/darwin/#The%20Lava%20Language>
- Project Home Page: <http://www.md.chalmers.se/~koen/Lava/>
- Project Home Page: <http://members.tripod.com/mathias/LavaHomepage.html>

Lua

Lua is a powerful light-weight programming language designed for extending applications. It is also frequently used as a general-purpose, stand-alone language. It is free software. Lua combines simple procedural syntax with powerful data description constructs based on associative arrays and extensible semantics. It is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping. A fundamental concept in the design of Lua is to provide meta-mechanisms for implementing features, instead of providing a host of features directly in the language. For example, although Lua is not a pure object-oriented language, it does provide meta-mechanisms for implementing classes and alliance. Lua's meta-mechanisms bring an economy of concepts and keep the language small, while allowing the semantics to be extended in unconventional ways. Extensible semantics is a distinguishing feature of Lua. Lua is a language engine that you can embed into your application. This means that, besides syntax and semantics, it has an API that allows the application to exchange data with Lua programs and also to extend Lua with C functions. In this sense, it can be regarded as a language framework for building domain-specific languages. Lua is implemented as a small library of C functions, written in ANSI C, and compiles unmodified in all known platforms. The implementation goals are simplicity, efficiency, portability, and low embedding cost. The result is a fast language engine with small footprint, making it ideal in embedded systems too.

- Project Home Page: <http://www.lua.org/>
- Download Location: <http://www.lua.org/download.html>

Mercury

Mercury is a new logic/functional programming language, which combines the clarity and expressiveness of declarative programming with advanced static analysis and error detection features. Its highly optimized execution algorithm delivers efficiency far in excess of existing logic programming systems, and close to conventional programming systems. Mercury addresses the problems of large-scale program development, allowing modularity, separate compilation, and numerous optimization/time trade-offs.

- Project Home Page: <http://www.cs.mu.oz.au/research/mercury/>
- Download Location: <http://www.cs.mu.oz.au/research/mercury/download/release.html>

Mono

Mono provides the necessary software to develop and run .NET client and server applications on Linux, Solaris, Mac OS X, Windows, and Unix. Sponsored by Novell, the Mono open source project has an active and enthusiastic contributing community and is positioned to become the leading choice for development of Linux applications.

- Project Home Page: http://www.mono-project.com/Main_Page
- Download Location: <http://go-mono.com/sources/>

MPD

MPD is a variant of the SR programming language. SR has a Pascal-like syntax and uses guarded commands for control statements. MPD has a C-like syntax and C-like control statements. However, the main components of the two languages are the same: resources, globals, operations, procs, procedures, processes, and virtual machines. Moreover, MPD supports the same variety of concurrent programming mechanisms as SR: co

statements, semaphores, call/send/forward invocations, and receive and input statements.

- Project Home Page: <http://www.cs.arizona.edu/mpd/>
- Download Location: <http://www.cs.arizona.edu/mpd/download/>

Nemerle

Nemerle is a high-level statically-typed programming language for the .NET platform. It offers functional, object-oriented and imperative features. It has a simple C#-like syntax and a powerful meta-programming system. Features that come from the functional land are variants, pattern matching, type inference and parameter polymorphism (aka generics). The meta-programming system allows great compiler extensibility, embedding domain specific languages, partial evaluation and aspect-oriented programming.

- Project Home Page: http://nemerle.org/Main_Page
- Download Location: <http://nemerle.org/Download>

Octave

GNU Octave is a high-level language, primarily intended for numerical computations. It provides a convenient command line interface for solving linear and nonlinear problems numerically, and for performing other numerical experiments using a language that is mostly compatible with Matlab. It may also be used as a batch-oriented language. Octave has extensive tools for solving common numerical linear algebra problems, finding the roots of nonlinear equations, integrating ordinary functions, manipulating polynomials, and integrating ordinary differential and differential-algebraic equations. It is easily extensible and customizable via user-defined functions written in Octave's own language, or using dynamically loaded modules written in C++, C, Fortran, or other languages.

- Project Home Page: <http://www.octave.org/>
- Download Location: <http://www.octave.org/download.html>

OO2C (Optimizing Oberon-2 Compiler)

OO2C is an Oberon-2 development platform. It consists of an optimizing compiler, a number of related tools, a set of standard library modules and a reference manual. Oberon-2 is a general-purpose programming language in the tradition of Pascal and Modula-2. Its most important features are block structure, modularity, separate compilation, static typing with strong type checking (also across module boundaries) and type extension with type-bound procedures. Type extension makes Oberon-2 an object-oriented language.

- Project Home Page: <http://ooc.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/ooc/>

Ordered Graph Data Language (OGDL)

OGDL is a structured textual format that represents information in the form of graphs, where the nodes are strings and the arcs or edges are spaces or indentation.

- Project Home Page: <http://ogdl.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/ogdl/>

Pike

Pike is a dynamic programming language with a syntax similar to Java and C. It is simple to learn, does not require long compilation passes and has powerful built-in data types allowing simple and really fast data manipulation. Pike is released under the GNU GPL, GNU LGPL and MPL.

- Project Home Page: <http://pike.ida.liu.se/>
- Download Location: <http://pike.ida.liu.se/download/pub/pike>

Pyrex

Pyrex is a language specially designed for writing Python extension modules. It's designed to bridge the gap between the nice, high-level, easy-to-use world of Python and the messy, low-level world of C. Pyrex lets you write code that mixes Python and C data types any way you want, and compiles it into a C extension for Python.

- Project Home Page: <http://www.cosc.canterbury.ac.nz/~greg/python/Pyrex/>

Q

Q is a functional programming language based on term rewriting. Thus, a Q program or “script” is simply a collection of equations which are used to evaluate expressions in a symbolic fashion. The equations establish algebraic identities and are interpreted as rewriting rules in order to reduce expressions to “normal forms”.

- Project Home Page: <http://q-lang.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/q-lang/>

R

R is a language and environment for statistical computing and graphics. It is a GNU project similar to the S language and environment which was developed at Bell Laboratories (formerly AT&T, now Lucent Technologies) by John Chambers and colleagues. R can be considered as a different implementation of S. There are some important differences, but much code written for S runs unaltered under R. R provides a wide variety of statistical (linear and nonlinear modelling, classical statistical tests, time-series analysis, classification, clustering, ...) and graphical techniques, and is highly extensible. The S language is often the vehicle of choice for research in statistical methodology, and R provides an Open Source route to participation in that activity.

- Project Home Page: <http://www.r-project.org/>
- Download Location: <http://cran.r-project.org/mirrors.html>

Regina REXX

Regina is a REXX interpreter that has been ported to most Unix platforms (Linux, FreeBSD, Solaris, AIX, HP-UX, etc.) and also to OS/2, eCS, DOS, Win9x/Me/NT/2k/XP, Amiga, AROS, QNX4.x, QNX6.x BeOS, MacOS X, EPOC32, AtheOS, OpenVMS, SkyOS and OpenEdition. REXX is a programming language that was designed to be easy to use for inexperienced programmers yet powerful enough for experienced users. It is also a language ideally suited as a macro language for other applications.

- Project Home Page: <http://regina-rexx.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/regina-rexx>

Serp

Serp is an open source framework for manipulating Java bytecode. The goal of the Serp bytecode framework is to tap the full power of bytecode modification while lowering its associated costs. The framework provides a set of high-level APIs for manipulating all aspects of bytecode, from large-scale structures like class member fields to the individual instructions that comprise the code of methods. While in order to perform any advanced manipulation, some understanding of the class file format and especially of the JVM instruction set is necessary, the framework makes it as easy as possible to enter the world of bytecode development.

- Project Home Page: <http://serp.sourceforge.net/>
- Download Location: <http://serp.sourceforge.net/files/>

Small Device C Compiler (SDCC)

SDCC is a Freeware, retargetable, optimizing ANSI-C compiler that targets the Intel 8051, Maxim 80DS390 and the Zilog Z80 based MCUs. Work is in progress on supporting the Motorola 68HC08 as well as Microchip PIC16 and PIC18 series. The entire source code for the compiler is distributed under GPL.

- Project Home Page: <http://sdcc.sourceforge.net/>
- Download Location: <http://sdcc.sourceforge.net/snap.php#Source>

SmartEiffel (The GNU Eiffel Compiler)

SmartEiffel claims to be “the fastest and the slimmest multi-platform Eiffel compiler on Earth”. Eiffel is an object-oriented programming language which emphasizes the production of robust software. Its syntax is keyword-oriented in the ALGOL and Pascal tradition. Eiffel is strongly statically typed, with automatic memory management (typically implemented by garbage collection). Distinguishing characteristics of Eiffel include Design by contract (DbC), liberal use of allance including multiple allance, a type system handling both value and reference semantics, and generic classes. Eiffel has a unified type system—all types in Eiffel are classes, so it is possible to create subclasses of the basic classes such as INTEGER. Eiffel has operator overloading, including the ability to define new operators, but does not have method overloading.

- Project Home Page: <http://smarteiffel.loria.fr/>
- Download Location: <ftp://ftp.loria.fr/pub/loria/SmartEiffel/>

Squeak

Squeak is an open, highly-portable Smalltalk implementation whose virtual machine is written entirely in Smalltalk, making it easy to debug, analyze, and change. To achieve practical performance, a translator produces an equivalent C program whose performance is comparable to commercial Smalltalks. Other noteworthy aspects of Squeak include: real-time sound and music synthesis written entirely in Smalltalk, extensions of BitBlt to handle color of any depth and anti-aliased image rotation and scaling, network access support that allows simple construction of servers and other useful facilities, it runs bit-identical on many platforms (Windows, Mac, Unix, and others), a compact object format that typically requires only a single word of overhead per object and a simple yet efficient incremental garbage collector for 32-bit direct pointers efficient bulk-mutation of objects.

- Project Home Page: <http://www.squeak.org/>
- Download Location: <http://www.squeak.org/Download/>

SR (Synchronizing Resources)

SR is a language for writing concurrent programs. The main language constructs are resources and operations. Resources encapsulate processes and variables they share; operations provide the primary mechanism for process interaction. SR provides a novel integration of the mechanisms for invoking and servicing operations. Consequently, all of local and remote procedure call, rendezvous, message passing, dynamic process creation, multicast, and semaphores are supported. SR also supports shared global variables and operations.

- Project Home Page: <http://www.cs.arizona.edu/sr/index.html>
- Download Location: <ftp://ftp.cs.arizona.edu/sr/>

Standard ML

Standard ML is a safe, modular, strict, functional, polymorphic programming language with compile-time type checking and type inference, garbage collection, exception handling, immutable data types and updatable references, abstract data types, and parametric modules. It has efficient implementations and a formal definition with a proof of soundness. There are many implementations of Standard ML, among them:

- ML Kit: <http://www.it-c.dk/research/mlkit/>
- MLton: <http://mlton.org/>
- Moscow ML: <http://www.dina.kvl.dk/~sestoft/mosml.html>
- Poly/ML: <http://www.polymml.org/>
- Standard ML of New Jersey: <http://www.smlnj.org/>

Steel Bank Common Lisp (SBCL)

SBCL is an open source (free software) compiler and runtime system for ANSI Common Lisp. It provides an interactive environment including an integrated native compiler, a debugger, and many extensions. SBCL runs on a number of platforms.

- Project Home Page: <http://www.sbcl.org/>
- Download Location: <http://downloads.sourceforge.net/sbcl/>

Tiny C Compiler (TCC)

Tiny C Compiler is a small C compiler that can be used to compile and execute C code everywhere, for example on rescue disks (about 100KB for x86 TCC executable, including C preprocessor, C compiler, assembler and linker). TCC is fast. It generates optimized x86 code, has no byte code overhead and compiles, assembles and links several times faster than GCC. TCC is versatile, any C dynamic library can be used directly. It is heading toward full ISO C99 compliance and can compile itself. The compiler is safe as it includes an optional memory and bound checker. Bound checked code can be mixed freely with standard code. TCC compiles and executes C source directly. No linking or assembly necessary. A full C preprocessor and GNU-like assembler is included. It is C script supported; just add “#!/usr/local/bin/tcc -run” on the first line of your C source, and execute it directly from the command line. With libtcc, you can use TCC as a backend for dynamic code generation.

- Project Home Page: <http://www.tinycc.org/>
- Download Location: <http://fabrice.bellard.free.fr/tcc/>

TinyCOBOL

TinyCOBOL is a COBOL compiler being developed by members of the free software community. The mission is to produce a COBOL compiler based on the COBOL 85 standards. TinyCOBOL is available for the Intel architecture (IA32) and compatible processors on the following platforms: BeOS, FreeBSD, Linux and MinGW on Windows.

- Project Home Page: <http://tinycobol.org/>
- Download Location: <http://downloads.sourceforge.net/tiny-cobol/>

Yorick

Yorick is an interpreted programming language, designed for postprocessing or steering large scientific simulation codes. Smaller scientific simulations or calculations, such as the flow past an airfoil or the motion of a drumhead, can be written as standalone yorick programs. The language features a compact syntax for many common array operations, so it processes large arrays of numbers very efficiently. Unlike most interpreters, which are several hundred times slower than compiled code for number crunching, Yorick can approach to within a factor of four or five of compiled speed for many common tasks. Superficially, Yorick code resembles C code, but Yorick variables are never explicitly declared and have a dynamic scoping similar to many Lisp dialects. The “unofficial” home page for Yorick can be found at <http://www.maumae.net/yorick>.

- Project Home Page: <ftp://ftp-icf.llnl.gov/pub/Yorick/doc/index.html>
- Download Location: <ftp://ftp-icf.llnl.gov/pub/Yorick/doc/download.html>

ZPL

ZPL is an array programming language designed from first principles for fast execution on both sequential and parallel computers. It provides a convenient high-level programming medium for supercomputers and large-scale clusters with efficiency comparable to hand-coded message passing. It is the perfect alternative to using a sequential language like C or Fortran and a message passing library like MPI.

- Project Home Page: <http://www.cs.washington.edu/research/zpl/home/index.html>
- Download Location: <http://www.cs.washington.edu/research/zpl/download/download.html>

Programming Libraries and Bindings

Boost

Boost provides free peer-reviewed portable C++ source libraries. The emphasis is on libraries which work well with the C++ Standard Library. The libraries are intended to be widely useful, and are in regular use by thousands of programmers across a broad spectrum of applications, platforms and programming environments.

- Project Home Page: <http://www.boost.org/>
- Download Location: <http://downloads.sourceforge.net/boost/>

Byte Code Engineering Library (BCEL)

BECL is intended to give users a convenient possibility to analyze, create, and manipulate (binary) Java class files (those ending with `.class`). Classes are represented by objects which contain all the symbolic information of the given class: methods, fields and byte code instructions, in particular. Such objects can be read from an existing file, be transformed by a program (e.g., a class loader at run-time) and dumped to a file again.

An even more interesting application is the creation of classes from scratch at run-time. The Byte Code Engineering Library may be also useful if you want to learn about the Java Virtual Machine (JVM) and the format of Java `.class` files. BCEL is already being used successfully in several projects such as compilers, optimizers, obfuscators, code generators and analysis tools.

- Project Home Page: <http://jakarta.apache.org/bcel/index.html>
- Download Location: http://jakarta.apache.org/site/downloads/downloads_bcel.cgi/

Choco

Choco is a Java library for constraint satisfaction problems (CSP), constraint programming (CP) and explanation-based constraint solving (e-CP). It is built on a event-based propagation mechanism with backtrackable structures.

- Project Home Page: <http://choco.sourceforge.net/>
- Download Location: <http://choco.sourceforge.net/download.html>

FFTW (Fastest Fourier Transform in the West)

FFTW is a C subroutine library for computing the discrete Fourier transform (DFT) in one or more dimensions, of arbitrary input size, and of both real and complex data (as well as of even/odd data, i.e., the discrete cosine/sine transforms or DCT/DST).

- Project Home Page: <http://www.fftw.org/>
- Download Location: <http://www.fftw.org/download.html>

GOB (GObject Builder)

GOB (GOB2 anyway) is a preprocessor for making GObject with inline C code so that generated files are not edited. Syntax is inspired by Java and Yacc or Lex. The implementation is intentionally kept simple, and no C actual code parsing is done.

- Project Home Page: <http://www.5z.com/jirka/gob.html>
- Download Location: <http://ftp.5z.com/pub/gob/>

GTK+/GNOME Language Bindings (wrappers)

GTK+/GNOME language bindings allow GTK+ to be used from other programming languages, in the style of those languages.

- Project Home Page: <http://www.gtk.org/bindings.html>

gtkmm

gtkmm is the official C++ interface for the popular GUI library GTK+. Highlights include typesafe callbacks, widgets extensible via allance and a comprehensive set of widgets. You can create user interfaces either in code or with the Glade designer, using libglademm.

- Project Home Page: <http://www.gtkmm.org/>
- Download Location: <http://www.gtkmm.org/download.shtml>

Java-GNOME

Java-GNOME is a set of Java bindings for the GNOME and GTK+ libraries that allow GNOME and GTK+ applications to be written in Java. The Java-GNOME API has been carefully designed to be easy to use, maintaining a good OO paradigm, yet still wrapping the entire functionality of the underlying libraries. Java-GNOME can be used with the Eclipse development environment and Glade user interface designer to create applications with ease.

- Project Home Page: <http://java-gnome.sourceforge.net/cgi-bin/bin/view>
- Download Location: http://java-gnome.sourceforge.net/cgi-bin/bin/view/Main/GetJavaGnome#Source_Code

gtk2-perl

gtk2-perl is the collective name for a set of perl bindings for GTK+ 2.x and various related libraries. These modules make it easy to write GTK and GNOME applications using a natural, perlish, object-oriented syntax.

- Project Home Page: <http://gtk2-perl.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/gtk2-perl>

PyGTK

PyGTK provides a convenient wrapper for the GTK library for use in Python programs, and takes care of many of the boring details such as managing memory and type casting. When combined with PyORBit and gnome-python, it can be used to write full featured GNOME applications.

- Project Home Page: <http://www.pygtk.org/>
- Download Location: <http://www.pygtk.org/downloads.html>

KDE Language Bindings

KDE and most KDE applications are implemented using the C++ programming language, however there are number of bindings to other languages are available. These include scripting languages like Perl, Python and Ruby, and systems programming languages such as Java and C#.

- Project Home Page: <http://developer.kde.org/language-bindings/>

Numerical Python (Numpy)

Numerical Python adds a fast array facility to the Python language.

- Project Home Page: <http://numeric.scipy.org/>
- Download Location: <http://downloads.sourceforge.net/numpy/>

Perl Scripts and Additional Modules

There are many Perl scripts and additional modules located on the Comprehensive Perl Archive Network (CPAN) web site. Here you will find “All Things Perl”.

- Project Home Page: <http://cpan.org/>

SWIG

SWIG is a software development tool that connects programs written in C and C++ with a variety of high-level programming languages. SWIG is used with different types of languages including common scripting languages such as Perl, Python, Tcl/Tk and Ruby. The list of supported languages also includes non-scripting languages such as C#, Common Lisp (Allegro CL), Java, Modula-3 and OCAML. Also several interpreted and compiled Scheme implementations (Chicken, Guile, MzScheme) are supported. SWIG is most commonly used to create high-level interpreted or compiled programming environments, user interfaces, and as a tool for testing and prototyping C/C++ software. SWIG can also export its parse tree in the form of XML and Lisp s-expressions.

- Project Home Page: <http://www.swig.org/>
- Download Location: <http://downloads.sourceforge.net/swig/>

Integrated Development Environments

A-A-P

A-A-P makes it easy to locate, download, build and install software. It also supports browsing source code, developing programs, managing different versions and distribution of software and documentation. This means that A-A-P is useful both for users and for developers.

- Project Home Page: <http://www.a-a-p.org/index.html>
- Download Location: <http://www.a-a-p.org/download.html>

Anjuta

Anjuta is a versatile Integrated Development Environment (IDE) for C and C++ on GNU/Linux. It has been written for GTK/GNOME and features a number of advanced programming facilities. These include project management, application wizards, an on-board interactive debugger, and a powerful source editor with source browsing and syntax highlighting.

- Project Home Page: <http://www.anjuta.org/>
- Download Location: <http://www.anjuta.org/downloads>

Eclipse

Eclipse is an open source community whose projects are focused on providing an extensible development platform and application frameworks for building software. Eclipse contains many projects, including an Integrated Development Environment (IDE) for Java.

- Project Home Page: <http://www.eclipse.org/>
- Download Location: <http://www.eclipse.org/downloads/>

Mozart

The Mozart Programming System is an advanced development platform for intelligent, distributed applications. Mozart is based on the Oz language, which supports declarative programming, object-oriented programming, constraint programming, and concurrency as part of a coherent whole. For distribution, Mozart provides a true network transparent implementation with support for network awareness, openness, and fault tolerance. Security

is upcoming. It is an ideal platform for both general-purpose distributed applications as well as for hard problems requiring sophisticated optimization and inferencing abilities.

- Project Home Page: <http://www.mozart-oz.org/>
- Download Location: <http://www.mozart-oz.org/download/view.cgi>

Other Development Tools

cachecc1

cachecc1 is a GCC cache. It can be compared with the well known ccache package. It has some unique features including the use of an LD_PRELOADED shared object to catch invocations to **cc1**, **cc1plus** and **as**, it transparently supports all build methods, it can cache GCC bootstraps and it can be combined with distcc to transparently distribute compilations.

- Project Home Page: <http://cachecc1.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/cachecc1>

ccache

ccache is a compiler cache. It acts as a caching pre-processor to C/C++ compilers, using the `-E` compiler switch and a hash to detect when a compilation can be satisfied from cache. This often results in 5 to 10 times faster speeds in common compilations.

- Project Home Page: <http://ccache.samba.org/>
- Download Location: <http://samba.org/ftp/ccache/>

DDD (GNU Data Display Debugger)

GNU DDD is a graphical front-end for command-line debuggers such as GDB, DBX, WDB, Ladebug, JDB, XDB, the Perl debugger, the Bash debugger, or the Python debugger. Besides “usual” front-end features such as viewing source texts, DDD has an interactive graphical data display, where data structures are displayed as graphs..

- Project Home Page: <http://www.gnu.org/software/ddd/>
- Download Location: <http://ftp.gnu.org/gnu/ddd/>

distcc

distcc is a program to distribute builds of C, C++, Objective C or Objective C++ code across several machines on a network. distcc should always generate the same results as a local build, is simple to install and use, and is usually much faster than a local compile. distcc does not require all machines to share a filesystem, have synchronized clocks, or to have the same libraries or header files installed. They can even have different processors or operating systems, if cross-compilers are installed.

- Project Home Page: <http://distcc.samba.org/>
- Download Location: <http://distcc.samba.org/download.html>

Exuberant Ctags

Exuberant Ctags generates an index (or tag) file of language objects found in source files that allows these items to be quickly and easily located by a text editor or other utility. A tag signifies a language object for which an index entry is available (or, alternatively, the index entry created for that object). Tag generation is supported for the following languages: Assembler, AWK, ASP, BETA, Bourne/Korn/Zsh Shell, C, C++, COBOL, Eiffel, Fortran, Java, Lisp, Lua, Make, Pascal, Perl, PHP, Python, REXX, Ruby, S-Lang, Scheme, Tcl, Vim, and YACC. A list of editors and tools utilizing tag files may be found at <http://ctags.sourceforge.net/tools.html>.

- Project Home Page: <http://ctags.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/ctags/>

GDB (GNU Debugger)

GDB is the GNU Project debugger. It allows you to see what is going on “inside” another program while it executes. It also allows you to see what another program was doing at the moment it crashed.

- Project Home Page: <http://www.gnu.org/software/gdb/>
- Download Location: <ftp://ftp.gnu.org/gnu/gdb/>

User Notes and Installation Instructions: <http://wiki.linuxfromscratch.org/blfs/wiki/OtherProgrammingTools>

gocache (GNU Object Cache)

ccache is a clone of ccache, with the goal of supporting compilers other than GCC and adding additional features. Embedded compilers will especially be in focus.

- Project Home Page: <http://sourceforge.net/projects/gocache/>
- Download Location: <http://downloads.sourceforge.net/gocache/>

OProfile

OProfile is a system-wide profiler for Linux systems, capable of profiling all running code at low overhead. OProfile is released under the GNU GPL. It consists of a kernel driver and a daemon for collecting sample data, and several post-profiling tools for turning data into information. OProfile leverages the hardware performance counters of the CPU to enable profiling of a wide variety of interesting statistics, which can also be used for basic time-spent profiling. All code is profiled: hardware and software interrupt handlers, kernel modules, the kernel, shared libraries, and applications. OProfile is currently in alpha status; however it has proven stable over a large number of differing configurations. It is being used on machines ranging from laptops to 16-way NUMA-Q boxes.

- Project Home Page: <http://oprofile.sourceforge.net/news/>
- Download Location: <http://oprofile.sourceforge.net/download/>

SCons

SCons is an Open Source software construction tool, i.e, a next-generation build tool. Think of SCons as an improved, cross-platform substitute for the classic **make** utility with integrated functionality similar to Autoconf/Automake and compiler caches such as **ccache**.

- Project Home Page: <http://scons.sourceforge.net/>
- Download Location: <http://downloads.sourceforge.net/scons/>

strace

strace is a system call tracer, i.e., a debugging tool which prints out a trace of all the system calls made by another process or program.

- Project Home Page: <http://www.liacs.nl/~wichert/strace/>
- Download Location: <http://downloads.sourceforge.net/strace/>

Valgrind

Valgrind is a collection of five tools: two memory error detectors, a thread error detector, a cache profiler and a heap profiler used for debugging and profiling Linux programs. Features include automatic detection of many memory management and threading bugs as well as detailed profiling to speed up and reduce memory use of your programs.

- Project Home Page: <http://valgrind.org/>
- Download Location: http://valgrind.org/downloads/source_code.html

Part IV. Connecting to a Network

The LFS book covers setting up networking by connecting to a LAN with a static IP address. There are other methods used to connect to a LAN and other networks (such as the Internet). The most popular methods are covered in this chapter.

Chapter 13. Dial-up Networking

This chapter provides utilities for system interaction with a modem.

PPP-2.4.4

Introduction to PPP

The PPP package contains the **pppd** daemon and the **chat** program. This is used for connecting to other machines; often for connecting to the Internet via a dial-up or PPPoE connection to an ISP.

Package Information

- Download (HTTP): <http://samba.org/ftp/ppp/ppp-2.4.4.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/ppp-2.4.4.tar.gz>
- Download MD5 sum: 183800762e266132218b204dfb428d29
- Download size: 673 KB
- Estimated disk space required: 5.6 MB
- Estimated build time: 0.1 SBU

PPP Dependencies

Optional

libpcap-0.9.4 (needed to do PPP filtering) and Linux ATM (to build the ppp atm.so plugin)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/PPP>

Installation of PPP



Note

PPP support must be compiled into the kernel or available as a kernel module.

Install PPP by running the following commands:

```
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make install-etcppp
```

Command Explanations

make install-etcppp: This command puts example configuration files in `/etc/ppp`.

Configuring PPP

Config Files

`/etc/ppp/*`

Configuration Information

The PPP daemon requires very little configuration. The main trick is scripting the connection. This can be done either using the **chat** program which comes with this package or by using WvDial-1.54.0.

Contents

Installed Programs: chat, pppd, pppdump, pppoe-discovery and pppstats
Installed Libraries: Several plugin modules installed in `/usr/lib/pppd/2.4.3`
Installed Directories: `/etc/ppp`, `/usr/include/pppd` and `/usr/lib/pppd`

Short Descriptions

chat defines a conversational exchange between the computer and the modem. Its primary purpose is to establish the connection between the Point-to-Point Protocol Daemon (PPPD) and the remote **pppd** process.

pppd is the Point to Point Protocol daemon.

pppdump is used to convert PPP record files to a readable format.

pppstats is used to print PPP statistics.

WvDial-1.54.0

Introduction to WvDial

The WvDial package contains a no-nonsense, quick and easy to use alternative to **chat** and **pppd** scripts. If you simply want to dial a modem without the fuss and hassle of **chat** issues, then you'll want this.

Package Information

- Download (HTTP): <http://open.nit.ca/download/wvdial-1.54.0.tar.gz>
- Download (FTP): ftp://ftp.us.debian.org/debian/pool/main/w/wvdial/wvdial_1.54.0.orig.tar.gz
- Download MD5 sum: 8648c044305fc66ee33ecc55d36f8c8b
- Download size: 66 KB
- Estimated disk space required: 2.7 MB
- Estimated build time: 0.06 SBU

WvDial Dependencies

Required

WvStreams-4.2.2 and PPP-2.4.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/WvDial>

Installation of WvDial

Install WvDial by running the following commands:

```
make PREFIX=/usr
```

Now, as the `root` user:

```
make PREFIX=/usr install
```

Configuring WvDial

Config Files

`/etc/wvdial.conf` and `/etc/ppp/peers/*`

Configuration Information

Perform the following two commands as the `root` user:

```
touch /etc/wvdial.conf &&
wvdialconf /etc/wvdial.conf
```

wvdialconf will test that you have a working modem and try to determine its exact setup. You will then need to enter your ISP's phone number, login name and password into the `/etc/wvdial.conf` file.

You then start **wvdial** with:

wvdial

For more information, examine the **wvdialconf**, `wvdial.conf` and **wvdial** man pages.

Contents

Installed Programs:	wvdial and wvdialconf
Installed Libraries:	None
Installed Directory:	/etc/ppp/peers

Short Descriptions

wvdial	starts a PPP connection.
wvdialconf	automates the configuration of wvdial .

Chapter 14. DHCP Clients

DHCP stands for Dynamic Host Configuration Protocol. It is a protocol used by many sites to automatically provide information such as IP addresses, subnet masks and routing information to computers. If your network uses DHCP, you will need a DHCP client in order to connect to it. DHCP is also used by some cable modems.

BLFS currently provides installation instructions for two DHCP clients, **dhclient** (from the `dhcp` package) and **dhcpcd**. BLFS presents both sets of installation instructions and discusses how to create an appropriate service script to work with the **network** bootscrip and the DHCP client of your choice.

DHCP-3.0.5 Client

The DHCP package comes with both a client (**dhclient**) and a server program for using DHCP. If you want to install this package, the instructions can be found at DHCP-3.0.5. Note that if you only want to use the client, you do *not* need to run the server and so do not need the startup script and links provided for the server daemon. You only need to run the DHCP server if you're providing this service to a network, and it's likely that you'll know if that's the case; if it isn't, don't run the server! Once you have installed the package, return here for information on how to configure the client (**dhclient**).

Configuring DHCP Client

To configure **dhclient**, you need to first install the `network` service script, `/etc/sysconfig/network-devices/services/dhclient` included in the `blfs-bootscrips-20060910` package (as root):

```
make install-service-dhclient
```

Next, create the `/etc/sysconfig/network-devices/ifconfig.eth0/dhclient` configuration file with the following commands as the root user. Adjust as necessary for additional interfaces:

```
install -v -d /etc/sysconfig/network-devices/ifconfig.eth0 &&
cat > /etc/sysconfig/network-devices/ifconfig.eth0/dhclient << "EOF"
ONBOOT="yes"
SERVICE="dhclient"
DHCP_START="-q <add additional start parameters here>"
DHCP_STOP="-q -r <add additional stop parameters here>"

# Set PRINTIP="yes" to have the script print
# the DHCP assigned IP address
PRINTIP="no"

# Set PRINTALL="yes" to print the DHCP assigned values for
# IP, SM, DG, and 1st NS. This requires PRINTIP="yes".
PRINTALL="no"
EOF
```

For more information on the appropriate `DHCP_START` and `DHCP_STOP` values, examine the man page for **dhclient**.

Finally, you should create the `/etc/dhclient.conf` file using the following commands as the root user:

**Note**

You'll need to add a second interface definition to the file if you have more than one interface.

```
cat > /etc/dhclient.conf << "EOF"
# dhclient.conf

interface "eth0"{
prepend domain-name-servers 127.0.0.1;
request subnet-mask, broadcast-address, time-offset, routers,
        domain-name, domain-name-servers, host-name;
require subnet-mask, domain-name-servers;
}
# end dhclient.conf
EOF
```

Dhcpd-2.0.8

Introduction to Dhcpd

dhcpcdis an implementation of the DHCP client specified in RFC2131. This is useful for connecting your computer to a network which uses DHCP to assign network addresses.

Package Information

- Download (HTTP): <http://download.berlios.de/dhcpd/dhcpd-2.0.8.tar.bz2>
- Download (FTP): <ftp://ftp.osuosl.org/pub/gentoo/distfiles/dhcpd-2.0.8.tar.bz2>
- Download MD5 sum: ec91c33b6d9cb46a42f9564e573fd249
- Download size: 123 KB
- Estimated disk space required: 1.2 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dhcpd>

Installation of Dhcpd

Install dhcpd by running the following commands:

```
./configure --prefix="" --mandir=/usr/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
chmod -v 754 /etc/dhcpc/dhcpd.exe
```

Command Explanations

`--prefix=""`: There may be a good reason for abandoning the normal BLFS convention of using `--prefix=/usr` here. If you are installing DHCP, it is likely that it is required during the boot process and `/usr` may be network mounted, in which case **dhcpd** wouldn't be available due to being on the network! Therefore, depending on your situation, you may want it to be installed in `/sbin` or `/usr/sbin`. This command installs to `/sbin`.

Configuring Dhcpd

Config Files

`/etc/dhcpc/dhcpd.exe`

Configuration Information

To configure **dhcpd**, you need to first install the network service script, `/etc/sysconfig/network-devices/services/dhcpd` included in the blfs-bootscripts-20060910

package (as user root):

```
make install-service-dhcpd
```

Whenever **dhcpd** configures or shuts down a network interface, it executes the script `/etc/dhcp/dhcpd.exe`. This script can be customized to perform additional actions for the network interface. See the man page of **dhcpd** for more details.

Finally, as the root user create the `/etc/sysconfig/network-devices/ifconfig.eth0/dhcpd` configuration file using the following commands. Adjust appropriately for additional interfaces:

```
install -v -d /etc/sysconfig/network-devices/ifconfig.eth0 &&
cat > /etc/sysconfig/network-devices/ifconfig.eth0/dhcpd << "EOF"
ONBOOT="yes"
SERVICE="dhcpd"
DHCP_START="<insert appropriate start options here>"
DHCP_STOP="<insert additional stop options here>"

# Set PRINTIP="yes" to have the script print
# the DHCP assigned IP address
PRINTIP="no"

# Set PRINTALL="yes" to print the DHCP assigned values for
# IP, SM, DG, and 1st NS. This requires PRINTIP="yes".
PRINTALL="no"
EOF
```

For more information on the appropriate DHCP_START and DHCP_STOP values, examine the man page for **dhcpd**.



Note

The default behavior of **dhcpd** is to overwrite (after making backup copies) `/etc/resolv.conf`, `/etc/yp.conf` and `/etc/ntp.conf` with new files containing information from the DHCP server. If this is undesirable, review the **dhcpd** man page for switches to add to the DHCP_START value.

Contents

Installed Program: `dhcpd`
Installed Libraries: None
Installed Directory: `/etc/dhcp` and `/var/lib/dhcp`

Short Descriptions

dhcpd is an implementation of the DHCP client specified in RFC2131 (when `-r` option is not specified) and RFC1541 (when `-r` option is specified).

Chapter 15. Other Connections

Other methods to connect to large networks are through ISDN and PPPoE interfaces, among others. PPPoE is discussed here. Pages written for ISDN (or others as the need arises) are always welcome and will be included in future books, if the information becomes available.

RP-PPPoE-3.8

Introduction to RP-PPPoE

The Roaring Penguin PPPoE package contains both a client and a server component that works with the client. The client allows you to connect to large networks that use the PPPoE protocol, common among ADSL providers. The server component runs alongside the client, allowing you to configure other clients that send out a configuration request.

Package Information

- Download (HTTP): <http://www.roaringpenguin.com/penguin/pppoe/rp-pppoe-3.8.tar.gz>
- Download (FTP):
- Download MD5 sum: 0e32760f498f9cde44081ee6aafc823b
- Download size: 212 KB
- Estimated disk space required: 2.4 MB
- Estimated build time: less than 0.1 SBU

RP-PPPoE Dependencies

Required

PPP-2.4.4 and Net-tools-1.60 (you may omit Net-tools by using the following patch to utilize IPRoute2 instead: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/rp-pppoe-3.8-iproute2-1.patch>)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/RP-PPPoE>

Installation of RP-PPPoE



Note

If you plan on using kernel-mode PPPoE, this package is no longer explicitly needed, however, it is recommended for ease of configuration. Additional information about kernel mode PPPoE can be found in `rp-pppoe-3.8/doc/KERNEL-MODE-PPPOE`.

Fix the location of the logger executable in several PPPoE scripts:

```
sed -i s%/usr/bin/logger%/bin/logger% \
scripts/pppoe-{connect,setup,stop}.in
```

Install RP-PPPoE by running the following commands:

```
cd src &&
```

```
./configure &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

These are the standard installation commands that will install the package into the `/usr` prefix. You can optionally use the `go` script in the root of the source tree to run the same commands, which are then immediately followed by the `pppoe-setup` script.

Configuring RP-PPPoE

Config Files

```
/etc/ppp/pppoe.conf,    /etc/ppp/firewall-standalone,    /etc/ppp/firewall-masq,
/etc/ppp/pppoe-server-options,    /etc/resolv.conf,    /etc/ppp/pap-secrets,
/etc/ppp/chap-secrets
```

Configuration Information

To configure RP-PPPoE after installation, you should run the `pppoe-setup` script.

When configuring your connection, you will need to have your ISP's nameserver information available, as well as your username and password. You will also be asked whether to configure a dial-on-demand or a constant connection. If your service provider does not charge by the minute, it is usually good to have a bootscript handle the connection for you. You can, of course, choose not to install the following script, and start your connection manually with the `pppoe-start` script.

Optionally install the `/etc/sysconfig/network-devices/services/pppoe` service script included with the `blfs-bootscripts-20060910` package (as user `root`).

```
make install-service-pppoe
```

Now create the config file for use with the `pppoe` service script (as user `root`):



Note

If you have previously configured the network interface that will now use PPPoE, you should remove the interface configuration files for that interface (as user `root`):

```
rm -v /etc/sysconfig/network-devices/ifconfig.eth0/*
```

```
install -v -d /etc/sysconfig/network-devices/ifconfig.eth0 &&
cat > /etc/sysconfig/network-devices/ifconfig.eth0/pppoe << "EOF"
ONBOOT="yes"
SERVICE="pppoe"
```

EOF

Contents

Installed Programs:	pppoe-connect, pppoe-setup, pppoe-start, pppoe-status, pppoe-stop, pppoe, pppoe-relay, pppoe-server and pppoe-sniff
Installed Libraries:	None
Installed Directories:	/etc/ppp/plugins and /usr/share/doc/rp-pppoe-3.8

Short Descriptions

pppoe-connect	is a shell script which manages an PPPoE connection using the user-space PPPoE client.
pppoe-setup	is a script for configuring the client. Configuration is then stored in <code>/etc/ppp/pppoe.conf</code> .
pppoe-start	starts the client using the options specified in <code>/etc/ppp/pppoe.conf</code> .
pppoe-status	displays the status of the PPPoE connection.
pppoe-stop	stops the client.
pppoe	is the client program. Generally it should not be started on its own.
pppoe-relay	starts the server relay agent.
pppoe-server	starts the server component.
pppoe-sniff	is a small network sniffer designed to assist in setting <code>PPPOE_EXTRA</code> settings.

Part V. Basic Networking

Chapter 16. Networking Libraries

These applications are support libraries for other applications in the book. It is unlikely that you would just install these libraries, you will generally find that you will be referred to this chapter to satisfy a dependency of other applications.

cURL-7.15.3

Introduction to cURL

The cURL package contains **curl** and its support library. This is useful for transferring files with URL syntax. This ability to both download and redirect files can be incorporated into other programs to support functions like streaming media.

Package Information

- Download (HTTP): <http://curl.haxx.se/download/curl-7.15.3.tar.bz2>
- Download (FTP): <ftp://gd.tuwien.ac.at/utils/archivers/curl/curl-7.15.3.tar.bz2>
- Download MD5 sum: d71b2ee8febfde2c7dc30a43638ec0d9
- Download size: 1.4 MB
- Estimated disk space required: 27.5 MB
- Estimated build time: 0.5 SBU (additional 0.8 SBU to run the test suite)

cURL Dependencies

Optional

pkg-config-0.20, OpenSSL-0.9.8d or GnuTLS, OpenLDAP-2.3.27, libidn-0.6.3, MIT Kerberos V5-1.6 or Heimdal-0.7.2, krb4, SPNEGO, and c-ares

Optional (for Running the Test Suite)

Stunnel-4.15 (for running HTTPS and FTPS tests) and Valgrind (not used if building the shared library)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/curl>

Installation of cURL

Install cURL by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**. Note that if you have Stunnel and TCP Wrapper installed and you wish to perform the HTTPS tests, you'll need to have an unrestrictive `/etc/hosts.deny` file.

Now, as the root user:

```
make install &&  
find docs -name "Makefile*" -o -name "*.1" -o -name "*.3" | xargs rm &&  
install -v -d -m755 /usr/share/doc/curl-7.15.3 &&
```



```
cp -v -R docs/* /usr/share/doc/curl-7.15.3
```

Command Explanations

--with-gssapi: This parameter adds Kerberos 5 support to `libcurl`.

find docs -name "Makefile*" -o -name "*.1" -o -name "*.3" | xargs rm: This instruction removes files that are not needed in `/usr/share/doc/curl-7.15.3` to facilitate copying appropriate files. The `"*.1"` and `"*.3"` files are installed by the normal **make install**.

Contents

Installed Programs:	<code>curl</code> and <code>curl-config</code>
Installed Library:	<code>libcurl.{so,a}</code>
Installed Directories:	<code>/usr/include/curl</code> , <code>/usr/share/curl</code> and <code>/usr/share/doc/curl-7.15.3</code>

Short Descriptions

curl	is a client that can get documents from or send documents to any of the following protocols: HTTP, HTTPS (needs OpenSSL-0.9.8d), FTP, GOPHER, DICT, TELNET, LDAP (needs OpenLDAP-2.3.27 at run time) or FILE.
curl-config	prints information about the last compile, like libraries linked to and prefix setting.
<code>libcurl.{so,a}</code>	provides the API functions required by curl and other programs.

WvStreams-4.2.2

Introduction to WvStreams

WvStreams is a library suite containing platform-independent C++ networking and utilities libraries for rapid application development.

Package Information

- Download (HTTP): <http://open.nit.ca/download/wvstreams-4.2.2.tar.gz>
- Download (FTP):
- Download MD5 sum: 103230cb9926cb8f3f4d8dc8584f3b9c
- Download size: 1.2 MB
- Estimated disk space required: 46 MB (additional 44 MB to install documentation)
- Estimated build time: 0.8 SBU (additional 1.9 SBU to build documentation)

WvStreams Dependencies

Required

OpenSSL-0.9.8d

Optional

pkg-config-0.20, Gamin-0.1.7, Linux-PAM-0.99.4.0, Tcl-8.4.13, Qt-3.3.7, Speex-1.0.5, libvorbis-1.1.2, Doxygen-1.4.6, FFTW-2.<x>, SWIG, QDBM, OpenSLP, XPLC, Valgrind, and Electric Fence

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/wvstreams>

Installation of WvStreams

If you have Tcl and SWIG installed and wish to utilize them, run the following:

```
sed -i -e "s/8_3/8_4/" -e "s/8\.3/8.4/" \
    configure{,.ac} include/wvautoconf.h.in bindings/rules.mk
```

Install WvStreams by running the following commands:

```
./configure --prefix=/usr \
    --sysconfdir=/etc --localstatedir=/var &&
make
```

If Doxygen is installed and you wish to build the API documentation, issue the following command:

```
make doxygen
```

To test the results, issue: **make test**.

Now, as the root user:

```
make install
```

If you built the API documentation, install it using the following commands:

```
install -v -d -m755 /usr/share/doc/wvstreams-4.2.2/doxy-html &&
install -v -m644 Docs/doxy-html/* \
    /usr/share/doc/wvstreams-4.2.2/doxy-html
```

Command Explanations

sed -i ...: Change to tcl8.4 from tcl8.3.

--sysconfdir=/etc: This parameter places configuration files in /etc instead of /usr/etc.

--localstatedir=/var: This parameter places **uniconfd** run-time files in /var/lib instead of /usr/var/lib.

Configuring WvStreams

Config Files

/etc/uniconf.conf

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., /opt/lib or /usr/local/lib should appear in /etc/ld.so.conf so that **ldd** can find the shared libraries. After checking that this is the case, /sbin/ldconfig should be run while logged in as root.

Contents

Installed Programs:	uni and uniconfd
Installed Libraries:	libuniconf.{so,a}, libwvbase.{so,a}, libwvfft.{so,a}, libwvoggspeex.{so,a}, libwvoggvorbis.{so,a}, libwvqt.{so,a}, libwvstreams.{so,a}, libwvtelephony.{so,a}, libwvutils.{so,a} and libxplc-cxx.a
Installed Directories:	/usr/include/wvstreams, /usr/share/doc/wvstreams-4.2.2 and /var/lib/uniconf

Short Descriptions

uni	is a program to interface with the UniConf configuration system.
uniconfd	is a daemon program for the UniConf configuration system.
libuniconf.{so,a}	contains functions that define a hierarchical registry abstraction in the UniConf configuration system.
libwvbase.{so,a}	contains the Base64 encoder and decoder implementations functions.
libwvfft.{so,a}	enables WvStreams programs to easily handle Fast-Fourier transforms, instead of forcing the programmer to use the much harder to use libfftw interface.

<code>libwvogg speex.{so,a}</code>	enables quick and painless creation of audio streams using the Speex Voice over IP CODEC.
<code>libwvoggvorbis.{so,a}</code>	enables quick and painless creation of audio streams using the OggVorbis CODEC.
<code>libwvqt.{so,a}</code>	enables WvStreams to act as the I/O and configuration back end for Qt and KDE.
<code>libwvstreams.{so,a}</code>	provides functions for basic streaming I/O support.
<code>libtelephony.{so,a}</code>	contains telephony function routines such as echo cancellation, dc offset removal, automatic gain control, etc.
<code>libwvutils.{so,a}</code>	contains functions required by the WvStreams libraries and utility programs.
<code>libxplc-cxx.a</code>	contains helper functions for the C++ WvStreams bindings.

GNet-2.0.7

Introduction to GNet

The GNet package contains a simple network library. This is useful for supporting TCP sockets, UDP and IP multicast, asynchronous DNS lookup, and more.

Package Information

- Download (HTTP): <http://gnetlibrary.org/src/gnet-2.0.7.tar.gz>
- Download (FTP):
- Download MD5 sum: 3a7a40411775688fe4c42141ab007048
- Download size: 595 KB
- Estimated disk space required: 7.6 MB
- Estimated build time: 0.2 SBU

GNet Dependencies

Required

GLib-1.2.10 or GLib-2.10.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnet>

Installation of GNet

Install GNet by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	None
Installed Library:	libgnet-2.0.{so,a}
Installed Directories:	/usr/include/gnet-2.0, /usr/lib/gnet-2.0 and /usr/share/doc/libgnet2.0-dev or /usr/share/gtk-doc/html/gnet

Short Descriptions

`libgnet-2.0.{so,a}` is a simple network library written in C. It is object-oriented and built upon GLib.

It is intended to be easy to use and port.

libsoup-2.2.96

Introduction to libsoup

The libsoup package contains an HTTP library implementation in C. This is useful for accessing HTTP servers in a completely asynchronous mode.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libsoup/2.2/libsoup-2.2.96.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libsoup/2.2/libsoup-2.2.96.tar.bz2>
- Download MD5 sum: 2704961ca2b9597819f21b40d4a0e0aa
- Download size: 487 KB
- Estimated disk space required: 11.0 MB
- Estimated build time: 0.3 SBU

libsoup Dependencies

Required

GLib-2.10.3 and libxml2-2.6.26

Optional

GTK-Doc-1.6, Apache-2.2.2 (required to run the test suite), PHP-5.1.4 compiled with XMLRPC-EPI support (only used for the XMLRPC regression tests), and GnuTLS (which needs libgpg-error then libgcrypt)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libsoup>

Installation of libsoup

Install libsoup by running the following commands:

```
./configure --prefix=/usr &&
make
```

To test the results, issue **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs: None

Installed Library: libsoup-2.2.{so,a}

Installed Directories: /usr/include/libsoup-2.2 and /usr/share/gtk-doc/html/libsoup

Short Descriptions

libsoup-2.2.{so,a} provides functions for asynchronous HTTP connections.

Libpcap-0.9.4

Introduction to Libpcap

libpcap provides functions for user-level packet capture, used in low-level network monitoring.

Package Information

- Download (HTTP): <http://www.tcpdump.org/release/libpcap-0.9.4.tar.gz>
- Download (FTP):
- Download MD5 sum: 79025766e8027df154cb1f32de8a7974
- Download size: 416 KB
- Estimated disk space required: 3.2 MB
- Estimated build time: less than 0.1 SBU

Libpcap Dependencies

Optional

Software distribution for the DAG and Septel range of passive network monitoring cards.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libpcap>

Installation of Libpcap

Install libpcap by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/libpcap-0.9.4 &&  
install -v -m644 doc/*{html,txt} /usr/share/doc/libpcap-0.9.4
```

Contents

Installed Programs:	None
Installed Library:	libpcap.a
Installed Directory:	/usr/share/doc/libpcap-0.9.4

Short Descriptions

`libpcap.a` is a library used for user-level packet capture.

Chapter 17. Text Web Browsers

People who are new to Unix-based systems tend to ask the question "Why on earth would I want a text-mode browser? I'm going to compile X and use Konqueror/Mozilla/Whatever!". Those who have been around systems for a while know that when (not if) you manage to mess up your graphical browser install and you need to look up some information on the web, a console based browser will save you. Also, there are quite a few people who prefer to use one of these browsers as their principle method of browsing; either to avoid the clutter and bandwidth which accompanies images or because they may use a text-to-speech synthesizer which can read the page to them (of use for instance to partially sighted or blind users). In this chapter you will find installation instructions for three console web browsers:

Links-2.1pre23

Introduction to Links

Links is a text and graphics mode WWW browser. It includes support for rendering tables and frames, features background downloads, can display colors and has many other features.



Caution

In the text mode, Links cannot be configured to use UTF-8 encoding for the terminal output. This limitation renders Links useless as a text-based browser in UTF-8 locales. See general discussion of this type of issue in the Needed Encoding Not a Valid Option section on the Locale Related Issues page.

In the graphical mode, Links displays text correctly even in UTF-8 locales, if all characters exist in the built-in font used by Links. Form submission in UTF-8 locales is handled correctly when running in X11-based (but not framebuffer-based) graphical mode.

Package Information

- Download (HTTP): <http://links.twibright.com/download/links-2.1pre23.tar.bz2>
- Download (FTP):
- Download MD5 sum: 4a1fb575c133eee821b9a1f8e9220b40
- Download size: 3.7 MB
- Estimated disk space required: 20.5 MB
- Estimated build time: 0.3 SBU

Links Dependencies

Optional

GPM-1.20.1, OpenSSL-0.9.8d, libpng-1.2.12, libjpeg-6b, LibTIFF-3.8.2, PCRE-6.7, SVGAlib, DirectFB, and X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/LinksBrowser>

Installation of Links

Install Links by running the following commands:

```
./configure --prefix=/usr &&
make CFLAGS="-O2 -Wno-sign-compare -Wno-pointer-sign"
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
install -v -d -m755 /usr/share/doc/links-2.1pre23 &&
install -v -m644 doc/links_cal/* KEYS BRAILLE_HOWTO \
    /usr/share/doc/links-2.1pre23
```

Command Explanations

`CFLAGS="-O2 -Wno-sign-compare -Wno-pointer-sign"`: Disable printing of many warnings about mismatched signs in parameter passing and comparison operations during compilation.

`--enable-graphics`: Add this switch if you want to use Links in graphics mode. You will either need to install the X Window System or enable frame buffer support in your kernel and install GPM-1.20.1.

Configuring Links

Config Files

`~/.links/*`

Configuration Information

Links stores its configuration in per-user files in the `~/.links` directory. These files are created automatically when **links** is run for the first time.

For the correct display of non-ASCII characters, Links has to be configured through the menu (accessible by pressing the ESC key), as follows:

- If running Links in the text mode, go to the “Setup > Character set” menu item and select the character set that matches your locale.
- Optionally, go to the “Setup > Language” menu and select the user interface language.
- Finally, select the “Setup > Save options” menu item.

Contents

Installed Program:	links
Installed Libraries:	None
Installed Directories:	/usr/share/doc/links-2.1pre23

Short Descriptions

links is a text and graphics mode WWW browser.

Lynx-2.8.6

Introduction to Lynx

Lynx is a text based web browser.

Package Information

- Download (HTTP): <http://lynx.isc.org/release/lynx2.8.6.tar.bz2>
- Download (FTP): <ftp://lynx.isc.org/lynx2.8.6/lynx2.8.6.tar.bz2>
- Download MD5 sum: dc80497b7dda6a28fd80404684d27548
- Download size: 2.2 MB
- Estimated disk space required: 26 MB
- Estimated build time: 0.5 SBU

Lynx Dependencies

Optional

OpenSSL-0.9.8d or experimentaly, GnuTLS (which needs libgpg-error then libgcrypt), Zip-2.32, UnZip-5.52, an MTA (that provides a **sendmail** command), and sharutils (for a **uudecode** program)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Lynx>

Installation of Lynx

Install Lynx by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc/lynx \
            --datadir=/usr/share/doc/lynx-2.8.6 \
            --with-zlib \
            --with-bzlib \
            --with-screen=ncursesw \
            --enable-locale-charset &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install-full &&
chgrp -v -R root /usr/share/doc/lynx-2.8.6/lynx_doc
```

Command Explanations

`--sysconfdir=/etc/lynx`: This parameter is used so that the configuration files are located in `/etc/lynx` instead of `/usr/etc`.

`--datadir=/usr/share/doc/lynx-2.8.6`: This parameter is used so that the documentation files are installed into `/usr/share/doc/lynx-2.8.6` instead of `/usr/share/lynx_{doc,help}`.

`--with-zlib`: This enables support for linking `libz` into Lynx.

`--with-bzlib`: This enables support for linking `libbz2` into Lynx.

`--with-screen=ncursesw`: This switch enables the use of advanced wide-character support present in the system NCurses library. This is needed for proper display of characters and line wrapping in multibyte locales.

`--enable-locale-charset`: This switch allows Lynx to deduce the proper character encoding for terminal output from the current locale. A configuration step is still needed (see below), but, unlike the situation without this switch, the configuration step becomes the same for all users (without the switch, one would have to specify the display character set explicitly). This is important for environments such as a LiveCD, where the amount of system-specific configuration steps has to be reduced to the minimum.

`--enable-nls`: This switch allows Lynx to print translated messages (such as questions about cookies and SSL certificates).

`--with-ssl`: This enables support for linking SSL into Lynx.

`--with-gnutls`: This enables experimental support for linking GnuTLS into Lynx.

make install-full: In addition to the standard installation, this target installs the documentation and help files.

chgrp -v -R root /usr/share/doc/lynx-2.8.6/lynx_doc: This command corrects the improper group ownership of installed documentation files caused if Lynx is built by any user other than `root`.

Configuring Lynx

Config Files

`/etc/lynx/lynx.cfg`

Configuration Information

The proper way to get the display character set is to examine the current locale. However, Lynx does not do this by default. Change this setting:

```
sed -i 's/#\ (LOCALE_CHARSET\):FALSE/\1:TRUE/' /etc/lynx/lynx.cfg
```

Many other system-wide settings such as proxies can also be set in the `/etc/lynx/lynx.cfg` file.

Contents

Installed Program:	lynx
Installed Libraries:	None
Installed Directories:	<code>/etc/lynx</code> and <code>/usr/share/doc/lynx-2.8.6</code>

Short Descriptions

lynx is a general purpose, text-based, distributed information browser for the World Wide Web.

W3m-0.5.1

Introduction to W3m

w3m is primarily a pager but it can also be used as a text-mode WWW browser.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/w3m/w3m-0.5.1.tar.gz>
- Download (FTP):
- Download MD5 sum: 0678b72e07e69c41709d71ef0fe5da13
- Download size: 1.9 MB
- Estimated disk space required: 18.4 MB
- Estimated build time: 0.28 SBU

W3m Dependencies

Required

GC-6.8

Optional

pkg-config-0.20, GPM-1.20.1, OpenSSL-0.9.8d, Imlib-1.9.15 or Imlib2-1.2.2, GDK Pixel Buffer-0.22.0, Comfpace-1.4, nkf, a Mail User Agent and an External Browser

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/W3M>

Installation of W3m

Install w3m by running the following commands:

```
./configure --prefix=/usr --libexecdir=/usr/lib --sysconfdir=/etc &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
install -v -D -m 644 doc/keymap.default /etc/w3m/keymap &&  
install -v -D -m 644 doc/menu.default /etc/w3m/menu &&  
install -v -d -m 755 /usr/share/doc/w3m-0.5.1/html &&  
install -v -m 644 doc/{HISTORY,README*,keymap.*,menu.*} \  
    /usr/share/doc/w3m-0.5.1 &&  
install -v -m 644 doc/*.html \  
    /usr/share/doc/w3m-0.5.1/html
```

Configuring W3m

Config Files

`/etc/w3m/*` and `~/ .w3m/*`

Contents

Installed Programs: `w3m` and `w3mman`
Installed Libraries: `None`
Installed Directories: `/usr/lib/w3m`, `/usr/share/w3m` and `usr/share/doc/w3m-0.5.1`

Short Descriptions

w3m is a text based web browser and pager.

w3mman is an interface to the on-line reference manuals in **w3m**.

Chapter 18. Basic Networking Programs

These applications are generally client applications used to access the appropriate server across the building or across the world. Tcprappers and portmap are support programs for daemons that you may have running on your machine.

CVS-1.11.22

Introduction to CVS

CVS is the Concurrent Versions System. This is a version control system useful for projects using a central repository to hold files and then track all changes made to those files. These instructions install the client used to manipulate the repository, creation of a repository is covered at Running a CVS Server.

Package Information

- Download (HTTP): <http://ftp.gnu.org/non-gnu/cvs/source/stable/1.11.22/cvs-1.11.22.tar.bz2>
- Download (FTP): <ftp://ftp.gnu.org/non-gnu/cvs/source/stable/1.11.22/cvs-1.11.22.tar.bz2>
- Download MD5 sum: f24043a640509aff1aa28871dd345762
- Download size: 2.9 MB
- Estimated disk space required: 32.3 MB
- Estimated build time: 0.3 SBU (additional ~20 SBU to run the test suite)

Additional Downloads

- Recommended patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/cvs-1.11.22-zlib-1.patch>

CVS Dependencies

Optional

GDBM-1.8.3, Tcsh-6.14.00, OpenSSH-4.5p1, krb4, MIT Kerberos V5-1.6 or Heimdal-0.7.2 (for the GSSAPI libraries), AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2, and an MTA (that provides a **sendmail** command)

CVS will invoke a default text editor to create a commit message if the `-m "Commit message"` parameter was not used when changes are committed to a repository. CVS looks for the following text editors, in the order shown below, during configuration to determine the default. This default can always be overridden by the `CVSEEDITOR` or `EDITOR` environment variables and can be specified directly by passing the `--with-editor=<desired text editor>` parameter to the **configure** script.

- Vim-7.0
- Emacs-21.4a
- nano-2.0.1
- Pine-4.64 (for Pico)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cvs>

Installation of CVS

By default CVS is statically linked against the Zlib library included in its source tree. This makes it exposed to possible security vulnerabilities in that library. If you want to modify CVS to use the system shared Zlib library, apply the following patch:

```
patch -Np1 -i ../cvs-1.11.22-zlib-1.patch
```

Install CVS by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you have teTeX-3.0 installed and wish to create DVI, Postscript, HTML or text docs from the documentation source files, issue the following command:

```
make -C doc html txt dvi ps
```

To test the results, issue: **make check**. This will take quite a while. If you don't have **rsh** configured for access to the host you are building on (or you didn't pass the `--with-rsh=` parameter to the **configure** script, some tests may fail. If you passed the `--with-rsh=ssh` parameter to enable **ssh** as the default remote shell program, you'll need to issue the following command so that the tests will complete without any failures:

```
sed -e 's/rsh};/ssh};/' \  
    -e 's/g=rw,o=r$/g=r,o=r/' \  
    -i src/sanity.sh
```

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/cvs-1.11.22 &&  
install -v -m644 FAQ README /usr/share/doc/cvs-1.11.22 &&  
install -v -m644 doc/*.pdf /usr/share/doc/cvs-1.11.22
```

If you created any additional documentation, install it by issuing the following commands as the `root` user:

```
install -v -m644 doc/*.{ps,dvi,txt} /usr/share/doc/cvs-1.11.22 &&  
install -v -m755 -d /usr/share/doc/cvs-1.11.22/html/cvs{,client} &&  
install -v -m644 doc/cvs.html/* \  
    /usr/share/doc/cvs-1.11.22/html/cvs &&  
install -v -m644 doc/cvsclient.html/* \  
    /usr/share/doc/cvs-1.11.22/html/cvsclient
```

Configuring CVS

Config Files

`~/.cvsrc`, `~/.cvswrappers`, and `~/.cvspass`.

Configuration Information

`~/.cvsrc` is the main CVS configuration file. This file is used by users to specify defaults for different **cvs** commands. For example, to make all **cvs diff** commands run with `-u`, a user would add `diff -u` to their `.cvsrc` file.

`~/.cvswrappers` specifies wrappers to be used in addition to those specified in the `CVSROOT/cvswrappers` file in the repository.

`~/.cvspass` contains passwords used to complete logins to servers.

Contents

Installed Programs: `cvs`, `cvsbug`, and `rcs2log`
Installed Libraries: None
Installed Directories: `/usr/share/cvs` and `/usr/share/doc/cvs-1.11.22`

Short Descriptions

cvs is the main program file for the concurrent versions system.
cvsbug is used to send problem reports about CVS to a central support site.
rcs2log is a symlink to the contributed RCS to Change Log generator.

Inetutils-1.4.2

Introduction to Inetutils

The Inetutils package contains network clients and servers.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/gnu/gnusr/inetutils/inetutils-1.4.2.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/inetutils/inetutils-1.4.2.tar.gz>
- Download MD5 sum: df0909a586ddac2b7a0d62795eea4206
- Download size: 1.04 MB
- Estimated disk space required: 10.2 MB
- Estimated build time: 0.26 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/inetutils-1.4.2-gcc4_fixes-3.patch
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/inetutils-1.4.2-daemon_fixes-1.patch

Inetutils Dependencies

Optional

Linux-PAM-0.99.4.0, TCP Wrapper-7.6, krb4, and Heimdal-0.7.2 or MIT Kerberos V5-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/inetutils>

Installation of Inetutils

Install Inetutils by running the following commands:

```
patch -Np1 -i ../inetutils-1.4.2-gcc4_fixes-3.patch &&
patch -Np1 -i ../inetutils-1.4.2-daemon_fixes-1.patch &&
./configure --prefix=/usr --libexecdir=/usr/sbin \
    --sysconfdir=/etc --localstatedir=/var \
    --mandir=/usr/share/man --infodir=/usr/share/info \
    --disable-logger --disable-syslogd &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
mv -v /usr/bin/ping /bin
```

Command Explanations

`--disable-logger`: This switch prevents Inetutils installing a **logger** program, which is installed in the

LFS book.

`--disable-syslogd`: This switch prevents Inetutils installing a system log daemon, which is installed in the LFS book.

`--with-wrap`: This switch makes Inetutils compile against tcp-wrappers. Add this option if you want to utilize tcp-wrappers.

`--disable-whois`: This switch will prevent Inetutils installing an outdated **whois** client. Add this option if you plan on installing Whois-4.7.20.

`--with-pam`: This switch makes Inetutils link against Linux-PAM libraries. Add this option if you want to utilize PAM.

`--disable-servers`: Some of the servers included with Inetutils are insecure in nature and in some cases better alternatives exist. You can choose this switch to enable only the servers you need, avoiding the installation of unneeded servers.

Contents

A list of the installed programs not included here, along with their short descriptions can be found at [../..../lfs/view/6.2/chapter06/inetutils.html#contents-inetutils](http://lfs/view/6.2/chapter06/inetutils.html#contents-inetutils).

Installed Programs: ftpd, inetd, rexecd, rlogind, rshd, talkd, telnetd, tftpd, uucpd and whois

Installed Libraries: None

Installed Directories: None

Short Descriptions

ftpd is a DARPA Internet File Transfer Protocol Server.

inetd is an Internet super-server. Note that the xinetd-2.3.14 package provides a much better server that does the same thing.

rexecd is a remote execution server.

rlogind is a remote login server.

rshd is a remote shell server.

talkd is a remote user communication server.

telnetd is a DARPA TELNET protocol server.

tftpd is an Internet Trivial File Transfer Protocol server.

uucpd is a server for supporting UUCP connections over networks.

whois is a client for the whois directory service. Note that the Whois-4.7.20 package provides a much better client.

NcFTP-3.1.9

Introduction to NcFTP

The NcFTP package contains a powerful and flexible interface to the Internet standard File Transfer Protocol. It is intended to replace or supplement the stock **ftp** program.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/infosys/clients/ftp/ncftp/ncftp-3.1.9-src.tar.bz2>
- Download (FTP): <ftp://ftp.ncftp.com/ncftp/ncftp-3.1.9-src.tar.bz2>
- Download MD5 sum: 66cf8dacec848eb11a70632fe9f21807
- Download size: 401 KB
- Estimated disk space required: 9.9 MB
- Estimated build time: 0.3 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ncftp>

Installation of NcFTP

There are two ways to build NcFTP. The first (and optimal) way builds most of the functionality as a shared library and then builds and installs the program linked against this library. The second method simply links all of the functionality into the binary statically. This doesn't make the dynamic library available for linking by other applications. You need to choose which method best suits you. Note that the second method does *not* create an entirely statically linked binary; only the `libncftp` parts are statically linked in, in this case. Be aware that building and using the shared library is covered by the Clarified Artistic License; however, developing applications that utilize the shared library is subject to a different license.

To install NcFTP using the first (and optimal) method, run the following commands:

```
./configure --prefix=/usr &&  
make -C libncftp shared
```

Now, as the `root` user:

```
make -C libncftp soinstall
```

Again, as an unprivileged user:

```
make
```

Again, as the `root` user:

```
make install
```

To install NcFTP using the second method (with the `libncftp` functionality linked in statically) run the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the `root` user:

```
make install
```

Command Explanations

make -C ... && make -C ...: These commands make and install the dynamic library `libncftp` which is then used to link against when compiling the main program.

Configuring NcFTP

Config Files

`~/.ncftp/*`; especially `~/.ncftp/prefs_v3`

Configuration Information

Most NcFTP configuration is done while in the program, and the configuration files are dealt with automatically. One exception to this is `~/.ncftp/prefs_v3`. There are various options to alter in there, including:

```
yes-i-know-about-NcFTPd=yes
```

This disables the splash screen advertising the NcFTPd server.

There are other options in the `prefs_v3` file. Most of these are self-explanatory.

Contents

Installed Programs:	<code>ncftp</code> , <code>ncftpbatch</code> , <code>ncftpbookmarks</code> , <code>ncftpget</code> , <code>ncftpls</code> , <code>ncftpput</code> , and <code>ncftpspooler</code>
Installed Library:	<code>libncftp.so</code>
Installed Directories:	None

Short Descriptions

ncftp	is a browser program for File Transfer Protocol.
ncftpbatch	is an individual batch FTP job processor.
ncftpbookmarks	is the NcFTP Bookmark Editor (NCurses-based).
ncftpget	is an internet file transfer program for scripts used to retrieve files.
ncftpls	is an internet file transfer program for scripts used to list files.
ncftpput	is an internet file transfer program for scripts used to transfer files.
ncftpspooler	is a global batch FTP job processor daemon.

Net-tools-1.60

Introduction to Net-tools

The Net-tools package is a collection of programs for controlling the network subsystem of the Linux kernel.

Package Information

- Download (HTTP): <http://www.tazenda.demon.co.uk/phil/net-tools/net-tools-1.60.tar.bz2>
- Download (FTP):
<ftp://ftp.ibiblio.org/pub/Linux/distributions/rootlinux/rootlinux-1.3/source/base/net-tools/net-tools-1.60.tar.gz>
- Download MD5 sum (HTTP): 888774accab40217dde927e21979c165
- Download MD5 sum (FTP): e1e83a4d4cdd72d35bcf90d76a16206f
- Download size: 194 KB
- Estimated disk space required: 4.3 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/net-tools-1.60-gcc34-3.patch>
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/net-tools-1.60-kernel_headers-2.patch
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/net-tools-1.60-mii_ioctl-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/net-tools>

Installation of Net-tools



Note

The Net-tools package installs a **hostname** program which will overwrite the existing program installed by Coreutils during a base LFS installation. If, for whatever reason, you need to reinstall the Coreutils package after installing Net-tools, you should apply the `coreutils-5.96-suppress_hostname-1.patch` patch (after the other patches) if you wish to preserve the Net-tools **hostname** program.

The instructions below automate the configuration process by piping **yes** to the **make config** command. If you wish to run the interactive configuration process (by changing the instruction to just **make config**), but you are not sure how to answer all the questions, then just accept the defaults. This will be just fine in the majority of cases. What you're asked here is a bunch of questions about which network protocols you've enabled in your kernel. The default answers will enable the tools from this package to work with the most common protocols: TCP, PPP, and several others. You still need to actually enable these protocols in the kernel—what you do here is merely tell the package to include support for those protocols in its programs, but it's up to the kernel to make the protocols available.

Install Net-tools by running the following commands:

```
patch -Np1 -i ../net-tools-1.60-gcc34-3.patch &&
patch -Np1 -i ../net-tools-1.60-kernel_headers-2.patch &&
```



```

patch -Np1 -i ../net-tools-1.60-mii_ioctl-1.patch &&
yes "" | make config &&
sed -i -e 's|HAVE_IP_TOOLS 0|HAVE_IP_TOOLS 1|g' \
      -e 's|HAVE_MII 0|HAVE_MII 1|g' config.h &&
sed -i -e 's|# HAVE_IP_TOOLS=0|HAVE_IP_TOOLS=1|g' \
      -e 's|# HAVE_MII=0|HAVE_MII=1|g' config.make &&
make

```

This package does not come with a test suite.

Now, as the root user:

```
make update
```

Command Explanations

yes "" | make config: Piping **yes** to **make config** skips the interactive configuration and accepts the defaults.

sed -i -e ...: These two **seds** change the configuration files to force building the **ipmaddr**, **iptunnel** and **mii-tool** programs.

Contents

Installed Programs:	arp, dnsdomainname, domainname, hostname, ifconfig, ipmaddr, iptunnel, mii-tool, nameif, netstat, nisdomainname, plipconfig, rarp, route, slattach, and ypdomainname
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

arp	is used to manipulate the kernel's ARP cache, usually to add or delete an entry, or to dump the entire cache.
dnsdomainname	reports the system's DNS domain name.
domainname	reports or sets the system's NIS/YP domain name.
hostname	reports or sets the name of the current host system.
ifconfig	is the main utility for configuring network interfaces.
ipmaddr	adds, deletes and shows an interface's multicast addresses.
iptunnel	adds, changes, deletes and shows an interface's tunnels.
mii-tool	checks or sets the status of a network interface's Media Independent Interface (MII) unit.
nameif	names network interfaces based on MAC addresses.
netstat	is used to report network connections, routing tables, and interface statistics.
nisdomainname	does the same as domainname .

plipconfig	is used to fine tune the PLIP device parameters, to improve its performance.
rarp	is used to manipulate the kernel's RARP table.
route	is used to manipulate the IP routing table.
slattach	attaches a network interface to a serial line. This allows you to use normal terminal lines for point-to-point links to other computers.
ypdomainname	does the same as domainname .

NTP-4.2.0a

Introduction to NTP

The NTP package contains a client and server to keep the time synchronized between various computers over a network. This package is the official reference implementation of the NTP protocol.

Package Information

- Download (HTTP):
<http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/n/ntp-stable-4.2.0a-20060224.tar.gz>
- Download (FTP): <ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/n/ntp-stable-4.2.0a-20060224.tar.gz>
- Download MD5 sum: 49d4a704b49dc1ef2a7ec0b7938c3ae1
- Download size: 2.3 MB
- Estimated disk space required: 22.1 MB
- Estimated build time: 0.4 SBU

NTP Dependencies

Optional

OpenSSL-0.9.8d

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ntp>

Installation of NTP

Install NTP by running the following commands:

```
./configure --prefix=/usr --bindir=/usr/sbin \
--sysconfdir=/etc &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/ntp-4.2.0a &&
cp -v -R html /usr/share/doc/ntp-4.2.0a/
```

Configuring NTP

Config Files

/etc/ntp.conf

Configuration Information

The following configuration file defines various NTP servers with open access from different continents. It also

creates a drift file where **ntpd** stores the frequency offset. Since the documentation included with the package is sparse, visit the NTP website at <http://www.ntp.org/> and <http://www.pool.ntp.org/> for more information.

```
cat > /etc/ntp.conf << "EOF"
# Africa
server tock.nml.csir.co.za

# Asia
server 0.asia.pool.ntp.org

# Australia
server 0.oceania.pool.ntp.org

# Europe
server 0.europe.pool.ntp.org

# North America
server 0.north-america.pool.ntp.org

# South America
server 2.south-america.pool.ntp.org

driftfile /var/cache/ntp.drift
EOF
```

Synchronizing the Time

There are two options. Option one is to run **ntpd** continuously and allow it to synchronize the time in a gradual manner. The other option is to run **ntpd** periodically (using cron) and update the time each time **ntpd** is scheduled.

If you choose Option one, then install the `/etc/rc.d/init.d/ntp` init script included in the `blfs-bootscripts-20060910` package.

```
make install-ntp
```

If you prefer to run **ntpd** periodically, add the following command to root's crontab:

```
ntpd -q
```

Execute the following command if you would like to set the hardware clock to the current system time at shutdown and reboot:

```
ln -v -sf ../init.d/setclock /etc/rc.d/rc0.d/K46setclock &&
ln -v -sf ../init.d/setclock /etc/rc.d/rc6.d/K46setclock
```

The other way around is already set up by LFS.

Contents

Installed Programs:	<code>ntp-keygen</code> , <code>ntp-wait</code> , <code>ntpd</code> , <code>ntpdate</code> , <code>ntpdcc</code> , <code>ntpq</code> , <code>ntptime</code> , <code>ntptrace</code> , and <code>tickadj</code>
Installed Libraries:	None

Installed Directory: /usr/share/doc/ntp-4.2.0a

Short Descriptions

ntp-keygen	generates cryptographic data files used by the NTPv4 authentication and identification schemes.
ntp-wait	is useful at boot time, to delay the boot sequence until ntpd has set the time.
ntpd	is a NTP daemon that runs in the background and keeps the date and time synchronized based on response from configured NTP servers. It also functions as a NTP server.
ntpdate	is a client program that sets the date and time based on the response from an NTP server. This command is deprecated.
ntpdctl	is used to query the NTP daemon about its current state and to request changes in that state.
ntpq	is an utility program used to monitor ntpd operations and determine performance.
ntptime	reads and displays time-related kernel variables.
ntptrace	traces a chain of NTP servers back to the primary source.
tickadj	reads, and optionally modifies, several timekeeping-related variables in older kernels that do not have support for precision timekeeping.

OpenSSH-4.5p1 Client

The **ssh** client is a secure replacement for **telnet**. If you want to install it, the instructions can be found in Chapter 21 – OpenSSH-4.5p1. Note that if you only want to use the client, you do *not* need to run the server and so do not need the startup script and links. In accordance with good practice, only run the server if you actually need it (and if you don't know whether you need it or not, it's likely that you don't!).

Portmap-5beta

Introduction to Portmap

The portmap package is a more secure replacement for the original SUN portmap package. Portmap is used to forward RPC requests to RPC daemons such as NFS and NIS.

Package Information

- Download (HTTP):
- Download (FTP): ftp://ftp.porcupine.org/pub/security/portmap_5beta.tar.gz
- Download MD5 sum: 781e16ed4487c4caa082c6fef09ead4f
- Download size: 18 KB
- Estimated disk space required: 268 KB
- Estimated build time: 0.01 SBU

Additional Downloads

- Required Patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/portmap-5beta-compilation_fixes-3.patch
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/portmap-5beta-glibc_errno_fix-1.patch

Portmap Dependencies

Required

TCP Wrapper-7.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/portmap>

Installation of Portmap

Portmap runs as a daemon with a uid of 1. This uid is not configurable. To set up a user to match this uid, as the root user, run:

```
useradd -u 1 -g 1 -d /dev/null -s /bin/false bin
```

Install portmap with the following commands:

```
patch -Np1 -i ../portmap-5beta-compilation_fixes-3.patch &&
patch -Np1 -i ../portmap-5beta-glibc_errno_fix-1.patch &&
make
```

Now, as the root user:

```
make install
```



Note

The above installation places executable **portmap** in `/sbin`. You may choose to move the file to

```
/usr/sbin. If you do, remember to modify the bootscript also.
```

Configuring Portmap

Boot Script

Install the `/etc/rc.d/init.d/portmap` init script included in the `blfs-bootscripts-20060910` package.

```
make install-portmap
```

Contents

Installed Programs: pmap_dump, pmap_set, and portmap

Installed Libraries: None

Installed Directories: None

Short Descriptions

pmap_dump saves the port mapping table to an ASCII file.

pmap_set restores the port mapping table from an ASCII file.

portmap is an RPC port mapper.

Rsync-2.6.8 Client

rsync is a utility for fast incremental file transfers. If you want to install it, the instructions can be found in Chapter 24 – rsync-2.6.8. Note that if you only want to use the client, you do *not* need to run the server and so do not need the startup script and links. In accordance with good practice, only run the server if you actually need it (and if you don't know whether you need it or not, it's likely that you don't!).

Samba-3.0.23d Client

The Samba client utilities are used to transfer files to and from, mount SMB shares located on or use printers attached to Windows and other SMB servers. If you want to install these utilities, the instructions can be found in Chapter 21 – Samba-3.0.23d. After performing the basic installation, configure the utilities using the configuration section titled “Scenario 1: Minimal Standalone Client-Only Installation”.

Note that if you only want to use these client utilities, you do *not* need to run the server daemons and so do not need the startup script and links. In accordance with good practice, only run the server daemons if you actually need them. You'll find an explanation of the services provided by the server daemons in the Samba-3.0.23d instructions.

Subversion-1.3.1

Introduction to Subversion

Subversion is a version control system that is designed to be a compelling replacement for CVS in the open source community. It extends and enhances CVS' feature set, while maintaining a similar interface for those already familiar with CVS. These instructions install the client and server software used to manipulate a Subversion repository. Creation of a repository is covered at Running a Subversion Server.

Package Information

- Download (HTTP): <http://subversion.tigris.org/tarballs/subversion-1.3.1.tar.bz2>
- Download (FTP):
- Download MD5 sum: 07b95963968ae345541ca99d0e7bf082
- Download size: 6.7 MB
- Estimated disk space required: 100 MB (additional 57 MB to install all bindings and 465 MB to run all test suites)
- Estimated build time: 1.7 SBU (add 1.1 SBU for bindings and 20-60 minutes to run test suites)

Subversion Dependencies

Optional

Python-2.4.4 (required to run the test suite), Apache-2.2.2 or Apache Portable Runtime, neon-0.25.5, JDK-1.5.0_10 (to build the Java bindings), JUnit (required for running the Java bindings test suite and requires UnZip-5.52), Dante (alternate Java compiler), and Jikes (another alternate Java compiler)

Optional for the Bundled Version of Neon

pkg-config-0.20, libxml2-2.6.26 or expat-2.0.0, OpenSSL-0.9.8d, Heimdal-0.7.2 or MIT Kerberos V5-1.6

Optional for the Bundled Version of Apache Portable Runtime

expat-2.0.0 and GDBM-1.8.3

Optional to Build the SWIG Bindings

SWIG, Python-2.4.4, and Ruby-1.8.5

Note that the Python, Perl and Ruby bindings will not compile properly with the current version of SWIG. To build the bindings, you must have SWIG-1.3.{24,25} installed. Complete instructions for building the SWIG bindings can be found in the Subversion source tree file `./subversion/bindings/swig/INSTALL`.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/subversion>

Installation of Subversion



Caution

For reasons that are not yet fully understood, Subversion repositories based on some versions of

Berkeley DB (notably 4.4.x) may not perform reliably. Though there have been no reports of corrupted databases caused by this issue, the Subversion test suite may report a failure in one of the tests due to problems opening a repository based on Berkeley DB. This issue only affects BDB-based repositories on a local installation and does not affect access to a BDB-based repository on a remote system built with older versions of Subversion or Berkeley DB.

For these reasons, the Berkeley DB back-end is disabled, and any local BDB-based repositories you may have will be unavailable after installing Subversion using the following instructions. Please reference the information at <http://svnbook.red-bean.com/en/1.1/ch05s03.html#svn-ch-5-sect-3.5> if you need to migrate your repositories.

Install Subversion by running the following commands:

```
./configure --prefix=/usr \
            --without-berkeley-db \
            --with-installbuilddir=/usr/lib/apr-0 &&
make
```



Note

If you have Apache installed, pass the `--with-apr=/usr` and `--with-apr-util=/usr` switches to the **configure** script. Otherwise, Subversion will overwrite APR and APR-utils from the Apache installation with the source distribution files. You may also need to pass `--with-apxs=/usr/sbin/apxs` as **apxs** might not be in an unprivileged user's PATH and won't be properly discovered. Additionally if you have Apache installed, you may safely remove the `--with-installbuilddir=/usr/lib/apr-0` parameter as it will have no effect.

If you passed the `--enable-javahl` parameter to **configure** and wish to build the Java bindings, issue the following command:

```
make javahl
```

If you passed the `-with-swig` parameter to **configure** and wish to build the Perl, Python and/or Ruby bindings, issue any or all of the following commands:

```
make swig-pl &&
make swig-py &&
make swig-rb
```

To test the results of the Subversion build, issue: **make check**. This will take quite a long time.



Note

The `fs-base-test` is known to fail with issues surrounding the Berkeley database installation. As mentioned earlier, it is not yet fully understood why this test fails.

To test the results of the Java bindings build, issue **make check-javahl**. Note you must have the JUnit (version 3.8.x) testing framework installed.

To test the results of any or all of the SWIG bindings, you can use the following commands:

```
make check-swig-pl &&
make check-swig-py &&
make check-swig-rb
```

Now, as the `root` user:

```
make install &&
rm doc/{Makefile,doxygen.conf} &&
find doc -type d -exec chmod 755 {} \; &&
find doc -type f -exec chmod 644 {} \; &&
install -v -m755 -d /usr/share/doc/subversion-1.3.1 &&
cp -v -R doc/* /usr/share/doc/subversion-1.3.1
```

If you built the Java bindings, issue the following command as the `root` user to install them:

```
make install-javahl
```

If you built any of the SWIG bindings, issue any or all of the following commands as the `root` user to install them:

```
make install-swig-pl &&

make install-swig-py &&
echo /usr/lib/svn-python \
    > /usr/lib/python2.4/site-packages/subversion.pth &&

make install-swig-rb
```

Command Explanations

`--with-installbuilddir=/usr/lib/apr-0`: This parameter is used (and only has an effect if you used the source provided version of Apache Portable Runtime) to force the installation of some APR-related support programs to `/usr/lib/apr-0` instead of `/usr/build`.

`--with-neon=<prefix>`: This option should be used if you wish to use a system-installed version of neon.

`--with-ssl`: This switch enables OpenSSL support in neon (only required if you use the bundled version of neon).

Configuring Subversion

Config Files

`~/.subversion/config` and `/etc/subversion/config`

Configuration Information

`/etc/subversion/config` is the Subversion system-wide configuration file. This file is used to specify defaults for different `svn` commands.

`~/.subversion/config` is the user's personal configuration file. It is used to override the system-wide

defaults set in `/etc/subversion/config`.

Contents

Installed Programs:	<code>svn</code> , <code>svnadmin</code> , <code>svndumpfilter</code> , <code>svnlook</code> , <code>svnserve</code> , <code>svnversion</code> , and optionally, <code>neon-config</code> and <code>apr-config</code>
Installed Libraries:	<code>libsvn*.so,a</code> and optionally, <code>libneon.so,a</code> and the <code>mod_dav_svn.so</code> , and <code>mod_authz_svn.so</code> Apache HTTP DSO modules
Installed Directories:	<code>/etc/subversion</code> , <code>/usr/include/neon</code> (optional), <code>/usr/include/subversion-1</code> , <code>/usr/lib/perl5/site_perl/5.8.8/i686-linux/auto/SVN</code> (optional), <code>/usr/lib/perl5/site_perl/5.8.8/i686-linux/SVN</code> (optional), <code>/usr/lib/svn-javahl</code> (optional), <code>/usr/lib/svn-python</code> (optional), <code>/usr/share/doc/neon-0.25.5</code> (optional), and <code>/usr/share/doc/subversion-1.3.1</code>

Short Descriptions

svn	is a command-line client program used to access Subversion repositories.
svnadmin	is a tool for creating, tweaking or repairing a Subversion repository.
svndumpfilter	is a program for filtering Subversion repository dumpfile format streams.
svnlook	is a tool for inspecting a Subversion repository.
svnserve	is a custom standalone server program, able to run as a daemon process or invoked by SSH.
svnversion	is used to report the version number and state of a working Subversion repository copy.
neon-config	is a script which provides information about an installed copy of the neon library.
<code>libsvn*.so,a</code>	are the support libraries used by the Subversion programs.
<code>libneon.so,a</code>	is used as a high-level interface to common HTTP and WebDAV methods.
<code>mod_authz_svn.so</code>	is a plug-in module for the Apache HTTP server, used to authenticate users to a Subversion repository over the Internet or an intranet.
<code>mod_dav_svn.so</code>	is a plug-in module for the Apache HTTP server, used to make a Subversion repository available to others over the Internet or an intranet.

TCP Wrapper-7.6

Introduction to TCP Wrapper

The TCP Wrapper package provides daemon wrapper programs that report the name of the client requesting network services and the requested service.

Package Information

- Download (HTTP): http://files.ichilton.co.uk/nfs/tcp_wrappers_7.6.tar.gz
- Download (FTP): ftp://ftp.porcupine.org/pub/security/tcp_wrappers_7.6.tar.gz
- Download MD5 sum: e6fa25f71226d090f34de3f6b122fb5a
- Download size: 97 KB
- Estimated disk space required: 1.09 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required Patch (Fixes some build issues and adds building a shared library):
http://www.linuxfromscratch.org/patches/blfs/6.2.0/tcp_wrappers-7.6-shared_lib_plus_plus-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tcpwrappers>

Installation of TCP Wrapper

Install TCP Wrapper with the following commands:

```
patch -Np1 -i ../tcp_wrappers-7.6-shared_lib_plus_plus-1.patch &&
sed -i -e "s,^extern char \*malloc();,/* & */," scaffold.c &&
make REAL_DAEMON_DIR=/usr/sbin STYLE=-DPROCESS_OPTIONS linux
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

sed -i -e ... scaffold.c: This command removes an obsolete C declaration which causes the build to fail if using GCC >= 3.4.x.

Configuring TCP Wrapper

Config Files

/etc/hosts.allow and /etc/hosts.deny

File protections: the wrapper, all files used by the wrapper, and all directories in the path leading to those files, should be accessible but not writable for unprivileged users (mode 755 or mode 555). Do not install the wrapper

set-uid.

As the root user, perform the following edits on the `/etc/inetd.conf` configuration file:

```
finger stream tcp nowait nobody /usr/sbin/in.fingerd in.fingerd
```

becomes:

```
finger stream tcp nowait nobody /usr/sbin/tcpd in.fingerd
```



Note

The **finger** server is used as an example here.

Similar changes must be made if `xinetd` is used, with the emphasis being on calling `/usr/sbin/tcpd` instead of calling the service daemon directly, and passing the name of the service daemon to **tcpd**.

Contents

Installed Programs:	<code>tcpd</code> , <code>tcpdchk</code> , <code>tcpdmatch</code> , <code>try-from</code> , and <code>safe_finger</code>
Installed Library:	<code>libwrap.{so,a}</code>
Installed Directories:	None

Short Descriptions

tcpd	is the main access control daemon for all Internet services, which inetd or xinetd will run instead of running the requested service daemon.
tcpdchk	is a tool to examine a tcpd wrapper configuration and report problems with it.
tcpdmatch	is used to predict how the TCP wrapper would handle a specific request for a service.
try-from	can be called via a remote shell command to find out if the host name and address are properly recognized.
safe_finger	is a wrapper for the finger utility, to provide automatic reverse name lookups.
<code>libwrap.{so,a}</code>	contains the API functions required by the TCP Wrapper programs as well as other programs to become “TCP Wrapper-aware”.

Wget-1.10.2

Introduction to Wget

The Wget package contains a utility useful for non-interactive downloading of files from the Web.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/wget/wget-1.10.2.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/wget/wget-1.10.2.tar.gz>
- Download MD5 sum: 795fefbb7099f93e2d346b026785c4b8
- Download size: 1.2 MB
- Estimated disk space required: 8.7 MB
- Estimated build time: 0.1 SBU

Wget Dependencies

Optional

OpenSSL-0.9.8d and Dante

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/wget>

Installation of Wget

Install Wget by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--sysconfdir=/etc`: This relocates the configuration file from `/usr/etc` to `/etc`.

Configuring Wget

Config Files

`/etc/wgetrc` and `~/.wgetrc`

There are no changes required to these files.

Contents

Installed Program: wget
Installed Libraries: None
Installed Directories: None

Short Descriptions

wget retrieves files from the Web using the HTTP, HTTPS and FTP protocols. It is designed to be non-interactive, for background or unattended operations.

Wireless Tools-28

Introduction to Wireless Tools

The Wireless Extension (WE) is a generic API in the Linux kernel allowing a driver to expose configuration and statistics specific to common Wireless LANs to user space. A single set of tools can support all the variations of Wireless LANs, regardless of their type as long as the driver supports Wireless Extensions. WE parameters may also be changed on the fly without restarting the driver (or Linux).

The Wireless Tools (WT) package is a set of tools allowing manipulation of the Wireless Extensions. They use a textual interface to support the full Wireless Extension.

Package Information

- Download (HTTP): http://www.hpl.hp.com/personal/Jean_Tourrilhes/Linux/wireless_tools.28.tar.gz
- Download (FTP):
- Download MD5 sum: 599c94497f9c9073c7b052d3dcb7cd16
- Download size: 249 KB
- Estimated disk space required: 1.7 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/WirelessTools>

Kernel Configuration

To use Wireless Tools, the kernel must have the appropriate drivers and other support available. The appropriate bus must also be available. For many laptops, the PCMCIA bus (CONFIG_PCCARD) needs to be built. In some cases, this bus support will also need to be built for embedded wireless cards. The appropriate bridge support also needs to be built. For many modern laptops, the CardBus host bridge (CONFIG_YENTA) will be needed.

In addition to the bus, the actual driver for the specific wireless card must also be available. There are many wireless cards and they don't all work with Linux. The first place to look for card support is the kernel. The drivers are located in Device Drivers # Network Device Support # Wireless LAN (non-hamradio). There are also external drivers available for some very common cards. For more information, look at the user notes.

After the correct drivers are loaded, the interface will appear in `/proc/net/wireless`.

Installation of Wireless Tools

To install Wireless Tools, use the following commands:

```
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make PREFIX=/usr install
```

Contents

Installed Programs: ifrename, iwconfig, iwevent, iwgetid, iwlist, iwpriv, and iwspy
Installed Library: libiw.so
Installed Directories: None

Short Descriptions

ifrename renames network interfaces based on various static criteria.
iwconfig configures a wireless network interface.
iwevent displays wireless events generated by drivers and setting changes.
iwgetid reports ESSID, NWID or AP/Cell Address of wireless networks.
iwlist gets detailed wireless information from a wireless interface.
iwpriv configures optional (private) parameters of a wireless network interface.
iwspy gets wireless statistics from specific node.
libiw.so contains functions required by the wireless programs and provides an API for other programs.

Other Networking Programs

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/othernetprogs>

NCPFS contains client and administration tools for use with Novell networks. See the User Notes for details.

Chapter 19. Basic Networking Utilities

This chapter contains some tools that come in handy when the network needs investigating.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/basicnetworkingutilities>

Traceroute-1.4a12

Introduction to Traceroute

The Traceroute package contains a program which is used to display the network route that packets take to reach a specified host. This is a standard network troubleshooting tool. If you find yourself unable to connect to another system, traceroute can help pinpoint the problem.

Package Information

- Download (HTTP):
<http://gd.tuwien.ac.at/platform/sun/packages/solaris/freeware/SOURCES/traceroute-1.4a12.tar.gz>
- Download (FTP): <ftp://ftp.ee.lbl.gov/traceroute-1.4a12.tar.gz>
- Download MD5 sum: 964d599ef696efccdeebe7721cd4828d
- Download size: 74 KB
- Estimated disk space required: 540 KB
- Estimated build time: 0.01 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/traceroute>

Installation of Traceroute

Install Traceroute by running the following commands:

```
sed -i -e 's/-o bin/-o root/' Makefile.in &&
./configure --prefix=/usr &&
make
```

Now, as the `root` user:

```
make install &&
make install-man
```

Command Explanations

sed 's/-o bin/-o root/' Makefile.in: Adjusts the `Makefile` so that the program is installed with user `root` owning the files instead of user `bin` (which doesn't exist on a default LFS system).

make install: Installs **traceroute** with SUID set to `root` in the `/usr/sbin` directory. This makes it possible for all users to execute **traceroute**. For absolute security, turn off the SUID bit in **traceroute**'s file permissions with the command:

```
chmod -v 0755 /usr/sbin/traceroute
```

The risk is that if a security problem such as a buffer overflow was ever found in the Traceroute code, a regular user on your system could gain `root` access if the program is `SUID root`. Of course, removing the `SUID` permission also makes it impossible for users other than `root` to utilize **traceroute**, so decide what's right for your individual situation.

The goal of BLFS is to be completely FHS compliant, so if you do leave the **traceroute** binary `SUID root`, then you should move `traceroute` to `/usr/bin` with the following command:

```
mv -v /usr/sbin/traceroute /usr/bin
```

This ensures that the binary is in the path for non-root users.

Contents

Installed Program:	traceroute
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

traceroute	does basically what it says: it traces the route your packets take from the host you are working on to another host on a network, showing all the intermediate hops (gateways) along the way.
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Nmap-4.03

Introduction to Nmap

Nmap is a utility for network exploration and security auditing. It supports ping scanning, port scanning and TCP/IP fingerprinting.

Package Information

- Download (HTTP): <http://download.insecure.org/nmap/dist/nmap-4.03.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/nmap-4.03.tar.bz2>
- Download MD5 sum: d2b841e97d81d0fac20d18cbddfa54a
- Download size: 2.0 MB
- Estimated disk space required: 21.7 MB
- Estimated build time: 0.5 SBU

Nmap Dependencies

Optional

OpenSSL-0.9.8d, PCRE-6.7, GTK+-2.8.20 (for building the graphical front-end) and libpcap-0.9.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nmap>

Installation of Nmap

Install Nmap by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test-suite:

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	nmap and optionally, nmapfe
Installed Libraries:	None
Installed Directories:	/usr/share/applications and /usr/share/nmap

Short Descriptions

nmap is a utility for network exploration and security auditing. It supports ping scanning, port scanning and TCP/IP fingerprinting.

nmapfe is the graphical front end to **nmap**.

Whois-4.7.20

Introduction to Whois

Whois is a client-side application which queries the whois directory service for information pertaining to a particular domain name.

Package Information

- Download (HTTP): http://ftp.debian.org/debian/pool/main/w/whois/whois_4.7.20.tar.gz
- Download (FTP): ftp://ftp.debian.org/debian/pool/main/w/whois/whois_4.7.20.tar.gz
- Download MD5 sum: 81cea7350890d2a4dc974f661be31c7d
- Download size: 60 KB
- Estimated disk space required: 684 KB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/whois>

Installation of Whois

Install Whois by running the following commands:

```
make
```

This package does not come with a test suite (that works).

Now, as the root user:

```
make prefix=/usr install
```

Contents

Installed Program:	whois
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

whois is a client-side application which queries the whois directory service for information pertaining to a particular domain name.

BIND Utilities-9.3.3

Introduction to BIND Utilities

BIND Utilities is not a separate package, it is a collection of the client side programs that are included with BIND-9.3.3. The BIND package includes the client side programs **nslookup**, **dig** and **host**. If you install BIND server, these programs will be installed automatically. This section is for those users who don't need the complete BIND server, but need these client side applications.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/infosys/servers/isc/bind9/9.3.3/bind-9.3.3.tar.gz>
- Download (FTP): <ftp://ftp.isc.org/isc/bind9/9.3.3/bind-9.3.3.tar.gz>
- Download MD5 sum: b5cad77aa7912bf7b4cb770cfc42fdad
- Download size: 5.2 MB
- Estimated disk space required: 56.4 MB
- Estimated build time: 0.5 SBU

BIND Utilities Dependencies

Optional

OpenSSL-0.9.8d

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bind-utils>

Installation of BIND Utilities

Install BIND Utilities by running the following commands:

```
./configure --prefix=/usr &&
make -C lib/dns &&
make -C lib/isc &&
make -C lib/bind9 &&
make -C lib/isccfg &&
make -C lib/lwres &&
make -C bin/dig
```

Now, as the root user:

```
make -C bin/dig install
```

Command Explanations

make -C lib/...: These commands build the libraries that are needed for the client programs.

make -C bin/dig: This command builds the client programs.

Contents

Installed Programs: dig, host, and nslookup

Installed Libraries: None

Installed Directories: None

Short Descriptions

See the program descriptions in the BIND-9.3.3 section.

Ethereal-0.99.0

Introduction to Ethereal

The Ethereal package contains a network protocol analyzer, also known as a “sniffer”. This is useful for analyzing data captured “off the wire” from a live network connection, or data read from a capture file. Ethereal provides both a graphical and TTY-mode front-end for examining captured network packets from over 500 protocols, as well as the capability to read capture files from many other popular network analyzers.

Package Information

- Download (HTTP): <http://www.ethereal.com/distribution/ethereal-0.99.0.tar.bz2>
- Download (FTP): <ftp://ftp.ethereal.com/pub/ethereal/all-versions/ethereal-0.99.0.tar.bz2>
- Download MD5 sum: f9905b9d347acdc05af664a7553f7f76
- Download size: 8.8 MB
- Estimated disk space required: 331 MB
- Estimated build time: 5.4 SBU

Additional Downloads

- Additional Documentation: <http://www.ethereal.com/docs/>

From this page you can download many different docs in a variety of formats.

Ethereal dependencies

Required

GLib-1.2.10 or GLib-2.10.3 (to build the TTY-mode front-end only)

Recommended

libpcap-0.9.4 (required to capture data)

Optional

pkg-config-0.20, GTK+-1.2.10 or GTK+-2.8.20 (to build the GUI front-end), OpenSSL-0.9.8d, Heimdal-0.7.2 or MIT Kerberos V5-1.6, Python-2.4.4, PCRE-6.7, GnuTLS (which needs libgpg-error then libgcrypt), Net-SNMP, adns, and Lua

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ethereal>

Kernel Configuration

The kernel must have the Packet protocol enabled for Ethereal to capture live packets from the network. Enable the Packet protocol by choosing “Y” in the “Networking” – “Packet socket” configuration parameter. Alternatively, build the `af_packet.ko` module by choosing “M” in this parameter.

Installation of Ethereal

Install Ethereal by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --enable-threads &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 FAQ README{,,.linux} doc/README.* doc/*.{pod,txt} \
        /usr/share/ethereal &&
install -v -m644 -D ethereal.desktop \
        /usr/share/applications/ethereal.desktop &&
install -v -m644 -D image/ethereal3d48x48.png \
        /usr/share/pixmaps/ethereal.png &&
install -v -m755 -d /usr/share/pixmaps/ethereal &&
install -v -m644 image/*.{png,ico,xpm,bmp} \
        /usr/share/pixmaps/ethereal
```

If you downloaded any of the documentation files from the page listed in the 'Additional Downloads', install them by issuing the following commands as the root user:

```
install -v -m755 -d /usr/share/doc/ethereal-0.99.0 &&
install -v -m644 <Downloaded_Files> /usr/share/doc/ethereal-0.99.0
```

Command Explanations

`--enable-threads`: This parameter enables the use of threads in **ethereal**.

`--with-ssl`: This parameter enables the use of the OpenSSL `libcrypto` library.

Configuring Ethereal

Config Files

`/etc/ethereal.conf` and `~/.ethereal/preferences`

Configuration Information

Though the default configuration parameters are very sane, reference the configuration section of the Ethereal User's Guide for configuration information. Most of Ethereal's configuration can be accomplished using the menu options of the **ethereal** graphical interface.



Note

If you want to look at packets, make sure you don't filter them out with `iptables-1.3.5`. If you want to exclude certain classes of packets, it is more efficient to do it with `iptables` than `Ethereal`.

Contents

Installed Programs:	capinfos, dftest, editcap, ethereal, idl2eth, mergecap, randpkt, tethereal and text2pcap
Installed Libraries:	libethereal.so, libwiretap.so and numerous dissector plugin modules
Installed Directories:	/usr/lib/ethereal, /usr/share/ethereal and /usr/share/pixmaps/ethereal

Short Descriptions

capinfos	reads a saved capture file and returns any or all of several statistics about that file. It is able to detect and read any capture supported by the Ethereal package.
dftest	is a display-filter-compiler test program.
editcap	edits and/or translates the format of capture files. It knows how to read libpcap capture files, including those of tcpdump , Ethereal and other tools that write captures in that format.
ethereal	is a GUI network protocol analyzer. It lets you interactively browse packet data from a live network or from a previously saved capture file.
idl2eth	takes a user specified CORBA IDL file and generates “C” source code that can be used to create an Ethereal plugin.
mergecap	combines multiple saved capture files into a single output file.
randpkt	creates random-packet capture files.
tethereal	is a TTY-mode network protocol analyzer. It lets you capture packet data from a live network or read packets from a previously saved capture file.
text2pcap	reads in an ASCII hex dump and writes the data described into a libpcap-style capture file.
libethereal.so	contains functions used by the Ethereal programs to perform filtering and packet capturing.
libwiretap.so	is a library being developed as a future replacement for libpcap , the current standard Unix library for packet capturing. For more information, see the README file in the source wiretap directory.

Chapter 20. Mail/News Clients

Mail Clients help you retrieve (Fetchmail), sort (Procmail), read and compose responses (Heirloom mailx, Mutt, Pine, Kmail, Balsa, Evolution, SeaMonkey) to email.

News clients also help you retrieve, sort, read and compose responses, but these messages travel through USENET (a worldwide bulletin board system) using the Network News Transfer Protocol (NNTP).

Heirloom mailx-12.0

Introduction to Heirloom mailx

The Heirloom mailx package (formerly known as the Nail package) contains **mailx**, a command-line Mail User Agent derived from Berkeley Mail which is intended to provide the functionality of the POSIX **mailx** command with additional support for MIME messages, IMAP (including caching), POP3, SMTP, S/MIME, message threading/sorting, scoring, and filtering. Heirloom mailx is especially useful for writing scripts and batch processing.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/heirloom/mailx-12.0.tar.bz2>
- Download (FTP):
- Download MD5 sum: 67e8236a73f8a2d85c45cf8a2bdf7af1
- Download size: 268 KB
- Estimated disk space required: 3.2 MB
- Estimated build time: less than 0.1 SBU

Heirloom mailx Dependencies

Optional

OpenSSL-0.9.8d or NSS-3.11.3, Heimdal-0.7.2 or MIT Kerberos V5-1.6 (for IMAP GSSAPI authentication), and an MTA

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mailx>

Installation of Heirloom mailx

Install Heirloom mailx by running the following commands.

```
make SENDMAIL=/usr/sbin/sendmail
```

This package does not come with a test suite.

Now, as the `root` user:

```
make PREFIX=/usr UCBINSTALL=/usr/bin/install install &&  
ln -v -sf mailx /usr/bin/mail &&  
ln -v -sf mailx /usr/bin/nail &&  
install -v -m755 -d /usr/share/doc/mailx-12.0 &&  
install -v -m644 README mailx.1.html /usr/share/doc/mailx-12.0
```


Command Explanations

make SENDMAIL=/usr/sbin/sendmail: This changes the default MTA path of **/usr/lib/sendmail**.

make PREFIX=/usr UCBINSTALL=/usr/bin/install install: This changes the default installation path of **/usr/local** and the default **install** command path of **/usr/ucb**.

Configuring Heirloom mailx

Config Files

`/etc/nail.rc`, `~/.mailrc` and `~/.nailrc`

Contents

Installed Programs: mail, mailx and nail

Installed Libraries: None

Installed Directories: None

Short Descriptions

mailx is a command-line mail user agent compatible with the **mailx** command found on commercial Unix versions.

mail is a symbolic link to **mailx**.

nail is a symbolic link to **mailx**.

Procmail-3.22

Introduction to Procmail

The Procmail package contains an autonomous mail processor. This is useful for filtering and sorting incoming mail.

Package Information

- Download (HTTP): <http://www.procmail.org/procmail-3.22.tar.gz>
- Download (FTP): <ftp://ftp.procmail.net/pub/procmail/procmail-3.22.tar.gz>
- Download MD5 sum: 1678ea99b973eb77eda4ecf6acae53f1
- Download size: 226 KB
- Estimated disk space required: 1.7 MB
- Estimated build time: 0.08 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/procmail>

Installation of Procmail

This package does not come with a test suite.

Install Procmail by running the following commands as the `root` user:

```
make LOCKINGTEST=/tmp install &&
make install-suid
```

Command Explanations

make LOCKINGTEST=/tmp install: This prevents **make** from asking you where to test file-locking patterns.

make install-suid: Modifies permissions of the installed files.

Configuring Procmail

Config Files

`/etc/procmailrc` and `~/.procmailrc`

Configuration Information

Recipes have to be written and placed in your `~/.procmailrc` for execution. The `procmailex` man page is the starting place to learn how to write recipes.

Contents

Installed Programs: formail, lockfile, mailstat and procmail

Installed Libraries: None

Installed Directories: None

Short Descriptions

formail	is a filter that can be used to format mail into mailbox format.
lockfile	is a utility that can lock a file for single use interactively or in a script.
mailstat	prints a summary report of mail that has been filtered by procmail since the last time mailstat was ran.
procmail	is an autonomous mail processor. It performs all the functions of an MDA (Mail Delivery Agent).

Fetchmail-6.3.4

Introduction to Fetchmail

The Fetchmail package contains a mail retrieval program. "It retrieves mail from remote mail servers and forwards it to your local (client) machine's delivery system, so it can then be read by normal mail user agents."

Package Information

- Download (HTTP): <http://download2.berlios.de/fetchmail/fetchmail-6.3.4.tar.bz2>
- Download (FTP):
- Download MD5 sum: 35ded0414fcff79b492d6ade2ce48911
- Download size: 1.2 MB
- Estimated disk space required: 9.4 MB
- Estimated build time: 0.1 SBU

Fetchmail Dependencies

Required

OpenSSL-0.9.8d and a local MDA (Procmail-3.22)

Optional

Python-2.4.4 and Tk-8.4.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/fetchmail>

Installation of Fetchmail

Install Fetchmail by running the following commands:

```
./configure --prefix=/usr --with-ssl --enable-fallback=procmail &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

--with-ssl: This enables SSL if found, so that you can handle connections to secure POP3 and IMAP servers.

--enable-fallback=procmail: This tells Fetchmail to hand incoming mail to Procmail for delivery if your port 25 mail server is not present or not responding.

Configuring Fetchmail

Config Files

~/.fetchmailrc

Configuration Information

```
cat > ~/.fetchmailrc << "EOF"
set logfile /var/log/fetchmail.log
set no bouncemail
set postmaster root

poll SERVERNAME :
    user <username> pass <password>;
    mda "/usr/bin/procmail -f %F -d %T";
EOF

chmod -v 0600 ~/.fetchmailrc
```

This is an example configuration that should suffice for most people. You can add as many users and servers as you need using the same syntax.

man fetchmail: Look for the section near the bottom named **CONFIGURATION EXAMPLES**. It gives some quick examples. There are countless other config options once you get used to it.

Contents

Installed Program:	fetchmail and fetchmailconf
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

fetchmail	when executed as a user, this will source that users ~/.fetchmailrc and download the appropriate mail.
fetchmailconf	this program provides a Tk GUI interface to your ~/.fetchmailrc file making it much easier to configure. However, you will require Python, and it must have the Tkinter module available.

Mutt-1.5.11

Introduction to Mutt

The Mutt package contains a Mail User Agent. This is useful for reading, writing, replying to, saving, and deleting your email.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/mutt/mutt-1.5.11.tar.gz>
- Download (FTP): <ftp://ftp.mutt.org/mutt/devel/mutt-1.5.11.tar.gz>
- Download MD5 sum: 00e6f8f7c37d4840e5e30583ebee21ce
- Download size: 3.1 MB
- Estimated disk space required: 24.2 MB
- Estimated build time: 0.4 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/mutt-1.5.11-security_fix-1.patch

Mutt Dependencies

Optional

GnuPG-1.4.3, OpenSSL-0.9.8d or GnuTLS (which needs libgpg-error then libgcrypt), an MTA, Aspell-0.60.4, MIT Kerberos V5-1.6 or Heimdal-0.7.2, Cyrus SASL-2.1.21, S-Lang-2.0.6, libidn-0.6.3, GDBM-1.8.3, and GDB

Optional (To Regenerate Documentation)

libxslt-1.1.17, and Links-2.1pre23 or w3m

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mutt>

Installation of Mutt



Note

This version of Mutt is a development release. The BLFS staff has determined that it provides a stable program and fixes two issues in the current stable version of Mutt: a segmentation fault that occurs under certain conditions and a compilation problem when building with GCC-4.0.3. To find the current stable release, please refer to the Mutt home page.

Mutt requires a group named `mail`. You can add this group, if it does not exist, with this command:

```
groupadd -g 34 mail
```

If you did not install a MTA, such as Postfix-2.3.3 or Sendmail-8.13.6, you need to modify the ownership of `/var/mail` with this command:

```
chgrp -v mail /var/mail
```

Fix a security vulnerability in Mutt:

```
patch -Np1 -i ../mutt-1.5.11-security_fix-1.patch
```

Install Mutt by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc \
    --enable-pop --enable-imap &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

- `--enable-pop`: This switch enables POP3 support.
- `--enable-imap`: This switch enables IMAP support.
- `--with-...`: This switch enables the various dependencies.

Configuring Mutt

Config Files

`/etc/Muttrc`, `~/.muttrc`, `/etc/mime.types`, `~/.mime.types`

Configuration Information

No changes in these files are necessary to begin using Mutt. When you are ready to make changes, the man page for `muttrc` is a good starting place.

In order to utilize GnuPG, use the following command:

```
cat /usr/share/doc/mutt/samples/gpg.rc >> ~/.muttrc
```

Contents

Installed Programs:	flea, mutt, mutt_dotlock, muttbug, pgpring, and pgpwrap
Installed Libraries:	None
Installed Directories:	<code>/usr/doc/mutt</code>

Short Descriptions

flea is a bug submitter for Mutt.

mutt is a Mail User Agent (MUA) which enables you to read, write and delete your email.
mutt_dotlock implements the mail spool file lock.
muttbug is a script that executes **flea**.

Pine-4.64

Introduction to Pine

The Pine package contains the Pine Mail User Agent and several server daemons for various mail protocols, in addition to some nice file and directory editing/browsing programs.

Package Information

- Download (HTTP): <http://mirror.sit.wisc.edu/pub/net/mail/pine/pine4.64.tar.bz2>
- Download (FTP): <ftp://ftp.cac.washington.edu/pine/pine4.64.tar.bz2>
- Download MD5 sum: 39ca07b3d305b4cd0d6aaf4585123275
- Download size: 3.0 MB
- Estimated disk space required: 64 MB
- Estimated build time: 0.6 SBU

Additional Downloads

- Recommended Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/pine-4.64-utf8-1.patch>

Pine Dependencies

Required

OpenSSL-0.9.8d

Optional

OpenLDAP-2.3.27 and MIT Kerberos V5-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pine>

Installation of Pine

Install Pine by running the following commands:

```
patch -Np1 -i ../pine-4.64-utf8-1.patch &&
sed -i "s@/usr/local/lib/pine@/etc/pine@g" \
    $(grep -lr /usr/local/lib/pine *) &&
./build DEBUG=-O MAILSPOOL=/var/mail \
    SSLDIR=/usr SSLCERTS=/etc/ssl/certs slx
```

This package does not come with a test suite.

Now, as the root user:

```
install -v -m644 doc/*.1 /usr/share/man/man1 &&
install -v -p -m644 doc/tech-notes/*.html /usr/share/doc/pine4.64 &&
install -v -m755 \
bin/{pine,imapd,ipop2d,ipop3d,mailutil,mtest,pico,pilot,rpdump,rpload} \
    /usr/bin
```

Command Explanations

patch -Np1 -i ../pine-4.64-utf8-1.patch: This patch enables Pine UTF-8 and charset conversion.

sed -i "s@/usr/ ... /lib/pine *): This **sed** will make Pine use `/etc` for configuration files. It also alters the documentation to reflect that.

The build procedure for Pine is somewhat unusual, in that options usually passed as **./configure** options or housed in `$CFLAGS` must all be passed on the command line to the **./build** script.

./build slx: Pine offers quite a few target platforms, `slx` specifies Linux using `-lcrypt` to get the crypt function. See the `doc/pine-ports` file for more information and other authentication options.

DEBUG=-O: This flag compiles an optimized version of **pine** and **pico** that produces no debug files.

MAILSPOOL=/var/mail: Location of mail spool files, `/var/mail`.

SSLDIR=/usr SSLCERTS=/etc/ssl/certs: Location of OpenSSL files.

Configuring Pine

Config Files

`~/.pinerc`

Configuration Information

The **pine** executable needs no global configuration to use. Users set Pine options in `~/.pinerc` using an internal configuration menu.

Contents

Installed Programs:	<code>imapd</code> , <code>ipop2d</code> , <code>ipop3d</code> , <code>mtest</code> , <code>pico</code> , <code>pilot</code> , <code>pine</code> , <code>rpdump</code> , and <code>rpload</code>
Installed Libraries:	None
Installed Directories:	<code>/usr/share/doc/pine4.64</code>

Short Descriptions

imapd	is the IMAP server daemon.
ipop2d	is an IMAP to POP2 conversion server.
ipop3d	is an IMAP to POP3 conversion server.
metest	is a minimal IMAP mail user agent, used for debugging.
pico	is a stand-alone editor, similar to the Pine internal message composer.
pilot	is a file and directory navigator and browser.
pine	is the Pine mail user agent.

- rpdump** is used to copy data from remote Pine configuration files or address books into a local file.
- rpload** is the Pine remote data utility, used to convert local Pine configuration files or address books into remote configurations or address books.

TIN-1.8.2

Introduction to TIN

TIN is a threaded NNTP and spool based console-mode UseNet newsreader. It supports threading, scoring, different charsets, and many other useful things. It has also support for different languages.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/infosys/newsreaders/tin/v1.8/tin-1.8.2.tar.bz2>
- Download (FTP): <ftp://ftp.tin.org/pub/news/clients/tin/v1.8/tin-1.8.2.tar.bz2>
- Download MD5 sum: b6726c7f3e01b821b3b20d446ac2da9b
- Download size: 1.4 MB
- Estimated disk space required: 12.4 MB
- Estimated build time: 0.4 SBU

TIN Dependencies

Optional

PCRE-6.7, libidn-0.6.3, an MTA that provides the **sendmail** command or Heirloom mailx-12.0, GnuPG-1.4.3, Aspell-0.60.4, INN, UUDevview, Socks, Metamail, and Dmalloc or dbmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Tin>

Installation of TIN

Install TIN by running the following commands:

```
./configure --prefix=/usr --with-screen=ncursesw \
--enable-nntp-only --disable-printing &&
make build
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make install_sysdefs &&
rm -vf doc/*.? &&
install -v -m755 -d /usr/share/doc/tin-1.8.2 &&
install -v -m644 doc/* /usr/share/doc/tin-1.8.2
```

Command Explanations

--with-screen=ncursesw: This switch forces the use of wide-character functions from the ncursesw library (for UTF-8 and Asian languages support).

--enable-nntp-only: Reading news from a local spool is disabled with this switch. Don't use this if you have installed INN and want to use its spool.

--disable-printing: This switch disables printing since TIN cannot send non-ASCII text to the printer correctly. Remove this switch if you can tolerate this limitation.

--with-editor: This switch sets the default editor used by TIN. The default is **vi**.

Configuring TIN

Config Files

/etc/tin/tinrc, ~/.tin/tinrc, ~/.newsrc, /etc/tin/tin.defaults,
/etc/tin/mime.types, /etc/tin/keymap and /etc/mailcap

Configuration Information

Set some global defaults for TIN by running the following commands as the **root** user:

```
cat > /etc/tin/tinrc << "EOF"
use_mouse=ON
getart_limit=100
translit=ON
EOF
```

Now, as an unprivileged user, subscribe to some newsgroups, specify the news server, and run **tin**:

```
cat >> ~/.newsrc << "EOF"
gmane.linux.lfs.devel:
gmane.linux.lfs.beyond.devel:
EOF
export NNTPSERVER=news.gmane.org
tin -Q
```

For printing, TIN executes the **lpr** command. This can be provided by CUPS-1.2.7 or LPRng-3.8.28.

If you do not have the **metamail** program, TIN will use an internal parser for multipart MIME articles. Alternatively, you can use Mutt for MIME parsing through the **metamutt** shell script. This requires both the Mutt-1.5.11 and Procmail-3.22 programs. To use **metamutt**, set `metamail_prog=metamutt` in **tin**.

Contents

Installed Programs:	tin, rtin, tinews.pl, metamutt, opt-case.pl, w2r.pl, and url_handler.sh
Installed Libraries:	None
Installed Directory:	/etc/tin

Short Descriptions

tin	is a UseNet news reader.
rtin	is a symbolic link to tin .
tinews.pl	posts and signs an article via NNTP.

metamutt	is a replacement of metamail using Mutt.
opt-case.pl	optimizes case insensitive regexp filters for tin.
w2r.pl	converts tin wildmat filters to tin regexp filters.
url_handler.sh	calls a web browser for viewing hyperlinks.

Other Mail and News Programs

Pan-0.14.2 is a GTK2 based newsreader program.

knode is a Qt based newsreader program from kdepim-3.5.6.

kmail is a Qt based mail client from kdepim-3.5.6.

Balsa-2.3.13 is a GTK2 based mail client.

SeaMonkey-1.1 includes both a mail client and newsreader in its installation.

Thunderbird-1.5.0.9 is a mail/news client based on the Mozilla code base.

Evolution-2.6.3 includes a GTK2 based mail client.

Part VI. Servers

Chapter 21. Major Servers

Major servers are the programs that provide content or services to users or other programs.

Apache-2.2.2

Introduction to Apache

The Apache package contains an open-source HTTP server. It is useful for creating local intranet web sites or running huge web serving operations.

Package Information

- Download (HTTP): <http://archive.apache.org/dist/httpd/httpd-2.2.2.tar.bz2>
- Download (FTP): <ftp://apache.mirrors.pair.com/httpd/httpd-2.2.2.tar.bz2>
- Download MD5 sum: 9c759a9744436de6a6aa2ddbc49d6e81
- Download size: 4.8 MB
- Estimated disk space required: 91.5 MB
- Estimated build time: 2.0 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/httpd-2.2.2-config-1.patch>

Apache Dependencies

Optional

GDBM-1.8.3, OpenSSL-0.9.8d, OpenLDAP-2.3.27, PostgreSQL-8.1.3, SQLite, PCRE-6.7, pkg-config-0.20, expat-2.0.0, and distcache

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/apache>

Installation of Apache

For security reasons, running the server as an unprivileged user and group is strongly encouraged. Create the following group and user using the following commands (as `root`):

```
groupadd -g 25 apache &&
useradd -c "Apache Server" -d /dev/null -g apache \
-s /bin/false -u 25 apache
```



Note

The above command directs the Apache user's home directory to `/dev/null`. This may not work for some add-ons such as ViewVC, a browser interface for CVS and Subversion version control repositories. See the User Notes for details for specific applications.

The following patch modifies the layout of destination directories and among them, the build directory at `/usr/lib/apache/build`. This will allow the modules added to Apache to be configured without errors. Apply the patch:

```
patch -Np1 -i ../httpd-2.2.2-config-1.patch
```



Note

You may wish to review the output from `./configure --help` and include whatever parameters are necessary to the **configure** command below to build the modules required for your installation. There are as many as 62 additional parameters you can add to the **configure** command to build additional modules. Some of the extra parameters which aren't described or mentioned in the `--help` information are listed in the “Command Explanations” section below.

Build and install Apache by running the following commands:

```
./configure --enable-layout=FHS --enable-mods-shared=all &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
chown -v root:root /usr/lib/apache/httpd.exp \
    /usr/sbin/{apxs,apachectl,dbmmanage,envvars{,-std}} \
    /usr/share/man/man1/{dbmmanage,ht{dbm,digest,passwd}}.1 \
    /usr/share/man/man8/{ab,apachectl,apxs,htcacheclean,httpd}.8 \
    /usr/share/man/man8/{logresolve,rotatelog,suexec}.8 &&
chown -v -R apache:apache /srv/www
```

Command Explanations

`--with-expat=/usr`: Uses the system installed `expat`. **If you have installed `expat` and do not use this switch, the Apache installation may overwrite some files from the `expat` installation.**

`--enable-mods-shared=all`: The modules should be compiled and used as Dynamic Shared Objects (DSOs) so they can be included and excluded from the server using the run-time configuration directives.

`--enable-ssl`: Use this parameter to create the `mod_ssl` module and enable SSL support. This parameter is mentioned as one of many parameters which can be passed to the **configure** command to create additional DSO modules.

`--with-pcre`: Add this parameter to use the system installed version of the PCRE library.

`--with-z`: Add this parameter to use the system installed version of the Zlib library.

`--with-ldap`: This parameter is required if you passed the `--enable-authnz-ldap` or `--enable-ldap` options to **configure** and enabled the OpenLDAP modules.

chown root:root ...: This command changes the ownership of some installed files, the result of building the package as a user other than `root`.

chown -R apache:apache /srv/www: By default, the installation process installs files (documentation, error messages, default icons, etc.) with the ownership of the user that extracted the files from the tar file. If you want to change the ownership to another user, you should do so at this point. The only requirement is that the document directories need to be accessible by the **httpd** process with (r-x) permissions and files need to be readable (r--) by the apache user.

Configuring Apache

Config Files

/etc/apache/*

Configuration Information

The main configuration file is named /etc/apache/httpd.conf. Modify it so that the HTTP server runs as the dedicated user and group:

```
sed -i -e "s/User daemon/User apache/" \
      -e "s/Group daemon/Group apache/" \
      /etc/apache/httpd.conf
```

See <http://httpd.apache.org/docs-2.2/configuring.html> for detailed instructions on customizing your Apache HTTP server configuration file.

There's a problem with the ISAPI DSO module caused from compiling with GCC-4.0.3. If you included the parameter to build the module, comment out the module's load command in the configuration file with the following command:

```
sed -i "s/^LoadModule isapi_module/# &/" \
      /etc/apache/httpd.conf
```

Boot Script

If you want the Apache server to start automatically when the system is booted, install the /etc/rc.d/init.d/apache init script included in the blfs-bootscripts-20060910 package.

```
make install-apache
```

Contents

Installed Programs:	ab, apachectl, apr-config, apu-config, apxs, checkgid, dbmmanage, htdbm, htdigest, httpasswd, httpd, instdso.sh, logresolve, and rotatelogs
Installed Libraries:	libapr-1.{so,a}, libaprutil-1.{so,a}, and /usr/lib/apache/*.so
Installed Directories:	/etc/apache, /srv/www, /usr/include/apache, /usr/lib/apache, and /var/log/apache

Short Descriptions

ab is a tool for benchmarking your Apache HTTP server.

apachectl	is a front end to the Apache HTTP server which is designed to help the administrator control the functioning of the Apache httpd daemon.
apxs	is a tool for building and installing extension modules for the Apache HTTP server.
dbmanage	is used to create and update the DBM format files used to store usernames and passwords for basic authentication of HTTP users.
htdigest	is used to create and update the flat-files used to store usernames, realms and passwords for digest authentication of HTTP users.
htpasswd	is used to create and update the flat-files used to store usernames and passwords for basic authentication of HTTP users.
httpd	is the Apache HTTP server program.
instdso.sh	is a script which installs Apache DSO modules.
logresolve	is a post-processing program to resolve IP-addresses in Apache's access log files.
rotatelogs	is a simple program for use in conjunction with Apache's piped log file feature.

BIND-9.3.3

Introduction to BIND

The BIND package provides a DNS server and client utilities. If you are only interested in the utilities, refer to the BIND Utilities-9.3.3.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/infosys/servers/isc/bind9/9.3.3/bind-9.3.3.tar.gz>
- Download (FTP): <ftp://ftp.isc.org/isc/bind9/9.3.3/bind-9.3.3.tar.gz>
- Download MD5 sum: a7912bf7b4cb770cfc42fdad
- Download size: 5.2 MB
- Estimated disk space required: 77.1 MB
- Estimated build time: 1.7 SBU (additional 11 minutes, processor independent, to run the complete test suite)

BIND Dependencies

Optional

OpenSSL-0.9.8d

Optional (to Run the Test Suite)

Net-tools-1.60 (for **ifconfig**) and Net-DNS-0.57

Optional (to [Re]Build Documentation)

teTeX-3.0 and libxslt-1.1.17

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bind>

Installation of BIND

Install BIND by running the following commands:

```
sed -i 's/#ifdef SO_BSDCOMPAT/#if 0/' lib/isc/unix/socket.c &&
./configure --prefix=/usr --sysconfdir=/etc \
  --enable-threads --with-libtool &&
make
```

Issue the following commands to run the complete suite of tests. First, as `root`, set up some test interfaces:

```
bin/tests/system/ifconfig.sh up
```

Now run the test suite as an unprivileged user:

```
make check 2>&1 | tee check.log
```

Again as `root`, clean up the test interfaces:

```
bin/tests/system/ifconfig.sh down
```

Issue the following command to check that all 144 tests ran successfully:

```
grep "R:PASS" check.log | wc -l
```

Finally, install the package as the root user:

```
make install &&
chmod 755 /usr/lib/{lib{bind9,isc{,cc,cfg},lwres,dns}.so.*.?.?} &&
cd doc &&
install -v -d -m755 /usr/share/doc/bind-9.3.3/{arm,draft,misc/rfc} &&
install -v -m644 arm/*.html \
    /usr/share/doc/bind-9.3.3/arm &&
install -v -m644 draft/*.txt \
    /usr/share/doc/bind-9.3.3/draft &&
install -v -m644 rfc/* \
    /usr/share/doc/bind-9.3.3/rfc &&
install -v -m644 \
    misc/{dnssec,ipv6,migrat*,options,rfc-compliance,roadmap,sdb} \
    /usr/share/doc/bind-9.3.3/misc
```

Command Explanations

sed -i -e '247a #undef SO_BSDCOMPAT\n' lib/isc/unix/socket.c: This command removes an obsolete reference so that the bind daemon does not generate messages about it in the log.

--sysconfdir=/etc: This parameter forces BIND to look for configuration files in /etc instead of /usr/etc.

--enable-threads: This parameter enables multi-threading capability.

--with-libtool: This parameter forces the building of dynamic libraries and links the installed binaries to these libraries.

chmod 755 /usr/lib/{lib{bind9,isc{,cc,cfg},lwres,dns}.so.*.?.?}: Enable the execute bit to prevent a warning when using **ldd** to check library dependencies.

cd doc; install ...: These commands install the additional package documentation. Optionally, omit any or all of these commands.

Configuring BIND

Config files

named.conf, root.hints, 127.0.0, rndc.conf and resolv.conf

Configuration Information

BIND will be configured to run in a **chroot** jail as an unprivileged user (named). This configuration is more secure in that a DNS compromise can only affect a few files in the named user's HOME directory.

Create the unprivileged user and group named:

```
groupadd -g 20 named &&
useradd -c "BIND Owner" -g named -s /bin/false -u 20 named
```

```
install -d -m770 -o named -g named /srv/named
```

Set up some files, directories and devices needed by BIND:

```
cd /srv/named &&
mkdir -p dev etc/namedb/slave var/run &&
mknod /srv/named/dev/null c 1 3 &&
mknod /srv/named/dev/random c 1 8 &&
chmod 666 /srv/named/dev/{null,random} &&
mkdir /srv/named/etc/namedb/pz &&
cp /etc/localtime /srv/named/etc
```

Then, generate a key for use in the `named.conf` and `rndc.conf` files using the **`rndc-confgen`** command:

```
rndc-confgen -b 512 | grep -m 1 "secret" | cut -d '"' -f 2
```

Create the `named.conf` file from which **`named`** will read the location of zone files, root name servers and secure DNS keys:

```
cat > /srv/named/etc/named.conf << "EOF"
options {
    directory "/etc/namedb";
    pid-file "/var/run/named.pid";
    statistics-file "/var/run/named.stats";
};
controls {
    inet 127.0.0.1 allow { localhost; } keys { rndc_key; };
};
key "rndc_key" {
    algorithm hmac-md5;
    secret "<Insert secret from rndc-confgen's output here>";
};
zone "." {
    type hint;
    file "root.hints";
};
zone "0.0.127.in-addr.arpa" {
    type master;
    file "pz/127.0.0";
};

// Bind 9 now logs by default through syslog (except debug).
// These are the default logging rules.

logging {
    category default { default_syslog; default_debug; };
    category unmatched { null; };

    channel default_syslog {
        syslog daemon;                                // send to syslog's daemon
                                                         // facility
        severity info;                                // only send priority info
                                                         // and higher
    };
};
```

```

};

channel default_debug {
    file "named.run";                                // write to named.run in
                                                        // the working directory
                                                        // Note: stderr is used instead
                                                        // of "named.run"
                                                        // if the server is started
                                                        // with the '-f' option.
    severity dynamic;                                // log at the server's
                                                        // current debug level
};

channel default_stderr {
    stderr;                                           // writes to stderr
    severity info;                                    // only send priority info
                                                        // and higher
};

channel null {
    null;                                             // toss anything sent to
                                                        // this channel
};
};
EOF

```

Create the `rndc.conf` file with the following commands:

```

cat > /etc/rndc.conf << "EOF"
key rndc_key {
    algorithm "hmac-md5";
    secret
        "<Insert secret from rndc-confgen's output here>";
};
options {
    default-server localhost;
    default-key    rndc_key;
};
EOF

```

The `rndc.conf` file contains information for controlling **named** operations with the **rndc** utility.

Create a zone file with the following contents:

```

cat > /srv/named/etc/namedb/pz/127.0.0 << "EOF"
$TTL 3D
@      IN      SOA      ns.local.domain. hostmaster.local.domain. (
                                1          ; Serial
                                8H         ; Refresh
                                2H         ; Retry
                                4W         ; Expire
                                1D)        ; Minimum TTL
                                NS         ns.local.domain.

```



```
1 PTR localhost.
EOF
```

Create the `root.hints` file with the following commands:



Note

Caution must be used to ensure there are no leading spaces in this file.

```
cat > /srv/named/etc/namedb/root.hints << "EOF"
. 6D IN NS A.ROOT-SERVERS.NET.
. 6D IN NS B.ROOT-SERVERS.NET.
. 6D IN NS C.ROOT-SERVERS.NET.
. 6D IN NS D.ROOT-SERVERS.NET.
. 6D IN NS E.ROOT-SERVERS.NET.
. 6D IN NS F.ROOT-SERVERS.NET.
. 6D IN NS G.ROOT-SERVERS.NET.
. 6D IN NS H.ROOT-SERVERS.NET.
. 6D IN NS I.ROOT-SERVERS.NET.
. 6D IN NS J.ROOT-SERVERS.NET.
. 6D IN NS K.ROOT-SERVERS.NET.
. 6D IN NS L.ROOT-SERVERS.NET.
. 6D IN NS M.ROOT-SERVERS.NET.
A.ROOT-SERVERS.NET. 6D IN A 198.41.0.4
B.ROOT-SERVERS.NET. 6D IN A 192.228.79.201
C.ROOT-SERVERS.NET. 6D IN A 192.33.4.12
D.ROOT-SERVERS.NET. 6D IN A 128.8.10.90
E.ROOT-SERVERS.NET. 6D IN A 192.203.230.10
F.ROOT-SERVERS.NET. 6D IN A 192.5.5.241
G.ROOT-SERVERS.NET. 6D IN A 192.112.36.4
H.ROOT-SERVERS.NET. 6D IN A 128.63.2.53
I.ROOT-SERVERS.NET. 6D IN A 192.36.148.17
J.ROOT-SERVERS.NET. 6D IN A 192.58.128.30
K.ROOT-SERVERS.NET. 6D IN A 193.0.14.129
L.ROOT-SERVERS.NET. 6D IN A 198.32.64.12
M.ROOT-SERVERS.NET. 6D IN A 202.12.27.33
EOF
```

The `root.hints` file is a list of root name servers. This file must be updated periodically with the **dig** utility. A current copy of `root.hints` can be obtained from <ftp://rs.internic.net/domain/named.root>. Consult the BIND 9 Administrator Reference Manual for details.

Create or modify `resolv.conf` to use the new name server with the following commands:



Note

Replace `<yourdomain.com>` with your own valid domain name.

```
cp /etc/resolv.conf /etc/resolv.conf.bak &&
cat > /etc/resolv.conf << "EOF"
search <yourdomain.com>
nameserver 127.0.0.1
```

```
EOF
```

Set permissions on the **chroot** jail with the following command:

```
chown -R named.named /srv/named
```

Boot Script

To start the DNS server at boot, install the `/etc/rc.d/init.d/bind` init script included in the `blfs-bootscripts-20060910` package.

```
make install-bind
```

Now start BIND with the new boot script:

```
/etc/rc.d/init.d/bind start
```

Testing BIND

Test out the new BIND 9 installation. First query the local host address with **dig**:

```
dig -x 127.0.0.1
```

Now try an external name lookup, taking note of the speed difference in repeated lookups due to the caching. Run the **dig** command twice on the same address:

```
dig www.linuxfromscratch.org &&
dig www.linuxfromscratch.org
```

You can see almost instantaneous results with the named caching lookups. Consult the BIND Administrator Reference Manual located at `doc/arm/Bv9ARM.html` in the package source tree, for further configuration options.

Contents

Installed Programs:	<code>dig</code> , <code>dnssec-keygen</code> , <code>dnssec-signzone</code> , <code>host</code> , <code>isc-config.sh</code> , <code>lwresd</code> , <code>named</code> , <code>named-checkconf</code> , <code>named-checkzone</code> , <code>nslookup</code> , <code>nsupdate</code> , <code>rndc</code> , and <code>rndc-confgen</code>
Installed Libraries:	<code>libbind9.{so,a}</code> , <code>libdns.{so,a}</code> , <code>libisc.{so,a}</code> , <code>libisccc.{so,a}</code> , <code>libisccfg.{so,a}</code> , and <code>liblwres.{so,a}</code>
Installed Directories:	<code>/srv/named</code> , <code>/usr/include/bind9</code> , <code>/usr/include/dns</code> , <code>/usr/include/dst</code> , <code>/usr/include/isc</code> , <code>/usr/include/isccc</code> , <code>/usr/include/isccfg</code> , <code>/usr/include/lwres</code> , and <code>/usr/share/doc/bind-9.3.3</code>

Short Descriptions

dig	interrogates DNS servers.
dnssec-keygen	is a key generator for secure DNS.

dnssec-signzone	generates signed versions of zone files.
host	is a utility for DNS lookups.
lwresd	is a caching-only name server for local process use.
named	is the name server daemon.
named-checkconf	checks the syntax of <code>named.conf</code> files.
named-checkzone	checks zone file validity.
nslookup	is a program used to query Internet domain nameservers.
nsupdate	is used to submit DNS update requests.
rndc	controls the operation of BIND.
rndc-confgen	generates <code>rndc.conf</code> files.

NFS Utilities-1.0.10

Introduction to NFS Utilities

The NFS Utilities package contains the userspace server and client tools necessary to use the kernel's NFS abilities. NFS is a protocol that allows sharing file systems over the network.

Package information

- Download (HTTP): <http://ftp.kernel.org/pub/linux/utils/nfs/nfs-utils-1.0.10.tar.gz>
- Download (FTP): <ftp://ftp.kernel.org/pub/linux/utils/nfs/nfs-utils-1.0.10.tar.gz>
- Download MD5 sum: db97cc425e845e60f0dad855ba6a9830
- Download size: 520 KB
- Estimated disk space required: 8.2 MB
- Estimated build time: 0.2 SBU

NFS Utilities Dependencies

Required

portmap-5beta (Runtime dependency)

Optional for NFSv4 Support

pkg-config-0.20 and libevent and libnsfidmap

Optional for GSS (RPC Security) Support

pkg-config-0.20, and MIT Kerberos V5-1.6 or Heimdal-0.7.2 or libgssapi, and librpcsecgss; for additional SPKM-3 support, install SPKM-3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nfs-utils>

Kernel Configuration

Enable the following options in the kernel configuration and recompile the kernel if necessary:

```
File systems:
  Network File Systems:
    NFS File System Support: M or Y
    NFS Server Support: M or Y
```

Select the appropriate sub-options that appear when the above options are selected.

Installation of NFS Utilities

Before you compile the program, ensure that the nobody user and nogroup group have been created. You can add them by running the following commands as the root user:

```
groupadd -g 99 nogroup &&
useradd -c "Unprivileged Nobody" -d /dev/null -g nogroup \
```

```
-s /bin/false -u 99 nobody
```



Note

The classic uid and gid values are 65534 which is also -2 when interpreted as a signed 16-bit number. These values impact other files on some filesystems that do not have support for sparse files. The `nobody` and `nogroup` values are relatively arbitrary. The impact on a server is nil if the `exports` file is configured correctly. If it is misconfigured, an `ls -l` or `ps` listing will show a uid or gid number of 65534 instead of a name. The client uses `nobody` only as the user running `rpc.statd`.

Install NFS Utilities by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --disable-nfsv4 \
            --disable-gss &&
make
```

This package does not come with a test suite.

Now, as the `root` user:



Note

If your `/usr` directory is NFS mounted, you should install the executables in `/sbin` by passing an additional parameter `--sbindir=/sbin` to the above `./configure` command.

```
make install
```

Command Explanations

`--disable-nfsv4`: Disables support for NFS version 4.

`--disable-gss`: Disables support for RPCSEC GSS (RPC Security).

`--with-tcp-wrappers`: Use this option to enable `tcpwrappers` support.

Configuring NFS Utilities

Server Configuration

`/etc/exports` contains the exported directories on NFS servers. Refer to the `exports.5` manual page for the syntax of this file. Also refer to the "NFS HowTo" available at <http://nfs.sourceforge.net/nfs-howto/> for information on how to configure the servers and clients in a secure manner. For example, for sharing the `/home` directory over the local network, the following line may be added:

```
/home <192.168.0.0/255.255.255.0>(rw,subtree_check,anonuid=99,anongid=99)
```

Boot Script

Install the `/etc/rc.d/init.d/nfs-server` init script included in the `blfs-bootscripts-20060910` package to start the server at boot.

```
make install-nfs-server
```

Now create the `/etc/sysconfig/nfs-server` configuration file:

```
cat > /etc/sysconfig/nfs-server << "EOF"
PORT=" 2049 "
PROCESSES=" 8 "
QUOTAS="no"
KILLDELAY="10 "
EOF
```

tcpwrappers Configuration

If you enabled support for `tcpwrappers`, ensure you have an entry in the `/etc/hosts.allow` file for access from the **portmap** daemon if you have a restrictive `/etc/hosts.deny` file.

Client Configuration

`/etc/fstab` contains the directories that are to be mounted on the client. Alternately the partitions can be mounted by using the **mount** command with the proper options. To mount the `/home` and `/usr` partitions, add the following to the `/etc/fstab`:

```
<server-name>:/home /home nfs rw,_netdev,rsize=8192,wsiz=8192 0 0
<server-name>:/usr /usr nfs ro,_netdev,rsize=8192 0 0
```

Boot Script

Install the `/etc/rc.d/init.d/nfs-client` init script included in the `blfs-bootscripts-20060910` package to start the client services at boot.

```
make install-nfs-client
```

To automatically mount `nfs` filesystems, clients will also need to install the `netfs` bootscript as described in [Configuring for Network Filesystems](#).

Contents

Installed Programs:	<code>exportfs</code> , <code>nfsstat</code> , <code>nhfsgraph</code> , <code>nhfsnums</code> , <code>nhfsrun</code> , <code>nhfsstone</code> , <code>rpc.lockd</code> , <code>rpc.mountd</code> , <code>rpc.nfsd</code> , <code>rpc.rquotad</code> , <code>rpc.statd</code> , and <code>showmount</code>
Installed Libraries:	None
Installed Directories:	<code>/var/lib/nfs</code>

Short Descriptions

exportfs	maintains a list of NFS exported file systems.
nfsstat	prints NFS statistics.

nhfsgraph	runs nhfsstone over multiple loads.
nhfsnums	converts raw numbers from nhfsstone output into plot format.
nhfsrun	executes nhfsstone with a range of different loads.
nhfsstone	is used on a NFS client to generate an artificial load with a particular mix of NFS operations.
rpc.lockd	starts the NFS lock manager (NLM) on kernels that don't start it automatically. However, since most kernels do start it automatically it is usually not required.
rpc.mountd	implements the NFS mount protocol on an NFS server.
rpc.nfsd	implements the user level part of the NFS service on the server.
rpc.rquotad	is an rpc server which returns quotas for a user of a local file system which is mounted by a remote machine over the NFS.
rpc.statd	is used by the NFS file locking service, rpc.lockd , to implement lock recovery when the NFS server machine crashes and reboots. Runs on the NFS server only.
showmount	displays mount information for an NFS server.

OpenSSH-4.5p1

Introduction to OpenSSH

The OpenSSH package contains **ssh** clients and the **sshd** daemon. This is useful for encrypting authentication and subsequent traffic over a network.

Package Information

- Download (HTTP): <http://sunsite.ualberta.ca/pub/OpenBSD/OpenSSH/portable/openssh-4.5p1.tar.gz>
- Download (FTP): <ftp://ftp.openbsd.org/pub/OpenBSD/OpenSSH/portable/openssh-4.5p1.tar.gz>
- Download MD5 sum: 6468c339886f78e8a149b88f695839dd
- Download size: 948 KB
- Estimated disk space required: 25.8 MB
- Estimated build time: 0.4 SBU (additional 2.3 SBU to run the test suite)

OpenSSH Dependencies

Required

OpenSSL-0.9.8d

Optional

Linux-PAM-0.99.4.0, TCP Wrapper-7.6, X Window System, MIT Kerberos V5-1.6 or Heimdal-0.7.2, JDK-1.5.0_10, Net-tools-1.60, Sysstat-6.0.2, OpenSC, and libsectok

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/OpenSSH>

Installation of OpenSSH

OpenSSH runs as two processes when connecting to other computers. The first process is a privileged process and controls the issuance of privileges as necessary. The second process communicates with the network. Additional installation steps are necessary to set up the proper environment, which are performed by the following commands:

```
install -v -m700 -d /var/lib/sshd &&
chown -v root:sys /var/lib/sshd &&
groupadd -g 50 sshd &&
useradd -c 'sshd PrivSep' -d /var/lib/sshd -g sshd \
-s /bin/false -u 50 sshd
```

OpenSSH is very sensitive to changes in the linked OpenSSL libraries. If you recompile OpenSSL, OpenSSH may fail to startup. An alternative is to link against the static OpenSSL library. To link against the static library, execute the following command:

```
sed -i "s:-lcrypto:/usr/lib/libcrypto.a -ldl:g" configure
```

Install OpenSSH by running the following commands:

```
sed -i "s/lkrb5 -ldes/lkrb5/" configure &&
```



```
./configure --prefix=/usr --sysconfdir=/etc/ssh \
--libexecdir=/usr/lib/openssh --with-md5-passwords \
--with-privsep-path=/var/lib/sshd &&
make
```

If you linked `tcp_wrappers` into the build using the `--with-tcp-wrappers` parameter, ensure you add `127.0.0.1` to the `sshd` line in `/etc/hosts.allow` if you have a restrictive `/etc/hosts.deny` file, or the test suite will fail. To run the test suite, issue: **make -k tests**.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/openssh-4.5p1 &&
install -v -m644 INSTALL LICENCE OVERVIEW README* WARNING.RNG \
/usr/share/doc/openssh-4.5p1
```

Command Explanations

sed -i "s/krb5 -ldes/krb5/" configure: This command fixes a build crash if you used the `--with-kerberos5` parameter and you built the Heimdal package in accordance with the BLFS instructions. The command is harmless in all other instances.

--sysconfdir=/etc/ssh: This prevents the configuration files from being installed in `/usr/etc`.

--with-md5-passwords: This is required if you made the changes recommended by the `shadowpasswd_plus` LFS hint on your SSH server when you installed the Shadow Password Suite or if you access a SSH server that authenticates by user passwords encrypted with `md5`.

--libexecdir=/usr/lib/openssh: This parameter changes the installation path of some programs to `/usr/lib/openssh` instead of `/usr/libexec`.

Configuring OpenSSH

Config Files

`~/.ssh/*`, `/etc/ssh/ssh_config`, and `/etc/ssh/sshd_config`

There are no required changes to any of these files. However, you may wish to view the `/etc/ssh/` files and make any changes appropriate for the security of your system. One recommended change is that you disable root login via `ssh`. Execute the following command as the `root` user to disable root login via `ssh`:

```
echo "PermitRootLogin no" >> /etc/ssh/sshd_config
```

Additional configuration information can be found in the man pages for `sshd`, `ssh` and `ssh-agent`.

Boot Script

To start the SSH server at system boot, install the `/etc/rc.d/init.d/sshd` init script included in the `blfs-bootscripts-20060910` package.

```
make install-sshd
```

Contents

Installed Programs:	scp, sftp, sftp-server, slogin, ssh, sshd, ssh-add, ssh-agent, ssh-keygen, ssh-keyscan, and ssh-keysign
Installed Libraries:	None
Installed Directories:	/etc/ssh, /var/lib/ssh and /usr/share/doc/openssh-4.5p1

Short Descriptions

scp	is a file copy program that acts like rcp except it uses an encrypted protocol.
sftp	is an FTP-like program that works over SSH1 and SSH2 protocols.
sftp-server	is an SFTP server subsystem. This program is not normally called directly by the user.
slogin	is a symlink to ssh .
ssh	is an rlogin/rsh -like client program except it uses an encrypted protocol.
sshd	is a daemon that listens for ssh login requests.
ssh-add	is a tool which adds keys to the ssh-agent .
ssh-agent	is an authentication agent that can store private keys.
ssh-keygen	is a key generation tool.
ssh-keyscan	is a utility for gathering public host keys from a number of hosts.
ssh-keysign	is used by ssh to access the local host keys and generate the digital signature required during hostbased authentication with SSH protocol version 2. This program is not normally called directly by the user.

ProFTPD-1.3.0

Introduction to ProFTPD

The ProFTPD package contains a secure and highly configurable FTP daemon. This is useful for serving large file archives over a network.

Package Information

- Download (HTTP):
- Download (FTP): <ftp://ftp.proftpd.org/distrib/source/proftpd-1.3.0.tar.bz2>
- Download MD5 sum: fae47d01b52e035eb6b7190e74c17722
- Download size: 1.3 MB
- Estimated disk space required: 12.2 MB
- Estimated build time: 0.3 SBU

ProFTPD Dependencies

Optional

Linux-PAM-0.99.4.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/proftpd>

Installation of ProFTPD

For security reasons, you should install ProFTPD using an unprivileged user and group. As the `root` user:

```
groupadd -g 46 proftpd &&
useradd -c proftpd -d /srv/ftp -g proftpd \
        -s /usr/bin/proftpdshell -u 46 proftpd &&
install -v -d -m775 -o proftpd -g proftpd /srv/ftp &&
ln -v -s /bin/false /usr/bin/proftpdshell &&
echo /usr/bin/proftpdshell >> /etc/shells
```

Install ProFTPD as an unprivileged user by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc \
        --localstatedir=/var/run &&
make
```

Now, as the `root` user:

```
make install
```

Command Explanations

`install -v -d -m775 -o proftpd -g proftpd /srv/ftp`: Create the home directory for ProFTPD.

`ln -v -s /bin/false /usr/bin/proftpdshell`: Set the default shell as a link to an invalid shell.

echo /usr/bin/proftpdshell >> /etc/shells: Fake a valid shell for compatibility purposes.



Note

The above two commands can be omitted if the following directive is placed in the configuration file:

```
RequireValidShell off
```

By default, proftpd will require that users logging in have valid shells. The RequireValidShell directive turns off this requirement. This is only recommended if you are setting up your FTP server exclusively for anonymous downloads.

--sysconfdir=/etc: This prevents the configuration files from going to /usr/etc.

--localstatedir=/var/run: This uses /var/run instead of /usr/var for lock files.

Configuring ProFTPD

Config Files

/etc/proftpd.conf

Configuration Information

This is a simple, download-only sample configuration. See the ProFTPD documentation in /usr/share/doc/proftpd and consult the website at <http://www.proftpd.org/> for example configurations.

```
cat > /etc/proftpd.conf << "EOF"
# This is a basic ProFTPD configuration file
# It establishes a single server and a single anonymous login.

ServerName                "ProFTPD Default Installation"
ServerType                 standalone
DefaultServer              on

# Port 21 is the standard FTP port.
Port                       21
# Umask 022 is a good standard umask to prevent new dirs and files
# from being group and world writable.
Umask                      022

# To prevent DoS attacks, set the maximum number of child processes
# to 30.  If you need to allow more than 30 concurrent connections
# at once, simply increase this value.  Note that this ONLY works
# in standalone mode, in inetd mode you should use an inetd server
# that allows you to limit maximum number of processes per service
# (such as xinetd)
MaxInstances               30

# Set the user and group that the server normally runs at.
User                       proftpd
```

```

Group                                proftpd

# Normally, files should be overwritable.
<Directory /*>
    AllowOverwrite                    on
</Directory>

# A basic anonymous configuration, no upload directories.
<Anonymous ~proftpd>
    User                                proftpd
    Group                              proftpd
    # Clients should be able to login with "anonymous" as well as "proftpd"
    UserAlias                          anonymous proftpd

    # Limit the maximum number of anonymous logins
    MaxClients                        10

    # 'welcome.msg' should be displayed at login, and '.message' displayed
    # in each newly chdired directory.
    DisplayLogin                      welcome.msg
    DisplayFirstChdir                 .message

    # Limit WRITE everywhere in the anonymous chroot
    <Limit WRITE>
        DenyAll
    </Limit>
</Anonymous>
EOF

```

Boot Script

Install the `/etc/rc.d/init.d/proftpd` init script included in the `blfs-bootscripts-20060910` package.

```
make install-proftpd
```

Contents

Installed Programs: `ftpcount`, `ftpdctl`, `ftptop`, `ftpwho`, `ftpshut`, `proftpd`

Installed Libraries: `None`

Installed Directory: `/var/run/proftpd`

Short Descriptions

proftpd is the FTP daemon.

ftpcount shows the current number of connections.

ftpshut shuts down all proftpd servers at a given time.

ftptop displays running status on connections.

ftpwho shows current process information for each session.

Samba-3.0.23d

Introduction to Samba

The Samba package provides file and print services to SMB/CIFS clients and Windows networking to Linux clients. Samba can also be configured as a Windows NT 4.0 Domain Controller replacement (with caveats working with NT PDC's and BDC's), a file/print server acting as a member of a Windows NT 4.0 or Active Directory domain and a NetBIOS (rfc1001/1002) nameserver (which amongst other things provides LAN browsing support).

Package Information

- Download (HTTP): <http://us1.samba.org/samba/ftp/stable/samba-3.0.23d.tar.gz>
- Download (FTP): <ftp://us5.samba.org/pub/samba-ftp/samba-3.0.23d.tar.gz>
- Download MD5 sum: afe6923d05fed5b5ccab593c7a407cd1
- Download size: 17.7 MB
- Estimated disk space required: 257 MB
- Estimated build time: 2.8 SBU (additional 1.8 SBU to run the test suite)

Samba Dependencies

Optional

popt-1.10.4, Linux-PAM-0.99.4.0, CUPS-1.2.7, OpenLDAP-2.3.27, Gamin-0.1.7, Heimdal-0.7.2 or MIT Kerberos V5-1.6, Python-2.4.4 (to build Samba API bindings for the Python installation), libacl (requires libattr), and Valgrind (optionally used by the test suite)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/samba3>

Installation of Samba

Install Samba by running the following commands:



Note

If you wish to run the test suite after the binaries are built, you must add the `--enable-socket-wrapper` parameter to the **configure** script below. You may want to run **configure** with the `--help` parameter first. There may be other parameters needed to take advantage of optional dependencies.

```
cd source &&
./configure \
  --prefix=/usr \
  --sysconfdir=/etc \
  --localstatedir=/var \
  --with-piddir=/var/run \
  --with-fhs \
  --with-smbmount &&
make
```

You must become the `root` user to run the test framework. To run the tests, issue: **make test**. If you have Linux-PAM installed and built the PAM library modules, you can perform a dlopen test by issuing: **make test_pam_modules**.

Now, as the `root` user:

```
make install &&
mv -v /usr/lib/samba/libsmclient.so /usr/lib &&
ln -v -sf ../libsmclient.so /usr/lib/samba &&
ln -v -sf libsmclient.so /usr/lib/libsmclient.so.0 &&

chmod -v 644 /usr/include/lib{smbclient,msrpc}.h &&

install -v -m755 nsswitch/libnss_win{s,bind}.so /lib &&
ln -v -sf libnss_winbind.so /lib/libnss_winbind.so.2 &&
ln -v -sf libnss_wins.so /lib/libnss_wins.so.2 &&

install -v -m644 ../examples/smb.conf.default /etc/samba &&

install -v -m755 -d /usr/share/doc/samba-3.0.23d &&
install -v -m644 ../docs/*.pdf /usr/share/doc/samba-3.0.23d &&
ln -v -s ../../samba/swat /usr/share/doc/samba-3.0.23d
```

If you passed the `--with-python` option to the **configure** script, issue the following command as the `root` user to install the Python extensions:

```
make python_install
```

Command Explanations

`--sysconfdir=/etc`: Sets the configuration file directory to avoid the default of `/usr/etc`.

`--localstatedir=/var`: Sets the variable data directory to avoid the default of `/usr/var`.

`--with-fhs`: Assigns all other file paths in a manner compliant with the Filesystem Hierarchy Standard (FHS).

`--with-smbmount`: Orders the creation of an extra binary for use by the **mount** command so that mounting remote SMB (Windows) shares becomes no more complex than mounting remote NFS shares.

`--with-pam`: Use this parameter to link Linux-PAM into the build. This also builds the `pam_winbind.so` and `pam_smbpass.so` PAM modules. You can find instructions on how to configure and use the `pam_winbind.so` module by running **man winbindd**.

mv -v /usr/lib/samba/libsmclient.so ...; ln -v -sf ../libsmclient.so ...: The `libsmclient.so` library is needed by other packages. This command moves it to a location where other packages can find it.

install -v -m755 nsswitch/libnss_win{s,bind}.so /lib: The nss libraries are not installed by default. If you intend to use `winbindd` for domain auth, and/or WINS name resolution, you need these libraries.

ln -v -sf libnss_winbind.so /lib/libnss_winbind.so.2 and ln -v -sf libnss_wins.so /lib/libnss_wins.so.2: These symlinks are required by `glibc` to use the NSS libraries.

install -v -m644 ../examples/smb.conf.default /etc/samba: This copies a default `smb.conf` file into

`/etc/samba`. This sample configuration will not work until you copy it to `/etc/samba/smb.conf` and make the appropriate changes for your installation. See the configuration section for minimum values which must be set.

Configuring Samba

Config Files

`/etc/samba/smb.conf`

Mounting Shares by Unprivileged Users

If it is desired for unprivileged users to directly mount (and unmount) SMB and CIFS shares, the **smbmnt**, **smbumount**, **mount.cifs** and **umount.cifs** commands must be setuid `root`. Note that users can only mount SMB/CIFS shares on a mount point owned by that user (requires write access also). If desired, change these programs to setuid `root` by issuing the following command as the `root` user:

```
chmod -v 4755 /usr/bin/smb{mnt,umount}
           /usr/sbin/{,u}mount.cifs
```

Printing to SMB Clients

If you use CUPS for print services, and you wish to print to a printer attached to an SMB client, you need to create an SMB backend device. To create the device, issue the following command as the `root` user:

```
ln -v -sf /usr/bin/smbpool /usr/lib/cups/backend/smb
```

Configuration Information

Due to the complexity and the many various uses for Samba, complete configuration for all the package's capabilities is well beyond the scope of the BLFS book. This section provides instructions to configure the `/etc/samba/smb.conf` file for two common scenarios. The complete contents of `/etc/samba/smb.conf` will depend on the purpose of Samba installation.



Note

You may find it easier to copy the configuration parameters shown below into an empty `/etc/samba/smb.conf` file instead of copying and editing the default file as mentioned in the “Command Explanations” section. How you create/edit the `/etc/samba/smb.conf` file will be left up to you. Do ensure the file is only writeable by the `root` user (mode 644).

Scenario 1: Minimal Standalone Client-Only Installation

Choose this variant if you only want to transfer files using **smbclient**, mount Windows shares and print to Windows printers, and don't want to share your files and printers to Windows machines.

A `/etc/samba/smb.conf` file with the following three parameters is sufficient:

```
[global]
  workgroup = MYGROUP
  dos charset = cp850
  unix charset = ISO-8859-1
```

The values in this example specify that the computer belongs to a Windows workgroup named “*MYGROUP*”, uses the “*cp850*” character set on the wire when talking to MS-DOS and MS Windows 9x, and that the filenames are stored in the “*ISO-8859-1*” encoding on the disk. Adjust these values appropriately for your installation. The “unix charset” value must be the same as the output of **locale charmap** when executed with the **LANG** variable set to your preferred locale, otherwise the **ls** command may not display correct filenames of downloaded files.

There is no need to run any Samba servers in this scenario, thus you don't need to install the provided bootscripts.

Scenario 2: Standalone File/Print Server

Choose this variant if you want to share your files and printers to Windows machines in your workgroup in addition to the capabilities described in Scenario 1.

In this case, the `/etc/samba/smb.conf.default` file may be a good template to start from. Also add “dos charset” and “unix charset” parameters to the “[global]” section as described in Scenario 1 in order to prevent filename corruption.

The following configuration file creates a separate share for each user's home directory and also makes all printers available to Windows machines:

```
[global]
    workgroup = MYGROUP
    dos charset = cp850
    unix charset = ISO-8859-1

[homes]
    comment = Home Directories
    browseable = no
    writable = yes

[printers]
    comment = All Printers
    path = /var/spool/samba
    browseable = no
    guest ok = no
    printable = yes
```

Other parameters you may wish to customize in the “[global]” section include:

```
server string =
security =
hosts allow =
load printers =
log file =
max log size =
socket options =
local master =
```

Reference the comments in the `/etc/samba/smb.conf.default` file for information regarding these parameters.

Since the **smbd** and **nmbd** daemons are needed in this case, install the `samba` bootscript. Be sure to run

smbpasswd (with the `-a` option to add users) to enable and set passwords for all accounts that need Samba access, or use the SWAT web interface (see below) to do the same. Using the default Samba `passdb` backend, any user you attempt to add will also be required to exist in the `/etc/passwd` file.

Advanced Requirements

More complex scenarios involving domain control or membership are possible if the right flags are passed to the `./configure` script when the package is built. Such setups are advanced topics and cannot be adequately covered in BLFS. Many complete books have been written on these topics alone. It should be noted, however, that a Samba BDC cannot be used as a fallback for a Windows PDC, and conversely, a Windows BDC cannot be used as a fallback for a Samba PDC. Also in some domain membership scenarios, the **winbindd** daemon and the corresponding `bootscript` are needed.

There is quite a bit of documentation available which covers many of these advanced configurations. Point your web browser to the links below to view some of the documentation included with the Samba package:

- Using Samba, 2nd Edition; a popular book published by O'Reilly
file:///usr/share/samba/swat/using_samba/toc.html
- The Official Samba HOWTO and Reference Guide
file:///usr/share/samba/swat/help/Samba-HOWTO-Collection/index.html
- Samba-3 by Example file:///usr/share/samba/swat/help/Samba-Guide/index.html
- The Samba-3 man Pages file:///usr/share/samba/swat/help/samba.7.html

Configuring SWAT

The built in SWAT (Samba Web Administration Tool) utility can be used for basic configuration of the Samba installation, but because it may be inconvenient, undesirable or perhaps even impossible to gain access to the console, BLFS recommends setting up access to SWAT using Stunnel. Without Stunnel, the `root` password is transmitted in clear text over the wire, and is considered an unacceptable security risk. After considering the security implications of using SWAT without Stunnel, and you still wish to implement SWAT without it, instructions are provided at this end of this section.

Setting up SWAT using Stunnel

First install, or ensure you have already installed, the `Stunnel-4.15` package.

Next you must add entries to `/etc/services` and modify the **inetd**/**xinetd** configuration.

Add `swat` and `swat_tunnel` entries to `/etc/services` with the following commands issued as the `root` user:

```
echo "swat          904/tcp" >> /etc/services &&
echo "swat_tunnel  905/tcp" >> /etc/services
```

If **inetd** is used, the following command will add the `swat_tunnel` entry to `/etc/inetd.conf` (as user `root`):

```
echo "swat_tunnel stream tcp nowait.400 root /usr/sbin/swat swat" \
>> /etc/inetd.conf
```

Issue a **killall -HUP inetd** to reread the changed `inetd.conf` file.

If you use **xinetd**, the following command will create the Samba file as `/etc/xinetd.d/swat_tunnel` (you may need to modify or remove the “`only_from`” line to include the desired host[s]):

```
cat >> /etc/xinetd.d/swat_tunnel << "EOF"
# Begin /etc/xinetd.d/swat_tunnel

service swat_tunnel
{
    port                = 905
    socket_type         = stream
    wait                = no
    only_from           = 127.0.0.1
    user                = root
    server               = /usr/sbin/swat
    log_on_failure      += USERID
}

# End /etc/xinetd.d/swat_tunnel
EOF
```

Issue a **killall -HUP xinetd** to read the new `/etc/xinetd.d/swat_tunnel` file.

Next, you must add an entry for the swat service to the `/etc/stunnel/stunnel.conf` file (as user root):

```
cat >> /etc/stunnel/stunnel.conf << "EOF"
[swat]
accept  = 904
connect = 905
TIMEOUTclose = 1

EOF
```

Restart the **stunnel** daemon using the following command as the root user:

```
/etc/rc.d/init.d/stunnel restart
```

SWAT can be launched by pointing your web browser to `https://<CA_DN_field>:904`. Substitute the hostname listed in the DN field of the CA certificate used with Stunnel for `<CA_DN_field>`.

Setting up SWAT without Stunnel



Warning

BLFS does not recommend using these procedures because of the security risk involved. However, in a home network environment and disclosure of the root password is an acceptable risk, the following instructions are provided for your convenience.

Add a swat entry to `/etc/services` with the following command issued as the root user:

```
echo "swat                904/tcp" >> /etc/services
```

If **inetd** is used, the following command issued as the root user will add a swat entry to the `/etc/inetd.conf` file:

```
echo "swat stream tcp nowait.400 root /usr/sbin/swat swat" \
```

```
>> /etc/inetd.conf
```

Issue a **killall -HUP inetd** to reread the changed `inetd.conf` file.

If **xinetd** is used, the following command issued as the `root` user will create an `/etc/xinetd.d/swat` file:

```
cat >> /etc/xinetd.d/swat << "EOF"
# Begin /etc/xinetd.d/swat

service swat
{
    port                = 904
    socket_type         = stream
    wait                = no
    only_from           = 127.0.0.1
    user                = root
    server               = /usr/sbin/swat
    log_on_failure      += USERID
}

# End /etc/xinetd.d/swat
EOF
```

Issue a **killall -HUP xinetd** to read the new `/etc/xinetd.d/swat` file.

SWAT can be launched by pointing your web browser to `http://localhost:904`.



Note

If you linked Linux-PAM into the Samba build, you'll need to create an `/etc/pam.d/samba` file.

Boot Script

For your convenience, boot scripts have been provided for Samba. There are two included in the `blfs-bootscripts-20060910` package. The first, `samba`, will start the **smbd** and **nmbd** daemons needed to provide SMB/CIFS services. The second script, `winbind`, starts the **winbindd** daemon, used for providing Windows domain services to Linux clients.

The default Samba installation uses the `nobody` user for guest access to the server. This can be overridden by setting the `guest account = parameter` in the `/etc/samba/smb.conf` file. If you utilize the `guest account = parameter`, ensure this user exists in the `/etc/passwd` file. To use the default user, issue the following commands as the `root` user:

```
groupadd -g 99 nogroup &&
useradd -c "Unprivileged Nobody" -d /dev/null -g nogroup \
-s /bin/false -u 99 nobody
```

Install the `samba` script with the following command issued as the `root` user:

```
make install-samba
```

If you also need the winbind script:

```
make install-winbind
```

Contents

Installed Programs:	eventlogadm, findsmb, mount.cifs, mount.smbfs, net, nmbd, nmblookup, ntlm_auth, pdbedit, profiles, rpcclient, smbcacls, smbclient, smbcontrol, smbquotas, smbd, smbget, smbmount, smbpasswd, smbpool, smbstatus, smbtar, smbtree, smbmount, swat, tdbbackup, tdbdump, tdbtool, testparm, unmount.cifs, wbinform and winbindd
Installed Libraries:	libnss_winbind.so, libnss_wins.so, libsmbclient.so, libmsrpc.so, the pam_winbind.so and pam_smbpass.so PAM libraries, and assorted character set, filesystem and support modules.
Installed Directories:	/etc/samba, /usr/lib/python2.4/site-packages/samba, /usr/lib/samba, /usr/share/doc/samba-3.0.23d, /usr/share/samba, /var/lib/samba and /var/log/samba

Short Descriptions

eventlogadm	is used to write records to eventlogs from STDIN, add the specified source and DLL eventlog registry entries and display the active eventlog names (from <code>smb.conf</code>).
findsmb	lists information about machines that respond to SMB name queries on a subnet.
mount.cifs	mounts a Linux CIFS filesystem. It is usually invoked indirectly by the mount command when using the <code>-t cifs</code> option.
mount.smbfs	is a symlink to smbmount which provides /bin/mount with a way to mount remote Windows (or Samba) fileshares.
net	is a tool for administration of Samba and remote CIFS servers, similar to the net utility for DOS/Windows.
nmbd	is the Samba NetBIOS name server.
nmblookup	is used to query NetBIOS names and map them to IP addresses.
ntlm_auth	is a tool to allow external access to Winbind's NTLM authentication function.
pdbedit	is a tool used to manage the SAM database.
profiles	is a utility that reports and changes SIDs in Windows registry files. It currently only supports Windows NT.
rpcclient	is used to execute MS-RPC client side functions.
smbcacls	is used to manipulate Windows NT access control lists.
smbclient	is a SMB/CIFS access utility, similar to FTP.
smbcontrol	is used to control running smbd , nmbd and winbindd daemons.

smbcquotas	is used to manipulate Windows NT quotas on SMB file shares.
smbd	is the main Samba daemon which provides SMB/CIFS services to clients.
smbget	is a simple utility with wget -like semantics, that can download files from SMB servers. You can specify the files you would like to download on the command-line.
smbmnt	is a helper application used by the smbmount program to do the actual mounting of SMB shares. It can be installed <code>setuid root</code> if you want unprivileged users to be able to mount their SMB shares.
smbmount	is usually invoked as mount.smbfs by the mount command when using the <code>-t smbfs</code> option, mounts a Linux SMB filesystem.
smbpasswd	changes a user's Samba password.
smbspool	sends a print job to an SMB printer.
smbstatus	reports current Samba connections.
smbtar	is a shell script used for backing up SMB/CIFS shares directly to Linux tape drives or a file.
smbtree	is a text-based SMB network browser.
smbumount	is used by unprivileged users to unmount SMB filesystems, provided that it is <code>setuid root</code> .
swat	is the Samba Web Administration Tool.
tdbbackup	is a tool for backing up or validating the integrity of Samba <code>.tdb</code> files.
tdbdump	is a tool used to print the contents of a Samba <code>.tdb</code> file.
tdbtool	is a tool which allows simple database manipulation from the command line.
testparm	checks an <code>smb.conf</code> file for proper syntax.
umount.cifs	is used by normal, non- <code>root</code> users, to unmount their own Common Internet File System (CIFS) mounts.
wbinfo	queries a running winbindd daemon.
winbindd	resolves names from Windows NT servers.

vsftpd-2.0.5

Introduction to vsftpd

The vsftpd package contains a very secure and very small FTP daemon. This is useful for serving files over a network.

Package Information

- Download (HTTP):
- Download (FTP): <ftp://vsftpd.beasts.org/users/cevans/vsftpd-2.0.5.tar.gz>
- Download MD5 sum: 146062e8b2f93af43ff6c2c770feca94
- Download size: 152 KB
- Estimated disk space required: 1.5 MB
- Estimated build time: less than 0.1 SBU

vsftpd Dependencies

Optional

Linux-PAM-0.99.4.0, OpenSSL-0.9.8d, and TCP Wrapper-7.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/vsftpd>

Installation of vsftpd

For security reasons, running vsftpd as an unprivileged user and group is encouraged. Also, a user should be created to map anonymous users. As the `root` user, create the needed directories, users, and groups with the following commands:

```
install -v -d -m 0755 /var/ftp/empty &&
install -v -d -m 0755 /home/ftp &&
groupadd -g 47 vsftpd &&
useradd -d /dev/null -c "vsftpd User" -g vsftpd -s /bin/false \
    -u 47 vsftpd &&
groupadd -g 45 ftp &&
useradd -c anonymous_user -d /home/ftp -g ftp -s /bin/false -u 45 ftp
```

Build vsftpd as an unprivileged user using the following command:

```
make
```

Once again, become the `root` user and install vsftpd with the following commands:

```
install -v -m 755 vsftpd /usr/sbin/vsftpd &&
install -v -m 644 vsftpd.8 /usr/share/man/man8 &&
install -v -m 644 vsftpd.conf.5 /usr/share/man/man5 &&
install -v -m 644 vsftpd.conf /etc
```

Command Explanations

install -v -d ...: This creates the directory that anonymous users will use (/home/ftp) and the directory the daemon will chroot into (/var/ftp/empty).



Note

/home/ftp should not be owned by the user vsftpd, or the user ftp.

echo "#define VSF_BUILD_TCPWRAPPERS" >>builddefs.h: Use this prior to **make** to add support for tcpwrappers.

echo "#define VSF_BUILD_SSL" >>builddefs.h: Use this prior to **make** to add support for SSL.

install -v -m ...: The Makefile uses non-standard installation paths. These commands install the files in /usr and /etc.

Configuring vsftpd

Config Files

/etc/vsftpd.conf

Configuration Information

vsftpd comes with a basic anonymous-only configuration file that was copied to /etc above. While still as root, this file should be modified because it is now recommended to run **vsftpd** in standalone mode as opposed to **inetd/xinetd** mode. Also, you should specify the privilege separation user created above. Finally, you should specify the **chroot** directory. **man vsftpd.conf** will give you all the details.

```
cat >> /etc/vsftpd.conf << "EOF"
background=YES
listen=YES
nopriv_user=vsftpd
secure_chroot_dir=/var/ftp/empty
EOF
```

Boot Script

Install the /etc/rc.d/init.d/vsftpd init script included in the blfs-bootscripts-20060910 package.

```
make install-vsftpd
```

Contents

Installed Program:	vsftpd
Installed Libraries:	None
Installed Directories:	/var/ftp, /var/ftp/empty, /home/ftp

Short Descriptions

vsftpd is the FTP daemon.

xinetd-2.3.14

Introduction to xinetd

xinetd is the eXtended InterNET services daemon, a secure replacement for **inetd**.

Package Information

- Download (HTTP): <http://www.xinetd.org/xinetd-2.3.14.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xinetd-2.3.14.tar.gz>
- Download MD5 sum: 567382d7972613090215c6c54f9b82d9
- Download size: 301 KB
- Estimated disk space required: 4.4 MB
- Estimated build time: less than 0.1 SBU

xinetd Dependencies

Optional

TCP Wrapper-7.6 and Avahi

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xinetd>

Installation of xinetd

Install xinetd by running the following commands:

```
./configure --prefix=/usr --with-loadavg &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring xinetd

Config Files

`/etc/xinetd.conf` and `/etc/xinetd.d/*`

Configuration Information

Ensure the path to all daemons is `/usr/sbin`, rather than the default path of `/usr/etc`, and install the xinetd configuration files by running the following commands as the `root` user:

```
cat > /etc/xinetd.conf << "EOF"  
# Begin /etc/xinetd  
# Configuration file for xinetd  
#
```

```
defaults
{
    instances          = 60
    log_type            = SYSLOG daemon
    log_on_success      = HOST PID USERID
    log_on_failure      = HOST USERID
    cps                 = 25 30
}

# All service files are stored in the /etc/xinetd.d directory
#
includedir /etc/xinetd.d
# End /etc/xinetd
EOF
```

All of the following files have the statement, "disable = yes". To activate any of the services, this statement will need to be changed to "disable = no".



Note

The following files are listed to demonstrate classic xinetd applications. In many cases, these applications are not needed. In some cases, the applications are considered security risks. For example, **telnet**, **rlogin**, **rexec**, and **rsh** transmit unencrypted usernames and passwords over the network and can be easily replaced with a more secure alternative: **ssh**.

```
install -v -d -m755 /etc/xinetd.d &&
cat > /etc/xinetd.d/login << "EOF" &&
# Begin /etc/xinetd.d/login

service login
{
    disable          = yes
    socket_type      = stream
    protocol         = tcp
    wait             = no
    user             = root
    server           = /usr/sbin/in.rlogind
    log_type         = SYSLOG local4 info
}

# End /etc/xinetd.d/login
EOF
cat > /etc/xinetd.d/shell << "EOF" &&
# Begin /etc/xinetd.d/shell

service shell
{
    disable          = yes
    socket_type      = stream
    wait            = no
    user            = root
```

```

    instances      = UNLIMITED
    flags          = IDONLY
    log_on_success += USERID
    server         = /usr/sbin/in.rshd
}

# End /etc/xinetd.d/shell
EOF
cat > /etc/xinetd.d/exec << "EOF" &&
# Begin /etc/xinetd.d/exec

service exec
{
    disable        = yes
    socket_type    = stream
    wait           = no
    user           = root
    server         = /usr/sbin/in.rexecd
}

# End /etc/xinetd.d/exec
EOF
cat > /etc/xinetd.d/comsat << "EOF" &&
# Begin /etc/xinetd.d/comsat

service comsat
{
    disable        = yes
    socket_type    = dgram
    wait           = yes
    user           = nobody
    group          = tty
    server         = /usr/sbin/in.comsat
}

# End /etc/xinetd.d/comsat
EOF
cat > /etc/xinetd.d/talk << "EOF" &&
# Begin /etc/xinetd.d/talk

service talk
{
    disable        = yes
    socket_type    = dgram
    wait           = yes
    user           = root
    server         = /usr/sbin/in.talkd
}

# End /etc/xinetd.d/talk
EOF
cat > /etc/xinetd.d/ntalk << "EOF" &&
# Begin /etc/xinetd.d/ntalk

```

```

service ntalk
{
    disable          = yes
    socket_type      = dgram
    wait             = yes
    user             = root
    server           = /usr/sbin/in.ntalkd
}

# End /etc/xinetd.d/ntalk
EOF
cat > /etc/xinetd.d/telnet << "EOF" &&
# Begin /etc/xinetd.d/telnet

service telnet
{
    disable          = yes
    socket_type      = stream
    wait             = no
    user             = root
    server           = /usr/sbin/in.telnetd
    bind             = 127.0.0.1
    log_on_failure   += USERID
}

service telnet
{
    disable          = yes
    socket_type      = stream
    wait             = no
    user             = root
#   server           = /usr/sbin/in.telnetd
    bind             = 192.231.139.175
    redirect         = 128.138.202.20 23
    log_on_failure   += USERID
}

# End /etc/xinetd.d/telnet
EOF
cat > /etc/xinetd.d/ftp << "EOF" &&
# Begin /etc/xinetd.d/ftp

service ftp
{
    disable          = yes
    socket_type      = stream
    wait             = no
    user             = root
    server           = /usr/sbin/in.ftpd
    server_args      = -l
    instances        = 4
    log_on_success   += DURATION USERID
}

```

```

    log_on_failure += USERID
    access_times    = 2:00-8:59 12:00-23:59
    nice            = 10
}

# End /etc/xinetd.d/ftp
EOF
cat > /etc/xinetd.d/tftp << "EOF" &&
# Begin /etc/xinetd.d/tftp

service tftp
{
    disable          = yes
    socket_type       = dgram
    wait             = yes
    user             = root
    server            = /usr/sbin/in.tftpd
    server_args       = -s /tftpboot
}

# End /etc/xinetd.d/tftp
EOF
cat > /etc/xinetd.d/finger << "EOF" &&
# Begin /etc/xinetd.d/finger

service finger
{
    disable          = yes
    socket_type       = stream
    wait             = no
    user             = nobody
    server            = /usr/sbin/in.fingerd
}

# End /etc/xinetd.d/finger
EOF
cat > /etc/xinetd.d/systat << "EOF" &&
# Begin /etc/xinetd.d/systat

service systat
{
    disable          = yes
    socket_type       = stream
    wait             = no
    user             = nobody
    server            = /usr/bin/ps
    server_args       = -auwx
    only_from         = 128.138.209.0
    log_on_success    = HOST
}

# End /etc/xinetd.d/systat
EOF

```

```

cat > /etc/xinetd.d/netstat << "EOF" &&
# Begin /etc/xinetd.d/netstat

service netstat
{
    disable            = yes
    socket_type        = stream
    wait               = no
    user               = nobody
    server              = /usr/ucb/netstat
    server_args         = -f inet
    only_from          = 128.138.209.0
    log_on_success      = HOST
}

# End /etc/xinetd.d/netstat
EOF
cat > /etc/xinetd.d/echo << "EOF" &&
# Begin /etc/xinetd.d/echo

service echo
{
    disable            = yes
    type               = INTERNAL
    id                 = echo-stream
    socket_type        = stream
    protocol           = tcp
    user               = root
    wait               = no
}

service echo
{
    disable            = yes
    type               = INTERNAL
    id                 = echo-dgram
    socket_type        = dgram
    protocol           = udp
    user               = root
    wait               = yes
}

# End /etc/xinetd.d/echo
EOF
cat > /etc/xinetd.d/chargen << "EOF" &&
# Begin /etc/xinetd.d/chargen

service chargen
{
    disable            = yes
    type               = INTERNAL
    id                 = chargen-stream
    socket_type        = stream

```



```

    protocol      = tcp
    user          = root
    wait         = no
}

service chargen
{
    disable       = yes
    type          = INTERNAL
    id            = chargen-dgram
    socket_type   = dgram
    protocol      = udp
    user          = root
    wait         = yes
}

# End /etc/xinetd.d/chargen
EOF
cat > /etc/xinetd.d/daytime << "EOF" &&
# Begin /etc/xinetd.d/daytime

service daytime
{
    disable       = yes
    type          = INTERNAL
    id            = daytime-stream
    socket_type   = stream
    protocol      = tcp
    user          = root
    wait         = no
}

service daytime
{
    disable       = yes
    type          = INTERNAL
    id            = daytime-dgram
    socket_type   = dgram
    protocol      = udp
    user          = root
    wait         = yes
}

# End /etc/xinetd.d/daytime
EOF
cat > /etc/xinetd.d/time << "EOF" &&
# Begin /etc/xinetd.d/time

service time
{
    disable       = yes
    type          = INTERNAL
    id            = time-stream

```

```

    socket_type    = stream
    protocol       = tcp
    user           = root
    wait           = no
}

service time
{
    disable        = yes
    type           = INTERNAL
    id             = time-dgram
    socket_type    = dgram
    protocol       = udp
    user           = root
    wait           = yes
}

# End /etc/xinetd.d/time
EOF
cat > /etc/xinetd.d/rstatd << "EOF" &&
# Begin /etc/xinetd.d/rstatd

service rstatd
{
    disable        = yes
    type           = RPC
    flags          = INTERCEPT
    rpc_version    = 2-4
    socket_type    = dgram
    protocol       = udp
    server         = /usr/sbin/rpc.rstatd
    wait           = yes
    user           = root
}

# End /etc/xinetd.d/rstatd
EOF
cat > /etc/xinetd.d/rquotad << "EOF" &&
# Begin /etc/xinetd.d/rquotad

service rquotad
{
    disable        = yes
    type           = RPC
    rpc_version    = 1
    socket_type    = dgram
    protocol       = udp
    wait           = yes
    user           = root
    server         = /usr/sbin/rpc.rstatd
}

```

```

# End /etc/xinetd.d/rquotad
EOF
cat > /etc/xinetd.d/rusersd << "EOF" &&
# Begin /etc/xinetd.d/rusersd

service rusersd
{
    disable          = yes
    type             = RPC
    rpc_version      = 1-2
    socket_type       = dgram
    protocol         = udp
    wait             = yes
    user             = root
    server           = /usr/sbin/rpc.rusersd
}

# End /etc/xinetd.d/rusersd
EOF
cat > /etc/xinetd.d/sprayd << "EOF" &&
# Begin /etc/xinetd.d/sprayd

service sprayd
{
    disable          = yes
    type             = RPC
    rpc_version      = 1
    socket_type       = dgram
    protocol         = udp
    wait             = yes
    user             = root
    server           = /usr/sbin/rpc.sprayd
}

# End /etc/xinetd.d/sprayd
EOF
cat > /etc/xinetd.d/walld << "EOF" &&
# Begin /etc/xinetd.d/walld

service walld
{
    disable          = yes
    type             = RPC
    rpc_version      = 1
    socket_type       = dgram
    protocol         = udp
    wait             = yes
    user             = nobody
    group            = tty
    server           = /usr/sbin/rpc.rwalld
}

# End /etc/xinetd.d/walld

```

```

EOF
cat > /etc/xinetd.d/irc << "EOF"
# Begin /etc/xinetd.d/irc

service irc
{
    disable          = yes
    socket_type      = stream
    wait             = no
    user             = root
    flags            = SENSOR
    type             = INTERNAL
    bind             = 192.168.1.30
    deny_time        = 60
}

# End /etc/xinetd.d/irc
EOF

```

The format of the `/etc/xinetd.conf` is documented in the `xinetd.conf.5` man page. Further information can be found at <http://www.xinetd.org>.

Boot Script

As the root user, install the `/etc/rc.d/init.d/xinetd` init script included in the `blfs-bootscripts-20060910` package.

```
make install-xinetd
```

As the root user, use the new boot script to start **xinetd**:

```
/etc/rc.d/init.d/xinetd start
```

Checking the `/var/log/daemon.log` file should prove quite entertaining. This file may contain entries similar to the following:

```

Aug 22 21:40:21 dps10 xinetd[2696]: Server /usr/sbin/in.rlogind is not
executable [line=29]
Aug 22 21:40:21 dps10 xinetd[2696]: Error parsing attribute server -
DISABLING SERVICE [line=29]
Aug 22 21:40:21 dps10 xinetd[2696]: Server /usr/sbin/in.rshd is not
executable [line=42]

```

These errors are because most of the servers **xinetd** is trying to control are not installed yet.

Contents

Installed Programs:	itox, xconv.pl, and xinetd
Installed Libraries:	None
Installed Directories:	/etc/xinetd.d/

Short Descriptions

- itox** is a utility used for converting `inetd.conf` files to `xinetd.conf` format.
- xconv.pl** is a Perl script used for converting `inetd.conf` files to `xinetd.conf` format, similar to **itox**.
- xinetd** is the Internet services daemon.

Chapter 22. Mail Server Software

MTAs are the programs which transport mail from one machine to the other. The traditional MTA is Sendmail, however there are several other choices.

As well as SMTP servers there is a POP server (qpopper) and an IMAP server (Courier-IMAP).

Exim-4.61

Introduction to Exim

The Exim package contains a Mail Transport Agent written by the University of Cambridge, released under the GNU Public License.

Package Information

- Download (HTTP): <http://www.exim.org/ftp/exim4/exim-4.61.tar.bz2>
- Download (FTP): <ftp://ftp.exim.org/pub/exim/exim4/exim-4.61.tar.bz2>
- Download MD5 sum: f6bbf99a6f63c0f5045a1779e7e810c4
- Download size: 1.5 MB
- Estimated disk space required: 14.5 MB
- Estimated build time: 0.2 SBU

Additional Downloads

- Additional formats of the documentation (text-based docs are shipped with the sources) can be downloaded by following the links shown at <http://exim.org/docs.html>.

Exim Dependencies

Required

Berkeley DB-4.4.20 (built in LFS) or GDBM-1.8.3 or TDB

Optional

X Window System, OpenLDAP-2.3.27, OpenSSL-0.9.8d or GnuTLS, Cyrus SASL-2.1.21, MySQL-5.0.21, PostgreSQL-8.1.3, TCP Wrapper-7.6, and Linux-PAM-0.99.4.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/exim>

Installation of Exim

Before building Exim, as the `root` user you should create the group and user `exim` which will run the **exim** daemon:

```
groupadd -g 31 exim &&
useradd -d /dev/null -c "Exim Daemon" -g exim -s /bin/false -u 31 exim
```

Install Exim with the following commands:

```
sed -e 's,^BIN_DIR.*$,BIN_DIRECTORY=/usr/sbin,' \
    -e 's,^CONF.*$,CONFIGURE_FILE=/etc/exim.conf,' \
    -e 's,^EXIM_USER.*$,EXIM_USER=exim,' \
    -e 's,^EXIM_MONITOR,#EXIM_MONITOR,' src/EDITME > Local/Makefile &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 doc/exim.8 /usr/share/man/man8 &&
install -v -d -m755 /usr/share/doc/exim-4.61 &&
install -v -m644 doc/* /usr/share/doc/exim-4.61 &&
ln -sv exim /usr/sbin/sendmail
```

Command Explanations

sed -e ... > Local/Makefile: Most of Exim's configuration options are compiled in using the directives in `Local/Makefile` which is created from the `src/EDITME` file. This command specifies the minimum set of options. Descriptions for the options are listed below.

`BIN_DIRECTORY=/usr/sbin`: This installs all of Exim's binaries and scripts in `/usr/sbin`.

`CONFIGURE_FILE=/etc/exim.conf`: This installs Exim's main configuration file in `/etc`.

`EXIM_USER=exim`: This tells Exim that after the daemon no longer needs `root` privileges, the process hands off the daemon to the `exim` user.

`#EXIM_MONITOR`: This defers building the Exim monitor program, as it requires X Window System support, by commenting out the `EXIM_MONITOR` line in the Makefile. If you wish to build the monitor program, omit this **sed** command and issue the following command before building the package (modify `Local/eximon.conf`, if necessary): **cp exim_monitor/EDITME Local/eximon.conf**.

ln -sv exim /usr/sbin/sendmail: Creates a link to **sendmail** for applications which need it. Exim will accept most Sendmail command-line options.

Adding Additional Functionality

To utilize some or all of the dependency packages, you'll need to modify `Local/Makefile` to include the appropriate directives and parameters to link additional libraries before you build Exim. `Local/Makefile` is heavily commented with instructions on how to do this. Listed below is additional information to help you link these dependency packages.

To use a backend database other than Berkeley DB, see the instructions at http://exim.org/exim-html-4.61/doc/html/spec_html/ch04.html#SECTdb.

For SSL functionality, see the instructions at http://exim.org/exim-html-4.61/doc/html/spec_html/ch04.html#SECTinctlssl and http://exim.org/exim-html-4.61/doc/html/spec_html/ch38.html.

For tcpwrappers functionality, see the instructions at http://exim.org/exim-html-4.61/doc/html/spec_html/ch04.html#id2522928.

http://exim.org/exim-html-4.61/doc/html/spec_html/ch04.html#id2522928

For information about adding authentication mechanisms to the build, see chapters 33-37 of http://exim.org/exim-html-4.61/doc/html/spec_html/index.html.

For information about linking Linux-PAM, see the instructions in section 7 of http://exim.org/exim-html-4.61/doc/html/spec_html/ch11.html.

For information about linking database engine libraries used for Exim name lookups, see the instructions at http://exim.org/exim-html-4.61/doc/html/spec_html/ch09.html.

If you wish to add Readline support to Exim when invoked in “test expansion” (-be) mode, see the information in the -be section of http://exim.org/exim-html-4.61/doc/html/spec_html/ch05.html#id2525974.

You may wish to modify the default configuration and send log files to syslog instead of the default `/var/spool/exim/log` directory. See the information at http://exim.org/exim-html-4.61/doc/html/spec_html/ch48.html.

Configuring Exim

Config Files

`/etc/exim.conf` and `/etc/aliases`

Configuration Information

A default (nothing but comments) `/etc/aliases` file is installed during the package installation if this file did not exist on your system. Create the necessary aliases and start the Exim daemon using the following commands:

```
cat >> /etc/aliases << "EOF"
postmaster: root
MAILER-DAEMON: root
EOF
exim -v -bi &&
/usr/sbin/exim -bd -q15m
```



Note

To protect an existing `/etc/aliases` file, the command above appends these aliases to it. This file should be checked and duplicate aliases removed, if present.

The `/usr/sbin/exim -bd -q15m` command starts the Exim daemon with a 15 minute interval in processing the mail queue. Adjust this parameter to suit your desires.

Boot Script

To automate the running of **exim** at startup, install the `/etc/rc.d/init.d/exim` init script included in the `blfs-bootscripts-20060910` package.

```
make install-exim
```

The bootscript also starts the Exim daemon and dispatches a queue runner process every 15 minutes. Modify the

`-q<time interval>` parameter in `/etc/rc.d/init.d/exim`, if necessary for your installation.

Contents

Installed Programs:	exicyclog, exigrep, exim, exim-4.43-2, exim_checkaccess, exim_dbmbuild, exim_dumpdb, exim_fixdb, exim_lock, exim_tidydb, eximstats, exinext, exipick, exiqgrep, exiqsumm, exiwhat, and optionally, eximon, and eximon.bin
Installed Libraries:	None
Installed Directories:	/usr/share/doc/exim-4.61 and /var/spool/exim

Short Descriptions

exicyclog	cycles Exim log files.
exigrep	searches Exim log files.
exim	is a symlink to the exim-4.43-2 MTA daemon.
exim-4.43-2	is the Exim mail transport agent daemon.
exim_checkaccess	states whether a given recipient address from a given host is acceptable or not.
exim_dbmbuild	creates and rebuilds Exim databases.
exim_dumpdb	writes the contents of Exim databases to the standard output.
exim_fixdb	modifies data in Exim databases.
exim_lock	locks a mailbox file.
exim_tidydb	removes old records from Exim databases.
eximstats	generates mail statistics from Exim log files.
exinext	queries remote host retry times.
exipick	selects messages based on various criteria.
exiqgrep	is a utility for selective queue listing.
exiqsumm	produces a summary of the messages in the mail queue.
exiwhat	queries running Exim processes.
eximon	is a start-up shell script for eximon.bin used to set the required environment variables before running the program.
eximon.bin	is a monitor program which displays current information in an X window, and also contains a menu interface to Exim's command line administration options.

Postfix-2.3.3

Introduction to Postfix

The Postfix package contains a Mail Transport Agent (MTA). This is useful for sending email to other users of your host machine. It can also be configured to be a central mail server for your domain, a mail relay agent or simply a mail delivery agent to your local Internet Service Provider (ISP).

Package Information

- Download (HTTP): <http://www.mirrorspace.org/postfix/official/postfix-2.3.3.tar.gz>
- Download (FTP): <ftp://ftp.porcupine.org/mirrors/postfix-release/official/postfix-2.3.3.tar.gz>
- Download MD5 sum: f957e9319428be81c724b606fe060cc7
- Download size: 2.6 MB
- Estimated disk space required: 85 MB
- Estimated build time: 0.5 SBU

Postfix Dependencies

Optional

PCRE-6.7, MySQL-5.0.21, PostgreSQL-8.1.3, OpenLDAP-2.3.27, OpenSSL-0.9.8d, Cyrus SASL-2.1.21, and cdb or TinyCDB

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/postfix>

Installation of Postfix

Configuring the Build

The Postfix source tree does not contain a `configure` script, rather the makefile in the top-level directory contains a `makefiles` target that regenerates all the other makefiles in the build tree. If you wish to use additional software such as a database back-end for virtual users, or TLS/SSL authentication, you will need to regenerate the makefiles using one or more of the appropriate `CCARGS` and `AUXLIBS` settings listed below.

Here is an example that combines the TLS and Cyrus-SASL arguments:

```
make makefiles \
CCARGS='-DUSE_TLS -DUSE_SASL_AUTH -DUSE_CYRUS_SASL \
-DDEF_DAEMON_DIR="/usr/lib/postfix" \
-DDEF_MANPAGE_DIR="/usr/share/man" \
-DDEF_HTML_DIR="/usr/share/doc/postfix-2.3.3/html" \
-DDEF_README_DIR="/usr/share/doc/postfix-2.3.3/README" \
-I/usr/include/openssl -I/usr/include/sasl' \
AUXLIBS='-L/usr/lib -lssl -lcrypto -lsasl2'
```

TLS Authentication

To use TLS authentication with postfix you will need to pass the following values to the **make makefiles** command:

```
CCARGS='-DUSE_TLS -I/usr/include/openssl'
AUXLIBS='-L/usr/lib -lssl -lcrypto'
```

To use TLS you will also need Cyrus SASL-2.1.21.

Cyrus-SASL

To use Cyrus-SASL with Postfix, use the following arguments:

```
CCARGS='-DUSE_SASL_AUTH -DUSE_CYRUS_SASL -I/usr/include/sasl'
AUXLIBS='-L/usr/lib -lsasl2'
```

OpenLDAP

To use OpenLDAP with Postfix, use the following arguments:

```
CCARGS='-I/usr/include -DHAS_LDAP'
AUXLIBS='-L/usr/lib -lldap -llber'
```

MySQL

To use MySQL with Postfix, use the following arguments:

```
CCARGS='-DHAS_MYSQL -I/usr/include/mysql'
AUXLIBS='-L/usr/lib -lmysqlclient -lz -lm'
```

PostgreSQL

To use PostgreSQL with Postfix, use the following arguments:

```
CCARGS='-DHAS_PGSQL -I/usr/include/postgresql'
AUXLIBS='-L/usr/lib -lpq -lz -lm'
```

TinyCDB

To use TinyCDB with Postfix, use the following arguments:

```
CCARGS='-DHAS_CDB'
AUXLIBS='</path/to/CDB>/libcdb.a'
```

Installing Postfix

Before you compile the program, you need to create users and groups that will be expected to be in place during the installation. Add the users and groups with the following commands issued by the root user:

```
groupadd -g 32 postfix &&
groupadd -g 33 postdrop &&
useradd -c "Postfix Daemon User" -d /dev/null -g postfix \
-s /bin/false -u 32 postfix &&
chown -v postfix:postfix /var/mail
```

Install Postfix by running the following commands:

```
make makefiles \
```

```
CCARGS='-DDEF_DAEMON_DIR=\"/usr/lib/postfix\" \
-DDEF_MANPAGE_DIR=\"/usr/share/man\" \
-DDEF_HTML_DIR=\"/usr/share/doc/postfix-2.3.3/html\" \
-DDEF_README_DIR=\"/usr/share/doc/postfix-2.3.3/README\" \
<additional args>' \
<AUXLIBS='additional args'> &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
sh postfix-install -non-interactive
```

Command Explanations

make makefiles: This command rebuilds the makefiles throughout the source tree to use the options contained in the CCARGS and AUXLIBS variables.

sh postfix-install -non-interactive: This keeps the install script from asking any questions, thereby accepting default destination directories in all but the few cases mentioned in the 'make makefiles' command.

Configuring Postfix

Config Files

/etc/aliases, /etc/postfix/main.cf, and /etc/postfix/master.cf

Configuration Information

```
cat >> /etc/aliases << "EOF"
# Begin /etc/aliases

MAILER-DAEMON:    postmaster
postmaster:       root

root:             LOGIN
# End /etc/aliases
EOF
```



Note

To protect an existing /etc/aliases file, the above command appends these aliases to it if it exists. This file should be checked and duplicate aliases removed, if present.

The /etc/aliases file that was just created or appended, the main.cf and the master.cf must be personalized for your system. The aliases file needs your non-root login identity so mail addressed to root can be forwarded to you at the user level. The main.cf file needs your fully qualified hostname. All of these edits can be done with **sed** commands entered into the console with appropriate substitutions of your non-root login name for *<user>* and your fully qualified hostname for *<localhost.localdomain>*. You will find the main.cf file is self documenting, so load it into your editor to make the changes you need for your

situation.

```
sed -i "s/LOGIN/<user>/" /etc/aliases &&
sed -i "s/#myhostname = host.domain.tld/myhostname = \
<localhost.localdomain>/" /etc/postfix/main.cf &&
/usr/bin/newaliases
```

If you have an existing configuration, you can run the **postfix** utility to add any necessary definitions to your existing files. As the **root** user:

```
/usr/sbin/postfix upgrade-configuration
```

Before starting Postfix, you should check that your configuration and file permissions will work properly. Run the following commands as the **root** user to check and start your Postfix server:

```
/usr/sbin/postfix check &&
/usr/sbin/postfix start
```

Boot Script

To automate the running of Postfix at startup, install the `/etc/rc.d/init.d/postfix` init script included in the `blfs-bootscripts-20060910` package.

```
make install-postfix
```

Contents

Installed Programs:	anvil, bounce, cleanup, discard, error, flush, lmtpl, local, mailq, master, newaliases, nqmgr, oqmgr, pickup, pipe, postalias, postcat, postconf, postdrop, postfix, postkick, postlock, postlog, postmap, postqueue, postsuper, proxymap, qmgr, qmqpd, sendmail, showq, smtp, smtpd, spawn, tlsmgr, trivial-rewrite, verify, and virtual
Installed Libraries:	None
Installed Directories:	/etc/postfix, /usr/lib/postfix and /usr/share/doc/postfix-2.3.3

Short Descriptions

anvil	Provides connection and rate request limiting.
bounce	A daemon that maintains per-message log files with non-delivery status information.
cleanup	A daemon that processes inbound mail, inserts it into the incoming mail queue, and informs the queue manager of its arrival.
discard	Processes delivery requests from the queue manager that cannot be delivered to the recipient.
error	A daemon that processes non-delivery requests from the queue manager.
flush	A daemon that maintains a record of deferred mail by destination.
lmtpl	A daemon that processes message delivery requests from the queue manager.

local	A daemon that processes delivery requests from the queue manager to deliver mail to local recipients.
mailq	A symlink to <code>sendmail</code> .
master	The resident process that runs Postfix daemons on demand.
newaliases	A symlink to <code>sendmail</code> .
nqmgr	A daemon that awaits the arrival of incoming mail and arranges for its delivery.
oqmgr	The old style queue manager. This will be removed soon.
pickup	A daemon that waits for hints that new mail has been dropped into the maildrop directory, and feeds it into the cleanup daemon.
pipe	A daemon that processes requests from the queue manager to deliver messages to external commands.
postalias	Creates or queries one or more Postfix alias databases, or updates an existing one.
postcat	Prints the contents of the named files in human readable format.
postconf	Displays or changes the value of Postfix configuration parameters.
postdrop	Creates a file in the maildrop directory and copies its standard input to the file.
postfix	Controls the operation of the Postfix mail system.
postkick	Sends requests to the specified service over a local transport channel.
postlock	Locks a mail folder for exclusive use, and executes commands passed to it.
postlog	A Postfix-compatible logging interface for use in, for example, shell scripts.
postmap	Creates or queries one or more Postfix lookup tables, or updates an existing one.
postqueue	The Postfix user interface for queue management.
postsuper	The Postfix user interface for superuser queue management.
proxymap	Provides read-only table lookup services to other Postfix processes.
qmgr	A daemon that awaits the arrival of incoming mail and arranges for its delivery.
qmqpd	A daemon that receives one message per connection, and pipes it through the cleanup daemon, and places it into the incoming queue.
scache	Maintains a connection cache used for sharing a connection multiple times.
sendmail	The Postfix to Sendmail compatibility interface.
showq	A daemon that reports the Postfix mail queue status.
smtp	Looks up a list of mail exchanger addresses for the destination host, sorts the list by preference, and connects to each listed address until it finds a server that responds.
smtpd	Accepts network connection requests and performs zero or more SMTP transactions per connection.

spawn	Listens on a port as specified in the Postfix <code>master.cf</code> file and spawns an external command whenever a connection is established.
tlsmgr	Maintains the TLS session cache and acts as the PRNG manager.
trivial-rewrite	A daemon that rewrites addresses to standard form.
verify	Maintains a record of what recipient addresses are known to be deliverable or undeliverable.
virtual	Delivers mail to virtual user's mail directories.

Qpopper-4.0.9

Introduction to Qpopper

The Qpopper package contains a POP3 mail server.

Package Information

- Download (HTTP):
- Download (FTP): <ftp://ftp.qualcomm.com/eudora/servers/unix/popper/qpopper4.0.9.tar.gz>
- Download MD5 sum: de2cd15f95cfd00d0d080fd16287acad
- Download size: 2.7 MB
- Estimated disk space required: 9.1 MB
- Estimated build time: 0.1 SBU

Qpopper Dependencies

Required

An MTA

Optional

OpenSSL-0.9.8d, GDBM-1.8.3, Linux-PAM-0.99.4.0, and MIT Kerberos V5-1.6 or Heimdal-0.7.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/qpopper>

Installation of Qpopper

Install Qpopper with the following commands:

```
./configure --prefix=/usr --enable-standalone &&  
make
```

Now, as the `root` user:

```
make install &&  
install -D -m644 GUIDE.pdf /usr/share/doc/qpopper-4.0.9/GUIDE.pdf
```

Command Explanations

`--enable-standalone`: This option gives the flexibility to run Qpopper in standalone mode.

Configuring Qpopper

Configuration Information

Update the Syslog configuration file and force the **syslogd** daemon to reread the new file so that Qpopper events are logged:

```
echo "local0.notice;local0.debug /var/log/POP.log" >> \
```



```
/etc/syslog.conf &&
killall -HUP syslogd
```

If you want Qpopper to start automatically when the system is booted, install the `/etc/rc.d/init.d/qpopper` init script included in the `blfs-bootscripts-20060910` package.

```
make install-qpopper
```

This startup procedure uses a configuration file. The details of the configuration file can be found in the documentation file `GUIDE.pdf`.

```
cat > /etc/mail/qpopper.conf << "EOF"
# Qpopper configuration file

set debug = false

set spool-dir = /var/spool/mail/
set temp-dir  = /var/spool/mail/

set downcase-user = true
set trim-domain  = true

set statistics = true

# End /etc/shells
EOF
```

If you use **inetd**, the following command will add the Qpopper entry to `/etc/inetd.conf`:

```
echo "pop3 stream tcp nowait root /usr/sbin/popper popper" >> \
    /etc/inetd.conf &&
killall inetd || inetd
```

Issue a **killall -HUP inetd** to reread the changed `inetd.conf` file.

If you use **xinetd**, the following command will create the Qpopper file as `/etc/xinetd.d/pop3`:

```
cat >> /etc/xinetd.d/pop3 << "EOF"
# Begin /etc/xinetd.d/pop3

service pop3
{
    port                = 110
    socket_type         = stream
    protocol            = tcp
    wait                = no
    user                = root
    server              = /usr/sbin/popper
}

# End /etc/xinetd.d/pop3
EOF
```

Issue a **killall -HUP xinetd** to reread the changed `xinetd.conf` file.

Contents

Installed Program: popper

Installed Libraries: None

Installed Directories: None

Short Descriptions

popper is the POP3 server daemon.

Sendmail-8.13.6

Introduction to Sendmail

The Sendmail package contains a Mail Transport Agent (MTA).

Package Information

- Download (HTTP): <http://www.sendmail.org/ftp/sendmail.8.13.6.tar.gz>
- Download (FTP): <ftp://ftp.sendmail.org/pub/sendmail/sendmail.8.13.6.tar.gz>
- Download MD5 sum: 484cca51f74b5e562b3cf119ceb2f900
- Download size: 1.9 MB
- Estimated disk space required: 19.8 MB
- Estimated build time: 0.5 SBU

Sendmail Dependencies

Required

Procmail-3.22

Optional

OpenSSL-0.9.8d, OpenLDAP-2.3.27, TCP Wrapper-7.6, Cyrus SASL-2.1.21, nph, and AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2 (for creating PDF documentation)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sendmail>

Installation of Sendmail

Before building Sendmail, create the required user, group and directory with the following commands issued as the `root` user:

```
groupadd -g 26 smmsp &&
useradd -c "Sendmail Daemon" -g smmsp -d /dev/null \
        -s /bin/false -u 26 smmsp &&
chmod -v 1777 /var/mail &&
install -v -m700 -d /var/spool/mqueue
```

Note: See the source tree `sendmail/README` file for information on linking optional packages into the build. Use the example below, which adds support for `tcpwrappers`, `SASL`, `StartTLS` (`OpenSSL`) and `OpenLDAP`, as a starting point. Of course, modify it to suit your particular needs.

```
cat >> devtools/Site/site.config.m4 << "EOF"
APPENDDEF(`confENVDEF',`-DSTARTTLS -DTCPWRAPPERS -DSASL -DLDAPMAP')
APPENDDEF(`confLIBS',`-lssl -lcrypto -lwrap -lsasl2 -lldap -llber')
APPENDDEF(`confINCDIRS',`-I/usr/include/sasl')
EOF
```

Install Sendmail with the following commands:

```
cat >> devtools/site/site.config.m4 << "EOF"
define(`confMANGRP',`root')
define(`confMANOWN',`root')
define(`confSBINGRP',`root')
define(`confUBINGRP',`root')
define(`confUBINOWN',`root')
EOF
cd sendmail &&
sh Build &&
cd ../cf/cf &&
cp generic-linux.mc sendmail.mc &&
sh Build sendmail.cf
```

Now, as the root user:

```
install -v -d -m755 /etc/mail &&
sh Build install-cf &&

cd ../.. &&
sh Build install &&

install -v -m644 cf/cf/{submit,sendmail}.mc /etc/mail &&
cp -v -R cf/* /etc/mail &&

install -v -m755 -d /usr/share/doc/sendmail-8.13.6/{cf,sendmail} &&
install -v -m644 \
    CACerts FAQ KNOWNBUGS LICENSE PGPKEYS README RELEASE_NOTES \
    /usr/share/doc/sendmail-8.13.6 &&
install -v -m644 sendmail/{README,SECURITY,TRACEFLAGS,TUNING} \
    /usr/share/doc/sendmail-8.13.6/sendmail &&
install -v -m644 cf/README /usr/share/doc/sendmail-8.13.6/cf &&

for manpage in sendmail editmap mailstats makemap praliases smrsh
do
    install -v -m444 $manpage/$manpage.8 /usr/share/man/man8
done &&
install -v -m444 sendmail/aliases.5      /usr/share/man/man5 &&
install -v -m444 sendmail/mailq.1       /usr/share/man/man1 &&
install -v -m444 sendmail/newaliases.1  /usr/share/man/man1 &&
install -v -m444 vacation/vacation.1    /usr/share/man/man1
```

Install the Sendmail Installation and Operations Guide with the following commands:

```
cd doc/op &&
sed -i 's/groff/GROFF_NO_SGR=1 groff/' Makefile &&
make op.txt op.pdf
```

Now, as the root user:

```
install -v -d -m755 /usr/share/doc/sendmail-8.13.6 &&
install -v -m644 op.ps op.txt op.pdf /usr/share/doc/sendmail-8.13.6 &&
cd ../..
```

Note: remove `op.pdf` from the **make** and **install** commands if you don't have Ghostscript installed.

Command Explanations

cat > devtools/Site/site.config.m4 << "EOF": This creates a configuration file changing some of the default settings.

sh Build; sh Build sendmail.cf; sh Build install-cf; sh Build install: Sendmail uses an m4 based build script to create the various Makefiles. These commands build and install the package.

for manpage in...;do...;done; install ...: The man pages are installed already formatted and **man** displays them somewhat garbled. These commands replace the formatted pages with pages **man** can display properly.

Configuring Sendmail

Config Files

`/etc/mail/*`

Configuration Information

Create the `/etc/mail/local-host-names` and `/etc/mail/aliases` files using the following commands as the root user:

```
echo $(hostname) > /etc/mail/local-host-names
cat > /etc/mail/aliases << "EOF"
postmaster: root
MAILER-DAEMON: root

EOF
newaliases -v
```

Sendmail's primary configuration file, `/etc/mail/sendmail.cf`, is complex and not meant to be directly edited. The recommended method for changing it is to modify `/etc/mail/sendmail.mc` and various m4 files, then run the **m4** macro processor from within `/etc/mail` as follows:

```
m4 m4/cf.m4 sendmail.mc > sendmail.cf
```

A full explanation of the files to modify, and the available parameters can be found in `/etc/mail/README`.

Boot Script

To automate the running of Sendmail at startup, install the `/etc/rc.d/init.d/sendmail` init script included in the `blfs-bootscripts-20060910` package.

```
make install-sendmail
```



Note

The `-qNm` option to **sendmail**, where `N` is number of minutes, controls how often Sendmail will process the mail queue. A default of 5 minutes is used in the init script. Individual workstation users may want to set this as low as 1 minute, large installations handling more mail may want to

set it higher.

Contents

Installed Programs:	editmap, hoststat, mailstats, mailq, makemap, newaliases, praliases, purgestat, sendmail, smrsh, and vacation
Installed Libraries:	None
Installed Directories:	/etc/mail, /usr/share/doc/sendmail-8.13.6, /var/spool/mqueue, and /var/spool/clientmqueue

Short Descriptions

editmap	queries and edits Sendmail map files.
hoststat	prints Sendmail's persistent host status.
mailstats	displays Sendmail statistics.
mailq	prints a summary of outbound mail messages waiting for delivery.
makemap	creates Sendmail map files.
newaliases	rebuilds <code>/etc/mail/aliases.db</code> from the contents of <code>/etc/mail/aliases</code> .
praliases	displays current Sendmail aliases.
purgestat	causes Sendmail to clear (purge) all its host-status information.
sendmail	is the Sendmail mail transport agent.
smrsh	is a restricted shell for Sendmail.
vacation	is an email auto responder.

Chapter 23. Databases

This chapter includes databases that range from single-user read/write to industrial database servers with transaction support. Generally, you will be sent here to satisfy dependencies to other applications although building a SQL server on a base LFS system is entirely possible.

Berkeley DB-4.4.20

Introduction to Berkeley DB

The Berkeley DB package contains programs and utilities used by many other applications for database related functions. This package is also installed during LFS and may already exist on your system. It is listed here in BLFS as well because you may need to reinstall it if you need the additional language bindings or the RPC server. If you do reinstall Berkeley DB, ensure you use the 4.4.20 version used in the LFS book.

Package Information

- Download (HTTP): <http://downloads.sleepycat.com/db-4.4.20.tar.gz>
- Download (FTP): <ftp://ftp.sleepycat.com/releases/db-4.4.20.tar.gz>
- Download MD5 sum: d84dff288a19186b136b0daf7067ade3
- Download size: 7.9 MB
- Estimated disk space required: 66.7 MB (additional 100 MB to run parallel standard test suite)
- Estimated build time: 1.4 SBU (builds all bindings, add an additional 145 SBU to run parallel standard test suite)

Additional Downloads

- Required patch: <http://www.sleepycat.com/update/4.4.20/patch.4.4.20.1>
- Required patch: <http://www.sleepycat.com/update/4.4.20/patch.4.4.20.2>
- Required patch: <http://www.sleepycat.com/update/4.4.20/patch.4.4.20.3>
- Required patch: <http://www.sleepycat.com/update/4.4.20/patch.4.4.20.4>

Berkeley DB Dependencies

Optional

Tcl-8.4.13, JDK-1.5.0_10, and sharutils (for the **uudecode** command)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/db>

Testing Berkeley DB

You may want to skip ahead to the section called “Installation of Berkeley DB”. The test suite can take up to 150 SBUs and has a few bugs causing a report of “Regression tests failed”. However, running the test suite is a very exhaustive test of your hardware, perhaps pushing your machine harder (especially disk I/O) than it will ever see during production use. Note that you must have Tcl installed to run the test suite.

Build for the Berkeley DB test by running the following commands:

```
for PATCH in ../patch.4.4.20.{1..4}; do patch -Np0 -i $PATCH; done &&
cd build_unix &&
../dist/configure --prefix=/usr \
                  --enable-test \
                  --enable-tcl \
                  --with-tcl=/usr/lib &&
make
```

To test the results, start **tclsh**:

```
tclsh
```

From the **tclsh** prompt (**%**), run:

```
source ../test/test.tcl
run_parallel 5 run_std
exit
```

Clean up the source tree with the following command:

```
make realclean &&
cd ..
```

Installation of Berkeley DB

The installation commands below are identical to the commands used in the LFS book. If you installed Berkeley DB in LFS, and you don't add anything to the **configure** script, you'll end up with exactly what you already have. The additional parameters you can use are listed in the Command Explanations section below. Install Berkeley DB by running the following commands:

```
for PATCH in ../patch.4.4.20.{1..4}; do patch -Np0 -i $PATCH; done &&
cd build_unix &&
../dist/configure --prefix=/usr \
                  --enable-compat185 \
                  --enable-cxx &&
make
```

Now, as the root user:

```
make docdir=/usr/share/doc/db-4.4.20 install &&
chown -v root:root /usr/bin/db_* /usr/lib/libdb* /usr/include/db* &&
chown -v root:root /usr/bin/berkeley_db_svc &&
chown -v -R root:root /usr/share/doc/db-4.4.20
```

Command Explanations

cd build_unix && ../dist/configure --prefix=/usr...: This replaces the normal **./configure** command, as Berkeley DB comes with various build directories for different platforms.

--enable-compat185: This switch enables building the DB-1.85 compatibility API.

--enable-cxx: This switch enables building C++ API libraries.

`--enable-tcl --with-tcl=/usr/lib`: Enables Tcl support in DB and creates the `libdb_tcl` libraries.

`--enable-java`: Enables Java support in DB and creates the `libdb_java` libraries.

`--enable-rpc`: Enables building the Berkeley DB RPC server.

make docdir=/usr/share/doc/db-4.4.20 install: This installs the documentation in the correct location instead of `/usr/docs`.

chown -v root:root /usr/bin/berkeley_db_svc: This command changes the ownership of the RPC server program. It is only required if you passed `--enable-rpc` to the **configure** script.

Contents

Only the program and libraries not installed in LFS are listed here, the others can be found at [../lfs/view/6.2/chapter06/db.html#contents-db](http://lfs/view/6.2/chapter06/db.html#contents-db) as they were initially installed during the building of LFS.

Installed Program:	<code>berkeley_db_svc</code>
Installed Libraries:	<code>libdb_java.{so,a}</code> and <code>libdb_tcl.{so,a}</code>
Installed Directory:	<code>/usr/share/doc/db-4.4.20</code>

Short Descriptions

berkeley_db_svc is the Berkeley DB RPC server.

MySQL-5.0.21

Introduction to MySQL

MySQL is a widely used and fast SQL database server. It is a client/server implementation that consists of a server daemon and many different client programs and libraries.

Package Information

- Download (HTTP): <http://downloads.mysql.com/archives/mysql-5.0/mysql-5.0.21.tar.gz>
- Download (FTP): <ftp://ftp.freebsd.org/pub/FreeBSD/ports/distfiles/mysql-5.0.21.tar.gz>
- Download MD5 sum: c3165204c42e1db6fc3a95a4fd2cd22f
- Download size: 18.6 MB
- Estimated disk space required: 244 MB (additional 194 MB to run the test suite)
- Estimated build time: 4.5 SBU (Test suite is an additional 48 minutes, only partially CPU dependent)

MySQL Dependencies

Optional

OpenSSL-0.9.8d and TCP Wrapper-7.6.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mysql>

Installation of MySQL

For security reasons, running the server as an unprivileged user and group is strongly encouraged:

```
groupadd -g 40 mysql &&
useradd -c "MySQL Server" -d /dev/null -g mysql -s /bin/false \
-u 40 mysql
```

Build and install MySQL by running the following commands:

```
C_EXTRA_FLAGS=-fno-strict-aliasing \
./configure --prefix=/usr \
--sysconfdir=/etc \
--libexecdir=/usr/sbin \
--localstatedir=/srv/mysql \
--enable-thread-safe-client \
--enable-asm \
--enable-local-infile \
--with-unix-socket-path=/var/run/mysql/mysql.sock \
--without-debug \
--without-bench \
--without-readline \
--with-berkeley-db \
--with-extra-charsets=all &&
make testdir=/tmp/mysql
```

To test the results, issue: **make test**. Note that if you have a restrictive `/etc/hosts.deny` file, you will need

to add an appropriate entry to the `/etc/hosts.allow` file for the **mysqld** daemon, else many of the tests will fail.

Now, as the root user:

```
make testdir=/tmp/mysql install &&
rm -rf /tmp/mysql &&
cd /usr/lib &&
ln -v -sf mysql/libmysqlclient{,_r}.so* .
```

Command Explanations

`C_EXTRA_FLAGS=-fno-strict-aliasing`: This environment variable adjusts the compiler optimization to avoid failures in the testsuite and other operations.

`--libexecdir=/usr/sbin`: This switch installs the **mysqld** daemon and the **mysqlmanager** program in an appropriate location.

`--localstatedir=/srv/mysql`: This switch forces MySQL to use `/srv/mysql` for database files and other variable data.

`--enable-thread-safe-client`: This switch compiles a thread-safe MySQL client library.

`--enable-asm`: This switch allows using assembler versions of some string functions.

`--enable-local-infile`: This switch enables the “LOAD DATA INFILE” SQL statement.

`--with-unix-socket-path=/var/run/mysql`: This switch puts the unix-domain socket into the `/var/run/mysql` directory instead of the default `/tmp`.

`--without-bench`: This switch skips building the benchmark suite.

`--without-readline`: This switch forces the build to use the system copy of readline instead of the bundled copy.

`--with-berkeley-db`: This switch enables using Berkeley DB tables as a back end.

`--with-extra-charsets=all`: This switch enables international character sets within the suite.

`make testdir=...`: This installs the test suite in `/tmp/mysql`. The test suite is not required, nor does it function properly on an installed version of MySQL, so it is removed in the next step.

`ln -v -sf mysql/libmysqlclient{,_r}.so* .`: This command makes the MySQL shared libraries available to other packages at run-time.

`--with-openssl`: This switch adds OpenSSL support to MySQL.

`--with-libwrap`: This switch adds tcpwrappers support to MySQL.

Configuring MySQL

Config Files

`/etc/my.cnf` and `~/.my.cnf`

Configuration Information

There are several default configuration files available in `/usr/share/mysql` which you can use. Create `/etc/my.cnf` using the following command as the root user:

```
install -v -m644 /usr/share/mysql/my-medium.cnf /etc/my.cnf
```

You can now install a database and change the ownership to the unprivileged user and group (perform as the root user):

```
mysql_install_db --user=mysql &&  
chgrp -v mysql /srv/mysql{,/test,/mysql}
```

Further configuration requires that the MySQL server is running. Start the server using the following commands as the root user:

```
install -v -m755 -o mysql -g mysql -d /var/run/mysql &&  
mysqld_safe --user=mysql 2>&1 >/dev/null &
```

A default installation does not set up a password for the administrator, so use the following command as the root user to set one. Replace `<new-password>` with your own.

```
mysqladmin -u root password <new-password>
```

Configuration of the server is now finished. Shut the server down using the following command as the root user:

```
mysqladmin -p shutdown
```

Boot Script

Install the `/etc/rc.d/init.d/mysql` init script included in the `blfs-bootscripts-20060910` package as the root user to start the MySQL server during system boot-up.

```
make install-mysql
```

Contents

Installed Programs:	<code>comp_err</code> , <code>innochecksum</code> , <code>mysql2mysql</code> , <code>my_print_defaults</code> , <code>myisam_ftdump</code> , <code>myisamchk</code> , <code>myisamlog</code> , <code>myisampack</code> , <code>mysql</code> , <code>mysql_client_test</code> , <code>mysql_config</code> , <code>mysql_convert_table_format</code> , <code>mysql_create_system_tables</code> , <code>mysql_explain_log</code> , <code>mysql_find_rows</code> , <code>mysql_fix_extensions</code> , <code>mysql_fix_privilege_tables</code> , <code>mysql_install_db</code> , <code>mysql_secure_installation</code> , <code>mysql_setpermission</code> , <code>mysql_tableinfo</code> , <code>mysql_tzinfo_to_sql</code> , <code>mysql_waitpid</code> , <code>mysql_zap</code> , <code>mysqlaccess</code> , <code>mysqladmin</code> , <code>mysqlbinlog</code> , <code>mysqlbug</code> , <code>mysqlcheck</code> , <code>mysqld</code> , <code>mysqld_multi</code> , <code>mysqld_safe</code> , <code>mysqldump</code> , <code>mysqldumpslow</code> , <code>mysqlhotcopy</code> , <code>mysqlimport</code> , <code>mysqlmanager</code> , <code>mysqlshow</code> , <code>mysqltest</code> , <code>mysqltestmanager</code> , <code>mysqltestmanager-pwgen</code> , <code>mysqltestmanagerc</code> , <code>perror</code> , <code>replace</code> , <code>resolve_stack_dump</code> , and <code>resolveip</code>
Installed Libraries:	<code>libdebug.a</code> , <code>libheap.a</code> , <code>libmyisam.a</code> , <code>libmyisammrg.a</code> , <code>libmysqlclient.{so,a}</code> , <code>libmysqlclient_r.{so,a}</code> , <code>libmystrings.a</code> , <code>libmysys.a</code> , and <code>libvio.a</code>
Installed Directories:	<code>/srv/mysql</code> , <code>/usr/include/mysql</code> , <code>/usr/lib/mysql</code> , <code>/usr/share/mysql</code> , and <code>/var/run/mysql</code>

Short Descriptions

Descriptions of all the programs and libraries would be several pages long. Instead, consult the `mysql.info` documentation or the on-line reference manual at <http://dev.mysql.com/doc/refman/5.0/en/index.html>.

The Perl DBI modules must be installed for some of the MySQL support programs to function properly.

PostgreSQL-8.1.3

Introduction to PostgreSQL

PostgreSQL is an advanced object-relational database management system (ORDBMS), derived from the Berkeley Postgres database management system.

Package Information

- Download (HTTP): <http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/p/postgresql-8.1.3.tar.bz2>
- Download (FTP): <ftp://ftp-archives.postgresql.org/pub/source/v8.1.3/postgresql-8.1.3.tar.bz2>
- Download MD5 sum: bb510edbb533962c0692e211b3bd8cfa
- Download size: 11.5 MB
- Estimated disk space required: 153 MB (additional 100 MB to run the testsuite)
- Estimated build time: 1.7 SBU

PostgreSQL Dependencies

Optional

Python-2.4.4, Tcl-8.4.13, OpenSSL-0.9.8d, Linux-PAM-0.99.4.0, krb4, MIT Kerberos V5-1.6 or Heimdal-0.7.2, and Bonjour

Optional (To Regenerate Documentation)

DocBook SGML DTD-4.4, DocBook DSSSL Stylesheets-1.79, OpenJade-1.3.2, and SGMLSpM-1.03ii

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/postgresql>

Installation of PostgreSQL

Install PostgreSQL with the following commands:

```
sed -i "s|dsssl-stylesheets|& \\\n          sgml/docbook/&-1.79|" \
    configure &&
./configure --prefix=/usr --enable-thread-safety &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
chown -v root:root /usr/share/doc/postgresql/html/* &&
install -v -m755 -d /usr/share/doc/postgresql/{FAQ/html,TODO.detail} &&
install -v -m644 doc/TODO /usr/share/doc/postgresql &&
install -v -m644 doc/FAQ* /usr/share/doc/postgresql/FAQ &&
install -v -m644 doc/src/FAQ/* /usr/share/doc/postgresql/FAQ/html &&
install -v -m644 doc/TODO.detail/* \
    /usr/share/doc/postgresql/TODO.detail
```

**Note**

If you are upgrading an existing system and are going to install the new files over the old ones, then you should back up your data, shut down the old server and follow the instructions in the official PostgreSQL documentation.

Initialize a database cluster with the following commands issued by the `root` user:

```
install -v -m755 -d /srv/pgsql/data &&
groupadd -g 41 postgres &&
useradd -c "PostgreSQL Server" -g postgres -d /srv/pgsql/data \
        -u 41 postgres &&
chown -v postgres /srv/pgsql/data &&
su - postgres -c '/usr/bin/initdb -D /srv/pgsql/data'
```

As the `root` user, start the database server with the following command:

```
su - postgres -c '/usr/bin/postmaster -D /srv/pgsql/data > \
    /srv/pgsql/data/logfile 2>&1 &'
```

Still as user `root`, create a database and verify the installation:

```
su - postgres -c '/usr/bin/createdb test' &&
echo "create table t1 ( name varchar(20), state_province varchar(20) );" \
    | (su - postgres -c '/usr/bin/psql test ') &&
echo "insert into t1 values ('Billy', 'NewYork');" \
    | (su - postgres -c '/usr/bin/psql test ') &&
echo "insert into t1 values ('Evanidus', 'Quebec');" \
    | (su - postgres -c '/usr/bin/psql test ') &&
echo "insert into t1 values ('Jesse', 'Ontario');" \
    | (su - postgres -c '/usr/bin/psql test ') &&
echo "select * from t1;" | (su - postgres -c '/usr/bin/psql test')
```

Command Explanations

sed -i "s|dsssl-stylesheets|...": This command puts an extra line in the **configure** script so that the BLFS installed version of the DSSSL stylesheets are discovered.

--enable-thread-safety: This switch makes the client libraries thread-safe by allowing concurrent threads in `libpq` and `ECPG` programs to safely control their private connection handles.

chown -R root:root /usr/share/doc/postgresql/html/*: This command corrects the improper ownership of documentation files.

groupadd ...; useradd ...: These commands add an unprivileged user and group to run the database server.

createdb test; create table t1; insert into t1 values...; select * from t1: Create a database, add a table to it, insert some rows into the table and select them to verify that the installation is working properly.

Configuring PostgreSQL

Config Files

`$PGDATA/pg_ident.conf`, `$PGDATA/pg_hba.conf` and `$PGDATA/postgresql.conf`

The `PGDATA` environment variable is used to distinguish database clusters from one another by setting it to the value of the directory which contains the cluster desired. The three configuration files exist in every `PGDATA/` directory. Details on the format of the files and the options that can be set in each can be found in <file:///usr/share/doc/postgresql/html/index.html>.

Boot Script

Install the `/etc/rc.d/init.d/postgresql` init script included in the `blfs-bootscripts-20060910` package.

```
make install-postgresql
```

Contents

Installed Programs:	<code>clusterdb</code> , <code>createdb</code> , <code>createlang</code> , <code>createuser</code> , <code>dropdb</code> , <code>droplang</code> , <code>dropuser</code> , <code>ecpg</code> , <code>initdb</code> , <code>ipcclean</code> , <code>pg_config</code> , <code>pg_controldata</code> , <code>pg_ctl</code> , <code>pg_dump</code> , <code>pg_dumpall</code> , <code>pg_resetxlog</code> , <code>pg_restore</code> , <code>pltcl_delmod</code> , <code>pltcl_listmod</code> , <code>pltcl_loadmod</code> , <code>postgres</code> , <code>postmaster</code> , <code>psql</code> , and <code>vacuumdb</code>
Installed Libraries:	<code>libecpg.{so,a}</code> , <code>libecpg_compat.{so,a}</code> , <code>libpgport.a</code> , <code>libpgtypes.{so,a}</code> , <code>libpq.{so,a}</code> , and various charset modules.
Installed Directories:	<code>/srv/pgsql</code> , <code>/usr/include/libpq</code> , <code>/usr/include/postgresql</code> , <code>/usr/lib/postgresql</code> , <code>/usr/share/doc/postgresql</code> , and <code>/usr/share/postgresql</code>

Short Descriptions

clusterdb	is a utility for recluster tables in a PostgreSQL database.
createdb	creates a new PostgreSQL database.
createlang	defines a new PostgreSQL procedural language.
createuser	defines a new PostgreSQL user account.
dropdb	removes a PostgreSQL database.
droplang	removes a PostgreSQL procedural language.
dropuser	removes a PostgreSQL user account.
ecpg	is the embedded SQL preprocessor.
initdb	creates a new database cluster.
ipcclean	removes shared memory and semaphores left over by an aborted database server.
pg_config	retrieves PostgreSQL version information.
pg_controldata	returns information initialized during initdb , such as the catalog version and server locale.

pg_ctl	controls stopping and starting the database server.
pg_dump	dumps database data and metadata into scripts which are used to recreate the database.
pg_dumpall	recursively calls pg_dump for each database in a cluster.
pg_resetxlog	clears the write-ahead log and optionally resets some fields in the <code>pg_control</code> file.
pg_restore	creates databases from dump files created by pg_dump .
pltcl_delmod	is a support script used to delete a module from a PL/Tcl table. The command requires the Pgtcl package to be installed also.
pltcl_listmod	is a support script used to list the modules in a PL/Tcl table. The command requires the Pgtcl package to be installed also.
pltcl_loadmod	is a support script used to load a module into a PL/Tcl table. The command requires the Pgtcl package to be installed also.
postgres	is a single user database server, generally used for debugging.
postmaster	is a multi-user database daemon.
psql	is a console based database shell.
vacuumdb	compacts databases and generates statistics for the query analyzer.

Chapter 24. Other Server Software

Here you will find many ways to share your machine with the rest of the world or your local network. Before installing any packages in this chapter, you need to be sure you understand what the package does and how to set it up correctly. It might also be helpful to learn about the consequences of an improper setup so that you can analyze the risks.

DHCP-3.0.5

Introduction to DHCP

The DHCP package contains both the client and server programs for DHCP. **dhclient** (the client) is useful for connecting your computer to a network which uses DHCP to assign network addresses. **dhcpd** (the server) is useful for assigning network addresses on your private network.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/infosys/servers/isc/dhcp/dhcp-3.0.5.tar.gz>
- Download (FTP): <ftp://ftp.isc.org/isc/dhcp/dhcp-3.0.5.tar.gz>
- Download MD5 sum: ce5d30d4645e4eab1f54561b487d1ec7
- Download size: 864 KB
- Estimated disk space required: 21.4 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/dhcp-3.0.5-client_dns-1.patch
- Optional Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/dhcp-3.0.5-iproute2-1.patch>

DHCP Dependencies

Required

Net-tools-1.60 (you may omit net-tools by using the optional patch to utilize iproute2.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dhcp>

Kernel Configuration

You must have Packet Socket support (Device Drivers # Networking Support # Networking Options # Packet Socket) compiled into the kernel.

Installation of DHCP

First fix a problem with always regenerating /etc/resolv.conf whether the DNS server has changed or not.

```
patch -Np1 -i ../dhcp-3.0.5-client_dns-1.patch
```

If you chose not to install net-tools, apply the iproute2 patch:

```
patch -Np1 -i ../dhcp-3.0.5-iproute2-1.patch
```

Install DHCP by running the following commands:

```
./configure &&  
make
```

Now, as the root user:

```
make LIBDIR=/usr/lib INCDIR=/usr/include install
```

Command Explanations

LIBDIR=/usr/lib INCDIR=/usr/include: This command installs the library and include files in /usr instead of /usr/local.

Configuring DHCP

Config Files

/etc/dhclient.conf and /etc/dhcpd.conf

Configuration Information

Information on configuring the DHCP client can be found in Chapter 14, DHCP Clients.

Note that you only need the DHCP server if you want to issue LAN addresses over your network. The DHCP client doesn't need this script to be used. Also note that this script is coded for the **eth1** interface, which may need to be modified for your hardware configuration.

Install the /etc/rc.d/init.d/dhcp init script included in the blfs-bootscripts-20060910 package.

```
make install-dhcp
```

The lease file must exist on startup. The following command will satisfy that requirement:

```
touch /var/state/dhcp/dhcpd.leases
```

The following commands will create a base configuration file for a DHCP server. There are several options that you may want to add (information that is passed back to the DHCP client) and those are covered in the man pages for dhcp.conf.

```
cat > /etc/dhcpd.conf << "EOF"  
default-lease-time 72000;  
max-lease-time 144000;  
ddns-update-style ad-hoc;  
  
subnet <192.168.5.0> netmask <255.255.255.0> {  
    range <192.168.5.10> <192.168.5.240>;  
    option broadcast-address <192.168.5.255>;  
    option routers <192.168.5.1>;  
}  
EOF
```

All addresses should be changed to meet your circumstance.

Contents

Installed Programs: dhcpcd, dhcrelay, dhclient, dhclient-script, and omshell
Installed Libraries: bdhcpctl.a, libomapi.a
Installed Directories: /var/state/dhcp, /usr/include/omapip, and /usr/include/isi-dhcp

Short Descriptions

dhclient is the implementation of the DHCP client.
dhcpd implements Dynamic Host Configuration Protocol (DHCP) and Internet Bootstrap Protocol (BOOTP) requests for network addresses.
dhcrelay provides a means to accept DHCP and BOOTP requests on a subnet without a DHCP server and relay them to a DHCP server on another subnet.
omshell provides an interactive way to connect to, query, and possibly change, the ISC DHCP Server's state via OMAPI, the Object Management API.

Leafnode-1.11.5

Introduction to Leafnode

Leafnode is an NNTP server designed for small sites to provide a local USENET spool.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/leafnode/leafnode-1.11.5.tar.bz2>
- Download (FTP): <ftp://ftp.gwdg.de/pub/linux/mirrors/sunsite/system/news/transport/leafnode-1.11.5.tar.bz2>
- Download MD5 sum: 88552c5cc91cb27146c8906b2d33289d
- Download size: 428 KB
- Estimated disk space required: 6.2 MB
- Estimated build time: 0.1 SBU

Leafnode Dependencies

Required

PCRE-6.7 and TCP Wrapper-7.6

Recommended

xinetd-2.3.14 and Fcron-3.0.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/leafnode>

Installation of Leafnode

As the `root` user, create the group and user `news`, if not present:

```
groupadd -g 36 news &&
useradd -c "Leafnode News Server" -d /var/spool/news -g news \
        -u 36 news
```

Install Leafnode by running the following commands:

```
./configure --prefix=/usr \
    --localstatedir=/var --sysconfdir=/etc/leafnode \
    --with-lockfile=/var/lock/leafnode/fetchnews.lck &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--localstatedir=/var`: Change the default spool directory of `/usr/var`.

`--sysconfdir=/etc/leafnode`: Leafnode reads its configuration data from a file called `config` which will be created in `/etc/leafnode` to avoid any potential conflict with other packages.

make update: Run this command if you are upgrading from a very old version of Leafnode.

Configuring Leafnode

Config Files

`/etc/leafnode/config`, `/etc/nntpserver`, `/etc/sysconfig/createfiles`
`/etc/inetd.conf` or `/etc/xinetd.conf` or `/etc/xinetd.d/nntp`

Configuration Information

The `/etc/leafnode/config` file must be edited to reflect the name of the upstream NNTP provider. Copy the example configuration file to `/etc/leafnode/config` and save the original for reference:

```
cp /etc/leafnode/config.example /etc/leafnode/config
```

Change the

```
server =
```

entry to reflect your news provider.

The `/etc/nntpserver` file must contain `127.0.0.1` to prevent news clients from reading news from the upstream feed. Create this file using the following command:

```
cat > /etc/nntpserver << "EOF"
127.0.0.1
EOF
```

The `/etc/rc.d/init.d/cleanfs` script, part of the LFS bootscrip package, will remove the `/var/lock/leafnode` directory during the system boot sequence. Install the following line in the `/etc/sysconfig/createfiles` file to re-create the directory:

```
/var/lock/leafnode  dir  2775  news  news
```

Leafnode may be configured to use **inetd** by adding an entry to the `/etc/inetd.conf` file with the following command:

```
echo "nntp stream tcp nowait news /usr/sbin/tcpd /usr/sbin/leafnode" \
>> /etc/inetd.conf
```

Issue a **killall -HUP inetd** to reread the changed `inetd.conf` file.

If you use **xinetd**, the following command will create the Leafnode file as `/etc/xinetd.d/nntp`:

```
cat >> /etc/xinetd.d/nntp << "EOF"
# Begin /etc/xinetd.d/nntp

    service nntp
    {
```

```

        flags                = NAMEINARGS NOLIBWRAP
        socket_type          = stream
        protocol             = tcp
        wait                 = no
        user                 = news
        server               = /usr/sbin/tcpd
        server_args          = /usr/sbin/leafnode
        instances            = 7
        per_source           = 3
    }

# End /etc/xinetd.d/nntp
EOF

```

Issue a **killall -HUP xinetd** to reread the changed `xinetd.conf` file.

Add entries to the `root` or `news` user's crontab to run the **fetchnews** and **texpire** commands at the desired time intervals.

Contents

Installed Programs:	<code>applyfilter</code> , <code>checkgroups</code> , <code>fetchnews</code> , <code>leafnode</code> , <code>leafnode-version</code> , <code>newsq</code> , and <code>texpire</code>
Installed Libraries:	None
Installed Directories:	<code>/etc/leafnode</code> , <code>/var/lock/leafnode</code> , and <code>/var/spool/news</code>

Short Descriptions

applyfilter	filters newsgroup articles according to regular expressions.
checkgroups	inserts newsgroup titles into the newsgroup database.
fetchnews	sends posted articles to and retrieves new articles from an upstream news server.
leafnode	is an NNTP server daemon.
leafnode-version	prints the Leafnode version.
newsq	shows articles waiting to be sent upstream.
texpire	expires old articles and unread groups.

OpenLDAP-2.3.27

Introduction to OpenLDAP

The OpenLDAP package provides an open source implementation of the Lightweight Directory Access Protocol.

Package Information

- Download (HTTP):
<http://gd.tuwien.ac.at/infosys/network/OpenLDAP/openldap-stable/openldap-stable-20060823.tgz>
- Download (FTP): <ftp://ftp.openldap.org/pub/OpenLDAP/openldap-stable/openldap-stable-20060823.tgz>
- Download MD5 sum: 0fbae4e9279aaa586adcd9f19b66a5ed
- Download size: 3.6 MB
- Estimated disk space required: 51.8 MB
- Estimated build time: 1.8 SBU and approximately 30 minutes to run the tests (processor independent)



Note

The OpenLDAP stable releases are packaged without version numbers in the tarball names. You can see the relationship between the version number and name of the tarball at <http://www.openldap.org/software/download/>.

OpenLDAP Dependencies

Required

Berkeley DB-4.4.20 is recommended (built in LFS) or GDBM-1.8.3

Recommended

Cyrus SASL-2.1.21 and OpenSSL-0.9.8d

Optional

TCP Wrapper-7.6, unixODBC-2.2.11, GMP-4.2, GNU Pth, and OpenSLP

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/openldap>

Installation of OpenLDAP

Install OpenLDAP by running the following commands:

```
./configure --prefix=/usr \
            --libexecdir=/usr/sbin \
            --sysconfdir=/etc \
            --localstatedir=/srv/ldap \
            --disable-debug \
            --enable-dynamic \
            --enable-crypt \
```



```

--enable-modules \
--enable-ldap \
--enable-ldbm \
--enable-dyngroup \
--enable-dynlist \
--enable-ppolicy \
--enable-valsort &&
make depend &&
make

```

To test the results, issue: **make test**.

Now, as the root user:

```

make install &&
chmod -v 755 /usr/lib/libl*-2.3.so.0.2.15 &&
install -v -m755 -d /usr/share/doc/openldap-2.3.27/{drafts,guide,rfc} &&
install -v -m644 doc/drafts/* /usr/share/doc/openldap-2.3.27/drafts &&
install -v -m644 doc/rfc/* /usr/share/doc/openldap-2.3.27/rfc &&
cp -v -R doc/guide/* /usr/share/doc/openldap-2.3.27/guide

```

Command Explanations

--libexecdir=/usr/sbin: Installs the **slapd** and **slurpd** daemon programs in `/usr/sbin` instead of `/usr/libexec`.

--sysconfdir=/etc: Sets the configuration file directory to avoid the default of `/usr/etc`.

--localstatedir=/srv/ldap: Sets the directory to use for the LDAP directory database, replication logs and run-time variable data.

--disable-debug: Disable debugging code.

--enable-dynamic: This forces the OpenLDAP libraries to be dynamically linked to the executable programs.

--enable-crypt: Enables crypt(3) passwords.

--enable-modules: Enables dynamic module support.

--enable-ldap: Enables the **slapd** LDAP backend.

--enable-ldbm: Build **slapd** with the primary database back end using either Berkeley DB or GNU Database Manager.

--enable-dyngroup: Enables the **slapd** dynamic group overlay.

--enable-dynlist: Enables the **slapd** dynamic list overlay.

--enable-ppolicy: Enables the **slapd** password policy overlay.

--enable-valsort: Enables the **slapd** value sorting overlay.

make test: Validates the correct build of the package. If you've enabled `tcp_wrappers`, ensure you add `127.0.0.1` to the `slapd` line in the `/etc/hosts.allow` file if you have a restrictive `/etc/hosts.deny` file.

chmod -v 755 /usr/lib/libl*-2.3.so.0.2.15: This command adds the executable bit to the shared libraries.

--disable-bdb --disable-hdb --with-ldbm-api=gdbm: Pass these parameters to the **configure** command if you wish to use GDBM instead of Berkeley DB as the primary backend database.



Note

Run **./configure --help** to see if there are other parameters you can pass to the **configure** command to enable other options or dependency packages.

Configuring OpenLDAP

Config Files

/etc/openldap/*

Configuration Information

Configuring the **slapd** and **slurpd** servers can be complex. Securing the LDAP directory, especially if you are storing non-public data such as password databases, can also be a challenging task. You'll need to modify the /etc/openldap/slapd.conf and /etc/openldap/ldap.conf files to set up OpenLDAP for your particular needs.

Resources to assist you with topics such as choosing a directory configuration, backend and database definitions, access control settings, running as a user other than root and setting a **chroot** environment include:

- The **slapd** man page
- The slapd.conf man page
- The OpenLDAP 2.3 Administrator's Guide (also installed locally in /usr/share/doc/openldap-2.3.27/guide/admin)
- Documents located at <http://www.openldap.org/pub/>

Utilizing GDBM

To utilize GDBM as the database backend, the “database” entry in /etc/openldap/slapd.conf must be changed from “bdb” to “ldbm”. You can use both by creating an additional database section in /etc/openldap/slapd.conf.

Mozilla Address Directory

By default, LDAPv2 support is disabled in the slapd.conf file. Once the database is properly set up and Mozilla is configured to use the directory, you must add `allow bind_v2` to the slapd.conf file.

Boot Script

To automate the startup of the LDAP server at system bootup, install the /etc/rc.d/init.d/openldap init script included in the blfs-bootscripts-20060910 package using the following command:

```
make install-openldap1
```

Note: The init script you just installed only starts the **slapd** daemon. If you wish to also start the **slurpd** daemon at system startup, install a modified version of the script using this command:

```
make install-openldap2
```



Note

The init script starts the daemons without any parameters. You'll need to modify the script to include the parameters needed for your specific configuration. See the **slapd** and **slurpd** man pages for parameter information.

Testing the Configuration

Start the LDAP server using the init script:

```
/etc/rc.d/init.d/openldap start
```

Verify access to the LDAP server with the following command:

```
ldapsearch -x -b '' -s base '(objectclass=*)' namingContexts
```

The expected result is:

```
# extended LDIF
#
# LDAPv3
# base <> with scope base
# filter: (objectclass=*)
# requesting: namingContexts
#
#
dn:
namingContexts: dc=my-domain,dc=com

# search result
search: 2
result: 0 Success

# numResponses: 2
# numEntries: 1
```

Contents

Installed Programs:	ldapadd, ldapcompare, ldapdelete, ldapmodify, ldapmodrdn, ldappasswd, ldapsearch, ldapwhoami, slapadd, slapcat, slapd, slapdn, slapindex, slappasswd, slaptest, and slurpd
Installed Libraries:	liblber.{so,a}, libldap.{so,a}, and libldap_r.{so,a}
Installed Directories:	/etc/openldap, /srv/ldap, and /usr/share/openldap

Short Descriptions

ldapadd	opens a connection to an LDAP server, binds and adds entries.
ldapcompare	opens a connection to an LDAP server, binds and performs a compare using specified parameters.
ldapdelete	opens a connection to an LDAP server, binds and deletes one or more entries.
ldapmodify	opens a connection to an LDAP server, binds and modifies entries.
ldapmodrdn	opens a connection to an LDAP server, binds and modifies the RDN of entries.
ldappasswd	is a tool to set the password of an LDAP user.
ldapsearch	opens a connection to an LDAP server, binds and performs a search using specified parameters.
ldapwhoami	opens a connection to an LDAP server, binds and displays whoami information.
slapadd	is used to add entries specified in LDAP Directory Interchange Format (LDIF) to an LDAP database.
slapcat	is used to generate an LDAP LDIF output based upon the contents of a slapd database.
slapd	is the stand-alone LDAP server.
slapdn	checks a list of string-represented DN's based on schema syntax.
slapindex	is used to regenerate slapd indices based upon the current contents of a database.
slappasswd	is an OpenLDAP password utility.
slaptest	checks the sanity of the <code>slapd.conf</code> file.
slurpd	is the stand-alone LDAP replication server.
<code>liblber.{so,a}</code>	is a set of lightweight Basic Encoding Rules routines. These routines are used by the LDAP library routines to encode and decode LDAP protocol elements using the (slightly simplified) Basic Encoding Rules defined by LDAP. They are not normally used directly by an LDAP application program except in the handling of controls and extended operations.
<code>libldap.{so,a}</code>	supports the LDAP programs and provide functionality for other programs interacting with LDAP.
<code>libldap_r.{so,a}</code>	contains the functions required by the LDAP programs to produce the results from LDAP requests.

rsync-2.6.8

Introduction to rsync

The rsync package contains the **rsync** utility. This is useful for synchronizing large file archives over a network.

Package Information

- Download (HTTP): <http://rsync.samba.org/ftp/rsync/old-versions/rsync-2.6.8.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/rsync-2.6.8.tar.gz>
- Download MD5 sum: 082a9dba1f741e6591e5cd748a1233de
- Download size: 760 KB
- Estimated disk space required: 6.2 MB
- Estimated build time: 0.2 SBU

rsync Dependencies

Optional

popt-1.10.4 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/rsync>

Installation of rsync

For security reasons, running the rsync server as an unprivileged user and group is encouraged. If you intend to run **rsync** as a daemon, create the **rsyncd** user and group with the following commands issued by the **root** user:

```
groupadd -g 48 rsyncd &&
useradd -c "rsyncd Daemon" -d /home/rsync -g rsyncd \
-s /bin/false -u 48 rsyncd
```

Install rsync by running the following commands:

```
./configure --prefix=/usr &&
make
```

If you have DocBook-Utills installed and wish to build HTML documentation, issue:

```
cd doc &&
docbook2html rsync.sgml &&
cd ..
```

To test the results, issue: **make check**.

Now, as the **root** user:

```
make install
```

If you built the HTML documentation, install it using the following commands as the **root** user:

```
install -v -m755 -d /usr/share/doc/rsync-2.6.8 &&
install -v -m644 doc/*.html /usr/share/doc/rsync-2.6.8
```

Configuring rsync

Config Files

/etc/rsyncd.conf

Configuration Information

For client access to remote files, you may need to install the OpenSSH-4.5p1 package to connect to the remote server.

This is a simple download-only configuration to set up running **rsync** as a server. See the rsyncd.conf(5) man-page for additional options (i.e., user authentication).

```
cat > /etc/rsyncd.conf << "EOF"
# This is a basic rsync configuration file
# It exports a single module without user authentication.

motd file = /home/rsync/welcome.msg
use chroot = yes

[localhost]
    path = /home/rsync
    comment = Default rsync module
    read only = yes
    list = yes
    uid = rsyncd
    gid = rsyncd

EOF
```

You can find additional configuration information and general documentation about **rsync** at <http://rsync.samba.org/documentation.html>.

Boot Script

Note that you only want to start the rsync server if you want to provide an rsync archive on your local machine. You don't need this script to run the rsync client.

Install the /etc/rc.d/init.d/rsyncd init script included in the blfs-bootscripts-20060910 package.

```
make install-rsyncd
```

Contents

Installed Program: rsync

Installed Libraries: None

Installed Directories: Optionally, /usr/share/doc/rsync-2.6.8

Short Descriptions

rsync is a replacement for **rcp** (and **scp**) that has many more features. It uses the “rsync algorithm” which provides a very fast method of syncing remote files. It does this by sending just the differences in the files across the link, without requiring that both sets of files are present at one end of the link beforehand.

Running a CVS Server

Running a CVS Server

This section will describe how to set up, administer and secure a CVS server.

CVS Server Dependencies

Required

CVS-1.11.22 and OpenSSH-4.5p1

Setting up a CVS Server.

A CVS server will be set up using OpenSSH as the remote access method. Other access methods, including `:pserver:` and `:server:` will not be used for write access to the CVS repository. The `:pserver:` method sends clear text passwords over the network and the `:server:` method is not supported in all CVS ports. Instructions for anonymous, read only CVS access using `:pserver:` can be found at the end of this section.

Configuration of the CVS server consists of four steps:

1. Create a Repository.

Create a new CVS repository with the following commands:

```
mkdir /srv/cvsroot &&
chmod 1777 /srv/cvsroot &&
export CVSROOT=/srv/cvsroot &&
cvs init
```

2. Import Source Code Into the Repository.

Import a source module into the repository with the following commands, issued from a user account on the same machine as the CVS repository:

```
cd < sourcedir > &&
cvs import -m "<repository test>" <cvstest> <vendortag> <releasetag>
```

3. Verify Local Repository Access.

Test access to the CVS repository from the same user account with the following command:

```
cvs co cvstest
```

4. Verify Remote Repository Access.

Test access to the CVS repository from a remote machine using a user account that has **ssh** access to the CVS server with the following commands:



Note

Replace `<servername>` with the IP address or host name of the CVS repository machine. You will be prompted for the user's shell account password before CVS checkout can continue.

```
export CVS_RSH=/usr/bin/ssh &&
cvs -d:ext:<servername>:/srv/cvsroot co cvstest
```

Configuring CVS for Anonymous Read Only Access.

CVS can be set up to allow anonymous read only access using the `:pserver:` method by logging on as `root` and executing the following commands:

```
(grep anonymous /etc/passwd || useradd anonymous -s /bin/false -u 98) &&
echo anonymous: > /srv/cvsroot/CVSRROOT/passwd &&
echo anonymous > /srv/cvsroot/CVSRROOT/readers
```

If you use **inetd**, the following command will add the CVS entry to `/etc/inetd.conf`:

```
echo "2401 stream tcp nowait root /usr/bin/cvs cvs -f \
--allow-root=/srv/cvsroot pserver" >> /etc/inetd.conf
```

Issue a **killall -HUP inetd** to reread the changed `inetd.conf` file.

If you use **xinetd**, the following command will create the CVS file as `/etc/xinetd.d/cvspserver`:

```
cat >> /etc/xinetd.d/cvspserver << "EOF"
# Begin /etc/xinetd.d/cvspserver

service cvspserver
{
    port                = 2401
    socket_type         = stream
    protocol            = tcp
    wait               = no
    user               = root
    passenv            = PATH
    server             = /usr/bin/cvs
    server_args        = -f --allow-root=/srv/cvsroot pserver
}

# End /etc/xinetd.d/cvspserver
EOF
```

Issue a **/etc/rc.d/init.d/xinetd reload** to reread the changed `xinetd.conf` file.

Testing anonymous access to the new repository requires an account on another machine that can reach the CVS server via network. No account on the CVS repository is needed. To test anonymous access to the CVS repository, log in to another machine as an unprivileged user and execute the following command:

```
cvs -d:pserver:anonymous@<servername>:/srv/cvsroot co cvstest
```



Note

Replace `<servername>` with the IP address or hostname of the CVS server.

Command Explanations

mkdir /srv/cvsroot: Create the CVS repository directory.

chmod 1777 /srv/cvsroot: Set sticky bit permissions for CVSROOT.

export CVSROOT=/srv/cvsroot: Specify new CVSROOT for all **cvs** commands.

cvs init: Initialize the new CVS repository.

cvs import -m "repository test" cvstest vendortag releasetag: All source code modules must be imported into the CVS repository before use, with the **cvs import** command. The **-m** flag specifies an initial descriptive entry for the new module. The **cvstest** parameter is the name used for the module in all subsequent **cvs** commands. The **vendortag** and **releasetag** parameters are used to further identify each CVS module and are mandatory whether used or not.

(grep anonymous /etc/passwd || useradd anonymous -s /bin/false -u 98): Check for an existing anonymous user and create one if not found.

echo anonymous > /srv/cvsroot/CVSROOT/passwd: Add the anonymous user to the CVS passwd file, which is unused for anything else in this configuration.

echo anonymous > /srv/cvsroot/CVSROOT/readers: Add the anonymous user to the CVS readers file, a list of users who have read only access to the repository.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	/srv/cvsroot

Running a Subversion Server

Running a Subversion Server

This section will describe how to set up, administer and secure a Subversion server.



Note

The default build instructions for Subversion disabled the Berkeley DB repository back-end due to the errors encountered in the test suite while building the Subversion-1.3.1 package. This should not present a functionality issue as the FSFS repository back-end is now the default, and recommended by the Subversion development team.

If you have existing repositories based on a Berkeley DB back-end and you followed the BLFS instructions for building Subversion, you'll need to dump the databases, create new repositories using the FSFS back-end, then then reload the data into the new repositories. Instructions for performing these operations can be found at <http://svnbook.red-bean.com/en/1.1/ch05s03.html#svn-ch-5-sect-3.5>.

Subversion Server Dependencies

Required

Subversion-1.3.1 and OpenSSH-4.5p1

Setting up a Subversion Server.

The following instructions will install a Subversion server, which will be set up to use OpenSSH as the secure remote access method, with **svnserve** available for anonymous access.

Configuration of the Subversion server consists of the following steps:

1. Setup Users, Groups, and Permissions

You'll need to be user **root** for the initial portion of configuration. Create the **svn** user and group with the following commands:

```
groupadd -g 56 svn &&
useradd -c "SVN Owner" -d /home/svn -m -g svn -s /bin/false -u 56 svn
```

If you plan to have multiple repositories, you should have a group dedicated to each repository for ease of administration. Create the **svntest** group for the test repository and add the **svn** user to that group with the following commands:

```
groupadd -g 57 svntest &&
usermod -G svntest svn
```

Additionally you should set **umask 002** while working with a repository so that all new files will be writable by owner and group. This is made mandatory by creating a wrapper script for **svn** and **svnserve**:

```
mv /usr/bin/svn /usr/bin/svn.orig &&
```

```

mv /usr/bin/svnserve /usr/bin/svnserve.orig &&
cat >> /usr/bin/svn << "EOF"
#!/bin/sh
umask 002
/usr/bin/svn.orig "$@"
EOF
cat >> /usr/bin/svnserve << "EOF"
#!/bin/sh
umask 002
/usr/bin/svnserve.orig "$@"
EOF
chmod 0755 /usr/bin/svn{,serve}

```



Note

If you use Apache for working with the repository over HTTP, even for anonymous access, you should wrap `/usr/sbin/httpd` in a similar script.

2. Create a Subversion repository.

With subversion-1.1.0 and greater, a new type of repository data-store is available, FSFS. There is a tradeoff for speed with the new backend, however, the repository can now be placed on a network mount, and any corruption does not require an admin to recover the repository. For more information and comparison between FSFS and BDB, see <http://svnbook.red-bean.com/svnbook-1.1/ch05.html#svn-ch-5-sect-1.2.A>.

Create a new Subversion repository with the following commands:

```

install -v -m 0755 -d /srv &&
install -v -m 0755 -o svn -g svn -d /srv/svn/repositories &&
svnadmin create --fs-type fsfs /srv/svn/repositories/svntest

```

Now that the repository is created, it should be populated with something useful. You'll need to have a predefined directory layout set up exactly as you want your repository to look. For example, here is a sample BLFS layout setup with a root of `svntest/`. You'll need to setup a directory tree similar to the following:

```

svntest/           # The name of the repository
  trunk/           # Contains the existing source tree
    BOOK/
    bootscripts/
    edguide/
    patches/
    scripts/
  branches/        # Needed for additional branches
  tags/            # Needed for tagging release points

```

Once you've created your directory layout as shown above, you are ready to do the initial import:

```

svn import -m "Initial import." \
  </path/to/source/tree> \
  file:///srv/svn/repositories/svntest

```

Now change owner and group information on the repository, and add an unprivileged user to the `svn` and

svntest groups:

```
chown -R svn:svntest /srv/svn/repositories/svntest &&
chmod -R g+w /srv/svn/repositories/svntest &&
chmod g+s /srv/svn/repositories/svntest/db &&
usermod -G svn,svntest,<insert existing groups> <username>
```

svntest is the group assigned to the svntest repository. As mentioned earlier, this eases administration of multiple repositories when using OpenSSH for authentication. Going forward, you'll need to add your unprivileged user, and any additional users that you wish to have write access to the repository, to the svn and svntest groups.

In addition, you'll notice that the new repository's db directory is set-groupID. If the reasoning is not immediately obvious, when using any external authentication method (such as **ssh**), the sticky bit is set so that all new files will be owned by the user, but group of svntest. Anyone in the svntest group can create files, but still give the entire group write access to those files. This avoids locking out other users from the repository.

Now, return to an unprivileged user account, and take a look at the new repository using **svnlook**:

```
svnlook tree /srv/svn/repositories/svntest/
```



Note

You may need to log out and back in again to refresh your group memberships. '**su <username>**' should work around this as well.

3. Configure the Server

As mentioned previously, these instructions will configure the server to use only **ssh** for write access to the repository and to provide anonymous access using **svnserve**. There are several other ways to provide access to the repository. These additional configurations are best explained at <http://svnbook.red-bean.com/>.

Access configuration needs to be done for each repository. Create the **svnserve.conf** file for the svntest repository using the following commands:

```
cp /srv/svn/repositories/svntest/conf/svnserve.conf \
  /srv/svn/repositories/svntest/conf/svnserve.conf.default &&
cat > /srv/svn/repositories/svntest/conf/svnserve.conf << "EOF"
[general]
anon-access = read
auth-access = write
EOF
```

There is not a lot to the configuration file at all. You'll notice that only the general section is required. Take a look at the **svnserve.conf.default** file for information on using **svnserve**'s built-in authentication method.

4. Starting the Server

There are a couple of ways to start **svnserve**. The most common way is to start it as an **inetd** or **xinetd** process. Alternately, you can use a bootscript to start the service at startup.

**Note**

If you do not wish to provide anonymous access to your svn repositories or use **svnserve**'s built-in authentication, you do not need to run **svnserve**.

If you use **inetd**, add a line to `/etc/inetd.conf` using the following commands:

```
cat >> /etc/inetd.conf << "EOF"
svn stream tcp nowait svn /usr/bin/svnserve svnserve -i
EOF
```

If you use **xinetd**, the following command will create the Subversion server file as `/etc/xinetd.d/svn`:

```
cat >> /etc/xinetd.d/svn << "EOF"
# Begin /etc/xinetd.d/svn

service svn
{
    port                = 3690
    socket_type         = stream
    protocol            = tcp
    wait                = no
    user                = svn
    server               = /usr/bin/svnserve
    server_args         = -i -r /srv/svn/repositories
}

# End /etc/xinetd.d/svn
EOF
```

Finally, if you wish to simply start the server at startup, install the svn bootscript included in the `blfs-bootscripts-20060910` package.

```
make install-svn
```

Part VII. X + Window Managers

Chapter 25. X Window System Environment

This chapter contains instructions to build and configure a graphical user environment. You will need to choose one of the three packages in BLFS that implements the X Window System: Xorg X11R6 or X11R7 (Xorg-6.9.0 or Xorg-7.1), or XFree86 (XFree86). These packages are all quite similar. In fact, the base system of Xorg is XFree86-4.4.0RC2. Differences in the licensing philosophies was the original reason for the split.

A second reason for the forking of X packages is the stated goals of the developers. Some developers were unhappy with the administration and progress of XFree86. The X.org Foundation's future plans include significant improvements to the internals of the system and more frequent releases.

Xorg-7.1 introduces a completely autotooled build system, but is otherwise the same codebase as Xorg-6.9.0. Most large commercial distributions have decided to use the Xorg package, but several still provide XFree86.

XFree86 continues to be a solid, conservative application with excellent driver support.

Traditional X Window System

Xorg-6.9.0

Introduction to Xorg

Xorg is a freely redistributable open-source implementation of the X Window System. This system provides a client/server interface between display hardware (the mouse, keyboard, and video displays) and the desktop environment, while also providing both the windowing infrastructure and a standardized application interface (API).

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/X11R6.9.0/src-single/X11R6.9.0-src.tar.bz2>
- Download (FTP): <ftp://ftp.x.org/pub/X11R6.9.0/src-single/X11R6.9.0-src.tar.bz2>
- Download MD5 sum: 52ad69832db5c36c7041f90625ed4598
- Download size: 45 MB
- Estimated disk space required: 864 MB
- Estimated build time: 11.68 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/xorg-6.9.0-luit_race-1.patch
- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/xorg-6.9.0-security-4.patch>

Xorg Dependencies

Required

libpng-1.2.12 and Fontconfig-2.3.2

Optional

Linux-PAM-0.99.4.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg>

Download Instructions

As an alternative to downloading the entire source tree in a single file, there are several smaller files that can be fetched from the download location (directory `/pub/X11R6.9.0/src/`):

- `X11R6.9.0-src1.tar.gz`
- `X11R6.9.0-src2.tar.gz`
- `X11R6.9.0-src3.tar.gz`
- `X11R6.9.0-src4.tar.gz`
- `X11R6.9.0-src5.tar.gz`
- `X11R6.9.0-src6.tar.gz`
- `X11R6.9.0-src7.tar.gz`

The first package contains the Xorg libraries and support programs, the second contains standard X programs, the third contains the X server, the fourth and fifth are fonts, the sixth is normal documentation, and the seventh

is hardcopy documentation.

To check the files for integrity, download the md5sums file. Then:

```
md5sum -c md5sums
```

For each file you downloaded, an OK status should be displayed.

Kernel Configuration

If you have an Intel P6 (Pentium Pro, Pentium II and later), it is recommended that you compile MTRR (Memory Type Range Registers) support into the kernel. The kernel can map Cyrix and AMD CPUs to the MTRR interface, so selecting this option is useful for those processors also. This option is found in the "Processor type and features" menu. It can increase performance of image write operations 2.5 times or more on PCI or AGP video cards.

In the "Character Devices" section of the "Device Drivers" menu, enable AGP Support and select the chipset support on your motherboard. If you do not know the chipset, you may select all the chip types at the expense of extra kernel size. You can usually determine your motherboard's chipset by running the command **lspci**, a program from the PCI Utilities-2.2.3 package.

In the "Character Devices" section, *disable* Direct Rendering Manager unless you have a Direct Rendering Infrastructure (DRI) supported video card. A complete list of DRI supported video cards can be found at <http://dri.sourceforge.net> in the "Status" section. Currently, supported cards include those from 3dfx (Voodoo, Banshee), 3Dlabs, ATI (Rage Pro, Rage 128, Radeon 7X00, Radeon 2), Intel (i810, i815), and Matrox (G200, G400, G450).

Additionally, NVidia provides their own closed source binary drivers, which do not make use of DRI. If you intend to use these drivers, do not enable DRI.

If you made any changes to the kernel configuration, recompile and install the new kernel.

Installation of Xorg

Various build fixes

The Xorg sources must be patched in order to avoid a race condition with the luit program. Additionally, Xorg contains 5 security vulnerabilities. Fix these issues with the following commands:

```
patch -Np1 -i ../xorg-6.9.0-luit_race-1.patch &&
patch -Np1 -i ../xorg-6.9.0-security-4.patch
```

Additionally, if you choose to install Xorg to any prefix other than `/usr/X11R6`, the luit package needs another correction to fix a hard coded path. Execute the following command:

```
sed -i 's@/usr/X11R6@</usr>@' programs/luit/parser.h
```

Suppressing Xprint-related Modification to '/etc'

Xorg insists on putting its boot and profile scripts into the `/etc` directory even if specifically told not to compile anything Xprint server or client related (see `host.def` below). The following command will suppress any such modifications:

```
sed -i '/^SUBDIRS =/s/ etc$//' programs/Xserver/Xprint/Imakefile
```

Setting Up a Shadow Directory

When building Xorg, you should create a shadow directory of symbolic links for the compiled code. To do that, first make **lndir**. Starting from the **xc** directory:

```
pushd config/util &&
make -f Makefile.ini lndir
popd
```

Now create the shadow tree:

```
mkdir ../xcbuild &&
cd ../xcbuild &&
../xc/config/util/lndir ../xc
```

Creating 'host.def'

The next step is to create the `config/cf/host.def` file. The documentation for Xorg indicates that the application will build without a `host.def` file, but the included libraries for Fontconfig and FreeType2 do not build properly on a base LFS system. Therefore, you must specify that these libraries, as well as others, should be imported from the system.



Note

`config/cf/host.def` is a C file, not a shell script. Ensure the comments delimited by `/* ... */` are balanced when modifying the file.

```
cat > config/cf/host.def << "EOF"
/* Begin Xorg host.def file */

/* System Related Information.  If you read and configure only one
 * section then it should be this one.  The Intel architecture defaults
 * are set for a i686 and higher.  Axp is for the Alpha architecture
 * and Ppc is for the Power PC.  AMD64 is for the Opteron processor.
 * Note that there have been reports that the Ppc optimization line
 * causes segmentation faults during build.  If that happens, try
 * building without the DefaultGcc2PpcOpt line.  *****/

/* #define DefaultGcc2i386Opt    -O2 -fno-strength-reduce \
                                -fno-strict-aliasing -march=i686 */
/* #define DefaultGcc2AMD64Opt  -O2 -fno-strength-reduce \
                                -fno-strict-aliasing */
/* #define DefaultGcc2AxpOpt     -O2 -mcpu=ev6 */
/* #define DefaultGcc2PpcOpt     -O2 -mcpu=750 */

#define HasFreetype2            YES
#define HasFontconfig           YES
#define HasExpat                YES
#define HasLibpng               YES
#define HasZlib                 YES
```

```

/* Uncomment the following define if you'd like
 * xdm to use Linux-PAM
#define HasPam YES
 */

/*
 * Which drivers to build. When building a static server, each of
 * these will be included in it. When building the loadable server
 * each of these modules will be built.
 */
#define XF86CardDrivers      mga glint nv tga s3virge sis rendition \
                             neomagic i740 tdfx savage \
                             cirrus vmware tseng trident chips apm \
                             GlideDriver fbdev i128 \
                             ati DevelDrivers ark \
                             cyrix siliconmotion vesa vga \
                             XF86OSCardDrivers XF86ExtraCardDrivers
 */

/*
 * Select the XInput devices you want by uncommenting this.
 */
#define XInputDrivers      mouse keyboard acecad calcomp citron \
                             digitaledge dmc dynapro elographics \
                             microtouch mutouch penmount spaceorb \
                             summa wacom void magictouch aiptek
 */

/* Most installs will only need this */
#define XInputDrivers      mouse keyboard

/* Xterm is no longer built by default */
#define BuildXterm YES

/* Disable building Xprint server and clients until we get them figured
 * out but build Xprint libraries to allow precompiled binaries such as
 * Acrobat Reader to run.
 */

#define XprtServer NO
#define BuildXprintClients NO

/* Uncomment the following define if you would prefer to install X into
 * /usr or change it to any other location that you prefer.
 * The GL related defines disable compatibility symlinks (the links
 * are not needed when X is installed in /usr).
#define ProjectRoot /usr
#define LinkGLToUsrInclude NO
#define LinkGLToUsrLib NO
 */

```

```
/* End Xorg host.def file */
EOF
```

There are several other options that you may want to consider. A well documented example file is `config/cf/xorgsite.def`.

Build Commands

Install Xorg by running the following commands:

```
sed -i -e "s@^#include <linux/config.h>@/* & */@" \
    `grep -lr linux/config.h *` &&
( make World 2>&1 | tee xorg-compile.log && exit $PIPESTATUS )
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
make install.man
```

If you've installed Xorg in the default prefix listed above, run the following commands as the `root` user:

```
ln -v -s ../X11R6/bin /usr/bin/X11 &&
ln -v -s ../X11R6/lib/X11 /usr/lib/X11 &&
ln -v -s ../X11R6/include/X11 /usr/include/X11
```

The Xorg fonts have been installed outside of Fontconfig's default search path of `/usr/share/fonts`. In order for Fontconfig to find the installed TrueType fonts, you should make symlinks to their directories. Assuming you've installed Xorg in the default prefix, run the following commands as the `root` user:

```
install -v -d -m755 /usr/share/fonts &&
ln -svn /usr/X11R6/lib/X11/fonts/TTF /usr/share/fonts/X11-TTF
```

You should now continue on to the X Window System Components section to complete the configuration of Xorg.

Command Explanations

sed -i -e "s@^#include <linux/config.h>@...: The Linux-Libc-Headers package installed in LFS installs a `/usr/include/linux/config.h` file which is not compatible with userspace applications. The recommended fix for applications including this file is to remove it (see linux-libc-headers FAQ). The **sed** uses **grep -lr** to replace all occurrences. If you desire, just remove (comment) the line in the appropriate video driver file if you customized `host.def`.

(make World 2>&1 | tee xorg-compile.log && exit \$PIPESTATUS): This command runs multiple Makefiles to completely rebuild the system. `2>&1` redirects error messages to the same location as standard output. The **tee** command allows viewing of the output while logging the results to a file. The parentheses around the command runs the entire command in a subshell and finally the **exit \$PIPESTATUS** ensures the result of the **make** is returned as the result and not the result of the **tee** command.



Note

When rebuilding Xorg, a separate command that may be used if only minor changes are made to the sources is **make Everything**. This does not automatically remove generated files and only rebuilds those files or programs that are out of date.

ln -v -s ...: These commands are present to enable other (broken) packages to build against Xorg, even though the Filesystem Hierarchy Standard says: “In general, software must not be installed or managed via the above symbolic links. They are intended for utilization by users only.”

For a list of the package contents, see the sections in the XFree86 Contents and Descriptions.

XFree86-4.6.0

Introduction to XFree86

XFree86 is a freely redistributable open-source implementation of the X Window System. XFree86 provides a client/server interface between display hardware (the mouse, keyboard, and video displays) and the desktop environment, while also providing both the windowing infrastructure and a standardized application interface (API).

Package Information

- Download (HTTP): <http://gnu.kookel.org/ftp/XFree86/4.6.0/source/>
- Download (FTP): <ftp://ftp.xfree86.org/pub/XFree86/4.6.0/source/>
- Download MD5 sum: <ftp://ftp.xfree86.org/pub/XFree86/4.6.0/source/SUMS.md5sum>
- Download size: 51 MB
- Estimated disk space required: 740 MB
- Estimated build time: 12 SBU

XFree86 Dependencies

Required

libpng-1.2.12

Optional

Linux-PAM-0.99.4.0; the following packages are included in the XFree86 package, however they are updated more often than the XFree86 package and are highly recommended: expat-2.0.0, FreeType-2.1.10, Fontconfig-2.3.2.



Note

If you choose not to install expat, FreeType2, and Fontconfig, the `host.def` file below will have to be modified to instruct XFree86 to build them.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/XFree86>

Download Instructions

There are several files that need to be fetched from the download location:

- XFree86-4.6.0-src-1.tgz
- XFree86-4.6.0-src-2.tgz
- XFree86-4.6.0-src-3.tgz
- XFree86-4.6.0-src-4.tgz
- XFree86-4.6.0-src-5.tgz
- XFree86-4.6.0-src-6.tgz
- XFree86-4.6.0-src-7.tgz

The first three packages are the XFree86 programs, the fourth and fifth are fonts, the sixth is normal documentation, and the seventh is hardcopy documentation.

To check your downloads for integrity, download the `SUMS.md5sum` file. Then:

```
md5sum -c SUMS.md5sum
```

The only errors you should see are for `README`, `doctools-1.3.x.tgz`, `utils-1.1.x.tgz` and `XFree86-xtest-4.0.x.tar.bz2` files if you did not download them.

Kernel Configuration

If you have an Intel P6 (Pentium Pro, Pentium II and later), it is recommended that you compile MTRR (Memory Type Range Registers) support into the kernel. The kernel can map Cyrix and AMD CPUs to the MTRR interface, so selecting this option is useful for those processors also. This option is found in the "Processor type and features" menu. It can increase performance of image write operations 2.5 times or more on PCI or AGP video cards.

In the "Character Devices" section, enable AGP Support and select the chipset support on your motherboard. If you do not know the chipset, you may select all the chip types at the expense of extra kernel size. You can usually determine your motherboard's chipset by running the command `lspci`, a program from the PCI Utilities-2.2.3 package.

In the "Character Devices" section, *disable* Direct Rendering Manager unless you have a Direct Rendering Infrastructure (DRI) supported video card. A complete list of DRI supported video cards can be found at <http://dri.sourceforge.net> in the Status section. Currently, supported cards include those from 3dfx (Voodoo, Banshee), 3Dlabs, ATI (Rage Pro, Rage 128, Radeon 7X00, Radeon 2), Intel (i810, i815), and Matrox (G200, G400, G450).

Additionally NVidia provides their own closed source binary drivers, which do not make use of DRI. If you intend to use these drivers, do not enable DRI.

If you made any changes to the kernel configuration, recompile and install the new kernel.

Installation of XFree86

Glibc build fix

Xfree86 may have a problem with `sys/kd.h` installed with some recent versions of Glibc. This has recently been fixed in LFS SVN. Execute the following commands to work around a broken `k.d.h` file. The `grep` command is to ensure the modification is only made if it is needed. Run these commands from within the `xc` folder:

```
grep "__undef_LINUX" \
  /usr/include/sys/kd.h 2>&1 > /dev/null || \
  sed -i.bak '/X.h/i #include <linux/types.h>' \
  programs/Xserver/hw/xfree86/os-support/linux/lxx_agp.c
```

Setting Up a Shadow Directory

When building XFree86, you should create a shadow directory of symbolic links for the compiled code. To do that, first make `Indir`. Starting from the `xc` directory:


```
make -C config/util -f Makefile.ini lndir
```

Now create the shadow tree:

```
mkdir ../xcbuild &&
cd ../xcbuild &&
../xc/config/util/lndir ../xc
```

Creating 'host.def'

Although XFree86 will compile without a `host.def` file, the following file is recommended for customizing the installation. Start from the `xcbuild` directory.



Note

The `host.def` file is a C file, not the usual configuration file. If you make any changes, be sure the comment characters (`/*` and `*/`) are balanced. Most of the entries in the file below are commented out with the default settings shown.

```
cat > config/cf/host.def << "EOF"
/* Begin XFree86 host.def file */

/* This setting reduces compile time a little by omitting rarely used
 * input devices. You can find the complete list in
 * config/cf/xfree86.cf *****/

#define XInputDrivers          mouse void

/* VIDEO DRIVERS *****/
/* If you are sure you only want the drivers for one or a few video
 * cards, you can delete the drivers you do not want. *****/

#define XF86CardDrivers      mga glint nv tga s3 s3virge sis rendition \
                             neomagic i740 tdfx savage \
                             cirrus vmware tseng trident chips apm \
                             GlideDriver fbdev i128 nsc \
                             ati i810 DevelDrivers ark \
                             cyrix siliconmotion \
                             v4l vesa vga \
                             dummy XF86OSCardDrivers XF86ExtraCardDrivers

/* These settings ensure we use our libraries *****/
#define HasFreetype2          YES
#define HasFontconfig         YES
#define HasExpat              YES
#define HasLibpng             YES
#define HasZlib               YES

/* Uncomment the following define if you'd like
 * xdm to use Linux-PAM
#define HasPam                YES
*/
```

```

/* GENERAL SETTINGS */

#define SystemManDirectory    /usr/share/man
#define DocDir                /usr/share/doc/xfree86-4.6.0

/* Installation prefix. The default is to install into /usr/X11R6. If you
 * would like to install into /usr, uncomment these options. */

/* #define ProjectRoot        /usr */
/* #define LinkGLToUsrLib      NO  */
/* #define LinkGLToUsrInclude  NO  */

/* End XFree86 host.def file */
EOF

```

Edit the file for your hardware and desires. You can find more options by reading the other files in `xc/config/cf` and on the wiki. <http://wiki.linuxfromscratch.org/blfs/wiki/XFree86-4.6.0>

Build Commands

Install XFree86 by running the following commands:

```

sed -i 's:^. *asm.*$:# define PAGE_MASK    (~(getpagesize() - 1)):' \
    ../xc/programs/Xserver/hw/xfree86/fbdevhw/fbdevhw.c &&
sed -i -e "s@^#include <linux/config.h>@/* & */@" \
    `grep -lr linux/config.h ../xc` &&
( make World 2>&1 | tee xfree-compile.log && exit $PIPESTATUS )

```

This package does not come with a test suite.

Now, as the root user:

```

make install &&
make install.man

```

If you installed XFree86 into the default prefix, `/usr/X11R6`, make these symlinks to work around some applications which look for things in the wrong place. As root:

```

ln -v -s ../X11R6/bin /usr/bin/X11 &&
ln -v -s ../X11R6/lib/X11 /usr/lib/X11 &&
ln -v -s ../X11R6/include/X11 /usr/include/X11

```

The XFree86 fonts have been installed outside of Fontconfig's default search path of `/usr/share/fonts`. In order for Fontconfig to find the installed TrueType fonts, you should make symlinks to their directories. If you installed XFree86 with the prefix `/usr`, omit `/X11R6` from the following commands. As root:

```

install -d -m755 /usr/share/fonts &&
ln -svn /usr/X11R6/lib/X11/fonts/OTF /usr/share/fonts/X11-OTF &&
ln -svn /usr/X11R6/lib/X11/fonts/TTF /usr/share/fonts/X11-TTF

```

XFree86 installs the XRender and XExtensions extension libraries but does not install the corresponding pkg-config files. Create the files with these commands. If you installed XFree86 with the prefix `/usr`, omit

/X11R6 from the paths. As root:

```
cat > /usr/X11R6/lib/pkgconfig/xrender.pc << "EOF"
prefix=/usr/X11R6
exec_prefix=${prefix}
libdir=${exec_prefix}/lib
includedir=${prefix}/include

Name: Xrender
Description: X Render Library
Version: 0.8.3
Cflags: -I${includedir} -I/usr/X11R6/include
Libs: -L${libdir} -lXrender -L/usr/X11R6/lib -lX11

EOF

cat > /usr/X11R6/lib/pkgconfig/xextensions.pc << "EOF"
prefix=/usr/X11R6
exec_prefix=${prefix}
libdir=${exec_prefix}/lib
includedir=${prefix}/include

Name: XExtensions
Description: Sundry X extension headers
Version: 1.0.1
Cflags: -I${includedir}

EOF
```

You should now continue on to the X Window System Components section to complete the configuration of XFree86.

Command Explanations

sed -i 's:^.*asm.* ... fbdevhw.c: This sed fixes a problem compiling against headers from kernels newer than linux-2.6.8.

sed -i -e "s@^#include <linux/config.h>@...: The Linux-Libc-Headers package installed in LFS installs a /usr/include/linux/config.h file which is not compatible with userspace applications. The recommended fix for applications including this file is to remove it (see linux-libc-headers FAQ). The **sed** uses **grep -lr** to replace all occurrences. If you desire, just remove (comment) the line in the appropriate video driver file if you customized host.def.

(make World 2>&1 | tee xfree-compile.log && exit \$PIPESTATUS): This command runs multiple Makefiles to completely rebuild the system. 2>&1 redirects error messages to the same location as standard output. The **tee** command allows viewing of the output while logging the results to a file. The parentheses around the command runs the entire command in a subshell and finally the **exit \$PIPESTATUS** ensures the result of the **make** is returned as the result and not the result of the **tee** command.



Note

When rebuilding XFree86, a separate command that may be used if only minor changes are made to the sources is **make Everything**. This does not automatically remove generated files and only

rebuilds those files or programs that are out of date.

ln -v -s ...: These commands are present to enable other (broken) packages to build against XFree86, even though the Filesystem Hierarchy Standard says: “In general, software must not be installed or managed via the above symbolic links. They are intended for utilization by users only.”

Contents

The XFree86 package contains the X Window System for Linux (and other operating systems). It includes the X server, fonts, **xterm**, a simple window manager (**twm**), various utilities, video output drivers, and various input drivers including the mouse and keyboard.

XFree86 also contains libraries and header files for development of the X Window System programs.



Note

The following lists are not comprehensive. The full list of programs is (if you install into `/usr/X11R6`) in `/usr/X11R6/bin`. For additional information about these programs, see the respective man page.

Installed Programs:	XFree86, xf86config, xf86cfg, startx, xinit, twm, xterm, xwininfo, x11perf, xlsfonts, xvidtune, xload, xcalc, xclock, oclock, and xmodmap
Installed Libraries:	libGL.so, libGLU.so, libSM.so, libXi.so, libXrender.so, libXt.so, and libXfont.so
Installed Directories:	<code>/usr/X11R6/</code> and <code>/etc/X11/</code>

Short Descriptions

XFree86	is the X11R6 implementation of the X Window System server.
xf86config	is an interactive program for generating an <code>XF86Config</code> file for use with XFree86 X servers.
xf86cfg	is a tool to configure XFree86 that can be used to either write the initial configuration file or make customizations to the current configuration.
startx	is a script to initialize the X session. It runs xinit .
xinit	is used to start the X Window System server.
twm	(Tab Window Manager) is a window manager included with the X Window System.
xterm	is a terminal emulator for X.
xwininfo	is a window information utility for X.
x11perf	is an X11 server performance test program.
xlsfonts	is a program to list fonts available to the X server.
xvidtune	is a video mode tuner for XFree86.
xload	is a system load average display for X.

xcalc	is a scientific calculator for X.
xclock	is a clock programs for X.
oclock	is a clock programs for X.
xmodmap	is a utility for modifying keymaps and pointer button mappings in X.

Modular X Window System

Introduction to Xorg-7.1

Xorg is a freely redistributable, open-source implementation of the X Window System. This system provides a client/server interface between display hardware (the mouse, keyboard, and video displays) and the desktop environment, while also providing both the windowing infrastructure and a standardized application interface (API).

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7>

Xorg Download and Installation Instructions

Xorg-7.0.0 introduced a completely auto-tooled, modular build system. With the new modular build system, it is no longer possible to download the entire package in a single file. In fact, there may be as many as 293 files that need to be fetched from the download location. To assist with such a large task, installing Wget-1.10.2 is strongly recommended for downloading the needed files. A complete wget file list is provided for each section that includes multiple packages.

Given the number of packages available, deciding which packages you need to install for your particular setup may seem a bit overwhelming at first. Take a look at this thread to get an idea of what you will need. If you are unsure, you should install all packages at the cost of extra disk space.



Note

Even if you intend to download only the necessary packages, you should download the wget file lists. The list of files are ordered by dependency, and the package versions listed in the files are known to work well with each other. Newer packages are likely intended for the next release of Xorg and have already proved to be incompatible with current versions of software installed in BLFS. The installed size of Xorg can be reduced considerably by installing only the packages that you will need and use, however, the BLFS book cannot account for all dependencies and build options for the individual Xorg packages. The instructions assume that all packages have been built. A wiki page containing dependency information is under development. You are encouraged to add to these pages if you discover additional information that may be helpful to other users who selectively install individual packages.

Additionally, because of the large number of repetitive commands, you are encouraged to script the build. For most sections, you can use a script with commands similar to the following, to compile and install all packages in a wget file list:

```
bash -e #exit on all errors
for package in $(cat ../wgetlist.wget)
do
    packagedir=$(echo $package | sed 's/\.tar.bz2//')
    tar -xf $package
    cd $packagedir
    ./configure $XORG_CONFIG
    make
    make install
    cd ..
    rm -rf $packagedir
    rm -f $package
done
```

```
done 2>&1 | tee -a ../xorg-compile.log #log the entire loop
```

The above shell will exit immediately on error. If it runs to completion, you should manually exit the shell before continuing on to the next set of instructions.

Setting up the Xorg Build Environment

First, you'll need to create a working directory:

```
mkdir xc &&
cd xc
```

As with previous releases of the X Window System, it may be desirable to install Xorg into an alternate prefix. This is no longer common practice among Linux distributions. The common installation prefix for Xorg on Linux is `/usr`. There is no standard alternate prefix, nor is there any exception in the current revision of the Filesystem Hierarchy Standard for Release 7 of the X Window System. Alan Coopersmith of Sun Microsystems, has recently stated "At Sun, we were using `/usr/X11` and plan to stick with it." Only the `/opt/*` prefix or the `/usr` prefix adhere to the current FHS guidelines.

Choose your installation prefix, and set the `XORG_PREFIX` variable with the following command:

```
export XORG_PREFIX="<PREFIX>"
```

Throughout these instructions, you will use the same three **configure** switches for all of the packages. Create the `XORG_CONFIG` variable to use for substitution:

```
export XORG_CONFIG="--prefix=$XORG_PREFIX --sysconfdir=/etc \
  --localstatedir=/var"
```

If you've decided to use an alternate prefix, be sure to add `<PREFIX>/bin` to your `PATH` environment variable and `<PREFIX>/lib/pkgconfig` to your `PKG_CONFIG_PATH` variable. For detailed instructions, see The Bash Shell Startup Files. You should also add `<PREFIX>/lib` to the `/etc/ld.so.conf` file.

Xorg Protocol Headers

Introduction to Xorg Protocol Headers

The Xorg protocol headers provide the header files required to build the system, and to allow other applications to build against the installed X Window system.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/proto/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/proto/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 1.5 MB
- Estimated disk space required: 4.0 MB
- Estimated build time: 0.2 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7ProtocolHeaders>

Downloading Xorg Protocol Headers

To download the needed files using `wget`, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/proto-7.1.wget &&
mkdir proto &&
cd proto &&
wget -B http://xorg.freedesktop.org/releases/individual/proto/ \
-i ../proto-7.1.wget
```

Installation of Xorg Protocol Headers

Install the Xorg protocol headers by running the following commands for each package to be installed.

```
./configure $XORG_CONFIG
```

These packages do not provide test suites.

Now as the `root` user:

```
make install
```

Xorg Utilities

Introduction to Xorg Utilities

The Xorg utility packages provide needed utilities, not for the Xorg installation itself, but for other applications that make use of legacy X11R6 installation methods.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/util/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/util/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 664 KB
- Estimated disk space required: 5.2 MB
- Estimated build time: 0.1 SBU

Xorg Utilities Dependencies

Required

pkg-config-0.20 and Xorg Protocol Headers

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Utilities>

Downloading Xorg Utilities

To download the needed files using `wget`, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/util-7.1.wget &&
mkdir util &&
cd util &&
wget -B http://xorg.freedesktop.org/releases/individual/util/ \
-i ../util-7.1.wget
```

Installation of Xorg Utilities

First install the `xorg-cf-files` package with the following commands:

```
sed -i "s@/usr/X11R6@$XORG_PREFIX@" X11.tmpl &&
./configure $XORG_CONFIG --with-config-dir=$XORG_PREFIX/lib/X11/config
```

This package does not come with a test suite.

Now as the `root` user:

```
make install
```

Next, install the `Imake` package with these commands:

```
./configure $XORG_CONFIG --with-config-dir=$XORG_PREFIX/lib/X11/config &&
make
```

This package does not come with a test suite.

Now as the `root` user:

```
make install
```

Finally, build the four remaining packages with the standard build commands:

```
./configure $XORG_CONFIG &&  
make
```

These packages do not provide test suites.

Now as the `root` user:

```
make install
```

Xorg Libraries

Introduction to Xorg Libraries

The Xorg libraries provide library routines that are used within all X Window applications.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/lib/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/lib/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 12 MB
- Estimated disk space required: 186 MB
- Estimated build time: 6.6 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/libXfont-1.1.0-cidfonts-1.patch>

Xorg Libraries Dependencies

Required

Ed-0.2, Fontconfig-2.3.2, pkg-config-0.20, and Xorg Protocol Headers

Optional

Linux-PAM-0.99.4.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Libraries>

Downloading Xorg Libraries

To download the needed files using wget, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/lib-7.1.wget &&
mkdir lib &&
cd lib &&
wget -B http://xorg.freedesktop.org/releases/individual/lib/ \
-i ../lib-7.1.wget
```

Installation of Xorg Libraries

Security vulnerabilities have been identified in the libXfont package. Before building this package with the commands shown below, be sure to apply the supplied patches. This can be accomplished with with the following command:

```
patch -Np1 -i ../libXfont-1.1.0-cidfonts-1.patch
```

Install the libraries by running the following commands for each of the chosen packages:

```
./configure $XORG_CONFIG &&  
make
```

These packages do not provide test suites.

Now as the `root` user:

```
make install &&  
ldconfig
```

Configuration of Xorg Libraries

If you've chosen to install Xorg into `/usr`, then no further configuration is necessary and you can skip the rest of this section. If you've opted for an alternate prefix, you should create two symlinks to satisfy the expected environment of several packages. Execute the following commands as the root user:

```
ln -sv $XORG_PREFIX/lib/X11 /usr/lib/X11 &&  
ln -sv $XORG_PREFIX/include/X11 /usr/include/X11
```

Xbitmaps-1.0.1

Introduction to Xbitmaps

Xbitmaps provides static graphics needed by Xorg applications to draw screen elements.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/data/xbitmaps-1.0.1.tar.bz2>
- Download (FTP): <ftp://ftp.x.org/pub/individual/data/xbitmaps-1.0.1.tar.bz2>
- Download MD5 sum: b28a9840cde3c38d7c09716372fea257
- Download size: 56 KB
- Estimated disk space required: 1.7 MB
- Estimated build time: 0.01 SBU

Xbitmaps Dependencies

Required

Xorg Utilites

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xbitmaps>

Installation of Xbitmaps

First, configure the Xbitmaps package by running the following command:

```
./configure $XORG_CONFIG
```

This package does not come with a test suite.

Now install as the `root` user:

```
make install
```

Xorg Applications

Introduction to Xorg Applications

The Xorg applications provide the expected applications available in previous X Window implementations.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/app/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/app/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 9.1 MB
- Estimated disk space required: 30.7 MB
- Estimated build time: 2.9 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/xload-1.0.1-setuid-1.patch>

Xorg Applications Dependencies

Required

xbitmaps-1.0.1, libpng-1.2.12, and Xorg Libraries

Recommended

MesaLib-6.5

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Applications>

Downloading Xorg Applications

To download the needed files using `wget`, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/app-7.1.wget &&
mkdir app &&
cd app &&
wget -B http://xorg.freedesktop.org/releases/individual/app/ \
-i ../app-7.1.wget
```

Installation of Xorg Applications

A security vulnerability has been identified in the `xload` package. Before building this package with the commands shown below, be sure to apply the supplied patches. The patch can be applied with with the following command:

```
patch -Np1 -i ../xload-1.0.1-setuid-1.patch
```

Install the applications by running the following commands for each chosen package:

```
./configure $XORG_CONFIG &&  
make
```

These packages do not provide test suites.

Now as the `root` user:

```
make install
```


Xorg Data

Introduction to Xorg Data

The Xorg data packages provide static data such as images and keymaps to the Xorg applications.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/data/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/data/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 2.5 MB
- Estimated disk space required: 19.5 MB
- Estimated build time: 0.1 SBU

Xorg Data Dependencies

Required

Xorg Applications

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Data>

Downloading Xorg Data

To download the needed files using `wget`, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/data-7.1.wget &&
mkdir data &&
cd data &&
wget -B http://xorg.freedesktop.org/releases/individual/data/ \
-i ../data-7.1.wget
```

Installation of Xorg Data

Compile the selected packages with the following commands:

```
./configure $XORG_CONFIG &&
make
```

These packages do not provide test suites.

Install the packages as the `root` user:

```
make install
```

Xorg Fonts

Introduction to Xorg Fonts

The Xorg font packages provide needed fonts to the Xorg applications.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/font/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/font/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 13.3 MB
- Estimated disk space required: 100 MB
- Estimated build time: 2.0 SBU

Required

Xorg Data and Xorg Applications

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Fonts>

Downloading Xorg Fonts

To download the needed files using `wget`, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/font-7.1.wget &&
mkdir font &&
cd font &&
wget -B http://xorg.freedesktop.org/releases/individual/font/ \
-i ../font-7.1.wget
```

Installation of Xorg Fonts

Run the following commands for each package:

```
./configure $XORG_CONFIG &&
make
```

These packages do not provide test suites.

Now as the `root` user:

```
make install
```

When all of the fonts have been installed, the system must be configured so that `Fontconfig` can find the TrueType fonts since they are outside of the default search path of `/usr/share/fonts`. Make symlinks to the Xorg TrueType font directories by running the following commands as the `root` user:

```
install -v -d -m755 /usr/share/fonts &&
ln -svn $XORG_PREFIX/lib/X11/fonts/OTF /usr/share/fonts/X11-OTF &&
ln -svn $XORG_PREFIX/lib/X11/fonts/TTF /usr/share/fonts/X11-TTF
```

Luit-1.0.2

Introduction to Luit

Luit provides a filter for displaying and converting UTF-8 characters in text console windows.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/app/luit-1.0.2.tar.bz2>
- Download (FTP): <ftp://ftp.x.org/pub/individual/app/luit-1.0.2.tar.bz2>
- Download MD5 sum: aacda46598ce3af8ca16e2a8132db1b2
- Download size: 97 KB
- Estimated disk space required: 1 MB
- Estimated build time: 0.1 SBU

Luit Dependencies

Required

Xorg Fonts

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Luit>

Installation of Luit



Note

This package should only be built if you are installing Xorg-7.1. If you have installed or will be installing Xorg-6.9.0 or XFree86, it is provided by those packages and should not be installed here.

Install luit with the following commands:

```
./configure $XORG_CONFIG &&
make
```

This package does not come with a test suite.

Now as the `root` user:

```
make install
```

Contents

Installed Program: `luit`

Short Description

`luit` provides locale and ISO 2022 support for Unicode terminals.

Xorg-Server-1.1.1

Introduction to Xorg-Server

The Xorg Server is the core of the X Window system.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/xserver/xorg-server-1.1.1.tar.bz2>
- Download (FTP): <ftp://ftp.x.org/pub/individual/xserver/xorg-server-1.1.1.tar.bz2>
- Download MD5 sum: a8ed678677af8ebb2fba5624602f6b2e
- Download size: 6.0 MB
- Estimated disk space required: 424 MB
- Estimated build time: 5.6 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/xorg-server-1.1.1-security-1.patch>

Xorg Server Dependencies

Required

Xorg Fonts

Optional

MesaLib-6.5 and luit-1.0.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Server>

Installation of Xorg Server



Note

If you intend to build with Mesa, you must have the Mesa source directory available when building the Xorg-server.

A security vulnerability have been identified in the xorg-server package. Apply a patch to fix this vulnerably with the following command:

```
patch -Np1 -i ../xorg-server-1.1.1-security-1.patch
```

Install the server by running the following commands:

```
sed -i \
's@-I$(top_builddir)/include@-I$(top_builddir)/GL/mesa/main@8' \
GL/glx/Makefile.in &&
sed -i \
's@-I$(top_builddir)/include@-I$(top_builddir)/GL/mesa/glapi@7' \
```

```

    GL/glx/Makefile.in &&
./configure $XORG_CONFIG \
    --with-mesa-source='</path/to>/Mesa-6.5' \
    --with-fontdir=$XORG_PREFIX/lib/X11/fonts \
    --with-module-dir=$XORG_PREFIX/lib/X11/modules \
    --with-dri-driver-path=$XORG_PREFIX/lib/X11/modules/dri \
    --enable-install-setuid &&
make

```

This package does not come with a test suite.

Now as the root user:

```
make install
```

Command Explanations

sed -i '...' GL/glx/Makefile.in: These commands correct the search path for the Mesa headers. The 8th and 7th instance of '-I\$(top_builddir)' in the existing search search path are replaced with Mesa paths.

--with-mesa-source=...: This switch directs the build system to the location of the Mesa source directory. If you wish to build without Mesa, omit this switch.

--with-module-dir=...: This parameter sets the destination for the installed modules.

--with-dri-driver-path=...: This is the location of the Mesa DRI drivers.

--enable-install-setuid: The Xorg binary must run as the root user. This switch ensures that the binary is installed setuid when **make** is run by an unprivileged user.

--disable-glx: Disable building of the GLX extension. This parameter is required if building without Mesa.

--disable-dri: Disable building of the DRI extension. This parameter is required if building without Mesa.

--disable-xprint: Disable building of the Xprint extension and server. This parameter is required if building without Mesa.

Xorg Drivers

Introduction to Xorg Drivers

The Xorg drivers provide the means for the xserver to take advantage of installed hardware.

Package Information

- Download (HTTP): <http://xorg.freedesktop.org/releases/individual/driver/>
- Download (FTP): <ftp://ftp.x.org/pub/individual/driver/>
- Download MD5 sum: <http://anduin.linuxfromscratch.org/files/BLFS/xorg/md5sums>
- Download size: 18.7 MB
- Estimated disk space required: 60.3 MB
- Estimated build time: 6.9 SBU

Xorg Drivers Dependencies

Required

Xorg-Server-1.1.1

Optional

MesaLib-6.5

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xorg7Drivers>

Downloading Xorg Drivers

To download the needed files using wget, use the following commands:

```
wget http://anduin.linuxfromscratch.org/files/BLFS/xorg/driver-7.1.wget &&
mkdir driver &&
cd driver &&
wget -B http://xorg.freedesktop.org/releases/individual/driver/ \
-i ../driver-7.1.wget
```

Installation of Xorg Drivers

The xf86-input-evdev package installs a man page with character encoding not displayable using the Man-db package. Issue the following command before building the package to change the offending encoding to characters **man** can properly display.

```
sed -i "s/\xc3\xb8/\[\o\]/" man/evdev.man
```



Warning

It is very important not to build display drivers that cannot be used with your hardware. For instance, do not build Sun drivers for an x86 PC as the Sun drivers will expect to see SPARC symbols exported from the kernel. Failure to follow this warning will result in a display lockup,

which requires a hard reboot, when configuring Xorg for the first time.

Install the drivers by running the following commands for each package:

```
./configure $XORG_CONFIG \  
    --with-xorg-module-dir=$XORG_PREFIX/lib/X11/modules &&  
make
```

These packages do not provide test suites.

Now as the root user:

```
make install
```

Command Explanations

--with-xorg-module-dir=...: This switch ensures that the drivers are installed into the correct directory.

Configuring X Window System

X Window System Components

Configuring The X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/XWindowSystemComponents>

If you've installed the X Window System in any prefix other than `/usr`, as the `root` user, add `</usr/X11R6>/lib` to the `/etc/ld.so.conf` file and run **ldconfig**. Additionally, while still the `root` user, ensure `</usr/X11R6>/bin` and `</usr/X11R6>/lib/pkgconfig` are added to your `PATH` and `PKG_CONFIG_PATH` environment variables, respectively. Instructions for doing this are described in the section The Bash Shell Startup Files.

As the `root` user create a basic X Window System configuration file with the following commands:

For Xorg:

```
cd ~ &&
Xorg -configure
```

For XFree86:

```
cd ~ &&
XFree86 -configure
```

The screen will go black and you may hear some clicking of the monitor. This command will create a file in your home directory, `xorg.conf.new` for Xorg, or `XF86Config.new` for XFree86.

Edit the newly created configuration file to suit your system. The details of the files are located in the `xorg.conf.5x` and `XF86Config.5x` man pages. Some things you may want to do are:

- Section "Files". Change the order of the font paths searched. You may want to put 100dpi fonts ahead of 75dpi fonts if your system normally comes up closer to 100 dots per inch. You may want to remove some font directories completely.
- Section "Module". If you are going to install NVIDIA drivers, remove the "dri" line.
- Sections "InputDevice". You may want to change the keyboard autorepeat rate by adding `Option "Autorepeat" "250 30"`.
- Section "Monitor". Specify the `VertRefresh` and `HorizSync` values if the system does not automatically detect the monitor and its values.
- Section "Device". You may want to set some of the options available for your selected video driver. A description of the driver parameters is in the man page for your driver.
- Section "Screen". Add a `DefaultDepth` statement such as: `DefaultDepth 24`. In the SubSection for your default depth, add a modes line such as: `Modes "1600x1200" "1280x1024" "1024x768"`. The first mode listed will normally be the starting resolution.

Test the system with one of the following commands:

For Xorg:

```
X -config ~/xorg.conf.new
```

For XFree86:

```
XFree86 -xf86config ~/XF86Config.new
```

You will only get a gray background with an X-shaped mouse cursor, but it confirms the system is working. Exit with **Control+Alt+Backspace**. If the system does not work, take a look at `/var/log/Xorg.0.log` or `/var/log/XFree86.0.log` to see what went wrong.

As the `root` user, create the configuration directory and move the configuration file to the new directory:

For Xorg:

```
install -v -m755 -D ~/xorg.conf.new /etc/X11/xorg.conf
```

For XFree86:

```
install -v -m755 -D ~/XF86Config.new /etc/X11/XF86Config
```

As a convenience, Xorg-7.1 users should populate the `/etc/X11` directory with symlinks to various configuration directories that were located in `/etc/X11` with previous versions of Xorg. This step is not needed for users of Xorg-6.9.0 or XFree86. Execute the following commands as the `root` user:

```
mkdir $XORG_PREFIX/lib/X11/twm &&  
ln -svt /etc/X11 \  
    $XORG_PREFIX/lib/X11/{twm,xkb,fs,lbxproxy,proxymngr} \  
    $XORG_PREFIX/lib/X11/{rstart,xdm,xinit,xserver,xsm} \  
    $XORG_PREFIX/share/X11/app-defaults
```

As the `root` user, create `.xinitrc`:

```
cat > ~/.xinitrc << "EOF"  
# Begin .xinitrc file  
xterm -g 80x40+0+0 &  
xclock -g 100x100-0+0 &  
twm  
EOF
```

This provides an initial screen with a small clock that is managed by a simple window manager, Tab Window Manager. For details of `twm`, see the man page.



Note

Both the default, and the BLFS configuration for Xorg include `xterm`. Xorg's modular distribution no longer includes `xterm`, and as a result, the `startx` command will fail if you have not installed `xterm-223` when using the modular X Window System. You can remove the `xterm` line in the above config file to test the `xserver`, or install one of the other terminal emulators and make appropriate changes.

When needed, the X Window System creates the directory `/tmp/.ICE-unix` if it does not exist. If this directory is not owned by `root`, the X Window System delays startup by a few seconds and also appends a

warning to the logfile. This also affects startup of other applications. To improve performance, it is advisable to manually create the directory before the X Window System uses it. Add the file creation to `/etc/sysconfig/createfiles` that is sourced by the `/etc/rc.d/init.d/cleanfs` startup script.

```
cat >> /etc/sysconfig/createfiles << "EOF"
/tmp/.ICE-unix dir 1777 root root
EOF
```

Start X with:

```
startx
```

and a basic functional X Window System should be displayed.

For a list of the package contents and a description of the commands, see the sections in the XFree86 Contents and Descriptions.

Checking Direct Rendering Infrastructure (DRI) Installation

DRI is a framework for allowing software to access graphics hardware in a safe and efficient manner. It is installed in X by default if you have a supported video card. To enable direct rendering using the OpenGL implementation from MesaLib-6.5 (built separately with Xorg-7.1 or included with Xorg-6.9.0 and XFree86), the "glx" and "dri" modules must be loaded. Additionally, the created device nodes in `/dev/dri` must have proper permissions for your users. A sample `XF86config` or `xorg.conf` file might look like this:

```
Section "Module"
    . . .
    Load    "glx"
    Load    "dri"
    . . .
EndSection
. . .
Section "DRI"
    Group    "video"
    Mode     0660
EndSection
```



Note

DRI configuration may differ if you are using alternate drivers, such as those from NVIDIA or ATI.

To check if DRI is installed properly, check the log file `/var/log/XFree86.0.log` or `/var/log/Xorg.0.log` for statements like:

```
(II) R128(0): Direct rendering enabled
```

From an **xterm**, run **glxinfo** and look for the phrase:

```
direct rendering: Yes
```

If direct rendering is not enabled, you can add verbosity by running **LIBGL_DEBUG=verbose glxinfo**. This will show the drivers, device nodes and files used by the DRI system.

You can also run the test program **glxgears**. This program brings up a window with three gears turning. The **xterm** will display how many frames were drawn every five seconds, so this is a reasonable benchmark. The window is scalable, and the frames drawn per second is highly dependent on the size of the window.

For troubleshooting problems, check the DRI Users Guide at <http://dri.sourceforge.net/doc/DRIuserguide.html>.

Setting up Fonts

There are two font systems in the X Window System. The first is the core X font protocol, and the second is Xft. Toolkits that use the core X font protocol include Xt, Xaw, Motif clones and GTK+-1.2. Toolkits that use Xft include GTK+-2 and Qt and use Fontconfig for control. Both font systems should be configured for proper font coverage in the X Window System.

Core X Font Protocol

The core X font protocol finds fonts from the server configuration file (`xorg.conf` or `XF86Config`). If no font paths exist in the configuration file, the server will fall back to an internal hard-coded path. Assuming the prefix for your X installation is `/usr/X11R6`, the core fonts will reside in subdirectories of `/usr/X11R6/lib/X11/fonts`. For each directory in the path, the server reads three files:

- `fonts.dir` - maps font files to font names; updated with **mkfontdir**
- `fonts.alias` - defines aliases (such as "9x18") for existing fonts
- `fonts.scale` - lists scalable fonts; updated with **mkfontscale**

The core X fonts protocol uses names such as `-misc-fixed-medium-r-normal--13-120-75-75-c-80-iso8859-1`. These fonts are rendered by the X server without antialiasing. The server itself uses the "cursor" font for painting the mouse cursor, and the protocol specification requires the font "fixed" to be available.

Scalable fonts, such as Type1 and TrueType, are read from `fonts.scale` files by the server. The core X font system uses the "freetype" module for non-antialiased rendering of these fonts. Ensure that the "freetype" module is loaded in the `XF86config` or `xorg.conf` file by adding it to the "Module" section:

```
Section "Module"
    ...
    Load "freetype"
    ...
EndSection
```

The character set used is part of the font name, e.g. `"-iso8859-1"`. It is important that applications which support a non-English interface specify the character set correctly so that the proper glyphs are used. This can be controlled through the X resources, which will be described later.

In some cases, applications rely upon the fonts named "fixed" or something like "9x18". In these cases, it is important that the `fonts.alias` file specifies the correct character set. Users of ISO-8859-X encodings where `X != 1` should modify the `/usr/lib/X11/fonts/misc/fonts.alias` file by replacing the `"iso8859-1"` string with the proper encoding name. This is accomplished by running the following command as the root user, substituting the proper value for `<X>`:

```
sed -i 's,iso8859-1\( \|$\),iso8859-<X>\1,g' \
```

```
/usr/lib/X11/fonts/{75dpi,100dpi,misc}/fonts.alias
```

Users of Cyrillic fonts have properly defined aliases in `/usr/lib/X11/fonts/cyrillic/fonts.alias`. However, this file will not be used unless the `/usr/lib/X11/fonts/cyrillic` directory is first in the font search path. Otherwise, the `/usr/lib/X11/fonts/misc/fonts.alias` file will be used.

Xft Font Protocol

Xft provides antialiased font rendering through Freetype, and fonts are controlled from the client side using Fontconfig. The default search path is `/usr/share/fonts` and `~/.fonts`. Fontconfig searches directories in its path recursively and maintains a cache of the font characteristics in `fonts.cache-l` files in each directory. If the cache appears to be out of date, it is ignored, and information is (slowly) fetched from the fonts themselves. This cache can be regenerated using the **fc-cache** command at any time. You can see the list of fonts known by Fontconfig by running the command **fc-list**.

The X fonts were not installed in a location known to Fontconfig. This prevents Fontconfig from using the poorly rendered Type 1 fonts or the non-scalable bitmapped fonts. Symlinks were created from the OTF and TTF X font directories to `/usr/share/fonts/X11-{OTF,TTF}`. This allows Fontconfig to use the OpenType and TrueType fonts provided by X (which are scalable and of higher quality).

Fontconfig uses names such as "Monospace 12" to define fonts. Applications generally use generic font names such as "Monospace", "Sans" and "Serif". Fontconfig resolves these names to a font that has all characters that cover the orthography of the language indicated by the locale settings. Knowledge of these font names is included in `/etc/fonts/fonts.conf`. Fonts that are not listed in this file are still usable by Fontconfig, but they will not be accessible by the generic family names.

Standard scalable fonts that come with X provide very poor Unicode coverage. You may notice in applications that use Xft that some characters appear as a box with four binary digits inside. In this case, a font set with the available glyphs has not been found. Other times, applications that don't use other font families by default and don't accept substitutions from Fontconfig will display blank lines when the default font doesn't cover the orthography of the user's language. This happens, e.g., with Fluxbox in the `ru_RU.KOI8-R` locale.

In order to provide greater Unicode coverage, it is recommended that you install these fonts:

- **DejaVu fonts** - These fonts are replacements for the Bitstream Vera fonts and provide Latin-based scripts with accents and Cyrillic glyphs. The DejaVu fonts by are not aliased to the generic family names by default, so `/etc/fonts/fonts.conf` will have to be edited for it to be recognized by the generic names such as "Sans". This will be described below.
- **FreeFont** - This set of fonts covers nearly every non-CJK character, but is not visually pleasing. Fontconfig will use it as a last resort to substitute generic font family names.
- **Microsoft Core fonts** - These fonts provide slightly worse Unicode coverage than FreeFont, but are better hinted. Be sure to read the license before using them. These fonts are listed in the `/etc/fonts/fonts.conf` aliases by default.
- **Firefly New Sung font** - This font provides Chinese coverage. This font is not listed in the `/etc/fonts/fonts.conf` aliases by default.
- **Arphic fonts** - A similar set of Chinese fonts to the Firefly New Sung font. These fonts are listed in the `/etc/fonts/fonts.conf` aliases by default.

- Kochi fonts - These provide Japanese characters, and they are listed in the aliases in `/etc/fonts/fonts.conf` by default.
- Baekmuk fonts - These fonts provide Korean coverage, and they are listed in the aliases in `/etc/fonts/fonts.conf` by default.

The list above will not provide complete Unicode coverage. For more information, please visit the [Unicode Font Guide](#).

As an example, consider the installation of the DejaVu fonts. From the unpacked source directory, run the following commands as the root user:

```
install -v -d -m755 /usr/share/fonts/dejavu &&
install -v -m644 *.ttf /usr/share/fonts/dejavu &&
fc-cache -v /usr/share/fonts/dejavu
```

Earlier it was mentioned that `/etc/fonts/fonts.conf` could be modified to use DejaVu using the default family names. Since DejaVu is a replacement for Bitstream Vera fonts, it can be substituted for that family. Visually inspect the `fonts.conf` to see how fonts are grouped together under the generic family names within `<alias>` tags and a preference list is created within `<prefer>` tags. To replace Bitstream Vera with DejaVu, run the following command as the root user:

```
sed -i 's/<family>Bitstream Vera/<family>DejaVu/' /etc/fonts/fonts.conf
```

To see which fonts will be used as the generic fonts in your locale, run the command **fc-match monospace**. Substitute "sans" or "serif" to see the fonts that will be used for those aliases.

Setting up Keyboards

In this version of X, non-Latin keyboard layouts do not include Latin configurations as was previous practice. To set up a keyboard for Latin and non-Latin input, change the `XkbLayout` keyboard driver option in the `InputDevice` section of the `XF86Config` or `xorg.conf` file. For example:

```
Section "InputDevice"
    Identifier          "Keyboard0"
    Driver              "Keyboard"
    Option "XkbModel"    "pc105"
    Option "XkbLayout"   "en_US,ru"
    Option "XkbOptions"  "grp:switch,grp:alt_shift_toggle,grp_led:scroll"
EndSection
```

In this example, you can use the **Alt+Shift** combination to switch between keyboard layouts and use the Scroll Lock LED to indicate when the second layout is active.

Setting up XDM

xdm provides a graphical logon capability and is normally set up in `/etc/inittab`. Most of the information you need to customize **xdm** is found in its man page. To execute **xdm** during bootup, change the `initdefault` level to 5 and add the following lines to `/etc/inittab`:

```
# Run xdm as a separate service
x:5:respawn:/usr/X11R6/bin/xdm -nodaemon
```

If Linux-PAM is installed on your system, you should create a PAM entry for **xdm** by duplicating the **login** entry using the following command:

```
cp -v /etc/pam.d/login /etc/pam.d/xdm
```

Using X Resources

There are many options that can be set in X and X clients via resources. Typically resources are set in the `~/.Xresources` file.

The layout of the `~/.Xresources` file consists of a list of specifications in the form of

```
object.subobject[.subobject...].attribute: value
```

Components of a resource specification are linked together by either *tight*, represented by a dot (`.`), or *loose*, represented by an asterisk (`*`), bindings. A tight binding indicates that the components on either side of the dot must be directly next to each other as defined in a specific implementation. An asterisk is a wildcard character that means that any number of levels in a defined hierarchy can be between the components. For example, X offers two special cursors: `redglass` and `whiteglass`. To use one of these resources, you need to add the following line:

```
Xcursor.theme: whiteglass
```

However, you can specify the background for all clients with:

```
*background: blue
```

More specific resource variables will override less specific names.

Resource definitions can be found in the man pages for each respective client.

In order to load your resources, the **xrdb** program must be called with the appropriate parameters. Typically, the first time resources are loaded, you use:

```
xrdb -load <filename>
```

To add resources to X's database in memory, use:

```
xrdb -merge <filename>
```

The **xrdb** instruction is usually placed in `~/.xinitrc` or `~/.xsession`. To get more information, see the **xrdb** man page.

Additional X Window System Configuration

Below you will find information on fine tuning the components of both variants of the X Window System. The documentation links are specifically for XFree86, however, the information contained in those documents usually pertains to Xorg as well. Detailed descriptions are also located in the `xorg.conf` or `XF86Config` man pages.

Setting up X Input Devices

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/XInputDevices>

Keyboards

The following external links provide a good introduction to setting up various keyboards.

The XKB Configuration Guide

How to further enhance XKB configuration

Mice

Multi-button mice can be used to their full potential by mapping the additional buttons to X button events. Wheel mice are a common example. The ordinary ones contain two buttons, and a scroll wheel that doubles as a third button. As far as X is concerned, there are 5 buttons as it counts the 'scroll up' and 'scroll down' functions (internally they are buttons). Here is an example 'InputDevice' section for a typical PS/2 wheel mouse:

```
Section "InputDevice"
    Identifier   "Mouse 0"
    Driver       "mouse"
    Option       "Device"          "/dev/input/mice"
    Option       "Protocol"         "IMPS/2"
    Option       "ZAxisMapping"     "4 5"
    Option       "Buttons"          "5"
EndSection
```

Button assignments differ for every mouse type. On more exotic mice, you may find that the rocker wheel buttons are 6 and 7. Simply add those values to the `ZAxisMapping` option, and set the `Buttons` option appropriately to enable side to side scrolling. Additional information on button assignment can be found in the following XFree86 document:

Mouse Support in XFree86

Fine Tuning Display Settings

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xdisplay>

The 'Monitor' Section

One or more monitor sections specify the characteristics of your monitor(s). Usually, the setup program can probe your monitor and setup a monitor properly, however, this does not always work. The most common entries that need to be updated are `HorizSync` and `VertRefresh`. If the configuration program does not set these properly, you will notice a resolution much lower than desired. The default `HorizSync` setting is

28-33kHz which is very conservative. The default `VertRefresh` is 43-72Hz. Consult your monitor documentation or search on line for the proper settings for your monitor.

It is also possible to control many detailed timing characteristics of a monitor with a `Modeline` setting. Most users will not need to do this, but details are in the man page referenced above.



Warning

Incorrect monitor settings can destroy your monitor or even set it on fire! For most newer monitors, the result of overly aggressive settings is a blank screen, but older monitors do not all have built in safeguards.

Other items that may be of interest in this section is the `DPMS` and associated `StandbyTime`, `SuspendTime`, and `OffTime` options. These parameters control the energy saving features of your monitor. They may also be controlled at runtime with the `xset` command or via a graphical interface such as KDE's Control Center.

A typical monitor sections will normally look like:

```
Section "Monitor"
    DisplaySize      400    300 # mm
    Identifier       "Monitor0"
    VendorName       "VSC"
    ModelName        "G810-2"
    HorizSync        30.0 - 92.0
    VertRefresh      50.0 - 180.0
    Option           "DPMS"
    Option           "StandbyTime"  "10"
    Option           "SuspendTime"  "20"
    Option           "OffTime"      "30"
EndSection
```

The 'Device' Section

This section basically controls your video card. The key entry is the `Driver` setting. This can be a driver from the X distribution you are using, from the kernel source, or a proprietary driver for devices such as a Nvidia graphics adaptor. The driver often is a kernel module or built into the kernel itself, but there are also separate non-kernel components usually found in the `/usr/X11R6/lib/modules/drivers/` directory. These were either built with the X server or installed via external (i.e., proprietary) programs.

There are many options for device drivers and most are specific to the driver being used. Documentation for many drivers can be found at the [XFree86 Driver Manual Pages](#).

A typical Device section will look like:

```
Section "Device"
    Identifier       "Videocard0"
    Driver           "radeon"
    VendorName       "Videocard vendor"
    BoardName        "ATI Radeon 7500"
EndSection
```

Display Layouts

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xlayouts>

Within the X Window System configuration file there may be multiple layout sections like:

```
Section "ServerLayout"
    Identifier      "X.org Configured"
    Screen          0  "Screen0"  0 0
    InputDevice     "Mouse0"  "CorePointer"
    InputDevice     "Keyboard0" "CoreKeyboard"
EndSection
```

The default layout is the first, but if you have special needs, you can create others with different configurations. The `Identifier` line in each section is the key. Different layouts can be created using different `Screen` and `InputDevice` sections.

After the configuration file is updated, an alternate configuration can be specified on the **startx** line. For instance, to start X with an alternate layout with an Identifier of "layout2", use the following command line:

```
startx -- -layout layout2
```

Chapter 26. X Libraries

This chapter does not contain libraries that are required to run X. It does contain libraries that enhance X. In some cases the enhancement is as simple as font support. In others it is as complex as libraries that sit between X and applications that run on X whose purpose is to standardize the look and feel and inter-process communications for different applications. They also assist programmers by supplying common elements.

Qt-3.3.7

Introduction to Qt

The Qt package contains a C++ GUI library. This is useful for creating graphical applications or executing graphical applications that are dynamically linked to the Qt library. One of the major users of Qt is KDE.

Package Information

- Download (HTTP): <http://ftp.silug.org/mirrors/ftp.trolltech.com/qt/source/qt-x11-free-3.3.7.tar.bz2>
- Download (FTP): <ftp://ftp.trolltech.com/qt/source/qt-x11-free-3.3.7.tar.bz2>
- Download MD5 sum: 655e21cf6a7e66daf8ec6ceda81aae1e
- Download size: 13.9 MB
- Estimated disk space required: 170 MB
- Estimated build time: 11.3 SBU (full), 7.5 SBU (sub-tools)

Additional Downloads

Qt Dependencies

Required

X Window System

Recommended

libjpeg-6b and libmng-1.0.9

Note: if for whatever reason you do not have the recommended libraries installed on your system, you must remove the corresponding *-system-`<library>`* and *-plugin-`imgfmt-<library>`* parameters from the **configure** commands shown in the instructions below.

Optional

NAS-1.7, CUPS-1.2.7, MySQL-5.0.21, PostgreSQL-8.1.3, unixODBC-2.2.11, SQLite and Firebird

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/qt>

Installation of Qt

The Qt source hard codes the location of the X Window System installation to `/usr/X11R6`. If you've installed the X Window System in any prefix other than `/usr/X11R6`, then you should correct the qmake configuration files with the following commands, replacing `<PREFIX>` with the installation prefix of the X Window System:

```
for file in $(grep -lr "X11R6" *)
do
    sed -i "s@/usr/X11R6@<PREFIX>@g" $file
done
```

There are several ways to install a complicated package such as Qt. The files are not completely position independent. Installation procedures execute the program **pkg-config** to determine the location of package executables, libraries, headers, and other files. For Qt, **pkg-config** will look for the file `lib/pkgconfig/qt-mt.pc` which must be modified if relocating the package. This file is set up correctly by the build process.

The default installation places the files in `/usr/local/qt/`. Many commercial distributions place the files in the system's `/usr` hierarchy. The package can also be installed in an arbitrary directory.

This section will demonstrate two different methods.



Warning

Building Qt in a **chroot** environment may fail.



Note

The build time for Qt is quite long. If you want to save some time and don't want the tutorials and examples, change the first **make** command to:

```
make sub-tools
```

Method 1 - Installing in the '/usr' Hierarchy

The advantage of this method is that no updates to the `/etc/ld.so.conf` or `/etc/man_db.conf` files are required. The package files are distributed within several subdirectories of the `/usr` hierarchy. This is the method that most commercial distributions use.



Note

If Qt is being reinstalled, run the following commands from a console or non-Qt based window manager. It overwrites Qt libraries that should not be in use during the install process.

```
sed -i -e 's:${QTDIR}/include:&/qt:' \
    -e 's:${QTDIR}/lib:&/qt:' \
    mkspecs/linux*/qmake.conf &&

bash
export PATH=$PWD/bin:$PATH &&
export LD_LIBRARY_PATH=$PWD/lib:$LD_LIBRARY_PATH &&

./configure -prefix /usr \
    -docdir /usr/share/doc/qt \
    -headerdir /usr/include/qt \
    -plugindir /usr/lib/qt/plugins \
```

```

        -datadir /usr/share/qt \
        -translationdir /usr/share/qt/translations \
        -sysconfdir /etc/qt \
        -qt-gif \
        -system-zlib \
        -system-libpng \
        -system-libjpeg \
        -system-libmng \
        -plugin-imgfmt-png \
        -plugin-imgfmt-jpeg \
        -plugin-imgfmt-mng \
        -no-exceptions \
        -thread \
        -tablet &&

find -type f -name Makefile | xargs sed -i "s@-Wl,-rpath,/usr/lib@@g" &&
make &&
exit

```

This package does not come with a test suite.

Now, as the root user:

```

make install &&
ln -v -sf libqt-mt.so /usr/lib/libqt.so &&
cp -v -r doc/man /usr/share &&
cp -v -r examples /usr/share/doc/qt

```

Method 2 - Installing in '/opt'

This is the method recommended by the Qt developers. It has the advantage of keeping all the package files consolidated in a dedicated directory hierarchy. By using this method, an update can be made without overwriting a previous installation and users can easily revert to a previous version by changing one symbolic link.

The Qt developers use a default location of `/usr/local/qt/`, however this procedure puts the files in `/opt/qt-3.3.7/` and then creates a symbolic link to `/opt/qt/`.

```

bash
export QTDIR=$PWD &&
export LD_LIBRARY_PATH=$PWD/lib:$LD_LIBRARY_PATH &&
export PATH=$PWD/bin:$PATH &&

./configure -prefix /opt/qt-3.3.7 \
        -sysconfdir /etc/qt \
        -qt-gif \
        -system-zlib \
        -system-libpng \
        -system-libjpeg \
        -system-libmng \
        -plugin-imgfmt-png \
        -plugin-imgfmt-jpeg \
        -plugin-imgfmt-mng \

```

```

        -no-exceptions \
        -thread \
        -tablet &&

make &&
exit

```

This package does not come with a test suite.

Now, as the root user:

```

make install &&
ln -v -sfn qt-3.3.7 /opt/qt &&
ln -v -s libqt-mt.so /opt/qt/lib/libqt.so &&
cp -v -r doc/man /opt/qt/doc &&
cp -v -r examples /opt/qt/doc

```



Note

If you pass the `-plugin-sql-<driver>` switch to the **configure** command, you must also pass `-I</path/to/sql/headers>` so **make** can find the appropriate header files.

Command Explanations

sed -i -e ... mkspecs/linux*/qmake.conf: Directories in `qmake.conf` need to be adjusted to match the BLFS Method 1 installation directories.

bash: This command enters a sub-shell to isolate environment changes.

export QTDIR=\$PWD: This command defines where the root of the Qt directory is located.

export LD_LIBRARY_PATH=\$PWD/lib:\$LD_LIBRARY_PATH: This command allows the not yet installed Qt libraries to be used by the not yet installed Qt programs.

export PATH=\$PWD/bin:\$PATH: This command allows the build process to find supporting executables.

-qt-gif: This switch adds support for gif files to the libraries.

-system-zlib -system-libpng -system-libjpeg -system-mng: These switches force the build instructions to use the shared libraries that are on your system instead of creating a custom set of support libraries for these functions.

-plugin-imgfmt-png -plugin-imgfmt-jpeg -plugin-imgfmt-mng: These switches enable run-time linking of the referenced libraries.

-no-exceptions: This switch disables the exceptions coding generated by the C++ compiler.

-thread: This switch adds support for multi-threading.

find -type f -name Makefile | xargs sed -i "s@-Wl,-rpath,/usr/lib@@g": This command removes hardcoded run-time paths. Otherwise, **uic** always tries to run with Qt libraries in `/usr/lib`.

ln -v -s libqt-mt.so /usr/lib/libqt.so: This command allows **configure** scripts to find a working Qt installation.

cp -v -r doc/man /usr/share (or /opt/qt/doc): This command installs the man pages which are missed by **make**

install.

cp -v -r examples /usr/share/doc/qt (or /opt/qt/doc): This command installs the examples which are missed by **make install**.

exit: This command returns to the parent shell and eliminates environment variables set earlier.

Configuring Qt

Configuration Information

The `QTDIR` environment variable needs to be set when building packages that depend on Qt. Add the following to the `.bash_profile` initialization script for each user that builds packages using the Qt libraries. Alternatively, the variable can be set in the system wide `/etc/profile` file.

For Method 1 (This is optional, only set this if an application is unable to find the installed libraries):

```
export QTDIR=/usr
```

or for Method 2:

```
export QTDIR=/opt/qt
```

If you installed Qt using Method 2, you also need to update the following configuration files so that Qt is correctly found by other packages and system processes.

Update the `/etc/ld.so.conf` and `/etc/man_db.conf` files:

```
cat >> /etc/ld.so.conf << "EOF" &&
# Begin qt addition to /etc/ld.so.conf

/opt/qt/lib

# End qt addition
EOF
ldconfig &&
cat >> /etc/man_db.conf << "EOF"
# Begin qt addition to man_db.conf

MANDATORY_MANPATH /opt/qt/doc/man

# End qt addition to man_db.conf
EOF
```

Update the `PKG_CONFIG_PATH` environment variable in your `~/.bash_profile` or `/etc/profile` with the following:

```
PKG_CONFIG_PATH=$PKG_CONFIG_PATH:/opt/qt/lib/pkgconfig
```

If you want the Qt executables in your shell search path, update the `PATH` environment variable in your `~/.bash_profile` or `/etc/profile` to include `/opt/qt/bin`.

As with most libraries, there is no explicit configuration to do. After updating `/etc/ld.so.conf` as explained above, run `/sbin/ldconfig` so that **ldd** can find the shared libraries.

Contents

Installed Programs:	assistant, designer, linguist, lrelease, lupdate, moc, qm2ts, qmake, qtconfig, and uic
Installed Libraries:	libqt-mt.so, libqt.so, libqgui.so, libdesignercore.a, libeditor.a, and libqassistantclient.a
Installed Directories:	/opt/qt-3.3.7 or /usr/lib/qt, /usr/share/qt, /usr/share/doc/qt, /usr/include/qt, and /etc/qt

Short Descriptions

assistant	is a tool for presenting on-line documentation.
designer	is a full-fledged GUI builder. It includes powerful features such as preview mode, automatic widget layout, support for custom widgets, and an advanced property editor.
linguist	provides support for translating applications into local languages.
lrelease	is a simple command line tool. It reads a Qt project file and produces message files used by the application.
lupdate	reads a Qt project file, finds the translatable strings in the specified source, header and Qt Designer interface files, and produces or updates the translation files listed in the project file.
moc	generates Qt meta object support code.
qm2ts	is a tool for converting Qt message file formats.
qmake	qmake uses information stored in project files to determine what should go in the makefiles it generates.
qtconfig	is used to customize the appearance of Qt applications.
uic	is a Qt user interface compiler.

GTK+-1.2.10

Introduction to GTK+

The GTK+ package contains GTK+ Libraries. This is useful for creating graphical user interfaces for applications.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/graphics/gimp/gtk/v1.2/gtk+-1.2.10.tar.gz>
- Download (FTP): <ftp://ftp.gtk.org/pub/gtk/v1.2/gtk+-1.2.10.tar.gz>
- Download MD5 sum: 4d5cb2fc7fb7830e4af9747a36bfce20
- Download size: 2.8 MB
- Estimated disk space required: 51.1 MB
- Estimated build time: 1.01 SBU

GTK+ Dependencies

Required

GLib-1.2.10, and X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtk+>

Installation of GTK+

Install GTK+ by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/gtk+-1.2.10/{html,text} &&  
install -v -m644 docs/html/* /usr/share/doc/gtk+-1.2.10/html &&  
install -v -m644 docs/text/* /usr/share/doc/gtk+-1.2.10/text
```

Command Explanations

`--sysconfdir=/etc`: This installs the configuration files into `/etc` instead of `/usr/etc`.

`--with-xinput=xfree`: This configuration flag is necessary to utilize alternative input devices.

Contents

Installed Program: `gtk-config`

Installed Libraries: `libgdk.{so,a}` and `libgtk.{so,a}`

Installed Directories: /etc/gtk, /usr/include/gtk-1.2, and /usr/share/themes

Short Descriptions

gtk-config is a tool used by **configure** scripts to determine the compiler and linker flags that should be used to compile and link programs that use GTK+.

`libgtk.{so,a}` (GIMP Tool Kit) is a library for creating graphical user interfaces similar to the Motif “look and feel”.

`libgdk.{so,a}` is designed as a wrapper library that lies on top of Xlib. It performs many common and desired operations for a programmer instead of the programmer having to explicitly ask for such functionality from Xlib directly.

cairo-1.2.4

Introduction to cairo

cairo is a 2D graphics library with support for multiple output devices. Currently supported output targets include the X Window System, win32, image buffers, PostScript, PDF and SVG. Experimental backends include OpenGL (through glitz), Quartz and XCB file output. cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g., through the X Render Extension). The cairo API provides operations similar to the drawing operators of PostScript and PDF. Operations in cairo include stroking and filling cubic Bézier splines, transforming and compositing translucent images, and antialiased text rendering. All drawing operations can be transformed by any affine transformation (scale, rotation, shear, etc.).

Package Information

- Download (HTTP): <http://cairographics.org/releases/cairo-1.2.4.tar.gz>
- Download (FTP):
- Download MD5 sum: 1222b2bdfd113e2c92f66b3389659f2d
- Download size: 2.8 MB
- Estimated disk space required: 56.7 MB
- Estimated build time: 0.5 SBU (additional 0.9 SBU to run the test suite)

cairo Dependencies

Required

X Window System and pkg-config-0.20

Optional

glitz, DirectFB, XCB, and GTK-Doc-1.6

Optional (to provide extended test suite coverage)

GTK+-2.8.20 (for testing the PDF backend), Poppler-0.4.5 (for testing the PDF backend), librsvg-2.14.4 (for testing the SVG backend), and LTP

Note that the GTK, Poppler and librsvg packages are circular in that using them for test suite coverage requires installing cairo first, then installing the desired package(s), then installing cairo again.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cairo>

Installation of cairo

cairo will look for an X Render pkg-config file. If you use XFree86 as your X Window system, ensure this file exists (`/usr/X11R6/lib/pkgconfig/xrender.pc`) before beginning the installation.

Install cairo by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	None
Installed Libraries:	libcairo.{so,a}
Installed Directories:	/usr/include/cairo and /usr/share/gtk-doc/html/cairo

Short Descriptions

`libcairo.{so,a}` contains the 2D graphics functions required for rendering to the various output targets.

Pango-1.12.3

Introduction to Pango

The Pango package contains the `libpango` libraries. These are useful for the layout and rendering of text.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/pango/1.12/pango-1.12.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/pango/1.12/pango-1.12.3.tar.bz2>
- Download MD5 sum: c8178e11a895166d86990bb2c38d831b
- Download size: 1.2 MB
- Estimated disk space required: 24.9 MB
- Estimated build time: 0.5 SBU

Pango Dependencies

Required

GLib-2.10.3 and one of cairo-1.2.4 or X Window System or Fontconfig-2.3.2

cairo is not required to build Pango, but it is highly recommended that you install cairo before building Pango. If you don't build Pango with a cairo backend, then GTK+-2 will not build.

Optional (If cairo is Not Installed)

X Window System

Optional (To Rebuild the API Documentation)

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pango>

Installation of Pango

Install Pango by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--sysconfdir=/etc`: This switch installs the configuration files into `/etc` instead of `/usr/etc`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API

documentation.

Configuring Pango

Config Files

`/etc/pango/pangorc`, `~/.pangorc`, and the file specified in the environment variable `PANGO_RC_FILE`

Configuration Information

The Pango module path is specified by the key ***Pango/ModulesPath*** in the Pango config database, which is read from the config files listed above.

Contents

Installed Programs:	pango-quermolecules and pango-view
Installed Libraries:	libpango*-1.0.so and Pango loadable modules.
Installed Directories:	/etc/pango, /usr/include/pango-1.0, /usr/lib/pango, and /usr/share/gtk-doc/html/pango

Short Descriptions

pango-quermolecules	is a module registration utility that collects information about Pango loadable modules.
Pango libraries	contain low level layout rendering routines, a high level driver for laying out entire blocks of text, and routines to assist in editing internationalized text.

ATK-1.11.4

Introduction to ATK

The ATK package contains the ATK libraries. They are useful for allowing accessibility solutions to be available for all GTK2 applications.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/atk/1.11/atk-1.11.4.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/atk/1.11/atk-1.11.4.tar.bz2>
- Download MD5 sum: 2f7132e46a62a2586545bca40eeef39
- Download size: 621 KB
- Estimated disk space required: 9.4 MB
- Estimated build time: 0.1 SBU

ATK Dependencies

Required

GLib-2.10.3

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/atk>

Installation of ATK

Install ATK by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs: None

Installed Library: libatk-1.0.so

Installed Directories: /usr/include/atk-1.0 and /usr/share/gtk-doc/html/atk

Short Descriptions

`atklib-1.0.so` contains functions that are used by assistive technologies in order to interact with the desktop and applications.

GTK+-2.8.20

Introduction to GTK+

The GTK+ package contains GTK+ libraries. These are useful for creating graphical user interfaces for applications.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtk+/2.8/gtk+-2.8.20.tar.bz2>
- Download (FTP): <ftp://ftp.gtk.org/pub/gtk/v2.8/gtk+-2.8.20.tar.bz2>
- Download MD5 sum: 74e7ca98194f1fadfe906e66d763d05d
- Download size: 12.2 MB
- Estimated disk space required: 198 MB
- Estimated build time: 2.6 SBU

GTK+ Dependencies

Required

cairo-1.2.4, Pango-1.12.3, and ATK-1.11.4

Recommended

LibTIFF-3.8.2 and libjpeg-6b

Though not required, the GTK developers expect libtiff and libjpeg to be installed. Other packages also expect GTK+-2 to be built with support for these graphics packages as well.

Optional

GTK-Doc-1.6 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtk+2>

Installation of GTK+

Install GTK+ by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

To test the results, issue: **make check**. Note that you must run the tests from a session with X Window Display capability (i.e., not a text-based terminal/console) as the tests attempt to open an X window.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/gtk+-2.8.20/{faq,tutorial} &&  
cp -v -R docs/faq/html/* /usr/share/doc/gtk+-2.8.20/faq &&  
cp -v -R docs/tutorial/html/* /usr/share/doc/gtk+-2.8.20/tutorial
```

Command Explanations

`--sysconfdir=/etc`: This switch installs the configuration files into `/etc` instead of `/usr/etc`.

`--enable-gtk-doc`: This switch will rebuild the API documentation during the **make** command. Ensure you really want to rebuild this documentation (and end up with what is already shipped in the source tree) as it takes a very long time.

`--without-libtiff`: Use this switch if you don't have libtiff installed.

`--without-libjpeg`: Use this switch if you don't have libjpeg installed.

Contents

Installed Programs:	gdk-pixbuf-csource, gdk-pixbuf-query-loaders, gtk-demo, gtk-query-immodules-2.0, and gtk-update-icon-cache
Installed Libraries:	libgdk_pixbuf-2.0.so, libgdk-x11-2.0.so, libgtk-x11-2.0.so, libgdk_pixbuf_xlib-2.0.so, and numerous engine, module, and loader plugins
Installed Directories:	/etc/gtk-2.0, /usr/include/gtk-2.0, /usr/lib/gtk-2.0, /usr/share/doc/gtk+-2.8.20, /usr/share/gtk-2.0, /usr/share/gtk-doc/html/{gdk,gdk-pixbuf,gtk}, /usr/share/themes/Default/gtk*, /usr/share/themes/Emacs and /usr/share/themes/Raleigh

Short Descriptions

gdk-pixbuf-csource	generates C code containing images, useful for compiling images directly into programs.
gdk-pixbuf-query-loaders	collects information about loadable modules for gdk-pixbuf and writes it to standard output.
gtk-query-immodules-2.0	collects information about loadable input method modules for GTK+ and writes it to standard output.
gtk-update-icon-cache	creates mmap()able cache files for icon themes.
GTK+ Libraries	provide an API to implement graphical user interfaces.

LessTif-0.94.4

Introduction to LessTif

The LessTif package contains an Open Source version of OSF/Motif®.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/lesstif/lesstif-0.94.4.tar.bz2>
- Download (FTP):
- Download MD5 sum: 3096ca456c0bc299d895974d307c82d8
- Download size: 2.4 MB
- Estimated disk space required: 160 MB (includes building and running the test suite)
- Estimated build time: 2.89 SBU (includes building the test suite)

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/lesstif-0.94.4-testsuite_fix-1.patch

LessTif Dependencies

Required

X Window System

Optional

Lynx-2.8.6 or Links-2.1pre23 (used to generate the INSTALL documentation file) and Dmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/lesstif>

Installation of LessTif

Install LessTif by running the following commands:

```
patch -Np1 -i ../lesstif-0.94.4-testsuite_fix-1.patch &&
./configure --prefix=/usr --disable-debug \
    --enable-production --with-xdnd &&
make rootdir=/usr/share/doc/lesstif-0.94.4
```

This package requires that it be installed before the test suite is run. The commands to run the tests are located a bit later in the instructions.

Now, as the `root` user:

```
make rootdir=/usr/share/doc/lesstif-0.94.4 install
```

If your X Window System is XFree86 or Xorg-6.9 issue the following commands:

```
mv -v /usr/X11R6/lib/X11/mwm /etc/X11 &&
ln -v -s ../../../../etc/X11/mwm /usr/X11R6/lib/X11 &&
```

ldconfig

If your X Window System is Xorg-7.x issue these commands instead:

```
mv -v /usr/lib/X11/mwm /etc/X11 &&
ln -v -s ../../etc/X11/mwm /usr/lib/X11 &&
ldconfig
```

Command Explanations

--disable-debug: Do not generate debugging information.

--enable-production: Build the release version of the LessTif libraries.

--with-xdnd: Enable XDND GNOME compatibility support.

rootdir=/usr/share/doc/lesstif-0.94.4: This installs the documentation into an appropriate directory instead of the non-FHS compliant */usr/LessTif* directory.

mv -v /usr/X11R6/lib/X11/mwm /etc/X11: The mwm configuration directory is moved to its proper FHS location in */etc/X11*.

ln -v -s ../../etc/X11/mwm /usr/X11R6/lib/X11: A symlink required by some legacy applications is created pointing to the mwm configuration directory moved in the previous command.

Testing LessTif

It is advisable to test the installation of LessTif using the included test suite. It is not required to install any of the resulting binaries to validate the installation. Issue the following commands to build the test suite:

```
cd test &&
./configure &&
make
```

To run the tests, issue the following commands:

```
cd Xm &&
./testall *
```

You'll need to manually close three of the test windows. The first one is from **test28** in the *list* directory. The second one is from **test10** in the *menushell* directory. You should click on the button in the window and choose “exit” (do it twice) to finish the test. The third test is from **test24** in the *scrolledwindow* directory.

As many as 100 tests are known to fail. The patch applied at the beginning of the installation created a file used to compare known failures to the failures from the test run. This file was created from an installation using the current LFS book and should be a fairly accurate representation of the failures you'll encounter. You could see some minor variances, however.

Configuring LessTif

Config Files

/etc/X11/mwm/system.mwmrc and *~/.mwmrc*

Configuration Information

The config files are used to customize the behavior of the **mwm** window manager. Information about customizing these files can be found in the `mwmrc(5)` man page.

Contents

Installed Programs:	motif-config, mwm, mxmkmf, uil, and xmbind
Installed Libraries:	libDtPrints.so, libMrm.so, libUil.so, and libXm.so
Installed Directories:	/etc/X11/mwm, /usr/include/Xm, /usr/include/Mrm, /usr/include/uil, /usr/include/Dt, /usr/lib/LessTif, and /usr/share/doc/lesstif-0.94.4

Short Descriptions

motif-config	is used to find out configuration information for packages needing to link to the LessTif libraries.
mwm	is a window manager that adheres largely to the Motif mwm specification.
mxmkmf	is the LessTif version of xmkmf which creates a <code>Makefile</code> from an <code>Imakefile</code> .
uil	is a user interface language compiler which translates a plain text description of the user interface of a Motif application into a machine-readable form.
xmbind	configures the virtual key bindings of LessTif applications.
libXm.so	is an OSF/Motif® source code compatible library for the X Window System. You can download an excellent reference guide (mainly for programmers) for the Motif-2.1 specification from http://unc.dl.sourceforge.net/lesstif/6B_book.pdf .

startup-notification-0.8

Introduction to startup-notification

The startup-notification package contains `startup-notification` libraries. These are useful for building a consistent manner to notify the user through the cursor that the application is loading.

Package Information

- Download (HTTP):
<http://www.freedesktop.org/software/startup-notification/releases/startup-notification-0.8.tar.gz>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/startup-notification/0.8/startup-notification-0.8.tar.bz2>
- Download MD5 sum: 9bba52ffe8c096cfeeaf7a1dcd9b943d
- Download size: 335 KB
- Estimated disk space required: 3.3 MB
- Estimated build time: less than 0.1 SBU

startup-notification Dependencies

Required

X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/startup-notification>

Installation of startup-notification

Install startup-notification by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the `root` user:

```
make install &&  
install -v -m644 -D doc/startup-notification.txt \  
/usr/share/doc/startup-notification-0.8/startup-notification.txt
```

Contents

Installed Programs:	None
Installed Library:	libstartup-notification-1.{so,a}
Installed Directories:	/usr/include/startup-notification-1.0 and /usr/share/doc/startup-notification-0.8

Short Descriptions

`libstartup-notification-1.{so,a}` provides the functions to assist applications in communicating with the cursor system to provide feedback to the user that the application is loading.

libwnck-2.14.3

Introduction to libwnck

The libwnck package contains a Window Navigator Construction Kit.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libwnck/2.14/libwnck-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libwnck/2.14/libwnck-2.14.3.tar.bz2>
- Download MD5 sum: 5796c0c26c5dfbad6d4fdf77858feae6
- Download size: 460 KB
- Estimated disk space required: 11.0 MB
- Estimated build time: 0.3 SBU

libwnck Dependencies

Required

GTK+-2.8.20 and XML::Parser-2.34

Optional

startup-notification-0.8, intltool-0.34.2, and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libwnck>

Installation of libwnck

Install libwnck by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	None
Installed Library:	libwnck-1.{so,a}

Installed Directories: /usr/include/libwnck-1.0 and /usr/share/gtk-doc/html/libwnck

Short Descriptions

`libwnck-1.{so,a}` contains functions for writing pagers and task lists.

shared-mime-info-0.17

Introduction to shared-mime-info

The shared-mime-info package contains a MIME database. This allows central updates of MIME information for all supporting applications.

Package Information

- Download (HTTP): <http://freedesktop.org/~hadess/shared-mime-info-0.17.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/shared-mime-info-0.17.tar.gz>
- Download MD5 sum: f1014ad243b5245279c0abe1b95d9e38
- Download size: 571 KB
- Estimated disk space required: 8.0 MB
- Estimated build time: less than 0.1 SBU

shared-mime-info Dependencies

Required

GLib-2.10.3, libxml2-2.6.26, and XML::Parser-2.34

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/shared-mime-info>

Installation of shared-mime-info

Install shared-mime-info by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Configuring shared-mime-info

Configuration Information

Some applications (including GNOME-2) require a properly set environment variable to locate the MIME database. Satisfy this requirement by setting the following variable in your local shell profile, or the system-wide profile:

```
XDG_DATA_DIRS=/usr/share  
export XDG_DATA_DIRS
```

Contents

Installed Program: update-mime-database

Installed Libraries: None

Installed Directory: /usr/share/mime

Short Descriptions

update-mime-database assists in adding MIME data to the database.

hicolor-icon-theme-0.9

Introduction to hicolor-icon-theme

The hicolor-icon-theme package contains a default fallback theme for implementations of the icon theme specification.

Package Information

- Download (HTTP): <http://icon-theme.freedesktop.org/releases/hicolor-icon-theme-0.9.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/hicolor-icon-theme-0.9.tar.gz>
- Download MD5 sum: 1d0821cb80d394eac30bd8cec5b0b60c
- Download size: 32 KB
- Estimated disk space required: 1.2 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/hicolor-icon-theme>

Installation of hicolor-icon-theme

Install hicolor-icon-theme by running the following commands:

```
./configure --prefix=/usr
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	/usr/share/icons/hicolor

Short Descriptions

/usr/share/icons/hicolor/*	contains icon definitions used as defaults.
----------------------------	---------------------------------------------

libxklavier-2.2

Introduction to libxklavier

The libxklavier package contains a utility library for X keyboard.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/gswitchit/libxklavier-2.2.tar.gz>
- Download (FTP):
- Download MD5 sum: a9c2e53ea96ed138b588df5a9b9addaf
- Download size: 467 KB
- Estimated disk space required: 7.3 MB
- Estimated build time: 0.1 SBU

libxklavier Dependencies

Required

X Window System, pkg-config-0.20, and libxml2-2.6.26

Optional

Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libxklavier>

Installation of libxklavier

Install libxklavier by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	None
Installed Library:	libxklavier.{so,a}
Installed Directories:	/usr/include/libxklavier and /usr/share/libxklavier

Short Descriptions

`libxklavier.{so,a}` contains XKB utility functions.

freeglut-2.4.0

Introduction to freeglut

freeglut is intended to be a 100% compatible, completely opensourced clone of the GLUT library. GLUT is a window system independent toolkit for writing OpenGL programs, implementing a simple windowing API, which makes learning about and exploring OpenGL programming very easy.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/freeglut/freeglut-2.4.0.tar.gz>
- Download (FTP):
- Download MD5 sum: 6d16873bd876fbf4980a927cfbc496a1
- Download size: 459 KB
- Estimated disk space required: 7.6 MB
- Estimated build time: 0.2 SBU

freeglut Dependencies

Required

X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/freeglut>

Installation of freeglut

Install freeglut by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -d -m755 /usr/share/doc/freeglut-2.4.0 &&  
install -v -m644 doc/freeglut_user_interface.html \  
/usr/share/doc/freeglut-2.4.0
```

Contents

Installed Programs:	None
Installed Libraries:	libglut.{so,a}
Installed Directories:	/usr/share/doc/freeglut-2.4.0

Short Descriptions

`libglut.{so,a}` contains functions that implement the OpenGL Utility Toolkit.

GOffice-0.2.1

Introduction to GOffice

The GOffice package contains a library of GLib/GTK document centric objects and utilities. This is useful for performing common operations for document centric applications that are conceptually simple, but complex to implement fully. Some of the operations provided by the GOffice library include support for plugins, load/save routines for application documents and undo/redo functions.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/goffice/0.2/goffice-0.2.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/goffice/0.2/goffice-0.2.1.tar.bz2>
- Download MD5 sum: 73b733556db5721ddfd5c72fc6428a15
- Download size: 1.4 MB
- Estimated disk space required: 37.8 MB
- Estimated build time: 1.0 SBU

GOffice Dependencies

Required

libgsf-1.14.1 and Pango-1.12.3

Recommended (for the User Interface functionality)

libglade-2.6.0 and libgnomeprint-2.12.1

Note: not installing the recommended dependencies can render the GOffice package incapable of supporting applications which depend on it. If, for whatever reason, you elect not to install the recommended dependencies, you must add the `--without-gtk` parameter to the **configure** command in the instructions below.

Optional

cairo-1.2.4 (already installed if you installed the recommended dependencies) and libgnomeui-2.14.1 (with libgsf built to support GNOME by creating the `libgsf-gnome-1` library)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/goffice>

Installation of GOffice

Install GOffice by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	libgoffice-1.so and numerous support plugins
Installed Directories:	/usr/include/libgoffice-1, /usr/lib/goffice, /usr/share/{,pixmap/}goffice

Short Descriptions

`libgoffice-1.so` contains API functions to provide support for document centric objects and utilities.

MesaLib-6.5

Introduction to MesaLib

Mesa is an OpenGL compatible 3-D graphics library.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/mesa3d/MesaLib-6.5.tar.bz2>
- Download (FTP):
- Download MD5 sum: 61beda590bfc5b4a12e979d5f2d70d7a
- Download size (including recommended download): 3.3 MB
- Estimated disk space required (including recommended download): 823 MB
- Estimated build time (including recommended download): 1.7 SBU

MesaLib Dependencies

Required

Xorg Libraries, Xorg Utilites, and libdrm-2.0.1



Note

It is not recommended to build a newer version of Mesa with XFree86 or Xorg-6.9.0.

Recommended Download

MesaDemos-6.5 provides a demo and a diagnostic program to verify that GL is working properly.

Optional Download

MesaGLUT-6.5 provides a working `libglut`.



Note

You should extract all three tarballs from the same toplevel directory. All three files will extract to the `Mesa-6.5` directory.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mesalib>

Installation of MesaLib



Note

This package should only be built if you are installing Xorg-7.1. If you have installed or will be installing Xorg-6.9.0 or XFree86, it is provided by those packages and should not be installed here.

You will need to adjust the commands below to reflect the installation prefix of the X Window System. First,

correct several hard coded directories in the source files with the following commands:

```
find . -type f -exec sed -i "s@/usr/X11R6@$XORG_PREFIX@g" {} \; &&
sed -i 's@lib/modules@lib/X11/modules@' src/glx/x11/dri_glx.c &&
sed -i 's@lib/modules@lib/X11/modules@' \
    src/mesa/drivers/dri/Makefile.template
```

Fix an error with output redirection if `/bin/sh` is not the Bash shell on your system:

```
sed -i 's%>& /dev/null%>/dev/null%' src/mesa/drivers/dri/Makefile.template
```

Build MesaLib by running the following command:

```
make OPT_FLAGS="-O2 -fno-strict-aliasing" linux-dri-x86
```

This package does not come with a test suite.

Now, as the `root` user, issue the following commands to install MesaLib:

```
bin/installmesa $XORG_PREFIX
```

While still the `root` user, install the modules for Xorg-7.1 with the following commands.

```
mkdir -v -p $XORG_PREFIX/lib/X11/modules/dri &&
install -v -m755 lib/*dri* $XORG_PREFIX/lib/X11/modules/dri
```

If you've extracted the Demos package as well, then build the test programs with the following commands:

```
sed -i 's@-l$(GLUT_LIB)@@g' configs/default &&
cd progs/xdemos &&
make PROGS='glxinfo glxgears'
```

Install the demos as the `root` user:

```
install -v -m755 glxinfo glxgears $XORG_PREFIX/bin
```



Note

Do not remove the Mesa source tree yet, it will be required to build the Xorg-Server-1.1.1.

Finally, if installing to any prefix other than `/usr`, you should create symlinks to the GL headers in `/usr/include`. Execute the following command as the `root` user:

```
ln -s -v $XORG_PREFIX/include/GL /usr/include
```

Command Explanations

find...sed -i "s@/usr/X11R6@\$XORG_PREFIX@g"...: This command corrects several hard coded references to the X11R6 default installation path.

sed -i 's@lib/modules@lib/X11/modules@' src/glx/x11/dri_glx.c: This command corrects a hard coded reference to the module directory.

make OPT_FLAGS=... linux-dri-x86: A bug where OpenGL applications are shifted to the left by 50% can be worked around by adding `-fno-strict-aliasing` to the compiler flags. Also, the `linux-dri-x86` target is specified to use a few other helpful flags in addition to the defaults. See the other targets in the `configs` directory if your architecture is not x86.

bin/installmesa: Mesa uses a custom installation script as opposed to the normal `install` make target.

install -v -m755 lib/*dri* \$XORG_PREFIX/lib/X11/modules/dri: installs the DRI modules.

sed -i 's@-l\$(GLUT_LIB)@@g' configs/default: disables linking against GLUT libraries for the demo programs.

make PROGS='glxinfo glxgears': build only the `glxinfo` and `glxgears` programs.

install -v -m755 glxinfo glxgears \$XORG_PREFIX/bin: Installs only the `glxinfo` and `glxgears` programs.

Contents

Installed Programs:	<code>glxgears</code> and <code>glxinfo</code>
Installed Libraries:	<code>libGL.{so,a}</code> , <code>libGLU.{so,a}</code> , <code>libGLw.{so,a}</code> , <code>libglut.{so,a}</code> and <code>*_dri.so</code>
Installed Directories:	<code>\$XORG_PREFIX/lib/modules/dri</code>

Short Descriptions

<code>glxgears</code>	a GL demo useful for troubleshooting graphics problems.
<code>glxinfo</code>	a diagnostic program that displays information about the graphics hardware and installed GL libraries.

Chapter 27. Window Managers

Introduction

Window Managers and Desktop Environments are the primary user interfaces into the X Window System. A window manager is a program that controls the appearance of windows and provides the means by which the user can interact with them. A Desktop Environment provides a more complete interface to the operating system, and provides a range of integrated utilities and applications.

There are many Window Managers available. Some of the more well known ones include fvwm2, Window Maker, AfterStep, Enlightenment, Sawfish, and Blackbox.

The Desktop Environments available for Linux are GNOME, KDE, and XFce.

Choosing a Window Manager or Desktop Environment is highly subjective. The choice depends on the look and feel of the packages, the resources (RAM, disk space) required, and the utilities included. One web site that provides a very good summary of what is available, screenshots, and their respective features is [Window Managers for X](#).

In this chapter, the installation instructions of several Window Managers and one lightweight Desktop Environment are presented. Later in the book, both KDE and GNOME have their own sections.

sawfish-1.3

Introduction to sawfish

The sawfish package contains a window manager. This is useful for organizing and displaying windows where all window decorations are configurable and all user-interface policy is controlled through the extension language.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/sawmill/sawfish-1.3.tar.gz>
- Download (FTP):
- Download MD5 sum: 9e5ce5e76c60acecdb1889c1f173295a
- Download size: 1.5 MB
- Estimated disk space required: 17.5 MB
- Estimated build time: 0.26 SBU

sawfish Dependencies

Required

rep-gtk-0.18 and EsounD-0.2.36

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sawfish>

Installation of sawfish

Install sawfish by running the following commands:

```
./configure --prefix=/usr --libexec=/usr/sbin \
--infodir=/usr/share/info --disable-themer &&
make
```

Now, as the root user:

```
make install
```

Command Explanations

--disable-themer: This option prevents building the sawfish themer. This program was not migrated to GTK-2.

--with-audiofile: This command directs sawfish to use `libaudiofile` for sound manipulation.

--with-esd: This command directs sawfish to use the Enlightened Sound Daemon.

Configuring sawfish

Configuration Information

Be sure to backup your current `.xinitrc` before proceeding.

```
cat >> ~/.xinitrc << "EOF"
exec sawfish
EOF
```

Contents

Installed Programs:	sawfish, sawfish-client, and sawfish-ui
Installed Libraries:	None
Installed Directory:	/usr/share/sawfish, /usr/sbin/sawfish, and /usr/lib/rep/*/

Short Descriptions

sawfish	is the extensible window manager using a Lisp-based scripting language.
sawfish-client	allows you to connect to a window manager process and evaluate arbitrary Lisp forms.
sawfish-ui	is the sawfish configurator.

Fluxbox-0.9.15.1

Introduction to Fluxbox

The Fluxbox package contains a window manager.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/fluxbox/fluxbox-0.9.15.1.tar.bz2>
- Download (FTP):
- Download MD5 sum: 098eb36a09338aabb63b938a5eab9ef6
- Download size: 670 KB
- Estimated disk space required: 50.3 MB
- Estimated build time: 0.8 SBU

Fluxbox Dependencies

Required

X Window System

Optional

Imlib2-1.2.2 Image display library

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/fluxbox>

Installation of Fluxbox

Install Fluxbox by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-imlib2`: Use this option if you wish to use other image formats in addition to xpm.

Configuring Fluxbox

Config Files

`~/.fluxbox/init`, `~/.fluxbox/keys`, and `~/.fluxbox/menu`

Configuration Information

If Fluxbox is the only Window Manager you want to use, you can start it with an `.xinitrc` file in your home folder. Be sure to backup your current `.xinitrc` before proceeding.

```
echo startfluxbox > ~/.xinitrc
```

Or alternatively, if you use a login manager like GDM-2.14.10 or kdm and would like to be able to choose Fluxbox at the login prompt, create a `fluxbox.desktop` file like this.

As root:

```
cat > /usr/share/xsessions/fluxbox.desktop << "EOF"
[Desktop Entry]
Encoding=UTF-8
Name=Fluxbox
Comment=This session logs you into Fluxbox
Exec=startfluxbox
Type=Application
EOF
```

If you didn't install GDM-2.14.10 or kdm in `/usr`, then change that command to fit the prefix you chose.

Now create the Fluxbox configuration files:

```
mkdir -v ~/.fluxbox &&
cp -v /usr/share/fluxbox/init ~/.fluxbox/init &&
cp -v /usr/share/fluxbox/keys ~/.fluxbox/keys
```

Now if you have `which-2.16` installed:

```
cd ~/.fluxbox &&
fluxbox-generate_menu
```

otherwise:

```
cp -v /usr/share/fluxbox/menu ~/.fluxbox/menu
```

Menu items are added by editing `~/.fluxbox/menu`. The syntax is explained on the **fluxbox** man page.

If you want to use an image as your desktop background, copy the theme you like into `~/.fluxbox`. Then add a line to make it use the correct image. In the following command, change `<theme>` for the name of the theme you want and change `</path/to/nice/image.xpm>` to point to the actual image you want to use.

```
cp /usr/share/fluxbox/styles/<theme> ~/.fluxbox/theme &&
sed -i 's,\(session.styleFile:\).*,\1 ~/.fluxbox/theme,' \
~/.fluxbox/init &&
echo "background.pixmap: </path/to/nice/image.xpm>" >> ~/.fluxbox/theme
```

In some locales the font specified in the theme may not contain the needed characters. This results in menus with blank items. You can fix this by editing `~/.fluxbox/theme` with a text editor and altering it so that it names a suitable font.

Contents

Installed Programs:	fluxbox, fbsetbg, fbsetroot, fluxbox-generate_menu, startfluxbox, and fbrun
Installed Libraries:	None
Installed Directory:	/usr/share/fluxbox and ~/.fluxbox

Short Descriptions

fluxbox	is a window manager for X11 based on Blackbox 0.61.0.
fbsetbg	is a utility that sets the background image. It requires which to find one of: display , Esetroot , wmsetbg , xv , qiv or xsri .
fbsetroot	is a utility to change root window appearance based on the Blackbox application bsetroot.
fluxbox-generate_menu	is a utility that generates a menu by scanning your PATH. It requires which to function properly.
startfluxbox	is a session startup script that allows for command executions prior to fluxbox starting.
fbrun	displays a run dialog window.

Metacity-2.14.5

Introduction to Metacity

The Metacity package contains a window manager. This is useful for organizing and displaying windows.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/metacity/2.14/metacity-2.14.5.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/metacity/2.14/metacity-2.14.5.tar.bz2>
- Download MD5 sum: a14c4a07e456a2590452d6c9db2e5153
- Download size: 1.8 MB
- Estimated disk space required: 54.9 MB
- Estimated build time: 0.6 SBU

Metacity Dependencies

Required

GTK+-2.8.20 and XML::Parser-2.34

Optional

startup-notification-0.8 (recommended if you are installing GNOME-2), GConf-2.14.0 (recommended if you are installing GNOME-2), intltool-0.34.2, and libXcomposite*

* libXcomposite can optionally be used, but here's what the Metacity package maintainer has to say about it in the **configure** script if the package is found: "Not building compositing manager by default now, must enable explicitly to get it. And it doesn't work, so don't bother unless you want to hack on it..."

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/metacity>

Installation of Metacity

Metacity will look for an X Render pkg-config file. If you use XFree86 as your X Window system, ensure this file exists (`/usr/X11R6/lib/pkgconfig/xrender.pc`).

Install Metacity by running the following commands:

```
./configure --prefix=/usr \
            --libexecdir=/usr/lib/metacity \
            --sysconfdir=/etc &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/metacity-2.14.5 &&
install -v -m644 README rationales.txt doc/*.txt \
    /usr/share/doc/metacity-2.14.5
```

Command Explanations

`--with-gconf-schema-file-dir=/etc/gnome/2.14.3/gconf/schemas`: Use this option if you are installing Metacity for a GNOME-2 installation.

Configuring Metacity

Configuration Information

To automatically start the Metacity window manager when you issue the **startx** command, append to (or create) `.xinitrc` using the command below (not required if you are installing Metacity for a GNOME-2 installation). Ensure you backup your current `~/.xinitrc` before proceeding:

```
cat >> ~/.xinitrc << "EOF"
xterm &
exec metacity
EOF
```

Contents

Installed Programs:	metacity, metacity-message, metacity-theme-viewer and metacity-window-demo
Installed Library:	libmetacity-private.{so,a}
Installed Directories:	/usr/include/metacity-1, /usr/lib/metacity, /usr/share/doc/metacity-2.14.5, /usr/share/gnome/wm-properties, /usr/share/metacity and /usr/share/themes/{AgingGorilla,Atlanta,Bright,Crux,Esco,Metabox,Simple}

Short Descriptions

metacity	is a window manager used mainly by GNOME.
metacity-theme-viewer	allows you to preview any installed Metacity theme. When designing a new Metacity theme, you can use metacity-theme-viewer to measure the performance of a window frame option, and to preview the option.
metacity-window-demo	demonstrates various kinds of windows that window managers and window manager themes should handle.

XFce-4.2.3.2

Introduction to XFce

The XFce package contains a lightweight desktop environment.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/xfce/xfce-4.2.3.2-src.tar.bz2>
- Download (FTP):
- Download MD5 sum: 44e126e47657969657ff86fb558d54ea
- Download size: 25 MB
- Estimated disk space required: 219 MB (to build and install everything without deleting any sources)
- Estimated build time: 3.5 SBU

XFce Dependencies

Required

GTK+-2.8.20 and libxml2-2.6.26

Optional

GDM-2.14.10, librsvg-2.14.4 (xft links to librsvg automatically if librsvg is installed), libgtkhtml-2.11.0, startup-notification-0.8, and a2ps-4.13b (required to build xfprint).

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xfce>

Installation of XFce

A bare minimum XFce setup requires installation of the following packages:

- libxfce4util-4.2.3.2.2
- dbh-1.0.24
- libxfcegui4-4.2.3.2
- libxfce4mcs-4.2.3.2
- xfce-mcs-manager-4.2.3.2
- xfwm4-4.2.3.2.2
- xfce4-panel-4.2.3.2
- xfdesktop-4.2.3.2
- xfce-utils-4.2.3.2

Install the minimum applications by issuing the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

If you use GDM-2.14.10 as your display manager and would like to be able to log into an XFce session from the login prompt, pass the `--enable-gdm` option to the `xfce-utils-4.2.3.2` **configure** script (requires `which-2.16` to be installed at run time).

Now, as the `root` user:

```
make install
```

In addition, you may choose to install:

- `gtk-xfce-engine-2.2.8`
- `xfcalendar-4.2.3.2`
- `xfce-mcs-plugins-4.2.3.2`
- `xfce4-appfinder-4.2.3.2`
- `xfce4-icon-theme-4.2.3.2`
- `xfce4-iconbox-4.2.3.2`
- `xfce4-mixer-4.2.3.2`
- `xfce4-session-4.2.3.2`
- `xfce4-systray-4.2.3.2`
- `xfce4-toys-4.2.3.2`
- `xfce4-trigger-launcher-4.2.3.2`
- `xffm-4.2.3.2`
- `xfprint-4.2.3.2`
- `xfwm4-themes-4.2.3.2`

Install the remaining applications using the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc \
    --libexecdir=/usr/lib/xfce4 &&
make
```

Also, `xfprint` can be configured with `--enable-cups` if you have CUPS-1.2.7 installed.

And then as `root`:

```
make install
```

As the `root` user, move the help documentation to the standard BLFS location and modify the help script to look for it there:

```
mv -vf /usr/share/xfce4/doc /usr/share/doc/xfce4 &&
sed -i 's@xfce4/doc@doc/xfce4@' /usr/bin/xfhelp4
```

Command Explanations

`--sysconfdir=/etc`: `libxfce4util`, `xfce4-panel`, `xfdesktop`, `xfce-utils` and `xfce4-session` require this parameter because the path is built into the library or they install configuration files in `/etc/xdg`.

`--libexecdir=/usr/lib/xfce4`: `xfce4-session` requires this parameter to install some utility programs to the correct location.

Configuring XFce

Configuration Information

XFce will look for the theme index from hicolor-icon-theme-0.9 at run-time. Ensure you install the package before launching XFce.

Issue the command below to create an `.xinitrc` file which will automatically run the appropriate XFce programs when the X Window system is launched. Be sure to backup your existing `.xinitrc` file before proceeding.

```
cat > ~/.xinitrc << "EOF"
xfce-mcs-manager
xfwm4 --daemon
xftaskbar4 &
xfdesktop &
exec xfce4-panel
EOF
```

Contents

Installed Programs:	fgr, scramble, startxfce4, xfbook, xfbook4, xfcalendar, xfce-mcs-manager, xfce-setting-show, xfce4-about, xfce4-appfinder, xfce4-iconbox, xfce4-kiosk-query, xfce4-menueeditor, xfce4-mixer, xfce4-panel, xfce4-session, xfce4-session-logout, xfce4-tips, xfdesktop, xfdiff4, xffm, xffrequent, xffrequent4, xffstab, xffstab4, xfglob4, xfhelp4, xflock4, xfmime-edit, xfmountdev4, xfrecent, xfrecent4, xfprint-manager, xfprint4, xfrun4, xfsamba4, xftaskbar4, xfterm4, xftrash4, xftree4, and xfwm4
Installed Libraries:	libxfce4util.{a,so}, libdbh.{a,so}, libxfcegui4.{a,so}, libxfce4mcs.{a,so}, libxffm_actions.so, libxffm_basic.so, libxffm_calls.so, libxffm_cpy.so, libxffm_on_demand.so, libxffm_secondary.so, libxffm_tubo.so, libxfsm-4.2.{a,so}
Installed Directories:	/usr/lib/xfce4, /usr/share/doc/xfce4, /usr/share/xfce4, /usr/share/xffm and /usr/share/xfwm4

Short Descriptions

fgr	is a file content search engine for xffm .
startxfce4	is a script which starts up the XFce Desktop Environment.
xfce-mcs-manager	is the settings manager for XFce.
xfce4-about	displays the about box.
xfce4-session	saves the state of your desktop and restores it when you next start XFce.
xfce-setting-show	displays the settings for XFce.
xfce4-panel	is the panel manager for XFce. It contains the launcher, clock, mail check, desktop switcher and separator programs.
xfdesktop	is the desktop manager for XFce.
xfhelp4	is script that launches a HTML browser to display online documentation. It requires which to run.

xflock4	is a script used to lock the current screen during drag and drop actions.
xfmountdev4	mounts a device on the specified mount point and launches xfree4 , then unmounts the device when xfree4 finishes.
xfrun4	is the program launcher for XFce.
xfsamba4	is the Samba front end for XFce.
xftaskbar4	is the taskbar manager for XFce.
xfterm4	is a small terminal wrapper to be used as a drag and drop action for the XFce front panel. It requires which to run.
xftrash4	is a small binary to be used as a drag and drop action for the XFce front panel.
xffm	is the file manager for XFce.
xfwm4	is an X11 window manager for XFce.

Other Window Managers

twm is the Tab Window Manager. This is the default window manager installed by the X Window System packages.

mwm is the Motif® Window Manager. It is an OSF/Motif® clone packaged and installed with LessTif-0.94.4.

Part VIII. KDE

Introduction to KDE

KDE is a comprehensive desktop environment that builds on an X Window System and Qt to provide a window manager and many user tools, including a browser, word processor, spreadsheet, presentation package, games, and numerous other utilities. It provides extensive capabilities for customization.

The KDE instructions are divided into three parts. The first part, the core packages, are needed for the rest of KDE to work. The second part presents additional packages which provide functionality in various areas (multimedia, graphics, etc.) The third part provides resources for software and web developers.

There are two alternatives for installing KDE. Option one, that is used by most of the commercial distributions, is to install KDE in the standard system prefix: `/usr`. This option allows the use of KDE without the need for any additional configuration such as modification of various environment variables or configuration files. Option two is to install it in a unique prefix such as `/opt/kde` or `/opt/kde-3.5.6`. This option allows for easy removal of the KDE version or maintenance of multiple versions for testing.



Tip

All the KDE packages are comprised of various components. The default is to install most of the components. If specific components are to be eliminated, the official way is to set the variable `DO_NOT_COMPILE`. This comes in handy when there are problems compiling a particular component.

```
DO_NOT_COMPILE="component1 component2" \  
./configure --prefix=$KDE_PREFIX ...
```

The core KDE packages also honor this variable, but omitting components from the core packages is not advisable since it may result in an incomplete KDE installation.



Note

In each of the packages, one other option to **configure** can be added: `--enable-final`. This option can speed up the build process, but requires a lot of memory. If you have less than 256MB of RAM, this option may cause swapping and significantly slow compilation.

Chapter 28. KDE Core Packages

KDE Pre-installation Configuration

Based on your preference, set `KDE_PREFIX`.

One option is to put KDE into the `/usr` hierarchy. This creates a simpler setup but is more difficult to try multiple versions of KDE.

```
export KDE_PREFIX=/usr
```

A method of building multiple versions installs KDE in the `/opt` hierarchy:

```
export KDE_PREFIX=/opt/kde-3.5.6
```

Remember to execute `ldconfig` after installation of libraries to update the library cache.

If you are not installing KDE in `/usr`, you will need to make some configuration changes:

You should consider installing the `desktop-file-utils-0.11` package. Though not required, this package will allow you to easily use existing `.desktop` files in `/usr/share/applications` (and any other locations identified by `XDGLDATA_DIRS`), and automatically add these applications to the KDE menu system.

Add to your system or personal profile:

```
export PATH=$PATH:/opt/kde-3.5.6/bin  
export PKG_CONFIG_PATH=$PKG_CONFIG_PATH:/opt/kde-3.5.6/lib/pkgconfig
```

Add to your `/etc/ld.so.conf`:

```
cat >> /etc/ld.so.conf << "EOF"  
# Begin kde addition to /etc/ld.so.conf  
  
/opt/kde-3.5.6/lib  
  
# End kde addition  
EOF
```

Add to your `/etc/man_db.conf`:

```
cat >> /etc/man_db.conf << "EOF"  
# Begin kde addition to man_db.conf  
  
MANDATORY_MANPATH /opt/kde-3.5.6/man  
  
# End kde addition to man_db.conf  
EOF
```



Tip

If you prefer installing KDE in `/opt`, one trick to avoid the above configuration changes every time you install a new version is to replace `/opt/kde-3.5.6` with `/opt/kde` and to create a

symlink from `/opt/kde-3.5.6` to `/opt/kde`.

```
ln -v -sf kde-3.5.6 /opt/kde
```

aRts-1.5.6

Introduction to aRts

The Analog Real-time Synthesizer (aRts) provides sound support for KDE and necessary libraries for kdelibs.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/arts-1.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/arts-1.5.6.tar.bz2>
- Download MD5 sum: e986393a5827499bbad04a00b797add0
- Download size: 952 KB
- Estimated disk space required: 29.7 MB
- Estimated build time: 1.2 SBU

aRts Dependencies

Required

Qt-3.3.7 and GLib-2.10.3

Recommended

libjpeg-6b

Optional

libvorbis-1.1.2, ALSA-1.0.13, Audio File-0.2.6, libmad-0.15.1b, EsounD-0.2.36, NAS-1.7, MAS, and JACK

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/arts>

Installation of aRts

Install aRts by running the following commands:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite that works with GCC-4.0.3.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$KDE_PREFIX`: This option tells the process to install the package in `$KDE_PREFIX`. aRts is installed here as it's required before installing KDE.

`--disable-debug`: This option causes the package to be compiled without debugging code.

--disable-dependency-tracking: This option speeds up one time builds.

Contents

Installed Programs:	artsd, artswrapper, artsshell, artsplay, artsdsp, artscat, arts-control, artsc-config, and mcopidl
Installed Libraries:	aRts libraries
Installed Directories:	The following subdirectories of \$KDE_PREFIX/: bin, include/arts, include/artsc, and lib/mcop

Short Descriptions

artsd	is a daemon that provides access to the sound hardware resources.
artswrapper	is a small wrapper program which simply sets real-time priority (running as <code>root</code>) and then executes artsd as a non-root user.
artsshell	is intended as a utility to perform miscellaneous functions related to the sound server.
artsplay	is a simple utility to play a sound file.
artsdsp	provides an interim solution that allows most of legacy sound applications to run unchanged.
artscat	is a simple utility to send raw audio data to the sound server.
artscontrol	is a graphical utility for performing a number of tasks related to the sound server.
artsc-config	is a utility to assist developers using the aRts C API.
mcopidl	is the Interface Definition Language (IDL) file compiler for MCOP, the Multimedia Communication Protocol used by aRts.
aRts Libraries	contains functions that support aRts programs.

To find out information about aRts and the various programs included in the package, see The aRts Handbook. For information in languages other than English, see the KDE Documentation and navigate to the aRts documentation in your language.

Kdelibs-3.5.6

Introduction to Kdelibs

This package includes programs and libraries that are central to the development and execution of a KDE program, as well as internationalization files for these libraries, miscellaneous HTML documentation, theme modules and regression tests.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdelibs-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdelibs-3.5.6.tar.bz2>
- Download MD5 sum: e4d137879a66e92b895b3de5413a61d8
- Download size: 14.8 MB
- Estimated disk space required: 255 MB (additional 659 MB for API docs)
- Estimated build time: 11.3 SBU (additional 3.9 SBU for API docs)

Kdelibs Dependencies

Required

aRts-1.5.6

Recommended

libjpeg-6b, libart_lgpl-2.3.17, libxml2-2.6.26, libxslt-1.1.17, PCRE-6.7, Gamin-0.1.7, OpenSSL-0.9.8d, and libidn-0.6.3

Optional

LibTIFF-3.8.2, Aspell-0.60.4, CUPS-1.2.7, OpenLDAP-2.3.27, ALSA-1.0.13, Heimdal-0.7.2 or MIT Kerberos V5-1.6, OpenEXR, JasPer, Lua (version < 5.1), mDNSResponder, LibThai, Hspell, libacl (requires libattr), Graphviz-2.8, and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdelibs>

Installation of Kdelibs

Install kdelibs with:

```
./configure --prefix=$KDE_PREFIX \
            --sysconfdir=/etc/kde \
            --disable-debug \
            --disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**. This applies to all packages which can utilize Doxygen.

The **make apidox** command generates a lot of errors and warnings. In some cases it complains that Helvetica fonts are missing and substitutes a font that does not fit boxes properly. You can add the font by downloading the URW Fonts and unpacking them into `~/ .fonts`. **fc-cache** should also be run to update the font properties on your system.

The documents generated are HTML and are found in `$KDE_PREFIX/share/doc/HTML/en/kdelibs-apidocs`.

This package does not come with a test suite that works with GCC-4.0.3.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$KDE_PREFIX`: This option tells the process to install the package in `$KDE_PREFIX`.

`--disable-debug`: This option causes the package to be compiled without debugging code.

`--disable-dependency-tracking`: This option speeds up one time builds.

`--sysconfdir=/etc/kde`: This option places configuration files in compliance with the Filesystem Hierarchy Standard. If you omit this parameter, the configuration files will be placed in `$KDE_PREFIX/etc` which may be desirable if you have multiple versions of KDE installed.

Run-Time Dependencies

The KDE libraries access other programs at run time. One additional package that has not been mentioned already is `pmount`. This enables auto-mounting of hotplugged devices at `/media/[device_name]` for any user without any `fstab` modification. It is needed to enable the full integration of KDE with HAL-0.5.7.1.

Contents

Installed Programs: Numerous KDE support programs: `artsmesssage`, `checkXML`, `cupsdconf`, `cupsdoprint`, `dcop`, `dcopclient`, `dcopfind`, `dcopidl`, `dcopidl2cpp`, `dcopidlng`, `dcopobject`, `dcopquit`, `dcopref`, `dcopserver`, `dcopserver_shutdown`, `dcopstart`, `filesharelist`, `fileshareset`, `imagetops`, `kab2kabc`, `kaddprinterwizard`, `kbuildsycoca`, `kcmshell`, `kconf_update`, `kconfig_compiler`, `kcookiejar`, `kde-config`, `kde-menu`, `kded`, `kdeinit`, `kdeinit_shutdown`, `kdeinit_wrapper`, `kdesu_stub`, `kdontchangethehostname`, `kдостartupconfig`, `kfile`, `kfmexec`, `kgrantpty`, `khotnewstuff`, `installtheme`, `kio_http_cache_cleaner`, `kio_uiserver`, `kioexec`, `kioslave`, `klauncher`, `kmailservice`, `kpac_dhcp_helper`, `ksendbugmail`, `kshell`, `kstartupconfig`, `ksvgtopng`, `ktelnetsservice`, `ktradertest`, `kunittestmodrunner`, `kwrapper`, `lnusertemp`, `make_driver_db_cups`, `make_driver_db_lpr`, `makekdewidgets`, `meinproc`, and `preparetips`

Installed Libraries: Numerous KDE libraries and helper modules

Installed Directories: `/etc/kde` and the following subdirectories of `$KDE_PREFIX/`: `include/{dnssd, dom, kabc, kate, kdeprint, kdesu, khexedit, kio, kjs, kmidi, kmediaplayer, knewstuff,`

kparts, kresources, ksettings, kspell2, ktexteditor, kunittest, libkmid}, lib/kde3, and share/{applications, apps, autostart, config, doc, emoticons, icons, mimetype, services}

Short Descriptions

KDE Support Programs are essential support programs needed by other KDE applications.

KDE Libraries contain essential functions that are needed by KDE applications.

The number of programs and libraries installed by kdelibs prohibits an explanation of each one in this section. Instead, see the KDE Documentation.

Kdebase-3.5.6

Introduction to Kdebase

kdebase is the last mandatory package required for the K Desktop Environment. It provides various applications, infrastructure files and libraries.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdebase-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdebase-3.5.6.tar.bz2>
- Download MD5 sum: a53f589f58012e655a52220a6a151019
- Download size: 23.1 MB
- Estimated disk space required: 265 MB (additional 33 MB for API docs)
- Estimated build time: 12.8 SBU (additional 0.4 SBU for API docs)

Kdebase Dependencies

Required

kdelibs-3.5.6

Recommended

libjpeg-6b, libart_lgpl-2.3.17, libxml2-2.6.26, OpenSSL-0.9.8d, and JDK-1.5.0_10

Optional

libusb-0.1.12, Linux-PAM-0.99.4.0, OpenLDAP-2.3.27, Cyrus SASL-2.1.21, Samba-3.0.23d, HAL-0.5.7.1, Heimdal-0.7.2 or MIT Kerberos V5-1.6, krb4, OpenEXR, libraw1394, lm_sensors (requires Sysfs Utilities), mDNSResponder, Graphviz-2.8, and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdebase>

Installation of Kdebase



Note

You should ensure a `nogroup` group exists on your system before performing the **configure** command, as kdebase installs a program (`$KDE_PREFIX/bin/kdesud`) with group ownership of `nogroup`.

This package does not come with a test suite.

Install kdebase with:



Note

The `--sysconfdir` parameter must be the same as the command used in the installation of kdelibs.

```
./configure --prefix=$KDE_PREFIX --sysconfdir=/etc/kde \
--disable-debug --disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

Now, as the `root` user:

```
make install
```

Configuring Kdebase

Configuration Information

There is no real configuration necessary for this package other than to ensure you follow the steps outlined in the last section of this chapter, the section called “Configuring the Core KDE Packages”.

Run-Time Dependencies

Note that there are two additional packages you can install that are used at run-time for **konqueror** ioslave protocols. You can install the Mtools package to enable the “floppy” ioslave protocol. This will allow easy access to the floppy disk drives on your system. The hfsplus package can be installed to access HFS+ partitions on a Mac OS system using the “mac” ioslave.

One additional package that can be used at run time is PCI Utilities-2.2.3. This enables the KDE Info Center to use lspci for its “pci” info section.

Contents

Installed Programs:

appletproxy, drkonqi, extensionproxy, genkdmconf, kaccess, kappfinder, kapplymousetheme, kasbar, kate, kblankscrn.kss, kbookmarkmerger, kcheckpass, kcheckrunning, kcmint, kcontrol, kcontroledit, kdcop, kdebugdialog, kdeject, kdeinstallktheme, kdepaswd, kdeprintfax, kdesktop, kdesktop_lock, kdesu, kdesud, kdialog, kdm, kdm_config, kdm_greet, kdmctl, keditbookmarks, keditfiletype, kfind, kfmclient, kfontinst, kfontview, khc_docbookdig.pl, khc_htdig.pl, khc_htsearch.pl, khc_indexbuilder, khc_mansearch.pl, khelpcenter, khotkeys, kicker, kinfocenter, kio_media_mounthelper, kio_system_documenthelper, kjobviewer, klipper, klocaldomainurifilterhelper, kmenuedit, knetattach, kompmgr, konqueror, konsole, kpager, kpersonalizer, kpm, kprinter, krandom.kss, krandrtray, krdb, kreadconfig, krootimage, ksmserver, ksplash, ksplashsimple, kstart, ksysguard, ksysguardd, ksystraycmd, ktip, ktrash, kwebdesktop, kwin, kwin_killer_helper, kwin_rules_dialog, kwrite, kwriteconfig, kxkb, nspluginscan, nspluginviewer, and startkde

Installed Libraries:

Numerous KDE support libraries, helper modules, and kioslaves

Installed Directories: /etc/xdg/menus/applications-merged and the following subdirectories of \$KDE_PREFIX/: include/{kate, ksgrd, ksplash, kwin}, lib/kconf_update_bin, share/{applnk, apps/{too many to list}, config, config.kcfg, desktop-directories, doc/kdm, fonts, /mimelnk/{fonts, media, print}, services/{searchproviders, useragentstrings}, sounds, templates, wallpapers, and /var/lib/kdm

Short Descriptions

kate	is a programmer's text editor for KDE.
kcontrol	is the KDE Control Center.
kdebugdialog	is a dialog box for managing diagnostic messages at runtime.
kdesu	is a graphical front end for the Unix su command.
kdm	is the KDE display manager (a replacement for xdm).
kfind	is a utility to find files.
khelpcenter	is the KDE help tool.
kicker	is the KDE control panel.
kinfocenter	provides a centralized and convenient overview of your KDE and system settings.
kioslaves	are support modules designed to be intimately familiar with a certain protocol, so that a standard interface (most often these are used by konqueror) can be used to get at data from any number of places. Examples are the http and ftp kioslaves, which will retrieve data from an http or ftp server respectively.
klipper	is a clipboard utility.
kmenuedit	is a utility to rearrange or add items to the K-menu.
konqueror	is a filesystem and web browser.
konsole	is a highly configurable X terminal emulator.
kpager	provides a thumbnail view of all virtual desktops.
kprinter	is the printing module in KDE. It manages the actual printing from KDE applications. It handles print job administration and handles printer and print system management.
ksplash	is a splash screen that shows the progress of an application that is loading.
ksysguard	is a network enabled task manager and system monitor application, with the additional functionality of top .
kwrite	is a text editor for KDE.
kxkb	is a keyboard layout switching utility based on the X11 xkb extension.

Configuring the Core KDE Packages

Back up your existing `~/.xinitrc` file and create a new `.xinitrc` file to start KDE:

```
echo "exec startkde" > ~/.xinitrc
```

If you have D-BUS-0.62 installed, you can start the D-BUS session daemon here as well. Starting the session daemon here has the added bonus that it will exit when you log out of your KDE session. If you wish to start the daemon here, use the following command instead of the one shown above:

```
echo "exec dbus-launch --exit-with-session startkde" >> ~/.xinitrc
```



Note

Check the `~/.xinitrc` file and ensure you have no other window managers or other X applications mentioned before KDE.

If you installed the `desktop-file-utils-0.11` package, ensure the `XDGLDATA_DIRS` and `XDGLCONFIG_DIRS` environment variables are configured properly as explained in that package and update the MIME-type application database (as `root`):

```
update-desktop-database
```

Ensure all libraries can be found with (as `root`):

```
ldconfig
```

At this point you can bring up KDE with:

```
startx
```

Chapter 29. KDE Additional Packages

Each of the packages in this chapter depend on the base KDE installation procedures, but each is an independent group of programs that can be optionally installed. Few users will want to install every package, but instead review and install only the ones desired.

Kdeadmin-3.5.6

Introduction to Kdeadmin

Kdeadmin provides several KDE clients useful for managing a system. Clients include programs for managing users, initialization files, cron, and network connections.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeadmin-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeadmin-3.5.6.tar.bz2>
- Download MD5 sum: 13654a93e83b7c8fd2ccce3aceb2d535
- Download size: 2.0 MB
- Estimated disk space required: 25.9 MB
- Estimated build time: 1.4 SBU

Kdeadmin Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

Optional

Linux-PAM-0.99.4.0 and LILO

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeadmin>

Installation of Kdeadmin

Install kdeadmin with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```


Contents

Installed Programs: kcron, kdat, kpackage, ksysv, and kuser
Installed Libraries: None
Installed Directories: None

Short Descriptions

kcron is a task scheduler.
kdat is a tar-based tape archiver.
kpackage is a package manager.
ksysv is a Sys V-Init editor.
kuser is a graphical user manager.

Kdenetwork-3.5.6

Introduction to Kdenetwork

Kdenetwork provides several KDE applications useful in a networking environment. Applications include clients for chat, PPP, news, instant messages, and similar programs.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdenetwork-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdenetwork-3.5.6.tar.bz2>
- Download MD5 sum: 0f428cccc4ea16aa53c427530874c591
- Download size: 8.8 MB
- Estimated disk space required: 197 MB
- Estimated build time: 11.8 SBU

Kdenetwork Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, libxslt-1.1.17, and OpenSSL-0.9.8d

Optional

PPP-2.4.4, XMMS-1.2.10, Graphviz-2.8, Doxygen-1.4.6, Wireless Tools-28, OpenSLP, libgadu, and Valgrind

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdenetwork>

Installation of Kdenetwork

Install kdenetwork with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring Kdenetwork

Config Files

`/etc/lisarc` and `~/.lisarc`

Configuration Information

To utilize the LAN Browser of **konqueror** you will need to create the `/etc/lisarc` file and start the **lisa** daemon. Create `/etc/lisarc` by filling out the information in the “Guided LISa Setup” section of the “LISa Daemon” tab on the “Control Center” — “Internet & Network” — “Local Network Browsing” dialog box.

Install the `/etc/rc.d/init.d/lisa` init script included in the `blfs-bootscripts-20060910` package.

```
make install-lisa
```

There is no explicit configuration for the rest of the `kdenetwork` package, however some individual programs need to be set up with user information.

Contents

Installed Programs:	<code>kdict</code> , <code>kget</code> , <code>knewsticker</code> , <code>kopete</code> , <code>kpf</code> , <code>kppp</code> , <code>krdc</code> , <code>krfb</code> , <code>ksirc</code> , <code>ktalkd</code> , <code>kwifimanager</code> , and <code>lisa</code>
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

kdict	is a graphical client for the Dictionary Server Protocol (DICT).
kget	allows you to group downloads.
knewsticker	is a news applet for the KDE Application Launcher Panel.
kopete	is KDE's multi-protocol instant messenger client.
kpf	allows you to share files over a network.
kppp	is a dial-up utility.
krdc	is a client application that allows you to view or even control the desktop session on another machine that is running a compatible (VNC) server.
krfb	is a server application that allows you to share your current session with a user on another machine, who can use a VNC client to view or even control the desktop.
ksirc	is a chat client.
ktalkd	is an enhanced talk daemon—a program to handle incoming talk requests, announce them and allow you to respond to them using a talk client.
kwifimanager	is used to configure and monitor wireless LAN cards.
lisa	is intended to provide a kind of network neighborhood, but only relying on the TCP/IP protocol stack.

Kdepim-3.5.6

Introduction to Kdepim

Kdepim provides several KDE programs for managing personal information. Programs include a contact manager, calendar, mail utilities, newsreader, X.509 certificat manager, and sticky notes.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdepim-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdepim-3.5.6.tar.bz2>
- Download MD5 sum: e37e6173fe9fd7f242c9502a4ae1d7de
- Download size: 13.0 MB
- Estimated disk space required: 290 MB (additional 382 MB for API docs)
- Estimated build time: 20.8 SBU (additional 1.6 SBU for API docs)

Kdepim Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, GnuPG-1.4.3 and OpenSSL-0.9.8d

Optional

pilot-link-0.11.8, GPGME (requires Libgpg-error then Libgcrypt then Libassuan then Libksba, pinentry, Pth, OpenSC and then GnuPG-1.9.x), libmal, gnokii, Bluetooth hardware and driver libraries, Graphviz-2.8, and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdepim>

Installation of Kdepim

Install kdepim with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	akregator, kaddressbook, kalarm, kandy, karm, kitchensync, kleopatra, kmail, knode, knotes, konsolekalendar, kontakt, korganizer, korn, kpilot, ktnef, kwatchgnupg, and supporting programs
Installed Libraries:	Numerous kdepim specific libraries
Installed Directories:	Numerous subdirectories in \$KDE_PREFIX/{include,share}

Short Descriptions

akregator	is a program to read RSS and other online news feeds.
kaddressbook	is the KDE address book.
kalarm	is a system to provide reminder messages.
kandy	is a program to synchronize mobile phone numbers.
karm	is a personal time tracker.
kitchensync	is the universal syncing tool and framework for kde.
kleopatra	is a tool for managing X.509 certificates in a GpgSM keybox and for retrieving certificates from LDAP servers.
kmail	is KDE's email client.
knode	is the KDE newsreader.
knotes	is a popup notes utility.
konsolekalendar	is a command line interface to KDE calendars.
kontakt	is the integrated solution to personal information management (PIM) needs.
korganizer	is a personal calendar/todo system.
korn	is a KDE mail checker that has the capabilities to dock itself to kicker .
kpilot	is a program to synchronize a Palm-Pilot.
ktnef	allows handling mail attachments using the TNEF format. Those attachments are usually found in mails coming from Microsoft® mail servers and embed the mail properties as well as the actual attachments.
kwatchgnupg	is simpleGnuPG log viewer.

Kdemultimedia-3.5.6

Introduction to Kdemultimedia

Kdemultimedia provides several KDE programs to work with sound. Programs include applications for a Jukebox, a soundcard mixer, a midi and karaoke player, and a recording application for aRts.

In this version of Kdemultimedia, some of the functionality provided by the package has been moved off into a separate project named Akode. In order for Kdemultimedia to provide the removed functionality, you must install the Akode package first. Instructions to install Akode follow. If you wish to skip the Akode installation, go straight to the Kdemultimedia Instructions.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdemultimedia>

Akode-2.0.1

Package Information

- Download (HTTP): <http://www.kde-apps.org/content/download.php?content=30375>
- Download (FTP):
- Download MD5 sum: 94a10e7729b20b669bc5c7721f62e162
- Download size: 456 KB
- Estimated disk space required: 6.5 MB
- Estimated build time: 0.2 SBU

Akode Dependencies

Optional

pkg-config-0.20, FLAC-1.1.2, Speex-1.0.5, libmad-0.15.1b, ALSA-1.0.13, libvorbis-1.1.2, Secret Rabbit Code (a.k.a. libsamplerate), PulseAudio, JACK, and FFmpeg (must be a CVS version, and support is experimental)

Installation of Akode

Install Akode by issuing the following commands:

```
./configure --prefix=$KDE_PREFIX \
  --disable-debug --disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Resuming the Kdemultimedia Instructions

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdemultimedia-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdemultimedia-3.5.6.tar.bz2>
- Download MD5 sum: 57c50bfc0147324a1af02ebcc103376
- Download size: 6.0 MB
- Estimated disk space required: 126 MB
- Estimated build time: 10.4 SBU

Kdemultimedia Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and ALSA-1.0.13

Optional

Akode-2.0.1, CDParanoia-III-9.8, LAME-3.96.1, Audio File-0.2.6, libvorbis-1.1.2, xine Libraries-1.1.1, FLAC-1.1.2 (built with libogg-1.1.3 support), GStreamer-0.10.11, Theora, TagLib, and TunePimp (requires libmusicbrainz-2.1.4)

Installation of Kdemultimedia

Install kdemultimedia with:



Note

The `--sysconffdir` parameter must be the same as the command used in the installation of kdelibs.

```
./configure --prefix=$KDE_PREFIX --sysconffdir=/etc/kde \
--disable-debug --disable-dependency-tracking &&
make
```

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	artsbuilder, artscontrol, juk, kaboodle, kaudiocreator, kmid, kmix, kmixctrl, krec, kscd, midisend, mpeglibartsplay, noatun, workman2cddb.pl, yaf-cdda, yaf-mpgplay, yaf-splay, yaf-tplay, yaf-vorbis, and yaf-yuv
Installed Libraries:	Numerous kdemultimedia specific libraries
Installed Directories:	The following subdirectories in <code>\$KDE_PREFIX</code> : <code>include/{libkcddb, mpeglib, noatun}</code> , <code>lib/mcopic/Noatun</code> , and <code>share/apps/{too many to list}</code>

Short Descriptions

artsbuilder	is a tool to create new structures of small connected aRts modules.
juk	is a jukebox, tagger, and music collection manager.
kaboodle	is a multimedia player.
kaudiocreator	is a front-end tool for ripping audio CDs and encoding the wav files.
kmid	is a midi/karaoke player.
kmix	is a sound mixer.
krec	is a recording frontend for aRts.
kscd	is a CD player.
noatun	is another multimedia player.

Kdegraphics-3.5.6

Introduction to Kdegraphics

Kdegraphics provides KDE programs to manage the video display and graphical output. Applications include PDF, DVI, and Postscript viewers, an application to adjust monitor gamma correction, a 3D modeling application to generate POV-Ray scenes, and a scanner application.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdegraphics-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdegraphics-3.5.6.tar.bz2>
- Download MD5 sum: 79a1ffb7ae89bede1410411a30be3210
- Download size: 7.0 MB
- Estimated disk space required: 124 MB (additional 82 MB for API documentation)
- Estimated build time: 9.2 SBU (additional 0.2 SBU for API documentation)

Kdegraphics Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and libart_lgpl-2.3.17

Optional

LibTIFF-3.8.2, Imlib-1.9.15, little cms-1.15, Poppler-0.4.5 (libpoppler-qt.so must have been built), SANE-1.0.17, teTeX-3.0, FriBidi-0.10.7, libgphoto2, t1lib, OpenEXR, libpaper, KADMOS (a commercial OCR engine), Graphviz-2.8, and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdegraphics>

Installation of Kdegraphics

Install kdegraphics with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

The **kooka** utility is a scanning and OCR program. In order for **kooka** to utilize the OCR capabilities, you must install an OCR engine. **kooka** provides full OCR support using the KADMOS and GOCR engines and partial support using the Ocrad engine.

Contents

Installed Programs:	kcolorchooser, kcoloredit, kdvi, kfax, kfaxview, kghostview, kiconedit, kolourpaint, kooka, kpdf, kpovmodeler, kruler, ksnapshot, kuickshow, kview, kviewshell, mrmlsearch, printnodetest, svgdisplay, and xf86gammacfg
Installed Libraries:	kio_kamera and several other kdegraphics specific libraries and support modules
Installed Directories:	The following subdirectories in <code>\$KDE_PREFIX</code> : <code>include/{svg, kviewshell, libtext2path-0.1}</code> , <code>share/applnk/Graphics</code> , <code>share/apps/{too many to list}</code> , and <code>share/config/magic</code>

Short Descriptions

kcolorchooser	is a color chooser for a given palette.
kcoloredit	is a color palette editor.
kdvi	is a DVI viewer.
kfax	is a FAX viewer.
kfaxview	is a FAX previewer used with kviewshell .
kghostview	is a PS/PDF viewer.
kiconedit	is an icon editor.
kolourpaint	is a paint program.
kooka	is a raster image scan program.
kpdf	is a PDF viewer.
kpovmodeler	is a graphical 3D modeler, which can generate scenes for POV-Ray.
kruler	is a screen ruler.
ksnapshot	is a screen capture program.
kuickshow	is an image viewer.
kview	is another image viewer.
kviewshell	is a generic framework for the KDE viewer applications.
xf86gammacfg	is a simple tool for monitor gamma correction.

kio_kamera is an ioslave that allows you to view and download images from a digital camera using the **kamera:** / URL in **konqueror**.

Kdeutils-3.5.6

Introduction to Kdeutils

Kdeutils provides KDE programs for miscellaneous tasks. Programs include a calculator, a note taker, a basic editor, a floppy disk manager, and a binary editor.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeutils-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeutils-3.5.6.tar.bz2>
- Download MD5 sum: e0ea2c15ccf2bd3d8be5f2bf57cfe14a
- Download size: 2.9 MB
- Estimated disk space required: 63 MB
- Estimated build time: 4.1 SBU

Kdeutils Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and GMP-4.2 (required for KCalc)

Optional

Net-SNMP, tpctl (for Thinkpad support)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeutils>

Installation of Kdeutils

Install kdeutils with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs: ark, irkick, kcalc, kcharselect, kdf, kedit, kfloppy, kgpg, khexedit, kjots, kregexpeditor, ktimer, kwalletmanager, and superkaramba

Installed Libraries: Several kdeutils specific libraries
Installed Directories: Several subdirectories in \$KDE_PREFIX/share

Short Descriptions

ark	is an archiving tool.
irkick	is the infrastructure for KDE's Infrared Remote Control functionality; irkick is the server component of that infrastructure.
kcalc	is a scientific calculator.
kcharselect	is a character selector applet.
kdf	is a disk usage viewer.
kedit	is a text editor.
kfloppy	is a floppy formatter.
kgpg	a simple graphical interface for GnuPG-1.4.3.
khexedit	is a binary editor.
kjots	is a note taker.
kregexpeditor	is an editor for editing regular expressions in a graphical style (in contrast to the ASCII syntax).
ktimer	is a task scheduler.
kwalletmanager	provides a secure way to manage passwords.
superkaramba	is a tool to create interactive widgets on a KDE desktop.

Kdeedu-3.5.6

Introduction to Kdeedu

Kdeedu provides KDE programs useful in learning. Programs include a touch typing tutor, a program to help revise/teach Latin, a desktop planetarium, an application to study Spanish verbforms, and the classic hangman game for children.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeedu-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeedu-3.5.6.tar.bz2>
- Download MD5 sum: 6017317b133d973e7fc8a279a81f37a1
- Download size: 28.7 MB
- Estimated disk space required: 200 MB
- Estimated build time: 7.0 SBU

Kdeedu Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

Optional

Boost.Python, OCaml, and FaCiLe module for OCaml.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeedu>

Installation of Kdeedu

Install kdeedu with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs: flashkard, kalzium, kbruch, keduca, khangman, kig, kiten, klettres, kmathtool,

kmessedwords, kmplot, kpercentage, kstars, ktouch, kverbos, and kvoctrain

Installed Libraries: Several kdeedu specific libraries

Installed Directories: Several subdirectories of \$KDE_PREFIX/share

Short Descriptions

kalzium	is a program which shows you the Periodic System of Elements.
kbruch	is a small program to generate tasks with fractions.
keduca	is flash card application, which allows you to make interactive form based tests..
khangman	is the classical hangman game for children, adapted for KDE.
kig	is a KDE application for Interactive Geometry.
kiten	is a Japanese reference/study tool for KDE.
klettres	is an alphabet tutor (French).
kmessedwords	is a simple mind-training word game.
kmplot	is a mathematical function plotter for KDE.
kpercentage	is a small math application that will help pupils to improve their skills in calculating percentages.
kstars	is a desktop planetarium.
ktouch	is a touch typing tutor.
kverbos	is an application specially designed to study Spanish verb forms.
kvoctrain	is a vocabulary trainer.

Kdeaccessibility-3.5.6

Introduction to Kdeaccessibility

Kdeaccessibility provides KDE programs to aid handicapped users. Programs include a screen magnifier, a text to speech plugin service to allow an application to speak using the DCOP interface, and an application for computer speech for mute users.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeaccessibility-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeaccessibility-3.5.6.tar.bz2>
- Download MD5 sum: 03d3c9f4d8c2fd12b7d0e020e11cd88e
- Download size: 8.2 MB
- Estimated disk space required: 57 MB
- Estimated build time: 2.1 SBU

Kdeaccessibility Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeaccessibility>

Installation of Kdeaccessibility

Install kdeaccessibility with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Run-Time Dependencies

Several KDE accessibility programs access other programs at run time for rendering speech from text. These include FreeTTS-1.2.1, Festival, Festival Lite, Epos, or MBROLA with optionally Txt2pho.

Contents

Installed Programs: kmag, kmousetool, and kmouth
Installed Libraries: kdeaccessibility support libraries
Installed Directories: None

Short Descriptions

kmag is a screen magnifier for KDE.
kmousetool is a utility which clicks the mouse whenever the mouse cursor pauses briefly.
kmouth is an application that enables persons that cannot speak to let their computers speak.

Kdetoys-3.5.6

Introduction to Kdetoys

Kdetoys includes KDE applications for a world clock, an applet showing the phases of the moon, and the ability to track weather stations.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdetoys-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdetoys-3.5.6.tar.bz2>
- Download MD5 sum: 7d4f1a33e5379f789fcfbf17b9e503bfd
- Download size: 3.0 MB
- Estimated disk space required: 21.3 MB
- Estimated build time: 0.7 SBU

Kdetoys Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdetoys>

Installation of Kdetoys

Install kdetoys with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	amor, kmoon, kodo, kteatime, ktux, kweather, and kworldclock
Installed Libraries:	kdetoys support libraries
Installed Directories:	Support subdirectories in \$KDE_PREFIX/share

Short Descriptions

amor	Amusing Misuse of Resources.
kmoon	is a Moon phase indicator.
kodo	measures your desktop mileage.
kteatime	times your tea brewing.
ktux	small Tux crossing stars.
kworldclock	shows which parts of the world are currently experiencing daylight, and which parts are currently in night. It also shows the current time in a range of cities around the world.

Kdegames-3.5.6

Introduction to Kdegames

Kdegames provides many interesting games.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdegames-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdegames-3.5.6.tar.bz2>
- Download MD5 sum: d6cdf7d9235896670d5299e9e91665e2
- Download size: 10.3 MB
- Estimated disk space required: 94.8 MB (additional 46 MB for API docs)
- Estimated build time: 2.7 SBU (additional 0.1 SBU for API docs)

Kdegames Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

Optional

Graphviz-2.8 and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdegames>

Installation of Kdegames

Install kdegames with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	a compilation of various games
Installed Libraries:	Support libraries for kdegames
Installed Directories:	Subdirectories of \$KDE_PREFIX/{include,share}

Kdeartwork-3.5.6

Introduction to Kdeartwork

Kdeartwork provides additional KDE themes, screensavers, sounds, wallpapers, widget styles, and window styles.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeartwork-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeartwork-3.5.6.tar.bz2>
- Download MD5 sum: 4c817eab517fba30fce8f3b40a6f019d
- Download size: 15.8 MB
- Estimated disk space required: 97 MB
- Estimated build time: 1.2 SBU

Kdeartwork Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and libart_lgpl-2.3.17

Optional

XScreenSaver-4.24

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeartwork>

Installation of Kdeartwork

Install kdeartwork with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Objects: additional themes, screensavers, sounds, backgrounds, and widget styles for KDE

Installed Programs: None

Installed Libraries: None
Installed Directories: None

Kdeaddons-3.5.6

Introduction to Kdeaddons

Kdeaddons provides additional plugins for konqueror, kate, and kicker.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdeaddons-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdeaddons-3.5.6.tar.bz2>
- Download MD5 sum: 96d6d2a76da2a5232b3b46318456a5bc
- Download size: 1.6 MB
- Estimated disk space required: 48 MB
- Estimated build time: 4.6 SBU

Kdeaddons Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b and libxml2-2.6.26

Optional

kdenetwork-3.5.6, kdemultimedia-3.5.6, kdepim-3.5.6, kdegames-3.5.6, XMMS-1.2.10, and SDL-1.2.11

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdeaddons>

Installation of Kdeaddons

Install kdeaddons with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs: Miscellaneous KDE support programs

Installed Libraries: Additional plugins, libraries, and scripts for KDE applications

Installed Directories: None

Kde-i18n-3.5.6

Introduction to Kde-i18n

Kde-i18n is a set of internationalization packages to customize KDE for different languages and locales around the world.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kde-i18n/>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kde-i18n/>
- Download MD5 sum: <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/MD5SUMS>
- Download size: 789 KB to 29 MB (average is about 3 MB)
- Estimated disk space required: varies
- Estimated build time: varies

Download Details

KDE has 52 separate internationalization packages in the form of:

```
kde-i18n-<xx>-3.5.6.tar.bz2
```

where the <xx> is a two to five letter code for the country covered. Download the package(s) you need from the directories above.

Kde-i18n Dependencies

Required

kdebase-3.5.6

Recommended

libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kde-i18n>

Installation of Kde-i18n

Install kde-i18n with:

```
./configure --prefix=$KDE_PREFIX &&  
make
```

Now, as the root user:

```
make install
```

Configuring Kde-i18n

Configuration Information

To use translated programs, select Control Center —> Personalization —> Country & Language —> Language in your K Desktop Environment.

Contents

Installed Programs:	None
Installed Libraries:	Internationalization support for KDE
Installed Directories:	None

Chapter 30. KDE Software and WEB Development Packages

These KDE applications are generally of interest to software or WEB developers. General users can skip them without a loss of functionality.

Kdesdk-3.5.6

Introduction to Kdesdk

Kdesdk provides several applications useful for developers. Programs include a version control system front-end for CVS, a program to view the differences between files, a UML Modeller, and a profile data visualization tool.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdesdk-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdesdk-3.5.6.tar.bz2>
- Download MD5 sum: 1462e1a884fdaa070ed493c10a336728
- Download size: 4.8 MB
- Estimated disk space required: 110 MB
- Estimated build time: 6.7 SBU

Kdesdk Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, Subversion-1.3.1, and libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdesdk>

Installation of Kdesdk

Install kdesdk with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	cervisia, kbabel, kcachegrind, kompare, and umbrello
Installed Libraries:	Several kdesdk specific libraries
Installed Directories:	Several subdirectories in \$KDE_PREFIX/{include,share}

Short Descriptions

cervisia	provides a graphical view of CVS.
kbabel	is a suite of an advanced PO file editor comprising kbabel , a multi functional catalogmanager and a dictionary for translators kbabeldict .
kcachegrind	is a KDE frontend for cachegrind , part of Valgrind.
kompare	is a program to view the differences between files.
umbrello	is a UML modelling diagram tool.

Kdevelop-3.3.6

Introduction to Kdevelop

Kdevelop provides an Integrated Development Environment (IDE) to be used for a wide variety of programming tasks.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdevelop-3.3.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdevelop-3.3.6.tar.bz2>
- Download MD5 sum: 0de7c7d82c176456f2adff48981f5d40
- Download size: 7.8 MB
- Estimated disk space required: 179 MB (additional 8 MB for API docs)
- Estimated build time: 14.1 SBU (additional 0.2 SBU for API docs)

Kdevelop Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and the apidox from kdelibs-3.5.6 (if building API documentation).

Optional

Python-2.4.4, DocBase, Graphviz-2.8, and Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdevelop>

Installation of Kdevelop

Install kdevelop with:

```
sed -i -e 's/ kdevutil$//' buildtools/lib/widgets/Makefile.in &&
./configure --prefix=$KDE_PREFIX --disable-debug \
    --disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

This package does not come with a test suite.

Now, as the root user:

```
make install &&
```

```
chown -v -R root:root $KDE_PREFIX/kdevbdb
```

If you created the API documentation, install it with:

```
make install-apidox
```

Command Explanations

sed -i -e 's/ kdevutil\$/' buildtools/lib/widgets/Makefile.in: Remove a duplicate entry on a line in the Makefile that causes the build of the API documentation to fail.

chown -v -R root:root \$KDE_PREFIX/kdevbdb: If kdevelop is built by any user other than `root` the installed Berkeley-DB files will have incorrect ownership. This command changes the ownership to `root:root`.

Contents

Installed Programs:	kdevelop and supporting programs
Installed Libraries:	Supporting kdevelop libraries
Installed Directories:	\$KDE_PREFIX/kdevbdb and supporting subdirectories in \$KDE_PREFIX/{include,share}

Short Descriptions

kdevelop is an Integrated Development Environment to be used for a wide variety of programming tasks in many programming languages.

Kdwebdev-3.5.6

Introduction to Kdwebdev

Kdwebdev includes KDE based programmers' utilities to generate GUI dialogs, a Web IDE, a stylesheet debugger, and a utility to search and replace strings.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdwebdev-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdwebdev-3.5.6.tar.bz2>
- Download MD5 sum: fa1fc2d7c81465c7e1762014a892ced3
- Download size: 7.8 MB
- Estimated disk space required: 103 MB
- Estimated build time: 5.6 SBU

Kdwebdev Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and libxslt-1.1.17

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdwebdev>

Installation of Kdwebdev

Install kdwebdev with:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	kxsldbg and quanta
Installed Libraries:	kdwebdev specific libraries
Installed Directories:	Several subdirectories in \$KDE_PREFIX/share

Short Descriptions

kxsldb is a GUI front-end to **xsldb**, the XSLT debugger.

quanta is a web development tool that strives to be neutral and transparent to all markup languages, while supporting popular web-based scripting languages, CSS, and other emerging W3C recommendations.

Kdebindings-3.5.6

Introduction to Kdebindings

The kdebindings provides the ability to write KDE applications in a variety of languages including Ruby, Perl, Python, Java, JavaScript, C#, and Smoke. For details see <http://developer.kde.org/language-bindings/>

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/3.5.2/src/kdebindings-3.5.6.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/3.5.2/src/kdebindings-3.5.6.tar.bz2>
- Download MD5 sum: d26b5f54f062b765a949d66657c2ab3c
- Download size: 5.2 MB
- Estimated disk space required: 407 MB
- Estimated build time: 18.1 SBU

Kdebindings Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libxml2-2.6.26, and libxslt-1.1.17

Optional

GLib-1.2.10, GTK+-1.2.10, Python-2.4.4, Ruby-1.8.5, JDK-1.5.0_10, SeaMonkey-1.1, Mono, DotGNU Portable.NET, and Rotor

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/kdebindings>

Installation of Kdebindings

Note: If KDE is installed in `/opt/kde-3.5.6`, you'll need to make a modification before the build using the following command:

```
sed -i -e 's@usr@opt/kde-3.5.6@' \
    python/pykde/configure.py
```

Install kdebindings with:

```
sed -i -e '/configure.*pyqt/s/-c//' \
    -e '/configure.*pykde/s/-c/-i/' python/Makefile.in
./configure --prefix=$KDE_PREFIX --disable-debug \
    --disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`sed -i -e '/configure.*pyqt/s/-c//' -e '/configure.*pykde/s/-c/-i/' python/Makefile.in` : Remove a switch that causes concatenation of multiple files for compilation. This fix reduces build time by a factor of five.

Contents

Installed Programs:	Several support programs for software development
Installed Libraries:	KDE bindings for various programming languages
Installed Directories:	Subdirectories of /usr/lib and \$KDE_PREFIX/share

Part IX. GNOME

Introduction to GNOME

This chapter presents the instructions to install a complete GNOME-2.14.3 desktop environment; and a limited GNOME 1.4 library environment that is sufficient to run GNOME 1.4 applications included in this book. The order of the pages follows the build order defined by the GNOME development team and documented in the Release Notes.

The installation of GNOME-2.14.3 is a large undertaking and one we would like to see you complete with the least amount of stress. One of the first goals in this installation is to protect your previously installed software, especially if you are testing GNOME on your machine. GNOME-2.14 packages utilize the `--prefix=option` passed to **configure**, so you will use that and an environment variable (GNOME_PREFIX) to add flexibility to the installation.

To install GNOME as your desktop of choice, it is recommended that you install using `--prefix=/usr`. If you are not sure that you are going to keep the GNOME installation, or you think you will update to the newest releases as they become available, you should install with `--prefix=/opt/gnome-2.14.3`. Setting the environment variable and the additional edits required by the second option are covered in the Pre-Installation Configuration section.

If you choose the second option, removal of GNOME-2.14.3 is as easy as removing the edits from the pre-installation page and issuing the following command (you may need to become the `root` user):

```
rm -rf /opt/gnome-2.14.3
```

If your system was completely built per LFS and BLFS instructions, you have a very good chance of using GNOME-2.14.3 after your first installation. If you are a typical LFS user, you have made modifications to the instructions along the way knowing that you have to take those modifications into account on future installations. You should have no problems integrating GNOME-2.14.3 into your unique setup, but you will have to install well over 50 packages before you can run GNOME through any testing (assuming your windowing system is preinstalled and tested). You should anticipate that you will be rebuilding GNOME at least once to make adjustments for your setup.

If you are building a GNOME 1.4 library environment, you would install only those libraries in the GNOME 1.4 chapter **and** any dependencies listed on those pages, whether labeled or not. GNOME packages without pages in the book are simply installed with:

```
./configure --prefix=/opt/gnome-1.4 &&  
make
```

Now, as the `root` user:

```
make install
```

These instructions are simplistic to facilitate removal of GNOME 1.4 from BLFS systems when it is no longer necessary. These instructions may be refined later to comply with BLFS standards for file locations, specifically `/opt/gnome/etc` to `/etc` and `/opt/gnome/var` to `/var`. You should consider using the GNOME 1.4 hint located at <http://www.linuxfromscratch.org/hints> if you have no interest in GNOME-2.14.3.

Alternate Installation Methods

As was previously mentioned, building a GNOME desktop from sources is a significant project. Some may find it too tedious or time-consuming to perform a full installation following the BLFS book. You may wish to review the automated methods mentioned in the GNOME-2.14 Release Notes. Note that using any other method to install GNOME-2.14.3 other than using the BLFS instructions cannot be supported by the BLFS team. Alternate methods are only mentioned as a courtesy to builders who would like to build GNOME from sources but do not have the time/desire/patience/whatever to follow the BLFS book.

Chapter 31. GNOME Core Packages

This section contains required elements of the GNOME environment to display a functional desktop.



Caution

The BLFS team recommends that you carefully evaluate the optional dependencies listed for each of the core GNOME packages. You may lose desired functionality if you don't install an optional dependency before the package that lists the dependency, even if you later install it.

Pre-installation Configuration

Set an environment variable to resolve the prefix destination.

If GNOME is your desktop of choice:

```
export GNOME_PREFIX=/usr
```

If you want to try-out GNOME, or install it in an easy-to-remove location:



Note

You may wish to create a symbolic link to the actual versioned directory using a non-versioned name. This has the advantage of an easier path to type in all the changes below and also makes it easy to point to a different/newer version of GNOME without changing all the edits below. If you wish to use a non-versioned name in the changes below, issue the following commands as the root user:

```
install -v -m755 -d /opt/gnome-2.14.3 &&  
ln -v -s gnome-2.14.3 /opt/gnome
```

If you created the symbolic link, change all instances of `/opt/gnome-2.14.3` to `/opt/gnome` in the instructions below.

```
export GNOME_PREFIX=/opt/gnome-2.14.3
```

The try-out group will also need to make all the following configuration changes:

Add to your system or personal profile:

```
export PATH=$PATH:/opt/gnome-2.14.3/bin  
export PKG_CONFIG_PATH=$PKG_CONFIG_PATH:/opt/gnome-2.14.3/lib/pkgconfig  
export GNOME_LIBCONFIG_PATH=/usr/lib:/opt/gnome-2.14.3/lib
```

Add to your `/etc/ld.so.conf`:

```
cat >> /etc/ld.so.conf << "EOF"  
# Begin gnome addition to /etc/ld.so.conf  
  
/opt/gnome-2.14.3/lib
```

```
# End gnome addition  
EOF
```

Add to your `/etc/man_db.conf`:

```
cat >> /etc/man_db.conf << "EOF"  
# Begin gnome addition to man_db.conf  
  
MANDATORY_MANPATH /opt/gnome-2.14.3/share/man  
  
# End gnome addition to man_db.conf  
EOF
```



Tip

Remember to execute **ldconfig** as the `root` user after installation of libraries to update the linker's library cache.

ORBit2-2.14.2

Introduction to ORBit2

The ORBit2 package contains a high-performance CORBA Object Request Broker. This allows programs to send requests and receive replies from other programs.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/ORBit2/2.14/ORBit2-2.14.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/ORBit2/2.14/ORBit2-2.14.2.tar.bz2>
- Download MD5 sum: 88ea9b8e686ab0dd27b4199e0f41ac84
- Download size: 706 KB
- Estimated disk space required: 34.5 MB
- Estimated build time: 0.6 SBU

ORBit2 Dependencies

Required

libIDL-0.8.7

Optional

GTK-Doc-1.6 and OpenSSL-0.9.8d

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/orbit2>

Installation of ORBit2

Install ORBit2 by running the following commands:

```
./configure --prefix=$GNOME_PREFIX \
            --sysconfdir=/etc/gnome/2.14.3 &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$GNOME_PREFIX`: This is the base installation for GNOME-2 from which all future package installations will receive their prefix parameter. Be sure that `$GNOME_PREFIX` is set for this install or globally to your install directory as described in the introduction of this Chapter.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs: ior-decode-2, linc-cleanup-sockets, orbit-idl-2, orbit2-config and typelib-dump

Installed Libraries: libname-server-2.a, libORBit-2.{so,a}, libORBit-imodule-2.{so,a}, libORBitCosNaming-2.{so,a}, and Everything_module.{so,a}

Installed Directories: The following subdirectories of `$GNOME_PREFIX/`: `include/orbit-2.0`, `lib/orbit-2.0` and `share/{gtk-doc/html/ORBit2, idl/orbit-2.0}`

Short Descriptions

`libORBit-2.{so,a}` is the CORBA API.

libbonobo-2.14.0

Introduction to libbonobo

The libbonobo package contains libbonobo libraries. This is a component and compound document system for GNOME-2.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libbonobo/2.14/libbonobo-2.14.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libbonobo/2.14/libbonobo-2.14.0.tar.bz2>
- Download MD5 sum: f1f0255f94e3354250d142b688013fad
- Download size: 1.3 MB
- Estimated disk space required: 35.8 MB
- Estimated build time: 0.7 SBU

libbonobo Dependencies

Required

ORBit2-2.14.2, libxml2-2.6.26, popt-1.10.4, and XML::Parser-2.34

Optional

X Window System and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libbonobo>

Installation of libbonobo

Install libbonobo by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/bonobo \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/bonobo`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/bonobo` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	activation-client, bonobo-slay, echo-client-2, bonobo-activation-run-query, bonobo-activation-server, and bonobo-activation-sysconf
Installed Libraries:	libbonobo-2.{so,a}, libbonobo-activation.{so,a}, ORBit-2 bonobo module, bonobo servers, and libmoniker_std_2.{so,a} bonobo library
Installed Directories:	/etc/gnome/2.14.3/bonobo-activation and the following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/{bonobo-activation-2.0,libbonobo-2.0}</code> , <code>lib/{bonobo{-2.0},libbonobo}</code> , and <code>share/{gtk-doc/html/{bonobo-activation,libbonobo},idl/bonobo-{,activation-}2.0}</code>

Short Descriptions

`libbonobo-2.{so,a}` are a set of language and system independent CORBA interfaces for creating reusable components and compound documents.

GConf-2.14.0

Introduction to GConf

The GConf package contains a configuration database system.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/GConf/2.14/GConf-2.14.0.tar.bz2>
- Download (FTP): <http://ftp.gnome.org/pub/gnome/sources/GConf/2.14/GConf-2.14.0.tar.bz2>
- Download MD5 sum: d07c2efcaf477cf34225c604a04b6271
- Download size: 1.8 MB
- Estimated disk space required: 29.7 MB
- Estimated build time: 0.4 SBU

GConf Dependencies

Required

ORBit2-2.14.2 and libxml2-2.6.26

Optional

GTK+-2.8.20, OpenLDAP-2.3.27, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gconf>

Installation of GConf

Install GConf by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/GConf \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the GConf-2 configuration database to be built in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. This installation controls all future installations of GConf-2 schemas. If you change the location (which includes eliminating this parameter), it **must** be consistent for every subsequent package installation that updates the GConf-2 configuration database.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/GConf`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/GConf` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	<code>gconf-merge-tree</code> and <code>gconftool-2</code>
Installed Library:	<code>libgconf-2.{so,a}</code>
Installed Directories:	<code>/etc/gnome/2.14.3/gconf</code> and the following subdirectories of <code>\$GNOME_PREFIX</code> : <code>include/gconf</code> , <code>lib/GConf</code> and <code>share/{GConf, gtk-doc/html/gconf, sgml/gconf}</code>

Short Descriptions

<code>gconf-merge-tree</code>	merges an xml filesystem hierarchy.
<code>gconftool-2</code>	is a command line tool for manipulating the GConf database.
<code>libgconf-2.{so,a}</code>	provide the functions necessary to maintain the configuration database.

desktop-file-utils-0.11

The desktop-file-utils-0.11 package is located in Chapter 10 — General Utilities and is required by GNOME-2 but is not a direct dependency of any GNOME-2 package, therefore the package is mentioned within the GNOME-2 Core Packages chapter to ensure it is installed.

GNOME MIME Data-2.4.2

Introduction to GNOME MIME Data

The GNOME MIME Data package contains the base set of file types and applications for GNOME-2.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-mime-data/2.4/gnome-mime-data-2.4.2.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-mime-data/2.4/gnome-mime-data-2.4.2.tar.bz2>
- Download MD5 sum: 37242776b08625fa10c73c18b790e552
- Download size: 849 KB
- Estimated disk space required: 12 MB
- Estimated build time: less than 0.1 SBU

GNOME MIME Data Dependencies

Required

XML::Parser-2.34

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-mime-data>

Installation of GNOME MIME Data



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install GNOME MIME Data by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 -D man/gnome-vfs-mime.5 \
    $(pkg-config \
        --variable=prefix ORBit-2.0)/share/man/man5/gnome-vfs-mime.5
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{application-registry, share/mime-info}</code>

Short Descriptions

<code>application-registry</code>	contains the application mime database.
<code>mime-info</code>	contains the mime description database.

shared-mime-info-0.17

The shared-mime-info-0.17 package is located in Chapter 26 — X Libraries and is required by GNOME-2 but is not a direct dependency of any GNOME-2 package, therefore the package is mentioned within the GNOME-2 Core Packages chapter to ensure it is installed.

GNOME Virtual File System-2.14.2

Introduction to GNOME Virtual File System

The GNOME Virtual File System package contains virtual file system libraries. This is used as one of the foundations of the Nautilus file manager.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-vfs/2.14/gnome-vfs-2.14.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-vfs/2.14/gnome-vfs-2.14.2.tar.bz2>
- Download MD5 sum: b657e31974d6981adf9b2c4db981f62c
- Download size: 1.8 MB
- Estimated disk space required: 54.1 MB
- Estimated build time: 1.4 SBU

GNOME Virtual File System Dependencies

Required

GConf-2.14.0, libbonobo-2.14.0, and GNOME MIME Data-2.4.2

Optional

Samba-3.0.23d, CDParanoia-III-9.8, Gamin-0.1.7, HAL-0.5.7.1, GTK-Doc-1.6, intltool-0.34.2, OpenSSH-4.5p1, OpenSSL-0.9.8d or GnuTLS (which needs libgpg-error then libgcrypt), Heimdal-0.7.2 or MIT Kerberos V5-1.6, OpenAFS, and Avahi

If you run **./configure --help** for the complete list of dependency requirements and available parameters, you may notice a message about the gnome-mount-0.4 package. This package is not required at build-time, and is only a run-time dependency. If gnome-mount is available at run-time, GNOME-VFS will use it. If it is not available, GNOME-VFS will fall back to using other mounting mechanisms.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-vfs>

Installation of GNOME Virtual File System

Install GNOME Virtual File System by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnome-vfs-2.0 &&
make
```

To test the results, issue: **make check**.

Now, as the **root** user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-vfs-2.0`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnome-vfs-2.0` instead of `$GNOME_PREFIX/libexec`.

`--with-hal-eject=PROGRAM`: This parameter does not need to be passed if you have Eject or `gnome-mount-0.4` installed, as the **eject** program is used if `gnome-mount` is not installed.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	<code>gnomevfs-cat</code> , <code>gnomevfs-copy</code> , <code>gnomevfs-info</code> , <code>gnomevfs-ls</code> , <code>gnomevfs-mkdir</code> , <code>gnomevfs-mv</code> , <code>gnomevfs-rm</code> , and <code>gnome-vfs-daemon</code>
Installed Libraries:	<code>libgnomevfs-2.{so,a}</code> and modules
Installed Directories:	The following subdirectories of <code>/etc/gnome/2.14.3/</code> : <code>gconf/{schemas, gconf.xml.defaults/{desktop, schemas, system}, gnome-vfs-2.0}</code> and the following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnome-vfs-{,module-}2.0</code> , <code>lib/gnome-vfs{-2.0}</code> , <code>share/gtk-doc/html/gnome-vfs-2.0</code>

libgnome-2.14.1

Introduction to libgnome

The libgnome package contains the libgnome library.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgnome/2.14/libgnome-2.14.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgnome/2.14/libgnome-2.14.1.tar.bz2>
- Download MD5 sum: bf53815df10db62bbf00defd4100b8d8
- Download size: 995 KB
- Estimated disk space required: 17.0 MB
- Estimated build time: 0.2 SBU

libgnome Dependencies

Required

GNOME Virtual File System-2.14.2

Optional

EsounD-0.2.36, GTK-Doc-1.6, and intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnome>

Installation of libgnome

Install libgnome by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--sysconfdir=/etc/gnome/2.14.3: This parameter causes the configuration files to be installed in

`/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter sets `LIBGNOME_LOCALSTATEDIR` to `/var/lib` instead of `$GNOME_PREFIX/var` to synchronize with the GNOME Games installation and properly record high scores in `/var/lib/games`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program:	<code>gnome-open</code>
Installed Libraries:	<code>libgnome-2.{so,a}</code> and the <code>libmoniker_extra_2.{so,a}</code> bonobo library
Installed Directories:	<code>/etc/gnome/2.14.3/sound</code> , and the following subdirectories of <code>\$GNOME_PREFIX</code> : <code>include/libgnome-2.0</code> , <code>share/gtk-doc/html/libgnome</code>

Short Descriptions

`libgnome-2.{so,a}` are the non-GUI portion of the GNOME libraries.

libgnomecanvas-2.14.0

Introduction to libgnomecanvas

The libgnomecanvas package contains the GNOME canvas library. It is an engine for structured graphics and one of the essential GNOME libraries.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/libgnomecanvas/2.14/libgnomecanvas-2.14.0.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/libgnomecanvas/2.14/libgnomecanvas-2.14.0.tar.bz2>
- Download MD5 sum: 516c46fb4a1401b05cfef58c350fbd3d
- Download size: 612 KB
- Estimated disk space required: 12.6 MB
- Estimated build time: 0.2 SBU

libgnomecanvas Dependencies

Required

libglade-2.6.0 and libart_lgpl-2.3.17

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnomecanvas>

Installation of libgnomecanvas



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install libgnomecanvas by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	None
Installed Libraries:	libgnomecanvas-2.{so,a} and the libcanvas.{so,a} Glade library
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libgnomecanvas-2.0</code> , <code>lib/libglade</code> and <code>share/gtk-doc/html/libgnomecanvas</code>

libbonoboui-2.14.0

Introduction to libbonoboui

The libbonoboui package contains libbonoboui libraries.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libbonoboui/2.14/libbonoboui-2.14.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libbonoboui/2.14/libbonoboui-2.14.0.tar.bz2>
- Download MD5 sum: dc26dc17cddc625cac37ecfab263a51a
- Download size: 893 KB
- Estimated disk space required: 29.1 MB
- Estimated build time: 1.0 SBU

libbonoboui Dependencies

Required

libgnome-2.14.1 and libgnomecanvas-2.14.0

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libbonoboui>

Installation of libbonoboui

Install libbonoboui by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&  
install -v -m755 -d $(pkg-config \  
    --variable=prefix ORBit-2.0)/share/doc/libbonoboui-2.14.0 &&  
install -v -m644 doc/*.{dtd,txt,xml,html} $(pkg-config \  
    --variable=prefix ORBit-2.0)/share/doc/libbonoboui-2.14.0
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API

documentation.

Contents

Installed Programs:	bonobo-browser and test-moniker
Installed Libraries:	libbonoboui-2.{so,a} and libbonobo.{so,a} Glade library
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libbonoboui-2.0</code> , <code>share/{doc/libbonoboui-2.14.0, gnome-2.0, gtk-doc/html/libbonoboui}</code>

Short Descriptions

`libbonoboui-2.{so,a}` are the GUI portion of the Bonobo libraries.

GNOME Icon Theme-2.14.2

Introduction to GNOME Icon Theme

The GNOME Icon Theme package contains an assortment of scalable and non-scalable icons of different sizes and themes.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-icon-theme/2.14/gnome-icon-theme-2.14.2.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-icon-theme/2.14/gnome-icon-theme-2.14.2.tar.bz2>
- Download MD5 sum: 6f1d33a297bd27e0e9f4c1a5fa956166
- Download size: 2.9 MB
- Estimated disk space required: 29.6 MB
- Estimated build time: 0.2 SBU

GNOME Icon Theme Dependencies

Required

XML::Parser-2.34

Optional

hicolor-icon-theme-0.9 and pkg-config-0.20

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-icon-theme>

Installation of GNOME Icon Theme

Install GNOME Icon Theme by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directory:	/usr/share/icons/gnome

Installed Icons: Several icons under the `/usr/share/icons/gnome` and `/usr/share/icons/hicolor` hierarchies.

gnome-keyring-0.4.9

Introduction to gnome-keyring

The gnome-keyring package contains a daemon that keeps passwords and other secrets for users.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-keyring/0.4/gnome-keyring-0.4.9.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-keyring/0.4/gnome-keyring-0.4.9.tar.bz2>
- Download MD5 sum: 9a90820acf11a66e4c3dd9e163231071
- Download size: 396 KB
- Estimated disk space required: 5.6 MB
- Estimated build time: 0.1 SBU

gnome-keyring Dependencies

Required

GTK+-2.8.20

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-keyring>

Installation of gnome-keyring



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install gnome-keyring by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/gnome-keyring &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
install -v -m755 -d $(pkg-config \
    --variable=prefix ORBit-2.0)/share/doc/gnome-keyring-0.4.9 &&
install -v -m644 *.txt $(pkg-config \
    --variable=prefix ORBit-2.0)/share/doc/gnome-keyring-0.4.9
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-keyring`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnome-keyring` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Program:	gnome-keyring-daemon
Installed Library:	libgnome-keyring.so
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnome-keyring-1</code> , <code>lib/gnome-keyring</code> and <code>share/doc/gnome-keyring-0.4.9</code>

Short Descriptions

gnome-keyring-daemon	is a session daemon that keeps passwords for users.
<code>libgnome-keyring.so</code>	let other applications utilize gnome-keyring-daemon .

libgnomeui-2.14.1

Introduction to libgnomeui

The libgnomeui package contains libgnomeui libraries.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgnomeui/2.14/libgnomeui-2.14.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgnomeui/2.14/libgnomeui-2.14.1.tar.bz2>
- Download MD5 sum: ff6b6c25de0e7e39c79998621cdec048
- Download size: 1.8 MB
- Estimated disk space required: 40.0 MB
- Estimated build time: 0.7 SBU

libgnomeui Dependencies

Required

libbonoboui-2.14.0 and gnome-keyring-0.4.9

Optional

libjpeg-6b, EsounD-0.2.36, and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnomeui>

Installation of libgnomeui

Install libgnomeui by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/libgnomeui &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

If your GNOME installation prefix is anything other than /usr, create the following symbolic link as the root user:

```
ln -v -s $(pkg-config \
            --variable=prefix ORBit-2.0)/lib/gtk-2.0/2.4.0/filesystems \
            /usr/lib/gtk-2.0/2.4.0
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/libgnomeui`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/libgnomeui` instead of `$GNOME_PREFIX/libexec`.

`--with-kde-datadir=$KDE_PREFIX/share`: Use this parameter if you have KDE installed in any prefix other than `/usr`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Configuring libgnomeui

Configuration Information

Some applications cannot properly discover the libglade interface library installed by libgnomeui. Get around this problem by initializing an environment variable which identifies the location of the library. Add the following line to the system-wide `/etc/profile` file, or to individual user's `~/.profile` or `~/.bashrc` files:

```
export LIBGLADE_MODULE_PATH=$GNOME_PREFIX/lib/libglade/2.0
```

Contents

Installed Programs:	
Installed Libraries:	libgnomeui-2.{so,a}, the libgnome.{so,a} Glade library, and the libgnome-vfs.{so,a} GTK+ library
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libgnomeui-2.0</code> , <code>lib/{gtk-2.0/2.4.0/filesystems, libgnomeui}</code> and <code>share/gtk-doc/html/libgnomeui</code>

Short Descriptions

`libgnomeui-2.{so,a}` are the GUI portion of the GNOME libraries.

GTK Engines-2.6.10

Introduction to GTK Engines

The GTK Engines package contains eight themes/engines and two additional engines for GTK2.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtk-engines/2.6/gtk-engines-2.6.10.tar.bz2>
- Download (FTP): <http://ftp.gnome.org/pub/gnome/sources/gtk-engines/2.6/gtk-engines-2.6.10.tar.bz2>
- Download MD5 sum: f3e2b14b0cff0988277ccba42e69813d
- Download size: 472 KB
- Estimated disk space required: 12.9 MB
- Estimated build time: 0.4 SBU

GTK Engines Dependencies

Required

GTK+-2.8.20

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtk-engines>

Installation of GTK Engines

Install GTK Engines by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	None
Installed Libraries:	GTK-2 engines libraries
Installed Directories:	/usr/lib/gtk-2.0/engines and /usr/share/themes/{theme names}
Installed Themes:	Clearlooks, Crux, Industrial, LighthouseBlue, Metal, Mist, Redmond and ThinIce

Short Descriptions

engines libraries are manager systems for specific themes.

GNOME Themes-2.14.3

Introduction to GNOME Themes

The GNOME Themes package contains several more theme sets.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-themes/2.14/gnome-themes-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-themes/2.14/gnome-themes-2.14.3.tar.bz2>
- Download MD5 sum: 7c07c4c01404b447f2624e8e400ee787
- Download size: 2.5 MB
- Estimated disk space required: 19.7 MB
- Estimated build time: 0.2 SBU

GNOME Themes Dependencies

Required

XML::Parser-2.34 and GTK Engines-2.6.10

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-themes>

Installation of GNOME Themes

Install GNOME Themes by running the following commands:

```
./configure --prefix=/usr --enable-all-themes &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-all-themes`: Using this parameter enables the installation of additional accessibility themes. Omit this parameter if you have no desire for additional accessibility themes.

Contents

Installed Programs: None

Installed Libraries:	None
Installed Directories:	Several directories under /usr/share/{icons,themes}
Installed Themes:	Several themes in the /usr/share/themes hierarchy and icons in the /usr/share/icons hierarchy

GNOME Doc Utils-0.6.1

Introduction to GNOME Doc Utils

The GNOME Doc Utils package is a collection of documentation utilities for the GNOME project. Notably, it contains utilities for building documentation and all auxiliary files in your source tree, and it contains the DocBook XSLT stylesheets that were once distributed with Yelp. Starting with GNOME 2.8, Yelp requires GNOME Doc Utils for the XSLT. Starting with GNOME 2.12, many of the core GNOME packages require GNOME Doc Utils.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-doc-utils/0.6/gnome-doc-utils-0.6.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-doc-utils/0.6/gnome-doc-utils-0.6.1.tar.bz2>
- Download MD5 sum: c706b807b15e07e58561f903c0f20c26
- Download size: 384 KB
- Estimated disk space required: 9.0 MB
- Estimated build time: less than 0.1 SBU

GNOME Doc Utils Dependencies

Required

libxslt-1.1.17

Recommended

Python-2.4.4 and ScrollKeeper-0.3.14

The packages are listed as recommended even though GNOME Doc Utils will build fine without them. If you don't install the recommended packages (and you pass the appropriate flags to the **configure** command so that it will build without them), functionality will be missing that is expected later in other GNOME packages.

Optional

pkg-config-0.20

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-doc-utils>

Installation of GNOME Doc Utils



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install GNOME Doc Utils by running the following commands:

```
sed -i 's/@.*@pkgconfig/pkgconfig/' Makefile.in &&
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --mandir=$(pkg-config \
            --variable=prefix ORBit-2.0)/share/man &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Command Explanations

sed -i 's/@.*@pkgconfig/pkgconfig/' Makefile.in: If you build GNOME Doc Utils without Python, the pkg-config support files will not be installed. This command ensures that they are always installed.

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with \$GNOME_PREFIX will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--mandir=\$(pkg-config --variable=prefix ORBit-2.0)/share/man: This parameter causes the man.(X) files to be installed in \$GNOME_PREFIX/share/man/man(X) instead of \$GNOME_PREFIX/man/man(X).

Contents

Installed Programs:	gnome-doc-prepare and xml2po
Installed Libraries:	None
Installed Directories:	The following subdirectories of \$GNOME_PREFIX/share/: gnome-doc-utils, gnome/help/gnome-doc-{make,xslt}, omf/gnome-doc-{make,xslt}, xml/gnome and xml2po}
Installed Stylesheets:	Custom DocBook XSLT stylesheets

Short Descriptions

gnome-doc-prepare	prepares a package to use gnome-doc-utils.
xml2po	is a Python script used to translate XML documents.

GNOME Desktop-2.14.3

Introduction to GNOME Desktop

The GNOME Desktop package contains the **gnome-about** program, the `libgnome-desktop-2` library and GNOME's core graphics files and icons.

Package Information

- Download (HTTP):
`http://ftp.gnome.org/pub/gnome/sources/gnome-desktop/2.14/gnome-desktop-2.14.3.tar.bz2`
- Download (FTP):
`ftp://ftp.gnome.org/pub/gnome/sources/gnome-desktop/2.14/gnome-desktop-2.14.3.tar.bz2`
- Download MD5 sum: 2a8547ab0dcb10a1ad297874ae95b06b
- Download size: 1.1 MB
- Estimated disk space required: 13.6 MB
- Estimated build time: 0.3 SBU

GNOME Desktop Dependencies

Required

`libgnomeui-2.14.1` and `GNOME Doc Utils-0.6.1`

Recommended

`startup-notification-0.8`

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-desktop>

Installation of GNOME Desktop

Install GNOME Desktop by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation

environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--with-gnome-distributor="Some Name"`: Use this parameter to supply a custom name in the “Distributor:” field of the “GNOME About” display window.

`--with-kde-datadir=$KDE_PREFIX/share`: Use this parameter if KDE is installed in any prefix other than `/usr`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program:	<code>gnome-about</code>
Installed Library:	<code>libgnome-desktop-2.{so,a}</code>
Installed Directory:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnome-desktop-2.0</code> , <code>share/{gnome-about, {gnome/help,omf}/{fdl,gnome-feedback,gpl,lgpl}}</code> , <code>gtk-doc/html/gnome-desktop</code>

Short Descriptions

gnome-about	produces the about screen.
<code>libgnome-desktop-2.{so,a}</code>	contains APIs being tested for inclusion in <code>libgnome</code> or <code>libgnomeui</code> .

gnome-backgrounds-2.14.2.1

Introduction to gnome-backgrounds

The gnome-backgrounds package contains a collection of graphics files which can be used as backgrounds in the GNOME desktop environment. Additionally, the package creates the proper framework and directory structure so that you can add your own files to the collection.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-backgrounds/2.14/gnome-backgrounds-2.14.2.1.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-backgrounds/2.14/gnome-backgrounds-2.14.2.1.tar.bz2>
- Download MD5 sum: 10480df7c2e5a08c920c5b0a2ff4f161
- Download size: 1.1 MB
- Estimated disk space required: 4.3 MB
- Estimated build time: less than 0.1 SBU

gnome-backgrounds Dependencies

Required

XML::Parser-2.34

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-backgrounds>

Installation of gnome-backgrounds



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install gnome-backgrounds by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{gnome-background-properties, pixmaps/backgrounds}</code>

Short Descriptions

`GNOME backgrounds` are backgrounds for the GNOME desktop.

gnome-menus-2.14.3

Introduction to gnome-menus

The `gnome-menus` package contains an implementation of the draft “Desktop Menu Specification” from freedesktop.org (<http://www.freedesktop.org/Standards/menu-spec>). Also contained are the GNOME menu layout configuration files, `.directory` files and a menu related utility program.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-menus/2.14/gnome-menus-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-menus/2.14/gnome-menus-2.14.3.tar.bz2>
- Download MD5 sum: 9926e7ad14255d1a08c7e774052f8a3a
- Download size: 406 KB
- Estimated disk space required: 7.4 MB
- Estimated build time: 0.2 SBU

gnome-menus Dependencies

Required

GLib-2.10.3 and XML::Parser-2.34

Optional

Python-2.4.4, Gamin-0.1.7, and intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-menus>

Installation of gnome-menus



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install `gnome-menus` by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

Configuring gnome-menus

Configuration Information

XDG_CONFIG_DIRS Variable

So that GNOME can find the desktop configuration files, ensure you set the `XDGLCONF_DIRS` environment variable in the system profile, or in individual user's profiles as shown below (you may add additional directories, separated with colons, if desired):

```
export XDG_CONFIG_DIRS=/etc/gnome/2.14.3/xdg:/etc/xdg
```

XDG_DATA_DIRS Variable

So that GNOME can find the data to populate the menus, ensure you set the `XDGLDATA_DIRS` environment variable in the system profile, or in individual user's profiles as shown below (you may add additional directories, separated with colons, if desired):

```
export XDG_DATA_DIRS=$GNOME_PREFIX/share:/usr/share
```

PYTHONPATH Variable

If your GNOME-2 installation prefix is anything other than `/usr` and you have Python installed, you need to update the `PYTHONPATH` environment variable so that the `gmenu` module can be located by Python. Set the variable in the system profile, or in individual user's profiles as shown below:

```
export PYTHONPATH=$PYTHONPATH:$(pkg-config --variable=prefix \
ORBit-2.0)/lib/python2.4/site-packages:$(pkg-config \
--variable=prefix \
ORBit-2.0)/lib/python2.4/site-packages/GMenuSimpleEditor
```

Contents

Installed Programs:	<code>gmenu-simple-editor</code> and <code>gnome-menu-spec-test</code>
Installed Library:	<code>libgnome-menu.{so,a}</code>
Installed Directories:	<code>/etc/gnome/2.14.3/xdg</code> and the following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnome-menus</code> , <code>lib/python2.4/site-packages/GMenuSimpleEditor</code> , <code>share/{desktop-directories, gnome-menus}</code>

Short Descriptions

gmenu-simple-editor	is a simple front-end script to the Python Gmenu Simple Editor module
gnome-menu-spec-test	is used to test GNOME's implementation of the Desktop Menu Specification.
<code>libgnome-menu.{so,a}</code>	contains functions required to support GNOME's implementation of the Desktop Menu Specification.

GNOME Panel-2.14.3

Introduction to GNOME Panel

The GNOME Panel package contains hooks to the menu sub-system and the applet sub-system.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-panel/2.14/gnome-panel-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-panel/2.14/gnome-panel-2.14.3.tar.bz2>
- Download MD5 sum: 14ab4c3d3ff3d0c1be397b6799a8626c
- Download size: 2.5 MB
- Estimated disk space required: 58.7 MB
- Estimated build time: 1.0 SBU

GNOME Panel Dependencies

Required

GNOME Desktop-2.14.3, libwnck-2.14.3, and gnome-menus-2.14.3

Optional

Evolution Data Server-1.6.3 (required if you plan to install Evolution-2.6.3 or Ekiga-2.0.2), intltool-0.34.2, and GTK-Doc-1.6



Note

The libxml2 Python module must have been built during the installation of libxml2 else the GNOME Panel build will fail.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-panel>

Installation of GNOME Panel

Install GNOME Panel by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnome-panel \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-panel`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnome-panel` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	gnome-desktop-item-edit, gnome-panel and panel-test-applets
Installed Library:	libpanel-applet-2.{so,a}
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/panel-2.0</code> , <code>lib/gnome-panel</code> , <code>share/{gnome/{help/{too many to list}, panel}}</code> , <code>gtk-doc/html/panel-applet</code> , <code>icons</code> , <code>idl/gnome-panel-2.0</code> , <code>omf/{too many too list}}</code>

Short Descriptions

`libpanel-applet-2.{so,a}` allow development of small applications (applets) which may be embedded in the panel.

GNOME Session-2.14.3

Introduction to GNOME Session

The GNOME Session package contains the GNOME session manager.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-session/2.14/gnome-session-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-session/2.14/gnome-session-2.14.3.tar.bz2>
- Download MD5 sum: 34eb4641e2791ae51acf6f1edfcf3d64
- Download size: 662 KB
- Estimated disk space required: 11.8 MB
- Estimated build time: 0.3 SBU

GNOME Session Dependencies

Required

GNOME Desktop-2.14.3 and Esound-0.2.36

Optional

TCP Wrapper-7.6 and libnotify

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-session>

Installation of GNOME Session

Install GNOME Session by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in

`/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Programs:	gnome-session, gnome-session-properties, gnome-session-remove, gnome-session-save, and gnome-wm
Installed Libraries:	None
Installed Directory:	<code>\$GNOME_PREFIX/share/pixmaps/splash</code>

Short Descriptions

gnome-session	starts up the GNOME desktop.
gnome-session-*	session utilities includes a configuration program and other session management related utilities.
gnome-wm	uses the <code>\$WINDOW_MANAGER</code> environment variable to allow a user to define a window manager of choice. If no <code>\$WINDOW_MANAGER</code> is defined, gnome-wm defaults to metacity as the default window manager.

VTE-0.12.2

Introduction to VTE

The VTE package contains a termcap file implementation for terminal emulators.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/vte/0.12/vte-0.12.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/vte/0.12/vte-0.12.2.tar.bz2>
- Download MD5 sum: 7cb1bd6ca528bc4db5ec685549fd3eb1
- Download size: 974 KB
- Estimated disk space required: 25.3 MB
- Estimated build time: 0.7 SBU

VTE Dependencies

Required

GTK+-2.8.20 and XML::Parser-2.34

Optional

GTK-Doc-1.6, intltool-0.34.2, and PyGTK (requires Python-2.4.4)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/vte>

Installation of VTE

Install VTE by running the following commands:

```
sed -i 's%\177:%&kh=\\EOH:@7=\\EOF:%' termcaps/xterm &&
sed -i 's/FT2_LIBS $LIBS/& $X_LIBS/' configure &&
sed -i -e 's/^ssfe_LDADD =.*$/& -lncurses/' \
    -e 's/^LDFLAGS =.*$/& @X_LIBS@/' \
    src/Makefile.in &&

./configure --prefix=/usr \
            --libexecdir=/usr/lib/vte &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

sed -i ... termcaps/xterm: The Home and End keys are broken in the **xterm** termcap file. This **sed** command fixes them.

sed -i ... configure: If you pass the `--with-glx` parameter to the **configure** script, **configure** will fail because it doesn't include the X Window System library directory in the `LDFLAGS` in one of the checks. This command adds the required directory. This command is not required if your X Window System libraries are located in `/usr/lib`.

sed -i ... src/Makefile.in: For the same reason the previous **sed** command is used, this one does a similar modification to fix the `Makefile` used to build the programs and library. This **sed** also fixes an issue by adding the `libncurses` library to the `LDFLAGS` for building the **ssfe** program. This issue is also caused by passing the additional parameters to the **configure** script.

`--libexecdir=/usr/lib/vte:` This parameter causes the `libexec` files to be installed in the preferred location of `/usr/lib/vte` instead of `/usr/libexec`.

`--with-xft2 --with-pangox --with-glx:` These parameters can be passed to the **configure** script to enable additional drawing methods in the VTE library.

`--enable-gtk-doc:` Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Program:	<code>vte</code>
Installed Libraries:	<code>libvte.{so,a}</code> and the <code>vtemodule.{so,a}</code> Python module
Installed Directories:	<code>/usr/include/vte</code> , <code>/usr/lib/vte</code> , <code>/usr/share/gtk-doc/html/vte</code> , and <code>/usr/share/vte</code>

Short Descriptions

vte is a test application for the VTE libraries.

`libvte.{so,a}` provide the functions necessary to implement a “termcap file” for terminal emulators.

GNOME Terminal-2.14.2

Introduction to GNOME Terminal

The GNOME Terminal package contains the console. This is useful for executing programs from a command prompt.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-terminal/2.14/gnome-terminal-2.14.2.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-terminal/2.14/gnome-terminal-2.14.2.tar.bz2>
- Download MD5 sum: da80071cd707e89cedcfb476cab8b39a
- Download size: 1.7 MB
- Estimated disk space required: 39.0 MB
- Estimated build time: 0.3 SBU

GNOME Terminal Dependencies

Required

libgnomeui-2.14.1, ScrollKeeper-0.3.14, VTE-0.12.2, and startup-notification-0.8

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-terminal>

Installation of GNOME Terminal

Install GNOME Terminal by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Program:	gnome-terminal
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help,omf}/gnome-terminal</code>

Short Descriptions

gnome-terminal provides the command prompt in the GNOME environment.

LibGTop-2.14.2

Introduction to LibGTop

The LibGTop package contains the GNOME top libraries.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgtop/2.14/libgtop-2.14.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgtop/2.14/libgtop-2.14.2.tar.bz2>
- Download MD5 sum: adcc07c6d1c115c6d275a3c9bb1f3b68
- Download size: 664 KB
- Estimated disk space required: 13.2 MB
- Estimated build time: 0.3 SBU

LibGTop Dependencies

Required

GLib-2.10.3

Optional

popt-1.10.4, GDBM-1.8.3, and X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgtop>

Installation of LibGTop



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install LibGTop by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --infodir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/info &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you passed `--with-libgtop-examples` to the **configure** script to build the example programs, install

them using the following commands as the `root` user:

```
install -v -m755 -d $(pkg-config \
    --variable=prefix ORBit-2.0)/lib/libgtop/examples &&
install -v -m755 examples/.libs/* \
    $(pkg-config --variable=prefix ORBit-2.0)/lib/libgtop/examples
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--infodir=$(pkg-config --variable=prefix ORBit-2.0)/share/info`: This switch installs the info documentation in `$GNOME_PREFIX/share/info` instead of `$GNOME_PREFIX/info`. You may need to add this directory to your `$INFOPATH` environment variable if your GNOME installation prefix is anything other than `/usr`.

`--with-libgtop-examples`: Adding this parameter to the **configure** script will build numerous example programs.

`--with-libgtop-inodedb`: Add this parameter to the **configure** script if you have GDBM installed and wish to build the inodedb programs.

Configuring LibGTop

Configuration Information

If `$GNOME_PREFIX` is anything other than `/usr`, update the `INFOPATH` environment variable by adding the following to your system-wide or personal profile:

```
export INFOPATH=/usr/share/info:$(pkg-config \
    --variable=prefix ORBit-2.0)/share/info
```

Contents

Installed Programs:	<code>file_by_inode2</code> and <code>mkinodedb2</code>
Installed Library:	<code>libgtop-2.0.{so,a}</code>
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libgtop-2.0</code> and <code>lib/libgtop/examples</code>

Short Descriptions

`libgtop-2.0.{so,a}` contains the functions that allow access to system performance data.

GAIL-1.8.11

Introduction to GAIL

The GAIL package contains the GNOME Accessibility Implementation Libraries.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gail/1.8/gail-1.8.11.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gail/1.8/gail-1.8.11.tar.bz2>
- Download MD5 sum: ff79df7dd0cf7a5109c089b9b5fbe17f
- Download size: 584 KB
- Estimated disk space required: 19.5 MB
- Estimated build time: 0.6 SBU

GAIL Dependencies

Required

libgnomecanvas-2.14.0

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gail>

Installation of GAIL



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install GAIL by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

GTK+ will look for the GAIL modules in `/usr/lib` even if `$GNOME_PREFIX` is **NOT** `/usr`. If `$GNOME_PREFIX` is anything other than `/usr`, create a symlink to `$GNOME_PREFIX` to satisfy this requirement:

```
ln -v -s $(pkg-config --variable=prefix ORBit-2.0)/lib/gtk-2.0/modules \
/usr/lib/gtk-2.0
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	None
Installed Libraries:	libgailutil.so and GAIL GTK+ modules
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gail-1.0</code> , <code>lib/gtk-2.0/modules</code> and <code>share/gtk-doc/html/gail-libgail-util</code>

Short Descriptions

`libgailutil.so` provides the functions that solve accessibility problems in a consistent manner across GNOME.

GNOME Applets-2.14.3

Introduction to GNOME Applets

The GNOME Applets package contains small applications which generally run in the background and display their output to the GNOME panel.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-applets/2.14/gnome-applets-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-applets/2.14/gnome-applets-2.14.3.tar.bz2>
- Download MD5 sum: ab96f071db993461533cb740281a7373
- Download size: 6.5 MB
- Estimated disk space required: 111 MB
- Estimated build time: 1.3 SBU

GNOME Applets Dependencies

Required

GAIL-1.8.11, GNOME Panel-2.14.3, and libxklavier-2.2

Optional

LibGTop-2.14.2, GStreamer Base Plug-ins-0.10.11, HAL-0.5.7.1, gucharmap-1.6.0, system-tools-backends-1.4.2, DocBook-utils-0.6.14, libapm, and libnotify

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-applets>

Installation of GNOME Applets

Install GNOME Applets by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnome-applets \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make -C man install-man
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-applets`: This parameter causes the libexec files to be installed in the preferred location of in `$GNOME_PREFIX/lib/gnome-applets` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

make -C man install-man: This command installs the man-pages that are not installed during **make install**.

Contents

Installed Programs:	cpufreq-selector and gswitchit-plugins-capplet
Installed Libraries:	None
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX</code> : include/libg{switchit,weather}, lib/gnome-applets, share/{gnome-applets, {gnome/help,omf}/{too many to list}, pixmaps/{accessx-status-applet, cpufreq-applet, stickynotes}, xmodmap}

EEL-2.14.3

Introduction to EEL

The EEL package contains the Eazel Extensions Library. This is a collection of widgets and extensions to the GNOME platform.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/eel/2.14/eel-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/eel/2.14/eel-2.14.3.tar.bz2>
- Download MD5 sum: `cdff898f9a054b35f5e3b7c0142cc2a5`
- Download size: 640 KB
- Estimated disk space required: 14.4 MB
- Estimated build time: 0.5 SBU

EEL Dependencies

Required

GNOME Desktop-2.14.3, gnome-menus-2.14.3, and GAIL-1.8.11

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/eel>

Installation of EEL

Install EEL by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

To test the results, first modify the permissions of the test script by issuing **chmod 755 eel/check-eel**, then issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs: None
Installed Library: libeel-2.{so,a}
Installed Directory: \$GNOME_PREFIX/include/eel-2

Short Descriptions

`libeel-2.{so,a}` is a collection of widgets developed by the Nautilus project.

Nautilus-2.14.3

Introduction to Nautilus

The Nautilus package contains the GNOME shell and file manager.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/nautilus/2.14/nautilus-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/nautilus/2.14/nautilus-2.14.3.tar.bz2>
- Download MD5 sum: e82df2a1cb11719d054959539b74b3c7
- Download size: 4.0 MB
- Estimated disk space required: 91.4 MB
- Estimated build time: 1.2 SBU

Nautilus Dependencies

Required

EEL-2.14.3, EsounD-0.2.36, libexif-0.6.13, and librsvg-2.14.4

Optional

startup-notification-0.8, Tracker (requires MySQL-5.0.21 and D-BUS-0.62, and can use Gamin-0.1.7 and inotify.h capability), Beagle (uses inotify.h capability), and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nautilus>

Installation of Nautilus

Install Nautilus by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
install -v -m755 -d $(pkg-config \
--variable=prefix ORBit-2.0)/share/doc/nautilus-2.14.3 &&
install -v -m644 docs/*.{txt,dia,pdf,sxw,faq,html} $(pkg-config \
--variable=prefix ORBit-2.0)/share/doc/nautilus-2.14.3
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

Contents

Installed Programs: nautilus, nautilus-connect-server and nautilus-file-management-properties

Installed Library: libnautilus-extension.so

Installed Directories: The following subdirectories of `$GNOME_PREFIX/`: `include/nautilus`, `share/{doc/nautilus-2.14.3, {,pixmaps}nautilus}`

Short Descriptions

nautilus is the GNOME file manager.

`libnautilus-extension.so` supplies the functions needed by the file manager.

Control Center-2.14.2

Introduction to Control Center

The Control Center package contains the GNOME settings managers.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/control-center/2.14/control-center-2.14.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/control-center/2.14/control-center-2.14.2.tar.bz2>
- Download MD5 sum: 08711b0f14584e7eaa9f4c275085ab36
- Download size: 1.8 MB
- Estimated disk space required: 60.2 MB
- Estimated build time: 1.5 SBU

Control Center Dependencies

Required

libxklavier-2.2, Metacity-2.14.5, GNOME Icon Theme-2.14.2, and Nautilus-2.14.3

Optional

Evolution Data Server-1.6.3, ALSA-1.0.13, and GStreamer Base Plug-ins-0.10.11

Though they are only run-time dependencies and Control Center will compile just fine without them installed, there are two screen saver packages that can be installed which will provide a robust collection of screen savers and screen locking capability. GNOME ScreenSaver (BLFS page is forthcoming) is looked for first, with a fallback to XScreenSaver-4.24 if necessary.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/control-center>

Installation of Control Center

Install Control Center by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
    --sysconfdir=/etc/gnome/2.14.3 \
    --localstatedir=/var/lib \
    --libexecdir=$(pkg-config \
        --variable=prefix ORBit-2.0)/lib/control-center &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/control-center`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/control-center` instead of `$GNOME_PREFIX/libexec`.

`--enable-aboutme`: Enables building the **gnome-about-me** capplet. Evolution Data Server must be installed to use this parameter.

Contents

Installed Programs:	gnome-about-me,gnome-accessibility-keyboard-properties, gnome-at-properties, gnome-background-properties, gnome-control-center, gnome-default-applications-properties, gnome-display-properties, gnome-font-properties, gnome-font-viewer, gnome-keybinding-properties, gnome-keyboard-properties, gnome-mouse-properties, gnome-network-preferences, gnome-sound-properties, gnome-theme-manager, gnome-theme-thumbailer, gnome-thumbnail-font, gnome-typing-monitor, gnome-ui-properties, gnome-window-properties, and themus-theme-applier
Installed Libraries:	libgnome-window-settings.{so,a}, GNOME VFS and window manager settings library modules and Nautilus library module extensions
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : include/gnome-window-settings-2.0, lib/{control-center, nautilus, window-manager-settings}, share/{ {,gnome/help/omf/}control-center-2.0, gnome/{default-applications,cursor-fonts} }

Yelp-2.14.3

Introduction to Yelp

The Yelp package contains the help browser. This is useful for viewing help files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/yelp/2.14/yelp-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/yelp/2.14/yelp-2.14.3.tar.bz2>
- Download MD5 sum: d3c4300c9a7d38ff2179b934ca5e2d1a
- Download size: 779 KB
- Estimated disk space required: 15.6 MB
- Estimated build time: 0.3 SBU

Yelp Dependencies

Required

libgnomeui-2.14.1, libgnomeprintui-2.12.1, startup-notification-0.8, GNOME Doc Utils-0.6.1, and a mozilla.org Gecko layout engine (SeaMonkey-1.1 or Firefox-1.5.0.9 or Thunderbird-1.5.0.9 or Mozilla)

Optional

Beagle



Note

The Yelp package is not required for a functional GNOME desktop. Note, however, that without Yelp you will not be able to view the built-in Help provided by core GNOME and many of the support applications. This is mentioned here because you may not wish to install a Gecko layout engine. Without a Gecko layout engine you will have no graphical browser capability as the default GNOME browser, Epiphany-2.14.2.1, also requires a Gecko layout engine.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/yelp>

Installation of Yelp

Install Yelp by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```


Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Programs:	gnome-help and yelp
Installed Libraries:	None
Installed Directory:	<code>\$GNOME_PREFIX/share/yelp</code>

Short Descriptions

gnome-help	is a symbolic link to yelp .
yelp	is the GNOME help browser.

GNOME User Docs-2.14.2

Introduction to GNOME User Docs

The GNOME User Docs package contains documentation for GNOME.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-user-docs/2.14/gnome-user-docs-2.14.2.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-user-docs/2.14/gnome-user-docs-2.14.2.tar.bz2>
- Download MD5 sum: 4f5a7114ccf9e4e31137da50b7333570
- Download size: 2.0 MB
- Estimated disk space required: 13.4 MB
- Estimated build time: 1.3 SBU

GNOME User Docs Dependencies

Required

GNOME Doc Utils-0.6.1 and which-2.16

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-user-docs>

Installation of GNOME User Docs



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install GNOME User Docs by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \  
                --localstatedir=/var/lib &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this

parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{ gnome/help/{ gnome-access-guide, system-admin-guide, user-guide }, omf/{ gnome-user-docs,user-guide } }</code>

Short Descriptions

OMF files contain user documentation. These include introductions and help on the core packages.

Configuring the Core GNOME Packages

Create (or append to) a `~/.xinitrc` file to start GNOME:

```
echo "exec gnome-session" >> ~/.xinitrc
```

If you have D-BUS-0.62 installed, you can start the D-BUS session daemon here as well. Starting the session daemon here has the added bonus that it will exit when you log out of your GNOME session. If you wish to start the daemon here, use the following command instead of the one shown above:

```
echo "exec dbus-launch --exit-with-session gnome-session" >> ~/.xinitrc
```



Note

Check the `~/.xinitrc` file and ensure you have no other window managers or other X applications mentioned before GNOME.

Ensure all libraries can be found with (as `root`):

```
ldconfig
```

Update the MIME-type application database (as `root`):

```
update-desktop-database
```

At this point you can bring up GNOME with **startx**.

Chapter 32. GNOME Additional Packages

These packages are modular and add desktop applications and assorted utilities to the GNOME environment. Feel free to install them on an as needed or as desired basis.

Libraries

libgnomecups-0.2.2

Introduction to libgnomecups

The libgnomecups package contains a library used to wrap the CUPS API in a GLib fashion, so CUPS code can be cleanly integrated with GLib code.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgnomecups/0.2/libgnomecups-0.2.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgnomecups/0.2/libgnomecups-0.2.2.tar.bz2>
- Download MD5 sum: 959d5524fe9c37efb55ccfa02e3a063b
- Download size: 314 KB
- Estimated disk space required: 4.4 MB
- Estimated build time: 0.1 SBU

libgnomecups Dependencies

Required

CUPS-1.2.7, GLib-2.10.3, and XML::Parser-2.34

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnomecups>

Installation of libgnomecups



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install libgnomecups by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs:	None
Installed Library:	libgnomecups-1.0.{so,a}
Installed Directory:	<code>\$GNOME_PREFIX/include/libgnomecups-1</code>

Short Descriptions

`libgnomecups-1.0.{so,a}` libraries are used to wrap the CUPS API in a GLib type interface.

libgnomeprint-2.12.1

Introduction to libgnomeprint

The libgnomeprint package contains libgnomeprint libraries.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/libgnomeprint/2.12/libgnomeprint-2.12.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgnomeprint/2.12/libgnomeprint-2.12.1.tar.bz2>
- Download MD5 sum: ea729d4968fe2169c84efb12ace5f6cc
- Download size: 787 KB
- Estimated disk space required: 24.2 MB
- Estimated build time: 0.6 SBU

libgnomeprint Dependencies

Required

Pango-1.12.3, libart_lgpl-2.3.17, Fontconfig-2.3.2, popt-1.10.4, libxml2-2.6.26, and XML::Parser-2.34

Optional

libgnomecups-0.2.2, GTK-Doc-1.6, and DocBook-utils-0.6.14

If you have CUPS-1.2.7 installed, you must also have libgnomecups-0.2.2 installed or pass `--without-cups` to the **configure** command in the instructions below.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnomeprint>

Installation of libgnomeprint



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install libgnomeprint by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--disable-gtk-doc &&
make
```

The test suite requires Acroread-4 to be installed and passing `--with-metadata-printer` to the **configure** script. If the previous requirements are met and you wish to run the regression tests, change directories to the `tests` directory and issue: **./run-test.pl**.

Now, as the root user:

```
make install
```

Command Explanations

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--disable-gtk-doc: This switch prevents rebuilding the documentation during the **make** command. Remove this parameter if you have GTK-Doc installed and wish to rebuild the documentation.

Contents

Installed Programs:	None
Installed Libraries:	libgnomeprint-2-2.{so,a} and numerous filters and modules
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libgnomeprint-2.2</code> , <code>lib/libgnomeprint</code> , <code>share/{,gtk-doc/html/}libgnomeprint</code>

Short Descriptions

`libgnomeprint-2-2.{so,a}` implements the GNOME Printing Architecture.

libgnomeprintui-2.12.1

Introduction to libgnomeprintui

The libgnomeprintui package contains the libgnomeprintui library.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/libgnomeprintui/2.12/libgnomeprintui-2.12.1.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/libgnomeprintui/2.12/libgnomeprintui-2.12.1.tar.bz2>
- Download MD5 sum: fa0b0410c3ba8b6899c5ed278f02cbe5
- Download size: 646 KB
- Estimated disk space required: 16.7 MB
- Estimated build time: 0.3 SBU

libgnomeprintui Dependencies

Required

libgnomecanvas-2.14.0, GNOME Icon Theme-2.14.2, and libgnomeprint-2.12.1

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgnomeprintui>

Installation of libgnomeprintui



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install libgnomeprintui by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--enable-gtk-doc`: Use this option if you have GTK-Doc installed and wish to build the API documentation, as the source tarball does not contain any pre-built docs.

Contents

Installed Programs:	None
Installed Library:	libgnomeprintui-2-2.{so,a}
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libgnomeprintui-2.2</code> and <code>share/{,gtk-doc/html/}libgnomeprintui</code>

Short Descriptions

`libgnomeprintui-2-2.{so,a}` is the GUI portion of the GNOME Printing Architecture implementation.

GtkHTML-3.10.3

Introduction to GtkHTML

The GtkHTML package contains a lightweight HTML rendering/printing/editing engine.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtkhtml/3.10/gtkhtml-3.10.3.tar.bz2>
- Download (FTP): <http://ftp.gnome.org/pub/gnome/sources/gtkhtml/3.10/gtkhtml-3.10.3.tar.bz2>
- Download MD5 sum: 90b1807db0ef0e5d69442e1f85610ec4
- Download size: 1.2 MB
- Estimated disk space required: 57.0 MB
- Estimated build time: 1.3 SBU

GtkHTML Dependencies

Required

libgnomeui-2.14.1, GAIL-1.8.11, GNOME Icon Theme-2.14.2, and libgnomeprintui-2.12.1

Optional

libsoup-2.2.96 and intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtkhtml>

Installation of GtkHTML

Install GtkHTML by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/gtkhtml &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gtkhtml`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gtkhtml` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	None
Installed Libraries:	libgtkhtml-3.8.{so,a} and libgnome-gtkhtml-editor-3.8.{so,a}
Installed Directories:	The following subdirectories of \$GNOME_PREFIX/: include/libgtkhtml-3.8, lib/gtkhtml, and share/gtkhtml-3.8

Short Descriptions

`libgtkhtml-3.8.{so,a}` provide the functions to render HTML within applications.

Evolution Data Server-1.6.3

Introduction to Evolution Data Server

The Evolution Data Server package provides a unified backend for programs that work with contacts, tasks, and calendar information. It was originally developed for Evolution (hence the name), but is now used by other packages as well.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/evolution-data-server/1.6/evolution-data-server-1.6.3.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/evolution-data-server/1.6/evolution-data-server-1.6.3.tar.bz2>
- Download MD5 sum: e40343fa6a80916da3f4d1ba5d118c89
- Download size: 7.0 MB
- Estimated disk space required: 171 MB
- Estimated build time: 3.4 SBU (additional 0.5 SBU to run the test suite)

Evolution Data Server Dependencies

Required

libgnomeui-2.14.1 and libsoup-2.2.96

Recommended (For SSL and S/MIME support)

NSS-3.11.3

The NSS package is not required if you have Firefox-1.5.0.9, Thunderbird-1.5.0.9, SeaMonkey-1.1 or Mozilla installed. These packages contain internal copies of NSS (or they used a system-installed copy). If any of the four packages are installed, one way or another you will already have NSS/NSPR libraries on your system.

Optional

OpenLDAP-2.3.27, an MTA (that provides a **sendmail** command), Heimdal-0.7.2 or MIT Kerberos V5-1.6, krb4, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/evolution-data-server>

Installation of Evolution Data Server

Install Evolution Data Server by running the following commands:



Note

The instructions below assume you have the NSS/NSPR libraries installed on your system. If you elected not to install NSS (or one of the other packages mentioned above), you'll need to remove the following two parameter settings from the **configure** command below:

```
--enable-nss
```

```
--enable-smime
```

The Evolution **configure** script only looks for the stand-alone NSS package and the Mozilla and Firefox browsers for the NSS/NSPR libraries. If you are using Thunderbird as your source for the NSS/NSPR libraries, you will have to add the following two parameter settings to the **configure** command below:

```
--with-nspr-includes=/usr/include/nspr
--with-nss-includes=/usr/include/nss
```

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--libexecdir=$(pkg-config --variable=prefix \
    ORBit-2.0)/lib/evolution-data-server-1.2 \
--enable-nntp \
--enable-nss \
--enable-smime &&
make
```

To test the results, issue: **make -k check**. At least one test is known to fail and 18 are known to pass.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/evolution-data-server-1.2`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/evolution-data-server-1.2` instead of `$GNOME_PREFIX/libexec`.

`--enable-nntp`: This parameter is used to build the Usenet news (NNTP) backend.

`--enable-nss`: This parameter is used to pull in the Mozilla Network Security Services libraries for SSL support.

`--enable-smime`: This parameter is used to pull in the Mozilla Network Security Services libraries for S/MIME support.



Note

To enable many of the optional dependencies, review the information from `./configure --help` for the necessary parameters you must pass to the **configure** script.

Contents

Installed Programs:	None
Installed Libraries:	libcamel-1.2.so, libcamel-provider-1.2.so, libebook-1.2.so, libecal-1.2.so, libedata-book-1.2.so, libedata-cal-1.2.so, libedataserver-1.2.so, libedataserverui-1.2.so, libegroupwise-1.2.so, libexchange-storage-1.2.so and numerous provider and extension modules.
Installed Directories:	The following subdirectories of \$GNOME_PREFIX/ include/evolution-data-server-1.6, lib/evolution-data-server-1.2, share/{evolution-data-server-1.6, gtk-doc/html/libe{book,cal,data{,server}}}, idl/evolution-data-server-1.2, pixmaps/evolution-data-server-1.6}

Short Descriptions

`libe*.so` libraries are client, backend and utility libraries for the Evolution address books, calendar and data servers.

gtksourceview-1.6.2

Introduction to gtksourceview

The `gtksourceview` package contains `libgtksourceview` libraries. This is useful for extending the GTK text functions to include syntax highlighting.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtksourceview/1.6/gtksourceview-1.6.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gtksourceview/1.6/gtksourceview-1.6.2.tar.bz2>
- Download MD5 sum: 57f4ee84f0c494fd943c7badb0a68785
- Download size: 756 KB
- Estimated disk space required: 14.1 MB
- Estimated build time: 0.2 SBU

gtksourceview Dependencies

Required

GNOME Virtual File System-2.14.2 and libgnomeprintui-2.12.1

Optional

GTK-Doc-1.6 and intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtksourceview>

Installation of gtksourceview

Install `gtksourceview` by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite, however, after the package is installed you can change to the `tests` directory in the source tree and issue `./test-widget` to test the functionality of the `libgtksourceview-1.0` library.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Contents

Installed Programs:	None
Installed Library:	libgtksourceview-1.0.{so,a}
Installed Directories:	The following subdirectories of \$GNOME_PREFIX/: include/gtksourceview-1.0, share/{gtk-doc/html/gtksourceview, gtksourceview-1.0}

Short Descriptions

`libgtksourceview-1.0.{so,a}` contains function extensions for the GtkTextView widget.

system-tools-backends-1.4.2

Introduction to system-tools-backends

The system-tools-backends are a set of cross-platform scripts for Linux and other Unix systems. The backends provide a standard XML interface for modifying the configuration regardless of the distribution being used.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/system-tools-backends/1.4/system-tools-backends-1.4.2.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/system-tools-backends/1.4/system-tools-backends-1.4.2.tar.bz2>
- Download MD5 sum: a0af1513becdf3b9bfed3535ad8f7dab
- Download size: 708 KB
- Estimated disk space required: 10.2 MB
- Estimated build time: less than 0.1 SBU

system-tools-backends Dependencies

Required

XML::Parser-2.34

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/system-tools-backends>

Installation of system-tools-backends



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install system-tools-backends by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/setup-tool-backends</code>

Short Descriptions

System tools backend scripts	are configuration files, Perl and shell scripts used to perform setup of various desktop frontend processes and services.
------------------------------	---------------------------------------------------------------------------------------------------------------------------

gnome-audio-2.0.0

Introduction to gnome-audio

The gnome-audio package contains a set of default sounds for the GNOME GUI desktop. Sound files for startup, shutdown and many GTK+ events are included. These sounds compliment the GNOME Media package.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-audio/2.0/gnome-audio-2.0.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-audio/2.0/gnome-audio-2.0.0.tar.bz2>
- Download MD5 sum: cd14b84af59fb2ec673527d32f4e379f
- Download size: 1.4 MB
- Estimated disk space required: 4.2 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-audio>

Installation of gnome-audio



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install gnome-audio by running the following command as the root user:

```
make prefix=$(pkg-config --variable=prefix ORBit-2.0) install
```

Command Explanations

`prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Directory:	<code>\$GNOME_PREFIX/share/sounds</code>

Utilities

bug-buddy-2.14.0

Introduction to bug-buddy

The bug-buddy package contains a graphical bug reporting tool. This can extract debugging information from a core file or crashed application.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/bug-buddy/2.14/bug-buddy-2.14.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/bug-buddy/2.14/bug-buddy-2.14.0.tar.bz2>
- Download MD5 sum: 4fb288adc8f67cbfb8886ddf7b400530
- Download size: 577 KB
- Estimated disk space required: 11.9 MB
- Estimated build time: 0.2 SBU

bug-buddy Dependencies

Required

GNOME Desktop-2.14.3 and gnome-menus-2.14.3

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bug-buddy>

Installation of bug-buddy

Install bug-buddy by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Program:	bug-buddy
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}</code> bug-buddy

Short Descriptions

bug-buddy is a graphical bug reporting system.

gedit-2.14.4

Introduction to gedit

The gedit package contains a lightweight UTF-8 text editor for the GNOME desktop.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gedit/2.14/gedit-2.14.4.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gedit/2.14/gedit-2.14.4.tar.bz2>
- Download MD5 sum: 189d4d9128eca1162a782744cb324aea
- Download size: 2.3 MB
- Estimated disk space required: 64.9 MB
- Estimated build time: 0.7 SBU

gedit Dependencies

Required

libgnomeui-2.14.1, GNOME Doc Utils-0.6.1, gtksourceview-1.6.2, and which-2.16

Optional

intltool-0.34.2, Aspell-0.60.4, PyXML-0.8.4, and gnome-python-desktop (requires PyGTK and can use GNOME-Python and PyORBit)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gedit>

Installation of gedit

Install gedit by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Configuring gedit

Configuration Information

There is no way in the preferences to change the color of highlighted (such as when you search for text and it is found) text. If you wish to change the color, issue the following command as the `root` user (substitute your color of choice):

```
sed -i 's/FFFF78/<some-color-you-like>/' gedit/gedit-document.c
```

Contents

Installed Programs:	gedit and gnome-text-editor
Installed Libraries:	gedit plugin modules
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gedit-2.14</code> , <code>lib/gedit-2</code> , <code>share/{gedit-2, {gnome/help, omf}/gedit}</code>

Short Descriptions

gedit	is a lightweight text editor.
gnome-text-editor	is a symlink to gedit .

EOG-2.14.3

Introduction to EOG

The EOG package contains Eye of GNOME. This is useful for viewing and cataloging image files.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/eog/2.14/eog-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/eog/2.14/eog-2.14.3.tar.bz2>
- Download MD5 sum: e90e4c1e314cfab04414464088098a16
- Download size: 824 KB
- Estimated disk space required: 17.4 MB
- Estimated build time: 0.3 SBU

EOG Dependencies

Required

GNOME Desktop-2.14.3 and libgnomeprintui-2.12.1

Recommended

libjpeg-6b

Optional

libexif-0.6.13 and little cms-1.15

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/eog>

Installation of EOG

Install EOG by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Program:	eog
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/,pixmap/}</code> eog

Short Descriptions

eog is a fast and functional image viewer as well as an image cataloging program.

Evince-0.5.3

Introduction to Evince

The Evince package contains a document viewer for multiple document formats. It currently supports PDF, Postscript, DjVu, TIFF and DVI. This is useful for viewing documents of various types using one simple application instead of the multiple document viewers that once existed on the GNOME Desktop.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/evince/0.5/evince-0.5.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/evince/0.5/evince-0.5.3.tar.bz2>
- Download MD5 sum: 94be73485eeb8584b4aeaa8ac87699f0
- Download size: 994 KB
- Estimated disk space required: 35.2 MB
- Estimated build time: 0.7 SBU

Evince Dependencies

Required

libgnomeui-2.14.1, GNOME Doc Utils-0.6.1, and Poppler-0.4.5 (**must be a version \geq 5.1** and built with GTK+ support)

Run-Time Requirement

shared-mime-info-0.17

Optional

intltool-0.34.2, D-BUS-0.62, LibTIFF-3.8.2, teTeX-3.0 (required to build the DVI viewer), libgnomeprintui-2.12.1 (required to print from Evince), Nautilus-2.14.3 (required to build the Nautilus plugin), ESP Ghostscript-8.15.2 or AFPL Ghostscript-8.53 (required for Postscript ability from Evince), DjVuLibre (required for DjVu graphics from Evince), and t1lib (required for Type1 font support in the DVI viewer)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/evince>

Installation of Evince

Install Evince by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --disable-ps \
            --enable-pixbuf &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--disable-ps`: This parameter is required if you don't have a Ghostscript package installed. Remove the parameter if you do have a Ghostscript package installed and wish to build the DVI viewer.

`--enable-djvu`: Use this parameter if you have the DjVuLibre package installed and you wish to build support to view DjVu files.

`--enable-dvi`: Use this parameter if you have the teTeX package installed and you wish to build support to view DVI files.

`--enable-t1lib`: Use this parameter if you have the t1lib package installed and you wish to build support for Type1 fonts in the DVI viewer.

Contents

Installed Programs:	evince and evince-thumbnailer
Installed Library:	libevince-properties-page.{so,a} Nautilus extension
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}evince</code>

Short Descriptions

evince	is a multiple format document viewer.
evince-thumbnailer	is a simple program used to create thumbnail images of supported documents.

File Roller-2.14.4

Introduction to File Roller

File Roller is an archive manager for GNOME with support for tar, bzip2, gzip, zip, jar, compress, lzop and many other archive formats.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/file-roller/2.14/file-roller-2.14.4.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/file-roller/2.14/file-roller-2.14.4.tar.bz2>
- Download MD5 sum: e86c78b3ecc90af20cf66511f4622c5c
- Download size: 1.0 MB
- Estimated disk space required: 21.4 MB
- Estimated build time: 0.3 SBU

File Roller Dependencies

Required

libgnomeui-2.14.1 and GNOME Doc Utils-0.6.1

Optional

intltool-0.34.2 and Nautilus-2.14.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/file-roller>

Installation of File Roller

Install File Roller by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--disable-nautilus-actions &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--sysconfdir=/etc/gnome/2.14.3: This parameter causes the configuration files to be installed in

`/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--disable-nautilus-actions`: This parameter is required if Nautilus is not installed. Remove the parameter if Nautilus is installed.

Contents

Installed Program:	file-roller
Installed Libraries:	A Nautilus extension
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}</code> file-roller

Short Descriptions

file-roller is an archiver for GNOME.

GConf Editor-2.14.0

Introduction to GConf Editor

The GConf Editor package contains a GUI editor for the GConf configuration database.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gconf-editor/2.14/gconf-editor-2.14.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gconf-editor/2.14/gconf-editor-2.14.0.tar.bz2>
- Download MD5 sum: eb8b979464f6e383e5a27b57ee4e8382
- Download size: 541 KB
- Estimated disk space required: 9.4 MB
- Estimated build time: 0.3 SBU

GConf Editor Dependencies

Required

libgnomeui-2.14.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gconf-editor>

Installation of GConf Editor

Install GConf Editor by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and

the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Program: gconf-editor

Installed Libraries: None

Installed Directories: `$GNOME_PREFIX/share/{gnome/help,omf,pixmaps}/gconf-editor`

Short Descriptions

gconf-editor allows direct modification of the GConf configuration database.

GNOME Utilities-2.14.0

Introduction to GNOME Utilities

The GNOME Utilities package contains a collection of small applications designed to make your life a little easier.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-utils/2.14/gnome-utils-2.14.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-utils/2.14/gnome-utils-2.14.0.tar.bz2>
- Download MD5 sum: d1d16ff6bfc1f6ddc110d18ec4dfdbfa
- Download size: 1.8 MB
- Estimated disk space required: 36.0 MB
- Estimated build time: 0.6 SBU

GNOME Utilities Dependencies

Required

GNOME Panel-2.14.3 and libgnomeprintui-2.12.1

Optional

intltool-0.34.2, Linux-PAM-0.99.4.0 (only if consolehelper is also installed), and HAL-0.5.7.1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-utils>

Installation of GNOME Utilities

Install GNOME Utilities by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnome-utils \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation

environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/bonobo`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnome-utils` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

`--with-pam-prefix=/etc/pam.d`: This parameter causes the PAM files to be installed in the correct location of `/etc/pam.d` instead of `/etc/gnome/2.14.3`.

Contents

Installed Programs:	gfloppy, gnome-dictionary, gnome-panel-screenshot, gnome-screenshot, gnome-search-tool, and gnome-system-log
Installed Libraries:	libgdict-1.0.{so,a}
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gdict-1.0</code> , <code>lib/gnome-utils</code> , <code>share/{gnome-{screenshot, system-log, utils}}</code> , <code>gnome/help/{gfloppy, gnome-dictionary, gnome-search-tool, gnome-system-log}</code> , <code>omf/gnome-utils</code> , <code>pixmap/gsearchtool</code>

Short Descriptions

gfloppy	formats floppy disks under Linux.
gnome-dictionary	allows you to look up definitions and spelling of words.
gnome-screenshot	is used to capture the contents of the current desktop as a graphics formatted file.
gnome-search-tool	allows you to search for files on your system using simple and advanced search options.
gnome-system-log	allows you to monitor and view system log files.

GNOME System Monitor-2.14.5

Introduction to GNOME System Monitor

The GNOME System Monitor package contains **gnome-system-monitor**, GNOME's replacement for **gtop**.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-system-monitor/2.14/gnome-system-monitor-2.14.5.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-system-monitor/2.14/gnome-system-monitor-2.14.5.tar.bz2>
- Download MD5 sum: 1220837542f9c1905ebf3af69a608b07
- Download size: 1.4 MB
- Estimated disk space required: 13.1 MB
- Estimated build time: 0.2 SBU

GNOME System Monitor Dependencies

Required

libgnomeui-2.14.1, libwnck-2.14.3, and LibGTop-2.14.2

Optional

intltool-0.34.2, and libgksu1.2 and libgksuui1.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-system-monitor>

Installation of GNOME System Monitor

Install GNOME System Monitor by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in

`/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Program:	gnome-system-monitor
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{gnome/help,omf}/gnome-system-monitor</code>

Short Descriptions

gnome-system-monitor	displays the process tree and hardware meters.
-----------------------------	------------------------------------------------

gnome-mount-0.4

Introduction to gnome-mount

The `gnome-mount` package contains programs for mounting, unmounting and ejecting storage devices. The goal for `gnome-mount` is to get the appropriate GNOME software (such as `gnome-volume-manager` and `GNOME-VFS`) to use this instead of invoking **mount/unmount/eject** or direct HAL invoking methods.

All the `gnome-mount` programs utilize the methods on HAL and as such run unprivileged. The rationale for `gnome-mount` is to have a centralized place (in GConf) where settings (e.g., mount options and mount locations) are maintained.

Package Information

- Download (HTTP): <http://people.freedesktop.org/~david/dist/gnome-mount-0.4.tar.gz>
- Download (FTP):
- Download MD5 sum: 75f260ea6b0ec3c5e0af3c722fbd9568
- Download size: 364 KB
- Estimated disk space required: 3.1 MB
- Estimated build time: 0.1 SBU

gnome-mount Dependencies

Required

`gnome-keyring-0.4.9`, `libgnomeui-2.14.1`, and `HAL-0.5.7.1`

Optional

`intltool-0.34.2` and `Nautilus-2.14.3`

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-mount>

Installation of gnome-mount

Install `gnome-mount` by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation

environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

Contents

Installed Programs: `gnome-eject`, `gnome-mount` and `gnome-umount`

Installed Libraries: `libgnome-mount.{so,a}` Nautilus extention

Installed Directories: `$GNOME_PREFIX/share/gnome-mount`

Short Descriptions

gnome-mount is used to automatically mount storage media and other removable media.

gnome-umount is a symbolic link to **gnome-mount** used to automatically unmount storage media and other removable media.

gnome-eject is a symbolic link to **gnome-mount** used to automatically open and close (if supported by the drive) the drive door and tray in CD/DVD drives.

Nautilus CD Burner-2.14.3

Introduction to Nautilus CD Burner

The Nautilus CD Burner package provides an easy method to write files to a CD or DVD burner with GNOME; by drag-and-dropping files using the GNOME file manager, Nautilus.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/nautilus-cd-burner/2.14/nautilus-cd-burner-2.14.3.tar.bz2>
- Download (FTP):
<http://ftp.gnome.org/pub/gnome/sources/nautilus-cd-burner/2.14/nautilus-cd-burner-2.14.3.tar.bz2>
- Download MD5 sum: c85642630b3db5ee0a40e2fdbf4fdf94
- Download size: 682 KB
- Estimated disk space required: 11.8 MB
- Estimated build time: 0.3 SBU

Nautilus CD Burner Dependencies

Required

Nautilus-2.14.3

Optional

intltool-0.34.2, HAL-0.5.7.1, and gnome-mount-0.4

Though Nautilus CD Burner happily passes all the **configure** script checks and then builds successfully without them, the Cdrtools-2.01 and dvd-rw-tools-6.1 packages are required to be installed or you won't be able to create ISO filesystems or burn CDs and DVDs.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/NautilusCdBurner>

Installation of Nautilus CD Burner

Install Nautilus CD Burner by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/nautilus-cd-burner &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--libexecdir=$(pkg-config ORBit-2.0`/lib/nautilus-cd-burner --variable=prefix`
 This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/nautilus-cd-burner` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	nautilus-cd-burner
Installed Libraries:	libnautilus-burn.so and gnome-vfs and nautilus modules
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/libnautilus-burn</code> , <code>lib/nautilus-cd-burner</code> and <code>share/nautilus-cd-burner</code>

Short Descriptions

nautilus-cd-burner is an extension to Nautilus that lets you burn CDs easily.

GNOME Media-2.14.2

Introduction to GNOME Media

The GNOME Media package contains GNOME's media applications.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-media/2.14/gnome-media-2.14.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-media/2.14/gnome-media-2.14.2.tar.bz2>
- Download MD5 sum: 16c35916f429c5ea04fb942b4072643b
- Download size: 2.9 MB
- Estimated disk space required: 38.8 MB
- Estimated build time: 0.8 SBU

GNOME Media Dependencies

Required

Nautilus CD Burner-2.14.3

Recommended

GStreamer Good Plug-ins-0.10.4 (required for the mixer and recorder to work)

Optional

intltool-0.34.2, an MTA (that provides a **sendmail** command), and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-media>

Installation of GNOME Media

Install GNOME Media by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/gnome-media &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-media`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnome-media` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	CDDBSlave2, cddb-slave2-properties, cddb-track-editor, gnome-audio-profiles-properties, gnome-cd, gnome-sound-recorder, gnome-volume-control, gstreamer-properties and vumeter
Installed Libraries:	libcddb-slave2.{so,a}, libgnome-media-profiles.{so,a} and a libgnome-media-profiles.{so,a} Glade library
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : include/{cddb-slave2,gnome-media}, lib/gnome-media, share/{gnome-{media,sound-recorder}, gnome/help/{gnome-{cd, sound-recorder, volume-control}, grecord, gstreamer-properties}, gstreamer-properties, omf/gnome-media, pixmaps/gnome-{cd, media}}

Short Descriptions

gnome-cd	is GNOME's CD Player.
gnome-sound-recorder	is GNOME's recorder.
gnome-volume-control	is GNOME's mixer with volume applet.
gstreamer-properties	is a GUI front-end to GStreamer's audio/video input/output parameters.
vumeter	is a visual volume meter.

GNOME Netstatus-2.12.0

Introduction to GNOME Netstatus

The GNOME Netstatus package contains a panel applet that monitors network interfaces. It provides indicators for incoming and outgoing data, packets received and transmitted, and information about the network interface such as IP information and Ethernet address.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-netstatus/2.12/gnome-netstatus-2.12.0.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-netstatus/2.12/gnome-netstatus-2.12.0.tar.bz2>
- Download MD5 sum: a5f23731a3bf232969e82afef8792a36
- Download size: 473 KB
- Estimated disk space required: 8.1 MB
- Estimated build time: 0.1 SBU

GNOME Netstatus Dependencies

Required

GNOME Panel-2.14.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-netstatus>

Installation of GNOME Netstatus

Install GNOME Netstatus by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnome-netstatus &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in

`/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-netstatus`: This parameter causes the libexec files to be installed in the preferred location of in `$GNOME_PREFIX/lib/gnome-netstatus` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Applet:	gnome-netstatus-applet
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}</code> gnome-netstatus

Short Descriptions

gnome-netstatus-applet	displays information about a network interface on your panel.
-------------------------------	---------------------------------------------------------------

gcalctool-5.8.19

Introduction to gcalctool

gcalctool is a powerful graphical calculator with financial, logical and scientific modes. It uses a multiple precision package to do its arithmetic to give a high degree of accuracy.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gcalctool/5.8/gcalctool-5.8.19.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gcalctool/5.8/gcalctool-5.8.19.tar.bz2>
- Download MD5 sum: 9fbf0f2552f6fd1a0fadf54a2125fef2
- Download size: 1.0 MB
- Estimated disk space required: 18.4 MB
- Estimated build time: 0.2 SBU

gcalctool Dependencies

Required

libgnomeui-2.14.1 and GNOME Doc Utils-0.6.1

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gcalctool>

Installation of gcalctool

Install gcalctool by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Programs:	<code>gcalctool</code> and <code>gnome-calculator</code>
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{gnome/help/, omf/}</code> <code>gcalctool</code>

Short Descriptions

<code>gcalctool</code>	is a desktop calculator for GNOME.
<code>gnome-calculator</code>	is a symlink to the <code>gcalctool</code> program.

gucharmap-1.6.0

Introduction to gucharmap

gucharmap is a Unicode character map and font viewer. It allows you to browse through all the available Unicode characters and categories for the installed fonts, and to examine their detailed properties. It is an easy way to find the character you might only know by its Unicode name or code point.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gucharmap/1.6/gucharmap-1.6.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gucharmap/1.6/gucharmap-1.6.0.tar.bz2>
- Download MD5 sum: 8af03f350c988d1565922b10776bc725
- Download size: 2.1 MB
- Estimated disk space required: 27.9 MB
- Estimated build time: 0.2 SBU

gucharmap Dependencies

Required

GTK+-2.8.20, GNOME Doc Utils-0.6.1, and XML::Parser-2.34

Optional

libgnomeui-2.14.1 and intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gucharmap>

Installation of gucharmap



Note

The instructions below are based on installing the package into a GNOME-2 environment. If, for whatever reason, you're installing this package without having ORBit2 and the core GNOME-2 libraries installed, you'll need to modify the `--prefix=` parameter on the **configure** script to point to your desired installation path (e.g., `--prefix=/usr`).

Install gucharmap by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Programs:	charmap, gnome-character-map, and gucharmap
Installed Library:	libgucharmap.so
Installed Directories:	The following subdirectories <code>\$GNOME_PREFIX/</code> : <code>include/gucharmap</code> and <code>share/{gnome/help,omf}/gucharmap</code>

Short Descriptions

gucharmap is a Unicode character map and font viewer.

Zenity-2.14.3

Introduction to Zenity

Zenity is a rewrite of gdialog, the GNOME port of dialog which allows you to display GTK+ dialog boxes from the command line and shell scripts.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/zenity/2.14/zenity-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/zenity/2.14/zenity-2.14.3.tar.bz2>
- Download MD5 sum: 00c0930abb905a5552f67ee764bd6177
- Download size: 1.0 MB
- Estimated disk space required: 8.9 MB
- Estimated build time: 0.2 SBU

Zenity Dependencies

Required

libgnomecanvas-2.14.0 and GNOME Doc Utils-0.6.1

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/zenity>

Installation of Zenity

Install Zenity by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and

the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Programs: `gdialog` and `zenity`
Installed Libraries: `None`
Installed Directories: `$GNOME_PREFIX/share/{,gnome/help/,omf/}zenity`

Short Descriptions

gdialog is a Perl wrapper script which can be used with legacy scripts.
zenity is a program that will display GTK+ dialogs, and return the user's input.

Epiphany-2.14.2.1

Introduction to Epiphany

Epiphany is a simple yet powerful GNOME web browser targeted at non-technical users. Its principles are simplicity and standards compliance.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/epiphany/2.14/epiphany-2.14.2.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/epiphany/2.14/epiphany-2.14.2.1.tar.bz2>
- Download MD5 sum: 872ef8d5e95cdc359f93b5ded501d98d
- Download size: 3.5 MB
- Estimated disk space required: 74.9 MB
- Estimated build time: 1.8 SBU

Epiphany Dependencies

Required

GNOME Desktop-2.14.3, libgnomeprintui-2.12.1, startup-notification-0.8, D-BUS-0.62, which-2.16, iso-codes-0.58-1, and a mozilla.org Gecko layout engine (SeaMonkey-1.1 or Firefox-1.5.0.9 or Thunderbird-1.5.0.9 or Mozilla)

Optional

intltool-0.34.2, GNOME-Python (requires PyGTK and can use PyORBit, see GNOME-Python), and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/epiphany>

Installation of Epiphany

Install Epiphany by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

A D-BUS service script was installed in the previous step. If the \$GNOME_PREFIX is anything other than /usr, as the root user you should add the \$GNOME_PREFIX/share/dbus-1/services directory to the local session configuration as described in the D-BUS-0.62 configuration section.

If you have GNOME-Python installed, the Epiphany Python extension is automatically built. If your `$GNOME_PREFIX` is anything but `/usr` and you have GNOME-Python installed, as the `root` user create the following symbolic link in the PyGTK extensions directory of `/usr/share`:

```
ln -v -s $GNOME_PREFIX/share/pygtk/2.0/defs/epiphany.defs \
    /usr/share/pygtk/2.0/defs
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Program:	epiphany
Installed Libraries:	None
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/epiphany-2.14</code> , <code>lib/epiphany</code> , <code>share/{,gnome/help/, gtk-doc/html/, omf/}epiphany</code>

Short Descriptions

epiphany is a GNOME web browser based on the Mozilla rendering engine.

Ekiga-2.0.2

Introduction to Ekiga

Ekiga is an H.323 and SIP compatible videoconferencing and VOIP/IP-Telephony application that allows you to make audio and video calls to remote users with H.323 hardware or software (such as Microsoft Netmeeting) and SIP compatible software. It supports all modern videoconferencing features, such as registering to an ILS directory, gatekeeper support, making multi-user conference calls using an external MCU, using modern Quicknet telephony cards, and making PC-To-Phone calls.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/ekiga/2.0/ekiga-2.0.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/ekiga/2.0/ekiga-2.0.2.tar.bz2>
- Download MD5 sum: d593da6ac49dce495ef4c6ada06b54b6
- Download size: 4.8 MB
- Estimated disk space required: 64.3 MB
- Estimated build time: 1.4 SBU

Ekiga Dependencies

Required

ScrollKeeper-0.3.14, EsounD-0.2.36, Evolution Data Server-1.6.3, PWLib-1.10.1 (compiled with OpenLDAP-2.3.27 support), and OPAL-2.2.2

Optional

intltool-0.34.2, GNOME Doc Utils-0.6.1, SDL-1.2.11 (required for full-screen video), D-BUS-0.62, and Avahi

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ekiga>

Installation of Ekiga

Install Ekiga by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this

parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Contents

Installed Programs:	ekiga, ekiga-config-tool and ekiga-helper
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{gnome/help/, omf/, pixmaps/, sounds/}</code> ekiga

Short Descriptions

ekiga is a H.323 and SIP VOIP, telephony and video conferencing application which uses the H.323 and SIP protocols.

GNOME Keyring Manager-2.14.0

Introduction to GNOME Keyring Manager

The GNOME Keyring Manager package contains a keyring management program for the GNOME Desktop. This is useful for maintenance of a keyring database using a graphical user interface.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-keyring-manager/2.14/gnome-keyring-manager-2.14.0.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-keyring-manager/2.14/gnome-keyring-manager-2.14.0.tar.bz2>
- Download MD5 sum: d4e38c7b7da99885fa898917e10d8aeb
- Download size: 391 KB
- Estimated disk space required: 6.7 MB
- Estimated build time: 0.1 SBU

GNOME Keyring Manager Dependencies

Required

libgnomeui-2.14.1 and GNOME Doc Utils-0.6.1

Optional

intltool-0.34.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-keyring-manager>

Installation of GNOME Keyring Manager

Install GNOME Keyring Manager by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation

environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Program:	gnome-keyring-manager
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}</code> gnome-keyring-manager

Short Descriptions

gnome-keyring-manager	is a graphical key management tool for GNOME. It allows the user to create, delete, and otherwise manipulate keys and keyrings which can be used to store passwords.
------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

gnome-volume-manager-1.5.15

Introduction to gnome-volume-manager

The `gnome-volume-manager` package contains a volume manager for GNOME. It is a desktop-level daemon that enforces volume-related policy in response to events received from HAL. This is useful for automatic mounting of floppy diskettes, CDROMs and removable storage devices. It can also be used to automatically run a program in response to other hotplug events such as plugging in USB printers or cameras, or inserting DVDs and music CDs. The goal of `gnome-volume-manager` is to implement all functionality as a state-machine in response to asynchronous events from HAL. It is one component in a larger plan to fully integrate all levels of the Linux system, from the kernel on up through the desktop and its applications.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-volume-manager/1.5/gnome-volume-manager-1.5.15.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-volume-manager/1.5/gnome-volume-manager-1.5.15.tar.bz2>
- Download MD5 sum: 0bf3ee007c951a5d833a3c17bbe59ec6
- Download size: 311 KB
- Estimated disk space required: 8.8 MB
- Estimated build time: less than 0.1 SBU

gnome-volume-manager Dependencies

Required

`libgnomeui-2.14.1` and `HAL-0.5.7.1`

Optional

`intltool-0.34.2`, `Nautilus-2.14.3`, and `libnotify`

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-volume-manager>

Installation of gnome-volume-manager

Install `gnome-volume-manager` by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--disable-multiuser &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--disable-multiuser`: Without this parameter, `gnome-volume-manager` will only allow the user who is at the active console to manage volumes. This is determined through the Linux-PAM-0.99.4.0 module `pam_console`. If your system is configured to use `pam_console`, you can drop this parameter.

Configuring gnome-volume-manager

Configuration Information

Proper operation of this package is dependant upon the **hald** daemon running on the system. Ensure the **hald** daemon is running before attempting to start or configure **gnome-volume-manager**. Configuration is accomplished using the “Removable Drives and Media” graphical interface found on the “Desktop”—“Preferences” drop-down menu. You can also run the **gnome-volume-properties** command from the command line to bring up the configuration interface.

Note that the **gnome-volume-manager** daemon program should be started when your GNOME desktop environment is started. This should be automatically configured during the installation of `gnome-volume-manager`.

The “Disk Mounter” applet can be installed in the control panel for visual display status of removable media. Installing this applet in the panel is accomplished using conventional methods.

Contents

Installed Programs:	<code>gnome-volume-manager</code> and <code>gnome-volume-properties</code>
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/gnome-volume-manager</code>

Short Descriptions

gnome-volume-manager	is the manager daemon, designed to be run at the desktop level. It is a simple policy engine that implements a state machine in response to events from HAL. Responding to these events, it implements automount, autorun, autoplay, automatic photo management, and so on.
gnome-volume-properties	is a control panel applet for <code>gnome-volume-manager</code> . It also provides a graphical configuration interface.

GNOME Games-2.14.3

Introduction to GNOME Games

The GNOME Games package contains games. Starting with GNOME-2.8, the background graphics, artwork and themes for the games are supplied in a separate package. You can download the GNOME Games Extra Data package from <http://ftp.gnome.org/pub/gnome/sources/gnome-games-extra-data/2.14/>.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-games/2.14/gnome-games-2.14.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-games/2.14/gnome-games-2.14.3.tar.bz2>
- Download MD5 sum: 20f7c2e0ee4a65d15733332f34ac3cd4
- Download size: 5.0 MB
- Estimated disk space required: 72.5 MB
- Estimated build time: 1.3 SBU

GNOME Games Dependencies

Required

libgnomeui-2.14.1, ScrollKeeper-0.3.14, and libsvg-2.14.4

Optional

intltool-0.34.2, Esound-0.2.36, Guile-1.6.7 (required to build the AisleRiot solitaire games), Avahi or Bonjour, and GOB2

The **gnibbles** game will attempt to start the network game server daemon **games-server.py**, which requires Python-2.4.4.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-games>

Installation of GNOME Games

Some of the GNOME Games game binaries need to be setgid to track high scores. Create a separate user and group for games. See the README file in the source directory for more information:

```
install -v -m755 -d /var/lib/games &&
groupadd -g 60 games &&
useradd -c 'Games High Score Owner' -d /var/lib/games \
        -g games -s /bin/false -u 60 games &&
chown -v games:games /var/lib/games
```

Install GNOME Games by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of `$GNOME_PREFIX/var/scrollkeeper` and also causes the game programs to use `/var/lib/games` as the directory holding the high score files.

`--disable-setgid`: This will prevent the setgid bit on the executables from being set. It provides system administrators with the option to disable setgid binaries, though it also means that the functionality to save high game scores will be disabled.

Contents

Installed Programs:	blackjack, games-server.py, gataxx, glines, gnect, gnibbles, gnobots2, gnometris, gnomine, gnotravex, gnotski, gtali, iagno, mahjongg, same-gnome, and sol
Installed Libraries:	None
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX</code> : <code>share/{ {many game names}, {,omf/}gnome-games, {,help,pixmaps,sound}/{game names}, /var/lib/games</code>

Short Descriptions

See the README file in the source tree for a description of each game.

Sound Juicer-2.14.5

Introduction to Sound Juicer

The Sound Juicer package contains the **sound-juicer** program, a simple and clean CD ripping tool. This is useful for extracting the audio tracks from audio compact discs and converting them into audio files. It can also play the audio tracks directly from the CD, allowing you to preview the CD before ripping it. Sound Juicer is designed to be easy to use, and to work with little user intervention. When you start **sound-juicer** it will examine the CD in the drive and try to locate information about the audio tracks using the MusicBrainz service.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/sound-juicer/2.14/sound-juicer-2.14.5.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/sound-juicer/2.14/sound-juicer-2.14.5.tar.bz2>
- Download MD5 sum: 2bb23f1bd7751eb9f14f2446beed15e0
- Download size: 883 KB
- Estimated disk space required: 11.8 MB
- Estimated build time: 0.2 SBU

Sound Juicer Dependencies

Required

GNOME Media-2.14.2, GStreamer Base Plug-ins-0.10.11 (for the cdparanoiasrc, gnomenvfs sink and vorbisenc plugins), and libmusicbrainz-2.1.4

Optional

intltool-0.34.2, GStreamer Good Plug-ins-0.10.4 (for the flacenc and wavenc plugins), GStreamer Ugly Plug-ins-0.10.4 (for the lame plugin), libcdio (which can use CDPParanoia-III-9.8, libcdlib, and VCDImager), and TagLib



Note

At a minimum you should have the following plugins configured into the GStreamer installation: cdparanoiasrc and gnomenvfs sink. If either of these plugins are not configured into the GStreamer setup, Sound Juicer will fail at run-time. Additionally, if you need to encode in Ogg Vorbis, FLAC, Wave or MP3 formats, you should ensure the vorbisenc, flacenc, wavenc and lame plugins are configured into GStreamer. You can easily determine if you have the necessary plugins configured by using the **gst-inspect** program. Here is an example:

```
gst-inspect | grep cdparanoiasrc
```

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sound-juicer>

Installation of Sound Juicer

Install Sound_Juicer by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--sysconfdir=/etc/gnome/2.14.3: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

--localstatedir=/var/lib: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

Configuring Sound Juicer

Configuration Information

Configuration is accomplished by using the “Preferences” drop-down menu option. For information on how to configure **sound-juicer** to use LAME as the default encoding method (creating MP3 files as the default) see the Sound Juicer Help section.

Contents

Installed Program:	sound-juicer
Installed Libraries:	none
Installed Directories:	<code>\$GNOME_PREFIX/share/{,gnome/help/,omf/}sound-juicer</code>

Short Descriptions

sound-juicer is a graphical CD extraction (ripping) tool based on GNOME-2 and GStreamer.

Totem-1.4.3

Introduction to Totem

The Totem package contains the official movie player of the GNOME desktop environment based on xine-lib or GStreamer. It features a playlist, a full-screen mode, seek and volume controls, as well as keyboard navigation. This is useful for playing any xine-lib or GStreamer supported file, DVD, VCD or digital CD.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/totem/1.4/totem-1.4.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/totem/1.4/totem-1.4.3.tar.bz2>
- Download MD5 sum: 971f99d769cb865f9a6b55284357f415
- Download size: 1.7 MB
- Estimated disk space required: 24.6 MB
- Estimated build time: 0.6 SBU

Totem Dependencies

Required

GNOME Icon Theme-2.14.2, GNOME Desktop-2.14.3, iso-codes-0.58-1, and xine Libraries-1.1.1 (default back-end) or GStreamer Good Plug-ins-0.10.4 (secondary back-end)

Optional

intltool-0.34.2, Nautilus-2.14.3, D-BUS-0.62, SeaMonkey-1.1 or Firefox-1.5.0.9 (to build the browser plug-in, requires D-BUS-0.62 also), libirman, LIRC, Gromit (required for the telestrator mode), and NvTv Simple

Note: libdvdcss-1.2.9 is a run-time requirement if you wish to play encrypted DVDs

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/totem>

Installation of Totem

Install Totem by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/totem \
--mandir=$(pkg-config \
--variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/totem`: This parameter is used so that the movie player browser plugin is installed in the preferred location of `$GNOME_PREFIX/lib/totem` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Configuring Totem

Configuration Information

There are no configuration files that need to be directly edited. Configuration is accomplished by setting the desired values in the various menu options accessed via the **totem** graphical interface.

Contents

Installed Programs:	totem, totem-video-thumbnailer and optionally, vanity
Installed Libraries:	libtotem-plparser.{so,a}, a Nautilus extension plugin and optionally, a Mozilla video plugin
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/totem</code> , <code>lib/totem</code> , <code>share/{,gnome/help/,omf/}totem</code>

Short Descriptions

totem	is a GNOME-desktop movie player.
totem-video-thumbnailer	is a video thumbnailer for the GNOME desktop used internally by GNOME applications such as Nautilus to generate PNG thumbnails of video files. While it is possible to invoke it manually, it is usually done automatically by Nautilus.

GDM-2.14.10

Introduction to GDM

The GDM package contains GNOME's Display Manager daemon. This is useful for allowing configurable graphical logins.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gdm/2.14/gdm-2.14.10.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gdm/2.14/gdm-2.14.10.tar.bz2>
- Download MD5 sum: e880558dc3574f804f3abca869992a4f
- Download size: 3.0 MB
- Estimated disk space required: 54.6 MB
- Estimated build time: 0.6 SBU

GDM Dependencies

Required

libgnomecanvas-2.14.0, GNOME Doc Utils-0.6.1, and librsvg-2.14.4

Optional

intltool-0.34.2, Zenity-2.14.3, Linux-PAM-0.99.4.0, TCP Wrapper-7.6, and OpenAFS

If you configure GDM to offer secure connections to remote machines, you will need to have Zenity-2.14.3, OpenSSH-4.5p1 and which-2.16 installed.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gdm>

Installation of GDM

It is recommended to have a dedicated user and group to take control of the **gdm-binary** daemon after it is started. Issue the following commands as the `root` user:

```
groupadd -g 21 gdm &&
useradd -c "GDM Daemon Owner" -d /dev/null \
        -g gdm -s /bin/bash -u 21 gdm
```

Install GDM by running the following commands as an unprivileged user:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --libexecdir=$(pkg-config \
                --variable=prefix ORBit-2.0)/lib/gdm \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man \
            --with-pam-prefix=/etc &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This command puts files in `/var/lib` instead of `$GNOME_PREFIX/var`. This also has the downside affect of using `/var/lib/log/gdm` as the log directory. See the “Configuration Information” section below for instructions on relocating the log file directory.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gdm`: This parameter is used so that the GDM internal support programs are installed in the preferred location of `$GNOME_PREFIX/lib/gdm` instead of `$GNOME_PREFIX/libexec`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--with-pam-prefix=/etc`: This command puts PAM configuration files in `/etc/pam.d` instead of `/etc/gnome/2.14.3`.

Configuring GDM

Config Files

`/etc/gnome/2.14.3/gdm/custom.conf`, `$GNOME_PREFIX/share/gdm/defaults.conf`

Configuration Information

Starting with the 2.14.x version of GNOME, the default configuration parameters are stored in a static file (`$GNOME_PREFIX/share/gdm/defaults.conf`). This file is not intended to be edited. If modification of the configuration is necessary, you should add parameters to the `/etc/gnome/2.14.3/gdm/custom.conf` file. The settings in this file will override the settings in the static file. The same parameters in the static file are used in the configuration file.

Change the directory containing the GDM log files to the `/var/log` hierarchy by creating a directory and modifying the `/etc/gnome/2.14.3/gdm/custom.conf` configuration file. Issue the following commands as the root user:

```
install -v -m755 -d /var/log/gdm &&  
sed -i.orig "/\[daemon\]/ a LogDir=/var/log/gdm" \  
    /etc/gnome/2.14.3/gdm/custom.conf &&
```

```
rmdir -v /var/lib/log/gdm &&
rmdir -v /var/lib/log
```

The GDM PAM configuration files contain modules not present in a BLFS installation. If you have PAM installed, issue the following commands as the root user to replace those files with files containing correctly specified modules:

```
cat > /etc/pam.d/gdm << "EOF"
auth      required    pam_unix.so
auth      required    pam_nologin.so
account   required    pam_unix.so
password  required    pam_unix.so
session   required    pam_unix.so

EOF
cat > /etc/pam.d/gdm-autologin << "EOF"
auth      required    pam_env.so
auth      required    pam_nologin.so
auth      required    pam_permit.so
account   required    pam_unix.so
password  required    pam_unix.so
session   required    pam_unix.so

EOF
```

If you have D-BUS installed and you want to start the session D-BUS daemon when you start the GNOME desktop environment using **gdm**, you'll need to create a new Xsession file. Create the file using the following command as the root user.

```
cat > $GNOME_PREFIX/share/xsessions/gnome-dbus.desktop << "EOF"
[Desktop Entry]
Encoding=UTF-8
Name=GNOME with D-BUS
Comment=GNOME Desktop with D-BUS support
Exec=dbus-launch --exit-with-session gnome-session
TryExec=/usr/bin/dbus-launch
Icon=
Type=Application

EOF
chmod -v 644 $GNOME_PREFIX/share/xsessions/gnome-dbus.desktop
```

Choose this session using the session selection dialog on the display manager login screen. You also have the opportunity to make this your default session.



Note

You may use the `.desktop` file created above as an example to create additional `.desktop` files and add any other desired items to the GDM display manager session selection menu.

gdm can be tested by executing it as the root user. Use the **gdm-stop** command if you wish to stop the display manager.

Boot Script

To start a graphical login when the system is booted, install the `/etc/rc.d/init.d/gdm` init script included in the `blfs-bootscripts-20060910` package. If your `GNOME_PREFIX` environment variable is anything other than `/usr` or `/opt/gnome-2.14.3`, you will need to modify the `PATH` statement in the script to include the path where you have GNOME installed.

```
make install-gdm
```

Now edit `/etc/inittab` so that the line containing:

```
id:3:initdefault:
```

is changed to:

```
id:5:initdefault:
```

Contents

Installed Programs:	<code>gdm</code> , <code>gdm-binary</code> , <code>gdm-dmx-reconnect-proxy</code> , <code>gdm-restart</code> , <code>gdm-safe-restart</code> , <code>gdm-stop</code> , <code>gdmXnest</code> , <code>gdmXnestchooser</code> , <code>gdmdynamic</code> , <code>gdmflexiserver</code> , <code>gdmphotosetup</code> , <code>gdmsetup</code> , and <code>gdmthemetester</code>
Installed Libraries:	<code>lib*mouselistener.{so,a}</code> GTK+ modules
Installed Directories:	<code>/etc/gnome/2.14.3/{,g}dm</code> , <code>/var/lib/gdm</code> , <code>/var/log/gdm</code> and the following directories in <code>\$GNOME_PREFIX</code> : <code>share/{,gnome/help/,omf/}gdm</code>

Short Descriptions

gdm	is a wrapper script to execute the GDM binary, the configurable GNOME based login prompt.
gdm-restart	sends the HUP signal to the GDM daemon so that it restarts. It's used after the config file is edited
gdm-safe-restart	sends the USR1 signal to the GDM daemon so that it restarts. It's used after the config file is edited.
gdmsetup	is a graphical interface to edit the <code>gdm.conf</code> file.

gnome-screensaver-2.14.3

Introduction to gnome-screensaver

The gnome-screensaver package contains a screen saver and locker designed to have simple, sane, secure defaults and be well integrated with the desktop. It supports locking down of configuration settings, has translations into many languages and convenient user switching.

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/gnome-screensaver/2.14/gnome-screensaver-2.14.3.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/gnome-screensaver/2.14/gnome-screensaver-2.14.3.tar.bz2>
- Download MD5 sum: 2ed0b9322d284bb1739e037165ca94f2
- Download size: 1.9 MB
- Estimated disk space required: 18.5 MB
- Estimated build time: 0.3 SBU

gnome-screensaver Dependencies

Required

D-BUS-0.62, libgnomeui-2.14.1, and gnome-menus-2.14.3

Optional

intltool-0.34.2, libexif-0.6.13, Linux-PAM-0.99.4.0, XScreenSaver-4.24 (and libxslt-1.1.17), and GDM-2.14.10

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-screensaver>

Installation of gnome-screensaver



Note

Optional Features

1. If you have XScreenSaver installed and wish to import any or all of the “hacks” into gnome-screensaver themes, set the following environment variable (modify it if XScreenSaver is installed in a non-standard location):

```
XSAVERDIR=/usr/share/xscreensaver/config
```

Also add the following parameter to the **configure** script below:

```
--with-xscreensaverdir=$XSAVERDIR
```

2. If you have GDM installed and wish to provide user-switching from the gnome-screensaver unlock-screen dialog box, add the following parameter to the **configure** script below:

```
--with-gdm-config=/etc/gnome/2.14.3/gdm/custom.conf
```

Install gnome-screensaver by running the following commands:

```
sed -i 's|etc/pam\.d|etc|"|' data/Makefile.in &&
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
    --sysconfdir=/etc/gnome/2.14.3 \
    --libexecdir=$(pkg-config \
        --variable=prefix ORBit-2.0)/lib/gnome-screensaver \
    --with-pam-prefix=/etc &&
make
```

If you have XScreenSaver installed and wish to import any or all of the “hacks” into gnome-screensaver themes, you'll need to identify which “hacks” you wish to import. The commands below will import all of them. If you want to import less than all of them, modify the setting of the XSAVERLIST environment variable below (listing the desired hacks by filename without the extension, space delimited) and issue the following commands:

```
mkdir xscreensavers &&
cd xscreensavers &&

XSAVERLIST="" &&

for SAVERLIST in $(ls ${XSAVERDIR}/${XSAVERLIST}.xml); do
    ../data/migrate-xscreensaver-config.sh $SAVERLIST
done &&

unset XSAVERDIR
unset XSAVERLIST
unset SAVERLIST

cd ..
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m644 -D doc/DBUS-API.txt \
    $(pkg-config --variable=prefix \
        ORBit-2.0)/share/doc/gnome-screensaver-2.14.3/DBUS-API.txt
```

If you identified some, or all, XScreenSaver hacks to be imported into gnome-screensaver, install them by issuing the following commands as the root user:

```
install -v -m755 -d $(pkg-config --variable=prefix \
    ORBit-2.0)/share/gnome-screensaver/themes/xscreensaver &&
install -v -m644 xscreensavers/*.desktop \
    $(pkg-config --variable=prefix \
        ORBit-2.0)/share/gnome-screensaver/themes/xscreensaver
```


Command Explanations

sed -i 's|etc/pam|.d"|etc|' data/Makefile.in: This command is used so that an erroneous message to copy the PAM configuration file is not displayed.

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with \$GNOME_PREFIX will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--sysconfdir=/etc/gnome/2.14.3: This parameter causes the configuration files to be installed in /etc/gnome/2.14.3 instead of \$GNOME_PREFIX/etc. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

--libexecdir=\$(pkg-config --variable=prefix ORBit-2.0)/lib/gnome-screensaver: This parameter causes the libexec files to be installed in the preferred location of \$GNOME_PREFIX/lib/gnome-screensaver instead of \$GNOME_PREFIX/libexec.

--with-pam-prefix=/etc: This parameter is used so that the Linux-PAM configuration file for the gnome-screensaver application is installed in the correct location. You may omit this parameter if you don't have Linux-PAM installed, though it won't affect the build if you don't.

Configuring gnome-screensaver

Config Files

/etc/pam.d/gnome-screensaver, /etc/gnome/2.14.3/gdm/custom.conf

Configuration Information

General Configuration

Most of the gnome-screensaver configuration parameters can be modified using the Screensaver menu item from the Desktop—Preferences drop-down menu. Some of the fine-tuning parameters are only available using GConf Editor-2.14.0.

Linux-PAM Configuration

If you have Linux-PAM installed, the just-installed gnome-screensaver configuration file does not work with a BLFS system. Replace the existing file with one that can be used on a BLFS system by issuing the following command as the root user:

```
cat > /etc/pam.d/gnome-screensaver << "EOF"
# File: /etc/pam.d/gnome-screensaver

auth            required      pam_unix.so
account         required      pam_unix.so
session         required      pam_unix.so
password        required      pam_unix.so

EOF
chmod -v 644 /etc/pam.d/gnome-screensaver
```

User-Switching Configuration

If you have GDM installed and you passed the `--with-gdm-config=` option to the **configure** script, the screen-unlocking dialog box will contain an option to “Switch Users”. This user switching option uses the same configuration as GDM to determine what users are displayed in this dialog. You can use the GDM configuration option from the GDM login screen, or you can directly edit the `/etc/gnome/2.14.3/gdm/custom.conf` file to modify the settings.

Contents

Installed Programs:	gnome-screensaver, gnome-screensaver-command and gnome-screensaver-preferences
Installed Libraries:	None
Installed Directories:	<code>\$GNOME_PREFIX/share/{ doc/gnome-screensaver-2.14.2, gnome-screensaver, pixmaps/backgrounds/cosmos }</code>

Short Descriptions

gnome-screensaver	is a screensaver and screen-locking program designed to work seamlessly with the GNOME desktop.
--------------------------	-------------------------------------------------------------------------------------------------

Accessibility

AT SPI-1.7.7

Introduction to AT SPI

The AT SPI package contains the Assistive Technology Service Provider Interface. This is useful for redirecting UI events to accessible applications and adaptive/assistive technologies.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/at-spi/1.7/at-spi-1.7.7.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/at-spi/1.7/at-spi-1.7.7.tar.bz2>
- Download MD5 sum: 2988cd21d9f292fd404a8c532fe2723d
- Download size: 696 KB
- Estimated disk space required: 19.7 MB
- Estimated build time: 0.6 SBU

AT SPI Dependencies

Required

GAIL-1.8.11 and libbonobo-2.14.0

Optional

intltool-0.34.2 and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/at-spi>

Installation of AT SPI

Install AT SPI by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --libexecdir=$(pkg-config \
            --variable=prefix ORBit-2.0)/lib/at-spi &&
make
```

The test suite cannot be run until after the package is installed. To run the test suite after installation, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/at-spi`: This

parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/at-spi` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	None
Installed Libraries:	libspi.{so,a}, libcspi.{so,a}, libloginhelper.{so,a}, the libatk-bridge.so GTK+ module, and ORBit-2.0 Accessibility modules
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/at-spi-1.0</code> , <code>lib/at-spi</code> , <code>share/{gtk-doc/html/at-spi-cspi, idl/at-spi-1.0}</code>

Short Descriptions

at-spi-registryd	is the registry daemon that allows communication between the UI and assistance devices.
-------------------------	-----------------------------------------------------------------------------------------

Java Access Bridge-1.5.0

Introduction to Java Access Bridge

The Java Access Bridge package contains Java components which connect the built-in accessibility support in Java Swing applications to the GNOME Accessibility framework, specifically the Assistive Technology Service Provider Interface (AT-SPI).

Package Information

- Download (HTTP):
<http://ftp.gnome.org/pub/gnome/sources/java-access-bridge/1.5/java-access-bridge-1.5.0.tar.bz2>
- Download (FTP):
<ftp://ftp.gnome.org/pub/gnome/sources/java-access-bridge/1.5/java-access-bridge-1.5.0.tar.bz2>
- Download MD5 sum: 5099b2c8634d190df15e32f5fcb2a588
- Download size: 121 KB
- Estimated disk space required: 6.6 MB
- Estimated build time: 1.1 SBU

Java Access Bridge Dependencies

Required

AT SPI-1.7.7 and JDK-1.5.0_10

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/java-access-bridge>

Installation of Java Access Bridge

Install Java Access Bridge by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
  
cat $(pkg-config --variable=prefix \  
    ORBit-2.0)/share/jar/accessibility.properties \  
    >> $JAVA_HOME/jre/lib/accessibility.properties &&  
chmod -v 644 $JAVA_HOME/jre/lib/accessibility.properties &&  
  
ln -v -sf $(pkg-config --variable=prefix \  
    ORBit-2.0)/share/jar/gnome-java-bridge.jar \  
    $JAVA_HOME/jre/lib/ext
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

cat \$(pkg-config ...: This command appends to (or creates) the Java runtime `accessibility.properties` file required for Java Access Bridge.

ln -v -sf \$(pkg-config ...: This command creates a link from the Access Bridge `jar` file to the Java runtime library extensions directory.

Configuring Java Access Bridge

Config Files

`~/.orbitrc`

Configuration Information

Before running a Java program with the Java Access Bridge, you should ensure that your GNOME 2 installation enables CORBA traffic over IP from the ORBit2 ORB. Do this by adding the following line to `~/.orbitrc` using the following command:

```
cat >> ~/.orbitrc << "EOF"
ORBIIOPv4=1
EOF
```

Contents

Installed Programs:	None
Installed Libraries:	<code>gnome-java-bridge.jar</code> and <code>JNav.jar</code>
Installed Directories:	<code>\$GNOME_PREFIX/share/jar</code>

Short Descriptions

`gnome-java-bridge.jar` is a Java runtime environment extension that connects the built-in accessibility support in Java Swing applications to the GNOME Accessibility framework.

libgail-gnome-1.1.3

Introduction to libgail-gnome

The libgail-gnome package contains the GNOME Accessibility Implementation library additions which implement ATK interfaces for libbonoboui and libgnomeui widgets.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libgail-gnome/1.1/libgail-gnome-1.1.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libgail-gnome/1.1/libgail-gnome-1.1.3.tar.bz2>
- Download MD5 sum: 1d12c5375b3404f4f20b214b763e5225
- Download size: 215 KB
- Estimated disk space required: 2.6 MB
- Estimated build time: 0.1 SBU

libgail-gnome Dependencies

Required

GNOME Panel-2.14.3 and AT SPI-1.7.7

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libgail-gnome>

Installation of libgail-gnome

Install libgail-gnome by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

Contents

Installed Programs:	None
Installed Library:	libgail-gnome.so GTK+ module
Installed Directories:	None

Short Descriptions

`libgail-gnome.so` library module is a GAIL addition which implements ATK interfaces for libbonoboui and libgnomeui widgets.

GNOME Speech-0.4.2

Introduction to GNOME Speech

The GNOME Speech package provides a simple general API for producing text-to-speech output. Multiple backends are supported by the GNOME Speech library, but currently only the Festival backend is built by default; the other backends require either Java or proprietary software.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-speech/0.4/gnome-speech-0.4.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-speech/0.4/gnome-speech-0.4.2.tar.bz2>
- Download MD5 sum: df06441a5b560830264c0557e3d3c376
- Download size: 309 KB
- Estimated disk space required: 5.3 MB
- Estimated build time: 0.2 SBU

GNOME Speech Dependencies

Required

libbonobo-2.14.0

Optional

Java Access Bridge-1.5.0, FreeTTS-1.2.1, Festival, ViaVoice, Eloquence, DECTalk, and Theta

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-speech>

Installation of GNOME Speech



Note

You must install at least one of the backend drivers for GNOME Speech to render speech through the audio hardware. You should test the installation of the backend driver and ensure it produces desired results before installing GNOME Speech.

Install GNOME Speech by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
install -v -m644 -D doc/gnome-speech.html \  
$(pkg-config --variable=prefix \  
ORBit-2.0)/share/doc/gnome-speech-0.4.2/gnome-speech.html
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--with-jab-dir=$(pkg-config --variable=prefix ORBit-2.0)/share/jar`: Use this option if you have installed the Java Access Bridge package and wish to have GNOME Speech build in Java support.

Note: see the README and INSTALL files in the package source tree for the correct parameters to pass to **configure** to enable the desired backends.

Testing the Installation

You can test all the available backend drivers, voices and audio hardware using the **test-speech** command. Invoking **test-speech** produces a menu allowing you to select a backend driver and the desired voice, then prompts you (with on-screen prompts and text-to-speech audio) for additional information.

If you are using the FreeTTS backend and you do not hear any audio, you may need to use the streaming audio method instead of the clip audio method. As the `root` user, modify the **freetts-synthesis-driver** script:

```
sed -i "s/clip/streaming/" $GNOME_PREFIX/bin/freetts-synthesis-driver
```

Contents

Installed Programs:	festival-synthesis-driver, freetts-synthesis-driver, speechd-synthesis-driver and test-speech
Installed Library:	libgnomespeech.{so,a}. Other drivers and libraries are also installed if you have enabled additional backends.
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : include/gnome-speech-1.0, share/{doc/gnome-speech-0.4.2, gnome-speech, idl/gnome-speech-1.0}

Short Descriptions

test-speech is used to test the various backend drivers and voices installed on the system.

`libgnomespeech.{so,a}` provides the API for programs to convert text into speech.

GNOME Magnifier-0.12.6

Introduction to GNOME Magnifier

The GNOME Magnifier includes a screen magnifier, which allows you to zoom in on portions of the desktop. It is expressly designed for users with low vision who wish to use the GNOME desktop.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-mag/0.12/gnome-mag-0.12.6.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-mag/0.12/gnome-mag-0.12.6.tar.bz2>
- Download MD5 sum: c402b06408d3b40843720ae09ad74234
- Download size: 608 KB
- Estimated disk space required: 16.7 MB
- Estimated build time: 0.2 SBU

GNOME Magnifier Dependencies

Required

AT SPI-1.7.7

Optional

intltool-0.34.2

Optional (For XFree86 Only)

Xdamage (requires FixesExt* then Xfixes then DamageExt)

* Ensure you created the `xextensions.pc` file as shown in the XFree86 instructions.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-mag>

Installation of GNOME Magnifier

Install GNOME Magnifier by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation

environment and the package will be installed in the correct location.

Contents

Installed Program:	magnifier
Installed Library:	libgnome-mag.so
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnome-mag-1.0</code> , <code>share/{ doc/gnome-mag-0.12.6,gnome-mag, idl/gnome-mag-1.0 }</code>

Short Descriptions

magnifier is a screen zooming utility.

Gnopernicus-1.1.1

Introduction to Gnopernicus

Gnopernicus enables users with limited vision, or no vision, to use the GNOME desktop and applications effectively. It provides a number of features, including magnification, focus tracking, braille output, automatic screen reading and more.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnopernicus/1.1/gnopernicus-1.1.1.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnopernicus/1.1/gnopernicus-1.1.1.tar.bz2>
- Download MD5 sum: e691c408de4ca885a3589a0b6fa297be
- Download size: 1.5 MB
- Estimated disk space required: 41.8 MB
- Estimated build time: 0.7 SBU

Gnopernicus Dependencies

Required

libgail-gnome-1.1.3, GNOME Speech-0.4.2, and GNOME Magnifier-0.12.6

Optional

intltool-0.34.2, GTK-Doc-1.6, and BRLTTY

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnopernicus>

Installation of Gnopernicus

Install Gnopernicus by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib/gnopernicus-1.0 &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--libexecdir=$(pkg-config --variable=prefix ORBit-2.0)/lib/gnopernicus-1.0`: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/gnopernicus-1.0` instead of `$GNOME_PREFIX/libexec`.

Contents

Installed Programs:	gnopernicus, gnopernicus-mag-config and srcore
Installed Libraries:	Gnopernicus support libraries
Installed Directories:	<code>/etc/gnome/2.14.3/gnopernicus-1.0</code> }, and the following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>include/gnopernicus-1.0</code> , <code>lib/gnopernicus-1.0</code> , <code>share/{gnome/help/{brlmonitor,gnopernicus}}</code> , <code>gnopernicus</code> , <code>omf/gnopernicus</code> }

Short Descriptions

gnopernicus	is a GUI menu interface used to access and configure the various functionality parameters provided for users with limited vision.
--------------------	-----------------------------------------------------------------------------------------------------------------------------------

GOK-1.0.10

Introduction to GOK

GOK is a dynamic onscreen keyboard. It features Direct Selection, Dwell Selection, Automatic Scanning and Inverse Scanning access methods and includes word completion.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gok/1.0/gok-1.0.10.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gok/1.0/gok-1.0.10.tar.bz2>
- Download MD5 sum: de6cceaca780e7ad0702c4b3c0fd8d1f
- Download size: 1.1 MB
- Estimated disk space required: 45.0 MB
- Estimated build time: 0.6 SBU

GOK Dependencies

Required

EsounD-0.2.36, libgnomeui-2.14.1, ScrollKeeper-0.3.14, libwnck-2.14.3, AT SPI-1.7.7, and GNOME Speech-0.4.2

Optional

intltool-0.34.2 and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gok>

Installation of GOK

Install GOK by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
chmod -v 644 $(pkg-config --variable=prefix
              ORBit-2.0)/share/gnome/help/gok/C/{gok,legal}.xml
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--enable-gtk-doc`: Use this parameter if GTK-Doc is installed and you wish to rebuild the API documentation.

Configuring GOK

Configuration Information

It is recommended that you configure your input device as an “Extended” input device. Exact configuration methods depend on the type of hardware attached to your system. See the README file in the package source tree and GOK Help for information on how to configure your input device.

Contents

Installed Programs:	gok and create-branching-keyboard
Installed Libraries:	None
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/</code> : <code>share/{,gnome/help/,gtk-doc/html,omf}gok</code>

Short Descriptions

gok is a dynamic onscreen keyboard utility.

Chapter 33. GNOME 1.4 Libraries

This section contains GNOME 1.4 libraries, needed by some applications that have not yet been ported to GNOME 2.x. None of these libraries are needed for a GNOME desktop installation.

Pre-installation Configuration

Add to your system or personal profile:

```
export PATH=$PATH:/opt/gnome-1.4/bin
export PKG_CONFIG_PATH=$PKG_CONFIG_PATH:/opt/gnome-1.4/lib/pkgconfig
export GNOME_LIBCONFIG_PATH=/usr/lib

if [ -z $INFOPATH ]
then
    export INFOPATH=/usr/share/info:/opt/gnome-1.4/info
else
    export INFOPATH=$INFOPATH:/opt/gnome-1.4/info
fi
```

Add to your `/etc/ld.so.conf`:

```
cat >> /etc/ld.so.conf << "EOF"
# Begin GNOME-1 addition to /etc/ld.so.conf

/opt/gnome-1.4/lib

# End GNOME-1 addition
EOF
```

Remember to execute **ldconfig** after installation of libraries to update the library cache.

Add to your `/etc/man_db.conf`:

```
cat >> /etc/man_db.conf << "EOF"
# Begin GNOME-1 addition to man_db.conf

MANDATORY_MANPATH /opt/gnome-1.4/man

# END GNOME-1 addition to man_db.conf
EOF
```

ORBit-0.5.17

Introduction to ORBit

The ORBit package contains a high-performance CORBA Object Request Broker. This allows programs to send requests and receive replies from other programs.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/ORBit/0.5/ORBit-0.5.17.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/ORBit/0.5/ORBit-0.5.17.tar.bz2>
- Download MD5 sum: 35acc6f8d49d930b566104fceb893d3
- Download size: 1.0 MB
- Estimated disk space required: 29 MB
- Estimated build time: 0.6 SBU

ORBit Dependencies

Required

GLib-1.2.10

Optional

TCP Wrapper-7.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/orbit>

Installation of ORBit

Install ORBit by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /opt/gnome-1.4/share/doc/ORBit-0.5.17 &&  
cp -v -R docs/* /opt/gnome-1.4/share/doc/ORBit-0.5.17
```

Contents

Installed Programs: ior-decode, libIDL-config, name-client, old-name-server, orbit-config, orbit-idl, orbit-ird, orbit-event-server, and orbit-name-server

Installed Libraries: libIDL.{so,a}, libIIOp.{so,a}, libname-server.a, liborbit-c-backend.a, libORBit.{so,a}, libORBitCosNaming.{so,a}, and libORBitutil.{so,a}

Installed Directories: /opt/gnome-1.4, /opt/gnome-1.4/include/libIDL-1.0,
/opt/gnome-1.4/include/orbit-1.0, /opt/gnome-1.4/share/doc/ORBit-0.5.17 and
/opt/gnome-1.4/share/idl

Short Descriptions

<code>libIDL.{so,a}</code>	library is the Interface Definition Language mappings for CORBA.
<code>libIIOP.{so,a}</code>	is for low level CORBA communications.
<code>libORBit.{so,a}</code>	is the CORBA API.
<code>libORBitutil.{so,a}</code>	contains the convenience routines for ORBit.

OAF-0.6.10

Introduction to OAF

The OAF package contains the Object Activation Framework for GNOME.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/oaf/0.6/oaf-0.6.10.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/oaf/0.6/oaf-0.6.10.tar.bz2>
- Download MD5 sum: ed9aa2ceb70bba34034b3134b22d2729
- Download size: 435 KB
- Estimated disk space required: 7 MB
- Estimated build time: 0.2

OAF Dependencies

Required

ORBit-0.5.17, libxml-1.8.17, and popt-1.10.4

Optional

GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/oaf>

Installation of OAF

Install OAF by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 \
            --disable-gtk-doc &&
make
```

Now, as the `root` user:

```
make install &&
install -v -m755 -d /opt/gnome-1.4/share/gtk-doc/html/oaf-0.6.10 \
            /opt/gnome-1.4/share/doc/oaf-0.6.10 &&
install -v -m644 api-docs/html/* \
            /opt/gnome-1.4/share/gtk-doc/html/oaf-0.6.10 &&
install -v -m644 docs/{INTERNALS,*.txt} \
            /opt/gnome-1.4/share/doc/oaf-0.6.10
```

To test the results, issue: **make check** as an unprivileged user (the package must be installed before running the tests, else many tests fail).

Contents

Installed Programs: oaf-client, oaf-config, oaf-empty-server, oaf-run-query, oaf-slay, oaf-sysconf and oafd

Installed Libraries: liboaf.so

Installed Directories: /opt/gnome-1.4/etc/oaf, /opt/gnome-1.4/include/liboaf,
/opt/gnome-1.4/share/doc/oaf-0.6.10 and
/opt/gnome-1.4/share/gtk-doc/html/oaf-0.6.10

GNOME Libraries-1.4.2

Introduction to GNOME Libraries

The GNOME Libraries package contains the GNOME libraries. This is useful as a foundation for the GNOME Desktop and applications.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-libs/1.4/gnome-libs-1.4.2.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-libs/1.4/gnome-libs-1.4.2.tar.bz2>
- Download MD5 sum: 6111e91b143a90afb30f7a8c1e6cbbd6
- Download size: 2.8 MB
- Estimated disk space required: 70 MB
- Estimated build time: 1.4 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gnome-libs-1.4.2-gcc4-1.patch>

GNOME Libraries Dependencies

Required

ORBit-0.5.17, GTK+-1.2.10, and Imlib-1.9.15

Optional

Audio File-0.2.6, Esound-0.2.36, and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-libs>

Installation of GNOME Libraries

The installation process expects a `games` group to exist on the system. If you have not previously created this group, issue the following command as the `root` user:

```
groupadd -g 60 games
```

Install GNOME Libraries by running the following commands:

```
patch -Np1 -i ../gnome-libs-1.4.2-gcc4-1.patch &&
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```


Configuring GNOME Libraries

Config Files

```
/opt/gnome-1.4/etc/mime-magic, /opt/gnome-1.4/etc/paper.config,
/opt/gnome-1.4/etc/sound/events/gnome.soundlist and
/opt/gnome-1.4/etc/sound/events/gtk-events.soundlist
```

Contents

Installed Programs: dns-helper, gconfigger, gnome-bug, gnome-config, gnome-dump-metadata, gnome-gen-mimedb, gnome-moz-remote, gnome-name-service, gnome-pty-helper, gnome_segvt, goad-browser, libart-config, loadshlib and new-object

Installed Libraries: libart_lgpl.{so,a}, libgnome.{so,a}, libgnomeui.{so,a}, libgnomesupport.{so,a}, libgnorba.{so,a}, libgnorbagtk.{so,a}, libgtkxmhtml.{so,a}, and libzvt.{so,a}

Installed Directories: /opt/gnome-1.4/doc, /opt/gnome-1.4/etc/sound, /opt/gnome-1.4/include/gnome-1.0, /opt/gnome-1.4/lib/gnome-libs, /opt/gnome-1.4/share/gnome, /opt/gnome-1.4/share/gtk-doc/html/libart, /opt/gnome-1.4/share/mime-info, /opt/gnome-1.4/share/pixmaps, /opt/gnome-1.4/share/type-convert and /opt/gnome-1.4/var

Short Descriptions

```
libart_lgpl.{so,a}    is the LGPL component of libart.
libgnome.{so,a}      is the non-GUI part of the GNOME library.
libgnomeui.{so,a}    is the GUI part of the GNOME library.
libgnorbagtk.{so,a}  is the GNOME CORBA GTK framework.
libzvt.{so,a}        provides the functions necessary to emulate xterm.
```

GDK Pixel Buffer-0.22.0

Introduction to GDK Pixel Buffer

The GDK Pixel Buffer package is the GTK+ pixel buffer library.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gdk-pixbuf/0.22/gdk-pixbuf-0.22.0.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gdk-pixbuf/0.22/gdk-pixbuf-0.22.0.tar.bz2>
- Download MD5 sum: 05fcb68ceaa338614ab650c775efc2f2
- Download size: 398 KB
- Estimated disk space required: 9 MB
- Estimated build time: 0.3 SBU

GDK Pixel Buffer Dependencies

Required

GTK+-1.2.10

Optional

GNOME Libraries-1.4.2, GTK-Doc-1.6 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gdk>

Installation of GDK Pixel Buffer

The **make** command attempts to open an X display during the compile, so an X server must be running during this process.

Install GDK Pixel Buffer by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	gdk-pixbuf-config
Installed Libraries:	libgdk_pixbuf.{so,a}, libgdk_pixbuf_xlib.{so,a}, libgnomecanvaspixbuf.{so,a}, and many gdk-pixbuf loader modules
Installed Directories:	/opt/gnome-1.4/include/gdk-pixbuf-1.0, /opt/gnome-1.4/lib/gdk-pixbuf and

`/opt/gnome-1.4/share/gnome/html/gdk-pixbuf`

Short Descriptions

`libgdk_pixbuf.{so,a}` contains the GTK+ pixel buffer libraries for the GIMP Toolkit.

GNOME Print-0.37

Introduction to GNOME Print

The GNOME Print package contains the GNOME Printing Architecture, for GNOME 1.4.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-print/0.37/gnome-print-0.37.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-print/0.37/gnome-print-0.37.tar.bz2>
- Download MD5 sum: f9e13f4f17b04baceec1cdeed0f88eae
- Download size: 768 KB
- Estimated disk space required: 19 MB
- Estimated build time: 0.6

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/gnome-print-0.37-ft217_fixes-1.patch

GNOME Print Dependencies

Required

GDK Pixel Buffer-0.22.0, GNOME Libraries-1.4.2 and libxml-1.8.17

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-print>

Installation of GNOME Print

Install GNOME Print by running the following commands:

```
patch -Np1 -i ../gnome-print-0.37-ft217_fixes-1.patch &&
./configure --prefix=/opt/gnome-1.4 &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	gnome-font-install
Installed Libraries:	libgnomeprint.{so,a}
Installed Directories:	/opt/gnome-1.4/etc/gnome, /opt/gnome-1.4/include/gnome-1.0/libgnomeprint, /opt/gnome-1.4/share/fonts, /opt/gnome-1.4/share/gnome-print and /opt/gnome-1.4/share/gnome/fonts

Bonobo-1.0.22

Introduction to Bonobo

The Bonobo package contains a set of language and system independent CORBA interfaces for creating reusable components, controls and compound documents.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/bonobo/1.0/bonobo-1.0.22.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/bonobo/1.0/bonobo-1.0.22.tar.bz2>
- Download MD5 sum: 7718c374ed82911b24d95fa3ab55dda5
- Download size: 1.2 MB
- Estimated disk space required: 48 MB
- Estimated build time: 1.5 SBU

Bonobo Dependencies

Required

OAF-0.6.10 and GNOME Print-0.37

Optional

GTK-Doc-1.6 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/bonobo14>

Installation of Bonobo

Install Bonobo by running the following commands:

```
sed -i 's/static \(\const struct CORBA\)/\1/' tests/test-any.c &&
./configure --prefix=/opt/gnome-1.4 &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /opt/gnome-1.4/share/doc/bonobo-1.0.22 &&
install -v -m644 doc/{FAQ,Monikers,*.txt} \
/opt/gnome-1.4/share/doc/bonobo-1.0.22
```

Command Explanations

`sed -i '...' tests/test-any.c`: This command fixes a problem if the package is compiled using GCC-4.0.x.

`--prefix=/opt/gnome-1.4`: Installs Bonobo in the GNOME 1.4 directory structure.

Contents

Installed Programs:	bonobo-application-x-mines, bonobo-audio-ulaw, bonobo-echo, bonobo-moniker-gunzip, bonobo-moniker-http, bonobo-sample-canvas-item, bonobo-sample-controls, bonobo-sample-hello, bonobo-sample-paint, bonobo-selector, bonobo-text-plain, echo-client, efstool, gshell, libefs-config, moniker-test, sample-container and sample-control-container
Installed Libraries:	libbonobo.{so,a}, libbonobobox.{so,a}, libbonobo-print.{so,a}, libefs.{so,a} and Bonobo plugin and moniker modules
Installed Directories:	/opt/gnome-1.4/include/gnome-1.0/bonobo, /opt/gnome-1.4/lib/bonobo, /opt/gnome-1.4/share/bonobo, /opt/gnome-1.4/share/doc/bonobo-1.0.22, /opt/gnome-1.4/share/gnome/bonobo, /opt/gnome-1.4/share/gnome/ui and /opt/gnome-1.4/share/libefs

GConf-1.0.9

Introduction to GConf

The GConf package contains a configuration database system.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/GConf/1.0/GConf-1.0.9.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/GConf/1.0/GConf-1.0.9.tar.bz2>
- Download MD5 sum: 613aea1d9b7a9c504f52217451c7bf99
- Download size: 784 KB
- Estimated disk space required: 17 MB
- Estimated build time: 0.3

Additional Downloads

- Required patch for Berkeley DB:
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/GConf-1.0.9-db43-2.patch>
- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/GConf-1.0.9-gcc4-1.patch>

GConf Dependencies

Required

OAF-0.6.10 and popt-1.10.4

Optional

GTK+-1.2.10, Guile-1.6.7, and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gconf1>

Installation of GConf

Install GConf by running the following commands:

```
patch -Np1 -i ../GConf-1.0.9-db43-2.patch &&
patch -Np1 -i ../GConf-1.0.9-gcc4-1.patch &&
./configure --prefix=/opt/gnome-1.4 &&
make
```

If you have GTK-Doc installed and wish to build the HTML documentation, issue the following commands:

```
cd doc/gconf &&
make templates &&
make sgml &&
make html &&
cd ../..
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	<code>gconf-config</code> , <code>gconf-config-1</code> , <code>gconf-sanity-check-1</code> , <code>gconfd-1</code> , <code>gconftool</code> , <code>gconftool-1</code>
Installed Libraries:	<code>libgconf-1.{so,a}</code> , <code>libgconf-gtk-1.{so,a}</code> and GConf backend modules
Installed Directories:	<code>/opt/gnome-1.4/etc/gconf</code> , <code>/opt/gnome-1.4/include/gconf</code> , <code>/opt/gnome-1.4/lib/GConf</code> and <code>/opt/gnome-1.4/share/gconf</code>

Short Descriptions

`libgconf-1.{so,a}` provide the functions necessary to maintain the configuration database.

GNOME Virtual File System-1.0.5

Introduction to GNOME Virtual File System

The GNOME Virtual File System package contains file system libraries.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnome-vfs/1.0/gnome-vfs-1.0.5.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnome-vfs/1.0/gnome-vfs-1.0.5.tar.bz2>
- Download MD5 sum: e2a17a6b178f54c43968241258f3e729
- Download size: 781 KB
- Estimated disk space required: 17 MB
- Estimated build time: 0.9 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gnome-vfs-1.0.5-gcc34-1.patch>

GNOME Virtual File System Dependencies

Required

GNOME MIME Data-2.4.2, GNOME Libraries-1.4.2, and GConf-1.0.9

Optional

pkg-config-0.20, OAF-0.6.10, libxml-1.8.17, Bonobo-1.0.22, OpenSSL-0.9.8d, CDPParanoia-III-9.8, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnome-vfs1>

Installation of GNOME Virtual File System

Install GNOME Virtual File System by running the following commands:

```
patch -Np1 -i ../gnome-vfs-1.0.5-gcc34-1.patch &&
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs: `gnome-vfs-config`

Installed Libraries: libgnomevfs.{so,a}, libgnomevfs-pthread.{so,a} and GNOME VFS filesystem modules

Installed Directories: /opt/gnome-1.4/etc/vfs, /opt/gnome-1.4/include/gnome-vfs-1.0, /opt/gnome-1.4/lib/gnome-vfs-1.0, /opt/gnome-1.4/lib/vfs and /opt/gnome-1.4/share/gtk-doc/html/gnome-vfs

Libglade-0.17

Introduction to Libglade

The libglade package contains libraries which allow applications to load Glade interface files at runtime.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libglade/0.17/libglade-0.17.tar.gz>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libglade/0.17/libglade-0.17.tar.gz>
- Download MD5 sum: 38b2e2cfd813783fe157617813bfe3b3
- Download size: 418 KB
- Estimated disk space required: 5.9 MB
- Estimated build time: 0.2 SBU

Libglade Dependencies

Required

libxml-1.8.17 and GTK+-1.2.10

Optional

GNOME Libraries-1.4.2, Bonobo-1.0.22, Python-2.4.4 (to run the **libglade-xgettext** script) and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libglade14>

Installation of Libglade

The **make** command attempts to open an X display during the compile, so an X server must be running during this process.

Install libglade by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&  
make
```

This package does not come with a test suite.

Now, as the **root** user:

```
make install
```

Command Explanations

--enable-bonobo: Enables Bonobo support.

Contents

Installed Programs: libglade-config and libglade-xgettext

Installed Libraries: libglade.{so,a} and optionally, libglade-bonobo.{so,a} and libglade-gnome.{so,a}
Installed Directories: /opt/gnome-1.4/include/libglade-1.0 and /opt/gnome-1.4/share/gnome/html/libglade

GAL-0.24

Introduction to GAL

The GAL package contains library functions that came from Gnumeric and Evolution. GAL is short for GNOME Application Libs.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gal/0.24/gal-0.24.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gal/0.24/gal-0.24.tar.bz2>
- Download MD5 sum: 9f9790d4e8763c4ce74e5d59f47aa509
- Download size: 1.0 MB
- Estimated disk space required: 52 MB
- Estimated build time: 1.0 SBU

GAL Dependencies

Required

GNOME Print-0.37 and libglade-0.17

Optional

GNOME Virtual File System-1.0.5 and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gal1>

Installation of GAL

Install GAL by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 &&  
make
```

If you have GTK-Doc installed and wish to build the HTML documentation, issue the following commands:

```
cd docs &&  
make templates &&  
make sgml &&  
make html &&  
cd ..
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=/opt/gnome-1.4`: Installs GAL in the GNOME 1.4 directory structure.

Contents

Installed Programs:	None
Installed Libraries:	libgal.{so,a}
Installed Directories:	/opt/gnome-1.4/include/gal-1.0, /opt/gnome-1.4/share/etable and /opt/gnome-1.4/share/gal

Guppi-0.40.3

Introduction to Guppi

The Guppi package contains a Guile scriptable plot library with integrated statistics capabilities.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/Guppi/0.40/Guppi-0.40.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/Guppi/0.40/Guppi-0.40.3.tar.bz2>
- Download MD5 sum: 26ec6eb5b6fe7fb4e32ecff64d4f1b16
- Download size: 1.0 MB
- Estimated disk space required: 32 MB
- Estimated build time: 1.3 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/Guppi-0.40.3-gcc34-1.patch>
- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/Guppi-0.40.3-legend_fix-1.patch
- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/Guppi-0.40.3-gcc4-1.patch>

Guppi Dependencies

Required

GNOME Print-0.37 and libglade-0.17

Optional

Bonobo-1.0.22, GTK-Doc-1.6 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/guppi>

Installation of Guppi

Install Guppi by running the following commands:

```
patch -Np1 -i ../Guppi-0.40.3-gcc34-1.patch &&
patch -Np1 -i ../Guppi-0.40.3-legend_fix-1.patch &&
patch -Np1 -i ../Guppi-0.40.3-gcc4-1.patch &&
./configure --prefix=/opt/gnome-1.4 &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=/opt/gnome-1.4`: Installs Guppi in the GNOME 1.4 directory structure.

Contents

Installed Programs:	None
Installed Libraries:	libguppi.so, libguppitank.so and numerous plotting plugin modules
Installed Directories:	/opt/gnome-1.4/include/gnome-1.0/libguppi, /opt/gnome-1.4/lib/guppi, /opt/gnome-1.4/share/gnome/help/guppi, /opt/gnome-1.4/share/guppi and /opt/gnome-1.4/share/pixmaps/guppi

Libcaplet-1.5.11

Introduction to libcaplet

The libcaplet package contains a control panel applet library.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libcaplet/1.5/libcaplet-1.5.11.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libcaplet/1.5/libcaplet-1.5.11.tar.bz2>
- Download MD5 sum: c6ba2bd6a08d82cba6b2b5360baab23c
- Download size: 312 KB
- Estimated disk space required: 2.7 MB
- Estimated build time: less than 0.1 SBU

Libcaplet Dependencies

Required

GNOME Libraries-1.4.2

Optional

pkg-config-0.20

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libcaplet>

Installation of Libcaplet

Install libcaplet by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=/opt/gnome-1.4`: Installs libcaplet in the GNOME 1.4 directory structure.

Contents

Installed Programs:	None
Installed Library:	libcaplet.{so,a}
Installed Directory:	/opt/gnome-1.4/include/libcaplet-1.4

Soup-0.7.11

Introduction to Soup

The Soup package contains a SOAP (Simple Object Access Protocol) implementation in C.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/soup/0.7/soup-0.7.11.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/soup/0.7/soup-0.7.11.tar.bz2>
- Download MD5 sum: 61bb2fef816ce164af62f8a3a5bd782e
- Download size: 323 KB
- Estimated disk space required: 7.8 MB
- Estimated build time: 0.2

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/soup-0.7.11-gcc_3.4-1.patch
- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/soup-0.7.11-gcc4-1.patch>

Soup Dependencies

Required

GLib-1.2.10 or GLib-2.10.3, libxml-1.8.17 or libxml2-2.6.26 and popt-1.10.4

Optional

Apache-2.2.2, OpenSSL-0.9.8d or NSS-3.11.3, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/soup>

Installation of Soup

Install Soup by running the following commands:

```
patch -Np1 -i ../soup-0.7.11-gcc_3.4-1.patch &&
patch -Np1 -i ../soup-0.7.11-gcc4-1.patch &&
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=/opt/gnome-1.4`: Installs Soup in the GNOME 1.4 directory structure.

`--enable-apache=no`: This command can be added to prevent building against Apache.

Contents

Installed Programs:	soup-config, soup-httpd, soup-ssl-proxy and soup-wsdl
Installed Libraries:	libsoup.{so,a}, libsoup-apache.{so,a} and libwsdl.{so,a}
Installed Directories:	/opt/gnome-1.4/include/soup and /opt/gnome-1.4/share/gtk-doc/html/soup

Libghttp-1.0.9

Introduction to Libghttp

The libghttp package contains a GNOME 1.4 HTTP client library.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/libghttp/1.0/libghttp-1.0.9.tar.gz>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/libghttp/1.0/libghttp-1.0.9.tar.gz>
- Download MD5 sum: 0690e7456f9a15c635f240f3d6d5dab2
- Download size: 147 KB
- Estimated disk space required: 1.5 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libghttp>

Installation of Libghttp

Install libghttp by running the following commands:

```
./configure --prefix=/opt/gnome-1.4 &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
install -v -m644 -D doc/ghttp.html \  
    /opt/gnome-1.4/share/doc/libghttp-1.0.9/ghttp.html
```

Command Explanations

`--prefix=/opt/gnome-1.4`: Installs libghttp in the GNOME 1.4 directory structure.

Contents

Installed Programs:	None
Installed Library:	libghttp.{so,a}
Installed Directory:	/opt/gnome-1.4/share/doc/libghttp-1.0.9

GtkHTML-1.1.7

Introduction to GtkHTML

The GtkHTML package contains a lightweight HTML rendering/printing/editing engine.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gtkhtml/1.1/gtkhtml-1.1.7.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gtkhtml/1.1/gtkhtml-1.1.7.tar.bz2>
- Download MD5 sum: 83cd60ab9a108d2a0d65b3bf760affa4
- Download size: 1.0 MB
- Estimated disk space required: 36 MB
- Estimated build time: 1.4 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gtkhtml-1.1.7-gcc34-1.patch>

GtkHTML Dependencies

Required

GAL-0.24, libcaplet-1.5.11, and GConf-1.0.9

Optional

Soup-0.7.11, Bonobo-1.0.22, libhttp-1.0.9, and GTK-Doc-1.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gtkhtml1>

Installation of GtkHTML

Install GtkHTML by running the following commands:

```
patch -Np1 -i ../gtkhtml-1.1.7-gcc34-1.patch &&
sed -i 's/static \(\HTMLClueAlignedClass\)/\1/' src/htmlcluealigned.c &&
./configure --prefix=/opt/gnome-1.4 --disable-gtk-doc &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`sed -i '...' src/htmlcluealigned.c`: This command fixes a build problem when compiling with GCC-4.0.x.

`--prefix=/opt/gnome-1.4`: Install GtkHTML in the GNOME 1.4 directory structure.

Contents

Installed Programs:	ebrowser, gnome-gtkhtml-editor-1.1 and gtkhtml-properties-capplet
Installed Libraries:	libgtkhtml-1.1.{so,a}, Bonobo plugin modules and Glade rendering components
Installed Directories:	/opt/gnome-1.4/include/gtkhtml-1.1, /opt/gnome-1.4/share/control-center, /opt/gnome-1.4/share/gnome/apps, /opt/gnome-1.4/share/gnome/html/gtkhtml and /opt/gnome-1.4/share/gtkhtml-1.1

Part X. X Software

Chapter 34. Individual Office Programs

This chapter is a collection of independent projects that can be installed based on specific needs. Together, they create a respectable office suite. While they may be lacking in user interface consistency, they excel in doing one thing and doing it well.

AbiWord-2.4.4

Introduction to AbiWord

The AbiWord package contains a word processing application. This is useful for writing reports, letters and other formatted documents.

Package Information

- Download (HTTP): <http://www.abisource.com/downloads/abiword/2.4.4/source/abiword-2.4.4.tar.bz2>
- Download (FTP):
- Download MD5 sum: 69dd69179b861a41613291afd10af9ab
- Download size: 23.5 MB
- Estimated disk space required: 217 MB
- Estimated build time: 3.6 SBU (to build and install the program, docs and all plugins)

AbiWord Dependencies

Required

FriBidi-0.10.7 and libgnomeprintui-2.12.1

Optional

Enchant (uses Aspell-0.60.4), gucharmap-1.6.0, ImageMagick-6.2.8-0 and wv (with libwmf installed first)

Optional for Plugins

libgsf-1.14.1 (needed to build the OpenDocument/OpenOffice plugin), Poppler-0.4.5 (for the pdf plugin), librsvg-2.14.4, GNOME Utilities-2.14.0, GOffice-0.2.1, Aiksaurus, libgda, libgnomedb, libwmf, libwpd, OTS and Psiconv

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/abiword>

Installation of AbiWord

Install AbiWord by running the following commands:

```
cd abiword-plugins &&
./configure --prefix=/usr --without-inter7eps &&
make &&
cd ../abi &&
./configure --prefix=/usr &&
make
```


This package does not come with a test suite.

Now, as the `root` user:

```
make install &&
cp -v -R docs /usr/share/AbiSuite-2.4/AbiWord &&
cd ../abiword-plugins &&
make install
```

If you have a GNOME-2 installation, issue the following command as the `root` user to install the AbiWord Bonobo component description file:

```
cd .. &&
install -v -m644 abidistfiles/GNOME_AbiWord_Control_2_4.server \
    $GNOME_PREFIX/lib/bonobo/servers
```

Install The Help Documentation

Build the help files by issuing the following commands as an unprivileged user:

```
cd abiword-docs &&
sed -i 's@AbiWord-2.0@abiword@' make-gnome-html.sh &&
./make-gnome-html.sh &&
./make-html.sh
```

Then, as the `root` user, install the help files:

```
install -v -m644 man/abiword.1 /usr/share/man/man1 &&
install -v -m644 Manual/en/Abiword_Manual.abw \
    /usr/share/AbiSuite-2.4/AbiWord/docs &&
cp -v -R help /usr/share/AbiSuite-2.4/AbiWord &&
find /usr/share/AbiSuite-2.4/AbiWord/help \
    -type d -exec chmod -v 755 {} \;
```

Command Explanations

`--without-inter7eps`: Some of the headers from the EPS package are not compatible with GCC-4.0.3. This parameter prevents linking to the package and incurring a build failure.

`sed -i 's@AbiWord-2.0@abiword@' make-gnome-html.sh`: This command alters the `make-gnome-html.sh` script to look for the current version of **abiword**.

Configuring AbiWord

Config File

```
~/AbiSuite/templates/normal.awt
```

Configuration Information

Choose the right template for your language and locale from the list produced by the following command:

```
ls /usr/share/AbiSuite-2.4/templates
```

Create the folder `~/.AbiSuite/templates` then copy the `normal.awt` you want into it:

```
mkdir -p -v ~/.AbiSuite/templates &&
cp -v /usr/share/AbiSuite-2.4/templates/normal.awt-<lang> \
    ~/.AbiSuite/templates/normal.awt
```

Change `<lang>` in the above command to fit the name of the file you want.

Contents

Installed Programs: `abiword`, `AbiWord-2.4`, `ttfadmin.sh`, and `ttftool`
Installed Libraries: Numerous plugin library support modules
Installed Directories: `/usr/lib/AbiWord-2.4` and `/usr/share/AbiSuite-2.4`

Short Descriptions

abiword is a symbolic link to the main **AbiWord-2.4** executable.
AbiWord-2.4 is the word-processing program executable.
ttfadmin.sh generates support files required by `AbiWord` for each TrueType font in a given directory.
ttftool is a utility for processing TrueType fonts.

Gnumeric-1.6.3

Introduction to Gnumeric

The Gnumeric package contains a spreadsheet program. This is useful for financial analysis.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/gnumeric/1.6/gnumeric-1.6.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/gnumeric/1.6/gnumeric-1.6.3.tar.bz2>
- Download MD5 sum: 78ffd75ae6abc3bb20dd04407a082a26
- Download size: 12.0 MB
- Estimated disk space required: 187.0 MB
- Estimated build time: 2.8 SBU (includes creating HTML documentation)

Gnumeric Dependencies

Required

libgnomeprintui-2.12.1 and GOffice-0.2.1

Optional

Python-2.4.4, PyGTK, libgnomeui-2.14.1 (combined with the libgsf-gnome-1 library from the libgsf-1.14.1 package will provide GNOME-2 support), GNOME Doc Utils-0.6.1 (to convert the XML help documentation into HTML), libgnomedb (requires libgda), pxlib, Psiconv, Hildon, and Gnome Basic (this package is no longer under active development)



Note

Though only a run-time dependency, if you don't install the Yelp-2.14.3 package, the built-in help functionality in Gnumeric will not be available.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnumeric>

Installation of Gnumeric

Install Gnumeric by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

There is a bug in the program. The help system looks for the docs in one location, but they are actually installed in the wrong place. See http://bugzilla.gnome.org/show_bug.cgi?id=330339. If you have Yelp-2.14.3 installed and would like to be able to use it to view the help documentation from within Gnumeric, work around the problem by creating a symbolic link. As root:

```
ln -vsf /usr/share/gnome/help/gnumeric \
    /usr/share/gnumeric/1.6.3/doc
```

If you have GNOME installed in a prefix other than /usr, as the root user create the following symlink for the Gnumeric Bonobo server file:

```
ln -v -s /usr/lib/bonobo/servers/GNOME_Gnumeric.server \
    $(pkg-config --variable=prefix ORBit-2.0)/lib/bonobo/servers
```

If you have GNOME Doc Utils-0.6.1 installed you can convert the XML help files into HTML by issuing the following commands:

```
./configure \
    --prefix=$(pkg-config --variable=prefix gnome-doc-utils) &&
make -C doc html
```

Now, as the root user, install the documentation files:

```
install -v -m755 -d /usr/share/doc/gnumeric-1.6.3/figures &&
install -v -m644 doc/C/html/* /usr/share/doc/gnumeric-1.6.3 &&
install -v -m644 doc/C/figures/* \
    /usr/share/doc/gnumeric-1.6.3/figures &&
ln -v -s /usr/share/xml/docbook/xsl-stylesheets-1.69.1/images \
    /usr/share/doc/gnumeric-1.6.3/stylesheet
```

If you wish to install the Developer documentation, issue the following commands as the root user:

```
install -v -m755 -d /usr/share/doc/gnumeric-1.6.3/developer &&
install -v -m644 doc/developer/* \
    /usr/share/doc/gnumeric-1.6.3/developer &&
rm -v /usr/share/doc/gnumeric-1.6.3/developer/Makefile*
```

Command Explanations

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in /etc/gnome/2.14.3 instead of \$GNOME_PREFIX/etc. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in /var/lib/scrollkeeper instead of some files being installed in \$GNOME_PREFIX/var/scrollkeeper.

`--prefix=$(pkg-config --variable=prefix gnome-doc-utils)`: This rebuilds the Makefiles with the same prefix as GNOME Doc Utils

make -C doc html: This command runs **make** in the doc directory with html as the Makefile target.

Contents

Installed Programs:	gnumeric, gnumeric-1.6.3, and ssconvert
Installed Libraries:	numerous filters, plugins and GNOME components
Installed Directories:	/usr/lib/gnumeric, /usr/share/doc/gnumeric-1.6.3, and /usr/share/{ {,gnome/help/, omf/, pixmaps/} gnumeric,mc }

Short Descriptions

gnumeric	is a symlink to gnumeric-1.6.3
gnumeric-1.6.3	is GNOME's spreadsheet application.
ssconvert	is a command line utility to convert spreadsheet files between various spreadsheet file formats.

GnuCash-1.8.12

Introduction to GnuCash

GnuCash is a personal finance manager.

Package Information

- Download (HTTP): <http://www.gnucash.org/pub/gnucash/sources/stable/gnucash-1.8.12.tar.gz>
- Download (FTP): <ftp://ftp.at.gnucash.org/pub/gnucash/gnucash/sources/stable/gnucash-1.8.12.tar.gz>
- Download MD5 sum: 81e7c703db56bb203e106664157779cc
- Download size: 8.2 MB
- Estimated disk space required: 123 MB (additional 22 MB for Help documentation)
- Estimated build time: 3.2 SBU (additional 0.3 SBU to run the test suite)

Additional Downloads

- Help documentation: <http://www.gnucash.org/pub/gnucash/sources/stable/gnucash-docs-1.8.5.tar.gz>
- Download MD5 sum: 9758d8e523530c2509912761e327a9d5

GnuCash Dependencies

Required

GtkHTML-1.1.7, libhttp-1.0.9, gwrap-1.3.4, and XML::Parser-2.34

Optional

PostgreSQL-8.1.3, Guppi-0.40.3, ScrollKeeper-0.3.14, Doxygen-1.4.6, Graphviz-2.8, Guile-www, and Electric Fence

Optional (for On-Line Banking)

LibOFX (requires OpenSP-1.5.2 and cURL-7.15.3), KtoBlzCheck, and AqBanking (requires Gwenhywfar and also see libchipcard2)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gnucash>

Installation of GnuCash

Install GnuCash by running the following commands:

```
sed -i 's/^host_os=.*$/&-gnu/' configure &&
./configure --prefix=/opt/gnome-1.4 \
            --sysconfdir=/etc \
            --disable-guppi \
            --disable-error-on-warning &&
make
```

To test the results, issue **make check**. All tests should pass. An easy way to look at the results of the tests is to issue **grep -A1 ===== check.log** (this is assuming you redirected the output from the tests to the

aforementioned filename).

Now, as the root user:

```
make install
```

If desired, create a symbolic link from the GnuCash documentation directory to the system-wide documentation directory using the following command as the root user:

```
ln -v -s /opt/gnome-1.4/share/gnucash/doc \  
      /usr/share/doc/gnucash-1.8.12
```

If desired, create symbolic links to the GnuCash .desktop and icon files in the system-wide directories using the following commands as the root user:

```
install -v -m755 -d /usr/share/pixmaps/gnucash &&  
ln -v -s /opt/gnome-1.4/share/pixmaps/gnucash/gnucash-icon.png \  
      /usr/share/pixmaps/gnucash &&  
ln -v -s /opt/gnome-1.4/share/gnome/apps/Applications/gnucash.desktop \  
      /usr/share/applications
```

If you want to install the Help documentation (requires ScrollKeeper-0.3.14 to be installed), unpack the additional tarball, change into the gnucash-docs-1.8.5 source directory and issue the following commands as an unprivileged user:

```
./configure --prefix=/opt/gnome-1.4 \  
           --localstatedir=/var/lib &&  
make
```

Now, as the root user:

```
make install
```

Command Explanations

sed -i 's/^(host_os=.*)\$/\1-gnu/' configure: This command is used to fix a broken **configure** script. Without it, no shared libraries are built, and the program will not function properly.

--prefix=/opt/gnome-1.4: GnuCash-1.8.12 is a GNOME-1.4 application.

--sysconfdir=/etc: This installs configuration files in `/etc/gnucash` instead of `/opt/gnome-1.4/etc/gnucash`.

--localstatedir=/var/lib: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

--disable-guppi: This compiles GnuCash without support for creating GUI graphs and plots. Remove this option if you have Guppi installed.

--disable-error-on-warning: Without this parameter the build will fail because a warning is generated. This option forces the build to ignore the warning.

--enable-sql: This parameter is required if you want to build in SQL support using PostgreSQL.

`--enable-ofx`: This parameter is required if you want to build in on-line banking support using LibOFX.

`--enable-hbci`: This parameter is required if you want to build in on-line banking support using AqBanking. See `doc/README.HBCI` in the GnuCash source tree for complete information.

Configuring GnuCash

Configuration Information

If you wish to use GnuCash to retrieve stock price quotes and stock historical information, you'll need to install the following Perl modules: `libwww-perl-5.805`, `Date::Manip-5.44`, `HTML::Parser-3.54`, `Finance::Quote-1.11` and `Finance::QuoteHist-1.07`.

Contents

Installed Programs:	<code>dump-finance-quote</code> , <code>gnc-prices</code> , <code>gnc-test-env</code> , <code>gnucash</code> , <code>gnucash-config</code> , <code>gnucash-env</code> , <code>gnucash-make-guids</code> , <code>gnucash-run-script</code> and <code>update-finance-quote</code>
Installed Libraries:	<code>libcore-utils.so</code> , <code>libgnc-app-file-gnome.so</code> , <code>libgncgnome.so</code> , <code>libgncmodule.so</code> , <code>libgw-core-utils.so</code> , <code>libgw-gnc.so</code> and numerous support libraries installed in <code>/opt/gnome-1.4/lib/gnucash</code>
Installed Directories:	<code>/etc/gnucash</code> , <code>/opt/gnome-1.4/include/gnucash</code> , <code>/opt/gnome-1.4/lib/gnucash</code> , <code>/opt/gnome-1.4/libexec/gnucash</code> , <code>/opt/gnome-1.4/share/gnome/apps/Applications</code> , <code>/opt/gnome-1.4/share/gnome/help/gnucash</code> , <code>/opt/gnome-1.4/share/gnucash</code> , <code>/opt/gnome-1.4/share/omf/gnucash-docs</code> and <code>/opt/gnome-1.4/share/pixmaps/gnucash</code>

Short Descriptions

gnucash is a personal finance manager.

GIMP-2.2.12

Introduction to GIMP

The GIMP package contains the GNU Image Manipulation Program. This is useful for photo retouching, image composition and image authoring.

Package Information

- Download (HTTP): <http://ftp.gwdg.de/pub/misc/grafik/gimp/gimp/v2.2/gimp-2.2.12.tar.bz2>
- Download (FTP): <ftp://ftp.gimp.org/pub/gimp/v2.2/gimp-2.2.12.tar.bz2>
- Download MD5 sum: 6a1906db60166a88317f2df5f195a57d
- Download size: 12.8 MB
- Estimated disk space required: 508 MB (includes installing the help system)
- Estimated build time: 4.9 SBU (additional 0.7 SBU to run the test suite and additional 7.1 SBU to build the help files)

Additional Downloads

Help System

- Optional help files: <ftp://ftp.gimp.org/pub/gimp/help/gimp-help-2-0.10.tar.gz>
- Download MD5 sum: 22a1e10c314c5547fe8721c4f6f0b30a
- Download size: 39.9 MB

GIMP Dependencies

Required

GTK+-2.8.20, libart_lgpl-2.3.17, and XML::Parser-2.34

Recommended

Gimp-Print-4.2.7, libjpeg-6b, and LibTIFF-3.8.2



Note

If the recommended dependencies are not installed, the **configure** switches below will need to be modified as explained in the section called “Command Explanations” below.

Optional

libmng-1.0.9, librsvg-2.14.4, AALib-1.4rc5, little cms-1.15, libexif-0.6.13, libgtkhtml-2.11.0 (required to build the help system browser plugin), libxslt-1.1.17, PyGTK (requires Python-2.4.4), GTK-Doc-1.6, an MTA (that provides a **sendmail** program), ALSA-1.0.13, and libwmf

Optional (for Building Documentation from the Help Tarball)

libxslt-1.1.17, DocBook XML DTD-4.4, DocBook XSL Stylesheets-1.69.1, and ImageMagick-6.2.8-0 (only

needed to optimize PNG images)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gimp>

Installation of GIMP

Install GIMP by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --datadir=/usr/share &&
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/gimp-2.2.12 &&
install -v -m644 docs/{Wilber*,keybindings.txt,quick_reference.ps} \
    /usr/share/doc/gimp-2.2.12
```

The `gimp-help` tarball contains a help system designed for use with external web browsers, the internal GIMP help browser, and HTML renderers. The tarball only contains the XML sources, so you will need the `xsltproc` program from `libxslt-1.1.17` to build the HTML files.

If you downloaded the `gimp-help` tarball, change directories out of the GIMP source tree to the root of your build directory. Now unpack the `gimp-help` tarball and change directories to the root of the newly created source tree (as an unprivileged user). Issue the following commands to install the help files:

```
./configure &&
make
```

In order to use the `--enable-convert` parameter to the `configure` script, you must have the `convert` program from `ImageMagick-6.2.8-0` installed.

Now, as the root user:

```
make install
```

Command Explanations

`--datadir=/usr/share`: This parameter is required because there is a subtle bug in `Autoconf-2.59` which causes the `configure` script to mishandle the `datarootdir` variable. Fortunately, passing `--datadir=` works around the problem.

`--disable-print`: This option will disable print support and is necessary if `Gimp-Print` is not installed.

`--without-libjpeg`: This option is necessary if `libjpeg` is not installed.

`--without-libtiff`: This option is necessary if `libtiff` is not installed.

`--enable-gtk-doc`: Use this parameter if `GTK-Doc` is installed and you wish to rebuild the API documentation.

Configuring GIMP

Config Files

`/etc/gimp/2.0/*` and `~/.gimp-2.0/gimprc`

Configuration Information

GIMP executes a configuration wizard for each user upon their initial use of the program.

GIMP executes the **mozilla** web browser by default to view the help files. If you do not have Mozilla, or prefer a different web browser, you can set a new system value in `/etc/gimp/2.0/gimprc`. Execute the following command as the `root` user, replacing `<browser>` with your preferred web browser:

```
echo '(web-browser "<browser> %s")' >> /etc/gimp/2.0/gimprc
```

Contents

Installed Programs:	<code>gimp</code> , <code>gimp-2.2</code> , <code>gimp-remote</code> , <code>gimp-remote-2.2</code> , and <code>gimptool-2.0</code>
Installed Libraries:	<code>libgimp-2.0.so</code> , <code>libgimpbase-2.0.so</code> , <code>libgimpcolor-2.0.so</code> , <code>libgimpmath-2.0.so</code> , <code>libgimpmodule-2.0.so</code> , <code>libgimpthumb-2.0.so</code> , <code>libgimpui-2.0.so</code> , <code>libgimpwidgets-2.0.so</code> , and many other modules and plugin libraries
Installed Directories:	<code>/etc/gimp</code> , <code>/usr/include/gimp-2.0</code> , <code>/usr/lib/gimp</code> , <code>/usr/share/doc/gimp-2.2.12</code> , <code>/usr/share/gimp</code> and <code>/usr/share/gtk-doc/html/libgimp{,base,color,math,module,thumb,widgets}</code>

Short Descriptions

<code>gimp</code>	is a symbolic link to <code>gimp-2.2</code> .
<code>gimp-2.2</code>	is an image manipulation program. It works with a variety of image formats and provides a large selection of tools.
<code>gimp-remote</code>	is a symbolic link to <code>gimp-remote-2.2</code> .
<code>gimp-remote-2.2</code>	is a small utility that tells a running GIMP to open a local or remote image file.
<code>gimptool-2.0</code>	is a tool that can build plug-ins or scripts and install them if they are distributed in one source file. <code>gimptool-2.0</code> can also be used by programs that need to know what libraries and include-paths GIMP was compiled with.
<code>libgimp-2.0.so</code>	provides C bindings for GIMP's Procedural Database (PDB) which offers an interface to core functions and to functionality provided by plug-ins.
<code>libgimpbase-2.0.so</code>	provides the C functions for basic GIMP functionality such as determining enumeration data types, gettext translation, determining GIMP's version number and capabilities, handling data files and accessing the environment.
<code>libgimpcolor-2.0.so</code>	provides the C functions relating to RGB, HSV and CMYK colors as well as

	converting colors between different color models and performing adaptive supersampling on an area.
<code>libgimpmath-2.0.so</code>	contains C functions which provide mathematical definitions and macros, manipulate 3x3 transformation matrices, set up and manipulate vectors and the MD5 message-digest algorithm.
<code>libgimpmodule-2.0.so</code>	provides the C functions which implements module loading using GModule and keeps a list of GimpModule's found in a given searchpath.
<code>libgimpthumb-2.0.so</code>	provides the C functions for handling GIMP's thumbnail objects.
<code>libgimpui-2.0.so</code>	contains the GIMP common user interface functions.
<code>libgimpwidgets-2.0.so</code>	contains GIMP and GTK widget creation and manipulation functions.

Evolution-2.6.3

Introduction to Evolution

The Evolution package contains an integrated mail, calendar and address book suite designed for the GNOME-2 environment.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/evolution/2.6/evolution-2.6.3.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/evolution/2.6/evolution-2.6.3.tar.bz2>
- Download MD5 sum: d7db71aaff2764f03083e6ce74c8ebde
- Download size: 12.4 MB
- Estimated disk space required: 276 MB
- Estimated build time: 9.2 SBU

Evolution Dependencies

Required

GtkHTML-3.10.3 and Evolution Data Server-1.6.3

Recommended (For SSL and S/MIME support)

NSS-3.11.3

The NSS package is not required if you have Firefox-1.5.0.9, Thunderbird-1.5.0.9, SeaMonkey-1.1 or Mozilla installed. These packages contain internal copies of NSS (or they used a system-installed copy). If any of the four packages are installed, one way or another you will already have NSS/NSPR libraries on your system.

Optional

OpenLDAP-2.3.27, HAL-0.5.7.1, D-BUS-0.62, Heimdal-0.7.2 or MIT Kerberos V5-1.6, krb4, GNOME Pilot conduits (requires pilot-link-0.11.8 then GNOME Pilot), GNOME Spell, GStreamer-0.8.x, NetworkManager (download), libnotify, Mono, intltool-0.34.2, GTK-Doc-1.6, and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/evolution>

Installation of Evolution

Install Evolution by running the following commands:



Note

The instructions below assume you have the NSS/NSPR libraries installed on your system. If you elected not to install NSS (or one of the other packages mentioned above), you'll need to remove the following two parameter settings from the **configure** command below:

```
--enable-nss
--enable-smime
```

The Evolution **configure** script only looks for the stand-alone NSS package and the Mozilla and Firefox browsers for the NSS/NSPR libraries. If you are using Thunderbird as your source for the NSS/NSPR libraries, you will have to add the following two parameter settings to the **configure** command below:

```
--with-nspr-includes=/usr/include/nspr
--with-nss-includes=/usr/include/nss
```

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
--sysconfdir=/etc/gnome/2.14.3 \
--localstatedir=/var/lib \
--libexecdir=$(pkg-config \
--variable=prefix ORBit-2.0)/lib \
--enable-nntp \
--enable-nss \
--enable-smime &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
ln -v -s evolution-2.6 \
$(pkg-config --variable=prefix ORBit-2.0)/bin/evolution
```

Command Explanations

--prefix=\$(pkg-config --variable=prefix ORBit-2.0): Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

--sysconfdir=/etc/gnome/2.14.3: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

--localstatedir=/var/lib: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

--libexecdir=\$(pkg-config --variable=prefix ORBit-2.0)/lib: This parameter causes the libexec files to be installed in the preferred location of `$GNOME_PREFIX/lib/evolution` instead of `$GNOME_PREFIX/libexec/evolution`.

--enable-nntp: This parameter is used to build the Usenet news (NNTP) backend.

--enable-nss: This parameter is used to pull in the Mozilla Network Security Services libraries for SSL support.

--enable-smime: This parameter is used to pull in the Mozilla Network Security Services libraries for S/MIME support.

`--with-openldap`: This parameter will compile LDAP support into Evolution.

`--with-krb5`: This parameter will compile Kerberos5 support into Evolution.

`--with-pilot-conduits`: This parameter will build the GNOME Pilot conduits allowing you to synchronize Evolution data on a Palm device.

In -v -s evolution-2.6 \$(pkg-config --variable=prefix ORBit-2.0)/bin/evolution: This optional command creates a convenience symlink to the **evolution-2.6** binary.

Contents

Installed Programs:	evolution and evolution-2.6
Installed Libraries:	\$GNOME_PREFIX/lib/evolution/2.6/* (contains support libraries, conduits, and other components)
Installed Directories:	The following subdirectories of \$GNOME_PREFIX/: include/evolution-2.6, lib/evolution, share/{ {,omf/}evolution, {gnome/help,idl}/evolution-2.6}

Short Descriptions

evolution	is a symlink to the evolution-2.6 program.
evolution-2.6	is an email, calendar and address book suite.

Chapter 35. Office Suites

This chapter contains applications that bundle all the essential needs of everyday office workers into one neat 'little' package. The benefits are a consistent user interface and cooperation between applications.

KOffice-1.6.1

Introduction to KOffice

KOffice is the integrated office suite for KDE. It provides native OASIS OpenDocument format support.

Package Information

- Download (HTTP): <http://mirrors.isc.org/pub/kde/stable/koffice-1.6.1/src/koffice-1.6.1.tar.bz2>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/stable/koffice-1.6.1/src/koffice-1.6.1.tar.bz2>
- Download MD5 sum:
- Download size: 54 MB
- Estimated disk space required: 420 MB (additional 867 MB for API docs)
- Estimated build time: 40 SBU (additional 4.4 SBU for API docs)

Additional Downloads

KOffice has many localization packages in the form of: `koffice-l10n-<xx>-1.6.1.tar.bz2`. The `<xx>` is a two to seven character code for the country covered. The sizes of these files range from about 0.4 MB to 4.6 MB.

- KOffice l10n package listing: <http://download.kde.org/stable/koffice-1.6.1/src/koffice-l10n/>
- Download MD5 sums: <http://mirrors.isc.org/pub/kde/stable/koffice-1.6.1/src/MD5SUMS>

KOffice Dependencies

Required

kdebase-3.5.6

Recommended

libjpeg-6b, libart_lgpl-2.3.17, libxml2-2.6.26, and libxslt-1.1.17

Optional

Aspell-0.60.4, Python-2.4.4, PostgreSQL-8.1.3 (for kexi), MySQL-5.0.21 (plugin), little cms-1.15 and ImageMagick-6.2.8-0 (required for krita), OpenEXR (for enhanced image processing), libwv2 (for MS Word filter), libwpd (for Wordperfect filter), libpaper, Graphviz-2.8, and Doxygen-1.4.6 (the last two to build API documentation)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/koffice>

Installation of KOffice

Install KOffice with the following commands:

```
./configure --prefix=$KDE_PREFIX --disable-debug \
--disable-dependency-tracking &&
make
```



Note

If you wish to create the API documentation and you have Doxygen and Graphviz installed, **make apidox** must be done before **make install**.

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	karbon, kchart, kexi, kformula, kivio, koconverter, koshell, kplato, kprconverter.pl, kpresenter, krita, krossrunner, kspread, ksqlite, ksqlite2, ksqlite2to3, kthesaurus, kudesigner, kugar, and kword
Installed Libraries:	Numerous libraries (about 50) in \$KDE_PREFIX/lib
Installed Directory:	Numerous directories in \$KDE_PREFIX/share

Short Descriptions

kchart	is a chart drawing application.
kexi	is an integrated data management application.
kformula	is a formula editor.
kivio	is a flowchart program.
kplato	is a project management application.
kpresenter	is a presentation builder/display program.
krita	is a painting and image editing application for KOffice..
kspread	is a scriptable spreadsheet program.
kugar	is a tool for creating reports.
kword	is a framemaker-like word processing and desktop publishing program.

OpenOffice-2.0.3

Introduction to OpenOffice

OpenOffice is an office suite, the open source sibling of StarOffice.

Package Information

- Download (HTTP): http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/o/OOo_2.0.3_src.tar.gz
- Download (FTP): ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/o/OOo_2.0.3_src.tar.gz
- Download MD5 sum: f68832ff3458664ae2b741ec67d30104
- Download size: 294 MB
- Estimated disk space required: 6 GB
- Estimated build time: 129 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/OOo_2.0.3-xauth-1.patch
- Required patch if Linux-PAM-0.99.4.0 is not installed:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/OOo_2.0.3-no_pam-1.patch
- Required patch if building against the system-installed Mozilla products (NSS, Firefox, or Seamonkey):
http://www.linuxfromscratch.org/patches/blfs/6.2.0/OOo_2.0.3-system_mozilla_fixes-1.patch
- Required download if you wish to build the in-tree Mozilla browser:
<ftp://ftp.mozilla.org/pub/mozilla.org/mozilla/releases/mozilla1.7.5/source/mozilla-source-1.7.5.tar.gz>

OpenOffice Dependencies

Required

Apache Ant-1.6.5, GTK+-2.8.20, libIDL-0.8.7, libxml2-2.6.26, Perl Modules XML::Parser-2.34 and Archive::Zip-1.16, Tcsh-6.14.00, UnZip-5.52, which-2.16, and Zip-2.32

Recommended

libart_lgpl-2.3.17

Optional

ALTLinuxhyph, boost, CUPS-1.2.7, cURL-7.15.3, desktop-file-utils-0.11, EPM, Evolution-2.6.3, GNOME Virtual File System-2.14.2, GPC, KDE, libjpeg-6b, libsndfile, LibTIFF-3.8.2, libwpd, Linux-PAM-0.99.4.0, SeaMonkey-1.1 (must be built against the system NSS-3.11.3) or Firefox-1.5.0.9 (with ldap support), MySpell, MyThes, NAS-1.7, neon, OpenLDAP-2.3.27, PortAudio, Python-2.4.4, Sablotron, SANE-1.0.17, startup-notification-0.8, STLPort, and unixODBC-2.2.11

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/openoffice>

Installation of OpenOffice

Apply all of the downloaded patches:

```
for PATCH in ../OOo_2.0.3-*.patch
do patch -Np1 -i ${PATCH}
done
```

If you wish to build an in-tree Mozilla, as opposed to using a system wide installation, copy the Mozilla source tarball into the source tree:

```
cp ../mozilla-source-1.7.5.tar.gz moz/download/
```

If you want to optimize the build, edit the appropriate makefile in `solenv/inc/` and add the desired optimization flags to the `CFLAGSOPT` variable. The makefiles are arch specific, for instance edit `solenv/inc/unxlngi6.mk` for `i686`. Some users have reported problems with `-fomit-frame-pointer`. The best option is to not use any custom optimizations. The following command removes an incorrect `-mcpu` option in several of the makefiles:

```
sed -i '/^ARCH_FLAGS\*=/d' solenv/inc/unx{lngi{4,5,6},fbsdi}.mk
```

Configure OpenOffice using the following commands:



Note

Because of the complexity of the OpenOffice build system, it is not possible to provide generic build instructions for all systems. You should review the output of **`config_office/configure --help`** and take advantage of any system installed programs and libraries available using the `--enable`, `--disable`, and `--with-system-*` parameters.



Warning

Do not use the `--with-system-db` switch. The BerkeleyDB that is installed with LFS is too new for this version of OpenOffice.

```
cd config_office/ &&
autoreconf &&
./configure --prefix=/opt/openoffice-2.0.3 \
  --enable-libart --disable-fontooo --disable-gnome-vfs \
  --without-fonts --with-system-stdlibs --with-system-freetype \
  --with-system-expat --with-system-libxml --with-system-zlib \
  --enable-build-mozilla --with-build-version=BLFS \
  --with-package-format=native --disable-binfilter &&
cd ..
```

OpenOffice fails to compile if **`umask`** is set to something exotic. The build can also fail if the `LANG` or `LC_ALL` environment variables are set. Use the following commands to change your environment accordingly:

```
umask 0022 &&
unset LANG LC_ALL
```

Compile OpenOffice using the following commands:

```
./bootstrap &&
. LinuxIntelEnv.Set.sh &&
```

dmake

This package does not come with a test suite.

Install OpenOffice as the `root` user with the following commands:

```
cd instsetoo_native/unxlngi6.pro/OpenOffice/\
native/install/en-US/linux-2.6-intel/buildroot/opt &&
cp -r -v openoffice.org2.0 /opt/openoffice-2.0.3
```

Still as the `root` user:

```
for appl in sbase scalc sdraw simpress smath soffice spadmin swriter
do
    ln -v -sf /opt/openoffice-2.0.3/program/$appl /usr/bin/$appl
done
```

The icons are not installed by default. While still the `root` user, install the icons with the following commands:

```
cd ../../../../../../../../../../../../../../sysui/desktop/icons &&
install -v -d /usr/share/icons/{HighContrast,hicolor,locolor} -m755 &&
cp -r -v HighContrast/*x* /usr/share/icons/HighContrast &&
cp -r -v hicolor/*x* /usr/share/icons/hicolor &&
cp -r -v locolor/*x* /usr/share/icons/locolor
```

If you have installed `desktop-file-utils-0.11` and use KDE, there is no further configuration necessary. If you use Gnome, you should copy the `*.desktop` files to `/usr/share/applications` with the following commands as the `root` user:

```
install -v -d /usr/share/applications -m 755 &&
cd /opt/openoffice-2.0.3/share/xdg/ &&
for appl in *.desktop
do
    sed -i '/Exec/d' $appl
    echo "Exec=/usr/bin/s`echo $appl | sed 's/.desktop//'\`" >> $appl
    sed -i '/Icon/d' $appl
    echo "Icon=`echo $appl | sed 's/.desktop//'\`" >> $appl
done &&
sed -i 's@bin/sprinteradmin@bin/spadmin@' printeradmin.desktop &&
cp -v *.desktop /usr/share/applications
```

Finally, if you'd like to edit OpenOffice documents directly from Mozilla or Firefox, create a symbolic link in your plugins directory to `/opt/openoffice-2.0.3/program/libnpsopugin.so`. Additionally, you must enable the plugin from the *Internet Options* within any OpenOffice application.

Command Explanations

`--enable-libart`: This switch forces the use of `libart` instead of `gpc` for polygon clipping.

`--enable-libsnotify`: This switch enables the use of startup-notification.

`--disable-fontconfig`: Use `Fontconfig` instead of `FontOOo`.

`--disable-gnome-vfs`: Disable the use of Gnome Virtual File System libraries. Omit this switch if you

have Gnome installed.

--without-fonts: Do not install Bitstream Vera fonts since they are already included in X Window System Environment.

*--with-system-**: Use the system libraries and programs instead of building the source packages included in the build tree.

--enable-build-mozilla: Build the in-tree Mozilla suite.

--with-build-version=BLFS: Appends "BLFS" to the end of the version string.

--with-package-format=native: This switch disables the build of RPM packages.

--disable-binfilter: This switch disables the build of legacy StarOffice-5 import filters.

--with-firefox: Enables the use of Firefox in place of the full Mozilla suite. This will disable the use of a Thunderbird address book as a data source.

--disable-cups: Disable the use of CUPS for printing.

--with-lang=<LANG>: Makes an install set for the desired language. ENUS is the default.

--with-dict=<LANG>: This switch installs dictionaries for the desired languages. ENUS is the default.

./bootstrap: Build the dmake utility required to complete the build.

dmake: Compile the package.

for appl in *.desktop...: Edit the *.desktop files for use with a standard BLFS system.

Contents

Installed Programs: scalc, sdraw, simpress, smath, soffice, spadmin, and swriter.

Installed Libraries: OpenOffice libraries

Installed Directory: /opt/openoffice-2.0.3

Short Descriptions

sbase is a database application.

scalc is a spreadsheet application.

sdraw is a drawing application.

simpress is a presentation application.

smath is a mathematical formula editor.

soffice opens a base window with access to all OpenOffice applications.

spadmin is the OpenOffice printer configuration utility.

swriter is a word processing application.

Chapter 36. Graphical Web Browsers

This chapter contains a wonderful selection of browsers. We hope you can find one you enjoy using or give them each a trial run.

SeaMonkey-1.1

Introduction to SeaMonkey

SeaMonkey is a browser suite, the Open Source sibling of Netscape. It includes the browser, composer, mail and news clients, and an IRC client. It is the follow-on to the Mozilla browser suite.

The Mozilla project also hosts two subprojects that aim to satisfy the needs of users who don't need the complete browser suite or prefer to have separate applications for browsing and e-mail. These subprojects are Mozilla Firefox, (a stand-alone browser based on the Mozilla source code) and Mozilla Thunderbird, (a stand-alone mail/newsgroup client based on the Mozilla source code). The build instructions for these two applications are discussed in separate sections:

- Firefox-1.5.0.9
- Thunderbird-1.5.0.9

Package Information

- Download (HTTP):
<http://ftp.mozilla.org/pub/mozilla.org/seamonkey/releases/1.1/seamonkey-1.1.source.tar.bz2>
- Download (FTP):
<ftp://ftp.mozilla.org/pub/mozilla.org/seamonkey/releases/1.1/seamonkey-1.1.source.tar.bz2>
- Download MD5 sum: 2d78434affe9e4499e3cfceae2d8522f
- Download size: 33.4 MB
- Estimated disk space required: 620 MB
- Estimated build time: 17.1 SBU

To enable the Enigmail extension to the SeaMonkey mail client, you'll need to download the tarball listed below. The Enigmail extension allows users to access the authentication and encryption features provided by the GnuPG package. The Enigmail extension will not operate correctly unless you have GnuPG-1.4.3 installed.

- <http://www.mozilla-enigmail.org/downloads/src/enigmail-0.94.2.tar.gz>
- Download MD5 sum (Enigmail): cc1ba2bec7c3a2ac408ef24fbf1884de

SeaMonkey Dependencies

Required

GTK+-2.8.20, libIDL-0.8.7, and Zip-2.32



Note

libjpeg-6b should have been installed before GTK+ and should exist on your system. If for some reason you haven't installed libjpeg, you should remove the `--with-system-jpeg` option from the `.mozconfig` file created below.

Recommended

NSS-3.11.3 (if you will be installing any other package that utilizes NSS/NSPR, such as Firefox, Thunderbird, Evolution, or OpenOffice)

Optional

UnZip-5.52 and libgnomeui-2.14.1 (to build the gnomevfs extension)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/seamonkey>

Installation of SeaMonkey

The configuration of SeaMonkey is accomplished by creating a `.mozconfig` file containing the desired configuration options. A default `.mozconfig` file is created below. To see the entire list of available configuration options (and an abbreviated description of each one), issue `./configure --help`. Additional information can also be found below in the section titled Additional `.mozconfig` Options. If you are going to use system-installed versions of the NSS and NSPR libraries, ensure you uncomment the two lines near the bottom of the file. If you would prefer to download the file instead of creating it by typing or cut-and-pasting, you can find it at <http://anduin.linuxfromscratch.org/files/BLFS/seamonkey-1.1-mozconfig> (the file must be installed in the root of the source tree mozilla directory, and named `.mozconfig`). Create the file by issuing the following command:

```
cat > .mozconfig << "EOF"
# This file contains the options used in the SeaMonkey build. You may
# need to specify additional options for your specific build needs.
# Use the information provided by running './configure --help' to
# help you determine if you need to add any additional options.
# Some additional options can be added by uncommenting the examples
# in this file or adding options by inserting a line containing
# 'ac_add_options --some-option-you-need'.

# Create an object directory and specify to build the package in that
# directory. If desired, modify the location of the object directory
# to a directory inside the source tree by removing '../' from the
# line below.
mk_add_options MOZ_OBJDIR=@TOPSRCDIR@/../seamonkey-build

# This option is used to specify that the SeaMonkey suite is
# being built and to use all the default options for SeaMonkey.
ac_add_options --enable-application=suite

# Specify the installation prefix. If you would prefer SeaMonkey
# installed in a different prefix, modify the line below to fit
# your needs. You'll also need to modify some of the instructions in
# the BLFS book to point to your desired prefix.
ac_add_options --prefix=/usr
```

```

# These options are used so that the SeaMonkey binaries are linked to
# the system-installed copies of the specified libraries instead of
# the source tree code which may not be the most recent versions.
ac_add_options --with-system-zlib
ac_add_options --with-system-png
ac_add_options --with-system-jpeg
ac_add_options --enable-system-cairo

# This option specifies to include support for rendering the HTML
# <canvas></canvas> tag in the SeaMonkey browser.
ac_add_options --enable-canvas

# This option is used so that the debugging symbols are removed from
# the installed binaries during the installation process. Comment out
# this option if you may have a need to retain the debugging symbols
# in the installed binaries. Note that this can substantially
# increase the size of the installed binaries.
ac_add_options --enable-strip

# This option is added so that test libraries and programs are not
# built. These would only be required for debugging purposes.
ac_add_options --disable-tests

# This option is added so that the Mozilla Installer program is not
# built or installed. The program is not required for a BLFS
# installation of SeaMonkey.
ac_add_options --disable-installer

# This option is used to disable the ally support in the SeaMonkey
# binaries. Comment out this option if you require ally support.
ac_add_options --disable-accessibility

# This option is used to enable support for rendering SVG files in the
# SeaMonkey browser.
ac_add_options --enable-svg

# This option is used to enable source tree included LDAP support in
# the SeaMonkey binaries.
ac_add_options --enable-ldap

# These two options enable support for building SeaMonkey with
# system-installed versions of the Network Security Services (NSS)
# and Netscape Portable Runtime (NSPR) libraries. Uncomment both
# lines to enable support for system-installed NSS/NSPR.
#ac_add_options --with-system-nspr
#ac_add_options --with-system-nss

# Uncomment this option if you desire support for dual-monitor
# display of SeaMonkey using the X-Window Xinerama libraries.
#ac_add_options --enable-xinerama

# Complex scripts such as Thai can only be rendered in SeaMonkey with the

```



```
# help of Pango. This option significantly slows rendering, so only use
# it if necessary.
#ac_add_options --enable-pango

# This option identifies the default binary directory of the SeaMonkey
# installation and is used to locate SeaMonkey's installed files. This
# option is not required for end-user browsing, and is only used for
# development purposes.
#ac_add_options --with-default-mozilla-five-home=/usr/lib/seamoney-1.1

EOF
```

Now clean up one Makefile to add required libraries to a build step. Note that the command requires two separate lines as shown.

```
sed -i -e '/MOZ_JS_LIBS/a\
\t\t$(MOZ_XFT_LIBS) \\' layout/build/Makefile.in
```

Compile SeaMonkey by running the following command:

```
make -f client.mk build
```

If you're building the SeaMonkey mail/newsgroup client and plan to install the Enigmail extension, issue the following commands:

```
tar -xf ../enigmail-0.94.2.tar.gz -C mailnews/extensions &&
pushd mailnews/extensions/enigmail &&
./makemake -r &&
popd &&

make -C ../seamoney-build/mailnews/extensions/enigmail &&
make -C ../seamoney-build/mailnews/extensions/enigmail xpi
```

This package does not come with a test suite. However, it can be launched from the build directory before installing with the command line: `../seamoney-build/dist/bin/seamoney`.

Install SeaMonkey by issuing the following commands as the `root` user:

```
make -f client.mk install &&

install -v -m644 ../seamoney-build/dist/public/ldap-private/* \
    /usr/include/seamoney-1.1/ldap &&

install -v -m755 -d /usr/lib/seamoney-1.1/defaults/isp/US &&
install -v -m644 mailnews/base/ispdata/movemail.rdf \
    /usr/lib/seamoney-1.1/defaults/isp &&
ln -v -s ../movemail.rdf /usr/lib/seamoney-1.1/defaults/isp/US
```

If you built SeaMonkey utilizing system-installed NSS and NSPR libraries, the `seamoney-ns*.pc` pkgconfig files are broken as they point to the wrong directories where the actual libraries and interface headers are located. Issue the following commands as the `root` user to replace the broken files with symbolic links to known good files:

```
ln -v -sf nss.pc /usr/lib/pkgconfig/seamonkey-nss.pc &&
ln -v -sf nspr.pc /usr/lib/pkgconfig/seamonkey-nspr.pc
```

If you did **NOT** build seamonkey utilizing system-installed NSS and NSPR libraries, issue the following commands as the `root` user to install the NSS interface headers:

```
install -v -m755 -d /usr/include/seamonkey-1.1/nss &&
cp -v -Lf ../seamonkey-build/dist/{private,public}/nss/*.h \
  /usr/include/seamonkey-1.1/nss
```

If you built the Enigmail extension, issue the following commands as the `root` user to install the `.xpi` file into the `/usr/lib/seamonkey-1.1` directory:

```
install -v -m755 -d /usr/lib/seamonkey-1.1/xpi_store &&
install -v -m644 ../seamonkey-build/dist/bin/enigmail-0.94.2-*.xpi \
  /usr/lib/seamonkey-1.1/xpi_store
```

There are two methods you can use to install the Enigmail extension. Both are shown here and provide similar functionality with one major difference. The first method will install the extension system-wide and all users of SeaMonkey will have an Enigmail-enabled mail client. The method shown later only installs it on a per-user basis. The first method must be accomplished now (before the object directory is removed) and uses the conventional **make install** command to install the Enigmail files straight from the distribution directory of the object directory. The alternate method is shown as it installs using the `.xpi` file created earlier and can be done later (at any time you desire) as the file used to install Enigmail was copied into `/usr/lib/seamonkey-1.1/xpi_store` in the previous step. This method can be used to install any downloaded Mozilla extension distributed in a `.xpi` file. There are many extensions available for SeaMonkey. A list containing many of them can be found at <http://extensionroom.mozdev.org/>.

If you want to install the Enigmail extension now, which offers system-wide access, issue the following commands as the `root` user:

```
make -C ../seamonkey-build/mailnews/extensions/enigmail install
```

To install an extension from a created or download `.xpi` file, you simply need to “open” the `.xpi` file using the “Open File” option of the “File” menu of the browser window. You can browse to find the file (for example, the Enigmail `.xpi` file is located in `/usr/lib/seamonkey-1.1/xpi_store`), select it, then follow the prompts to install the extension.



Note

You should run `/usr/bin/seamonkey` once as the `root` user (or any user with write privileges) to create some necessary additional files in the `/usr` hierarchy. Also do this each time you install additional system-wide extensions.

Additional .mozconfig Options

Information about some of the additional options which can be added to the `.mozconfig` configuration file is shown below. Note that this is just a few of the options. You may wish to run `./configure --help` and review each of the listed options to discover what affect they have on the build. Feel free to add or remove options to tailor the build to your desires. Listed below are some common options not in the default `.mozconfig` file but

can be added in order to have the described effect on the SeaMonkey compile.

`ac_add_options --enable-elf-dynstr-gc`: Removes un-referenced strings from ELF shared objects generated during the build. Note that this option breaks the build on alpha.

`ac_add_options --disable-mailnews`: Disables the mail and news clients.

`ac_add_options --disable-ldap`: Disables LDAP support, recommended if mail is disabled.

`ac_add_options --enable-xterm-updates`: Displays the current command in the **xterm** window title during the compilation.

`ac_add_options --enable-plaintext-editor-only`: Disables support for HTML editing. Do not use this switch if you are building the mail-news component.

.mozconfig Option Explanations

To simplify reading the options below, they are labeled without `ac_add_options` inserted at the beginning of the option. These options are also described in the `.mozconfig` file created earlier.

`mk_add_options MOZ_OBJDIR=@TOPSRCDIR@/../seamonkey-build`: Creates an object directory and specifies to build the package in that directory. If desired, modify the location of the object directory to a directory inside the source tree by removing “../” from the line.

`--enable-application=suite`: Identifies the build as a SeaMonkey suite build.

`--with-system-zlib` `--with-system-png` `--with-system-jpeg`
`--enable-system-cairo`: Uses the system-installed versions of these packages.

`--enable-xinerama` `--enable-reorder` `--enable-strip` `--enable-cpp-rtti`
`--disable-accessibility` `--disable-tests` `--disable-logging`
`--disable-pedantic` `--disable-installer`: Various options that affect what components are built and some optimization options. You can pick and choose from these options. More information on them, and many other available options, can be found by running `./configure --help`.

Command Explanations

make -f client.mk ...: Mozilla products are packaged to allow the use of a configuration file which can be used to pass the configuration settings to the **configure** command. **make** uses the `client.mk` file to get initial configuration and setup parameters, then depending on the target parameter (*build* or *install*), either runs the **configure** script and compiles the package or installs the package.

./makemake -r: This command is used to recursively create Makefiles in the appropriate subdirectory of `seamonkey-build`.

make -C ... xpi: This command builds the Enigmail `.xpi` file which can be used to install Enigmail.

install ../movemail.rdf ...: This command is used to install a file inadvertently left out of the installation script.

Configuring SeaMonkey

No specific configuration is required as long as the **seamonkey** script is in the user's path. If SeaMonkey is installed in a non-standard location, then make a symlink to the **seamonkey** script in the `/usr/bin` directory.

Many applications look for **netscape** when they need to open a browser. You may make the following symlink

for convenience (as the `root` user).

```
ln -v -sf seamonkey /usr/bin/netscape
```

For installing various SeaMonkey plugins, refer to Mozdev's PluginDoc Project. If you have JDK-1.5.0_10 already installed, create the following link as the `root` user to utilize the JAVA plugin:

```
ln -v -s $JAVA_HOME/jre/plugin/i386/ns7/libjavaplugin_oji.so \
/usr/lib/seamonkey-1.1/plugins
```

Some packages install SeaMonkey plugins into the default system-wide directory `/usr/lib/mozilla/plugins`. If desired, create symbolic links in the SeaMonkey plugin directory `/usr/lib/seamonkey-1.1/plugins` to the files in the default plugin directory (you should link to the actual files and not other links). Alternatively, you can move or copy the files in the default plugin directory to the SeaMonkey plugin directory. An example of creating a symbolic link is shown below. Create the links as the `root` user:

```
ln -v -s ../../seamonkey/plugins/<plugin.so> \
/usr/lib/seamonkey-1.1/plugins
```

Along with using the “Preferences” menu to configure SeaMonkey's options and preferences to suit individual tastes, finer grain control of many options is only available using a tool not available from the general menu system. To access this tool, you'll need to open a browser window and enter `about:config` in the address bar. This will display a list of the configuration preferences and information related to each one. You can use the “Filter:” bar to enter search criteria and narrow down the listed items. Changing a preference can be done using two methods. One, if the preference has a boolean value (True/False), simply double-click on the preference to toggle the value and two, for other preferences simply right-click on the desired line, choose “Modify” from the menu and change the value. Creating new preference items is accomplished in the same way, except choose “New” from the menu and provide the desired data into the fields when prompted.



Tip

There is a multitude of configuration parameters you can tweak to customize SeaMonkey. A very extensive and up-to-date list of these parameters can be found at <http://preferential.mozdev.org/preferences.html>.

Contents

Installed Programs:	seamonkey and seamonkey-config
Installed Libraries:	Numerous libraries, browser, and email/newsgroup components, plugins, extensions, and helper modules installed in <code>/usr/lib/seamonkey-1.1</code>
Installed Directories:	<code>/usr/include/seamonkey-1.1</code> , <code>/usr/lib/seamonkey-1.1</code> , and <code>/usr/share/idl/seamonkey-1.1</code>

Short Descriptions

seamonkey is a browser/email/newsgroup/chat client suite. The various components such as the Composer, mail-news client, IRC chat client, and address book can be accessed from the menu after

seamonkey starts or via command-line switches to the **seamonkey** script. Issue **man seamonkey** for additional information.

Firefox-1.5.0.9

Introduction to Firefox

Firefox is a stand-alone browser based on the Mozilla codebase.

Package Information

- Download (HTTP):
<http://releases.mozilla.org/pub/mozilla.org/firefox/releases/1.5.0.9/source/firefox-1.5.0.9-source.tar.bz2>
- Download (FTP):
<ftp://ftp.mozilla.org/pub/mozilla.org/firefox/releases/1.5.0.9/source/firefox-1.5.0.9-source.tar.bz2>
- Download MD5 sum: 383d3f3a17ba819ead94c2edc6739773
- Download size: 34.0 MB
- Estimated disk space required: 548 MB
- Estimated build time: 13.9 SBU

Additional Downloads

- Required patch (if using system-installed versions of NSS and NSPR):
http://www.linuxfromscratch.org/patches/blfs/6.2.0/firefox-1.5.0.9-system_nss-1.patch
- Required patch (if enabling Pango font rendering):
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/firefox-1.5.0.9-pangoxft-1.patch>

Firefox Dependencies

Required

GTK+-2.8.20, libIDL-0.8.7, and Zip-2.32

Note: libjpeg should have been installed before GTK+ and should exist on your system. If for some reason you haven't installed libjpeg, you should remove the `--with-system-jpeg` option from the `.mozconfig` file created below.

Recommended (if you will be installing any other package that utilizes NSS/NSPR, such as Thunderbird, Mozilla, Evolution, or OpenOffice)

NSS-3.11.3

Optional

UnZip-5.52 and libgnomeui-2.14.1 (to build the gnomevfs extension)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/firefox>

Installation of Firefox

The configuration of Firefox is accomplished by creating a `.mozconfig` file containing the desired configuration options. A default `.mozconfig` is created below. To see the entire list of available configuration options (and an abbreviated description of each one), issue `./configure --help`. If you are going to use

system-installed versions of the NSS and NSPR libraries, ensure you uncomment the two lines near the bottom of the file. If you are going to build the OpenOffice package and you want to use this Firefox installation as the default Mozilla source, ensure you uncomment the `--enable-ldap` option in the file created below. You may also wish to review the entire file and uncomment any other desired options. If you would prefer to download the file instead of creating it by typing or cut-and-pasting, you can find it at <http://anduin.linuxfromscratch.org/files/BLFS/firefox-1.5.0.9-mozconfig> (the file must be installed in the root of the source tree mozilla directory, and named `.mozconfig`). Create the file by issuing the following command:

```
cat > .mozconfig << "EOF"
# This file contains the options used in the Firefox build. You may
# need to specify additional options for your specific build needs.
# Use the information provided by running './configure --help' to
# help you determine if you need to add any additional options.
# Some additional options can be added by uncommenting the examples
# in this file or adding options by inserting a line containing
# 'ac_add_options --some-option-you-need'.

# Use the default settings specified in the source tree
. $topsrcdir/browser/config/mozconfig

# Create an object directory and specify to build the package in that
# directory. If desired, modify the location of the object directory
# to a directory inside the source tree by removing '../' from the
# line below.
mk_add_options MOZ_OBJDIR=@TOPSRCDIR@/../firefox-build

# Specify the installation prefix. If you would prefer Firefox
# installed in a different prefix, modify the line below to fit
# your needs. You'll also need to modify some of the instructions in
# the BLFS book to point to your desired prefix.
ac_add_options --prefix=/usr

# These options are used so that the Firefox binaries are linked to
# the system-installed copies of the specified libraries instead of
# the source tree code which may not be the most recent versions.
ac_add_options --with-system-zlib
ac_add_options --with-system-png
ac_add_options --with-system-jpeg
ac_add_options --enable-system-cairo

# This option causes the installed binaries to have the official
# Firefox name embedded in them. Due to license restrictions, you
# may not distribute binaries created using this option.
ac_add_options --enable-official-branding

# This option specifies to include support for rendering the HTML
# <canvas></canvas> tag in the Firefox browser.
ac_add_options --enable-canvas

# This option is used to enable support for rendering SVG files in the
# Firefox browser. Comment out the line to disable the option.
ac_add_options --enable-svg
```

```

# This option is used so that the debugging symbols are removed from
# the installed binaries during the installation process. Comment out
# this option if you may have a need to retain the debugging symbols
# in the installed binaries. Note that this can substantially
# increase the size of the installed binaries.
ac_add_options --enable-strip

# This option is added so that test libraries and programs are not
# built. These would only be required for debugging purposes.
ac_add_options --disable-tests

# This option is added so that the Mozilla Installer program is not
# built or installed. The program is not required for a BLFS
# installation of Firefox.
ac_add_options --disable-installer

# This option is used to disable the ally support in the Firefox
# binaries. Comment out this option if you require ally support.
ac_add_options --disable-accessibility

# This option is used to enable source tree included LDAP support in
# the Firefox binaries.
#####
#
# NOTE: You must uncomment this option if there is any chance of
# compiling the OpenOffice package from source code using this copy
# of Firefox for your Mozilla support.
#
#####
#ac_add_options --enable-ldap

# Uncomment this option if you desire support for dual-monitor
# display of Firefox using the X-Window Xinerama libraries.
#ac_add_options --enable-xinerama

# These two options enable support for building Firefox with
# system-installed versions of the Network Security Services (NSS)
# and Netscape Portable Runtime (NSPR) libraries. Uncomment both
# lines to enable support for system-installed NSS/NSPR.
#ac_add_options --with-system-nss
#ac_add_options --with-system-nspr

# Complex scripts such as Thai can only be rendered in Firefox with the
# help of Pango. This option significantly slows rendering, so only use
# it if necessary.
#ac_add_options --enable-pango

# This option identifies the default binary directory of the Firefox
# installation and is used to locate Firefox's installed files. This
# option is not required for end-user browsing, and is only used for
# development purposes.
#ac_add_options --with-default-mozilla-five-home=/usr/lib/firefox-1.5.0.9

```


EOF

If you wish to use Pango for font rendering and have uncommented the appropriate option in `.mozconfig`, apply the following patch:

```
patch -Np1 -i ../firefox-1.5.0.9-pangoxft-1.patch
```

If you have system-installed Network Security Services (NSS) and Netscape Portable Runtime (NSPR) libraries and you uncommented the appropriate lines in the `.mozconfig` file to utilize them, apply the following patch:

```
patch -Np1 -i ../firefox-1.5.0.9-system_nss-1.patch
```

Compile Firefox by issuing the following commands:

```
sed -i "s/^    enum$& xptinfo_enum_1/" \
    xpcom/reflect/xptinfo/public/xptinfo.h &&
make -f client.mk build
```

This package does not come with a test suite.

Now, as the `root` user, install the package:

```
make -f client.mk install &&

install -v -m755 -d /usr/lib/firefox-1.5.0.9/chrome/icons/default &&
ln -v -s ../../../../icons/default.xpm \
    /usr/lib/firefox-1.5.0.9/chrome/icons/default &&

chown -v -R root:root \
    /usr/lib/firefox-1.5.0.9/extensions/inspector@mozilla.org/*
```

If you enabled LDAP support in the Firefox build, install some additional interface headers as the `root` user:

```
install -v -m644 ../firefox-build/dist/public/ldap-private/* \
    /usr/include/firefox-1.5.0.9/ldap
```

If you built Firefox utilizing system-installed NSS and NSPR libraries, the `firefox-ns*.pc` pkgconfig files are broken as they point to the wrong directories where the actual libraries and interface headers are located. Issue the following commands as the `root` user to replace the broken files with symbolic links to known good files:

```
ln -v -sf nss.pc /usr/lib/pkgconfig/firefox-nss.pc &&
ln -v -sf nspr.pc /usr/lib/pkgconfig/firefox-nspr.pc
```

If you did **NOT** build Firefox utilizing system-installed NSS and NSPR libraries, issue the following commands as the `root` user to install the NSS interface headers:

```
install -v -m755 -d /usr/include/firefox-1.5.0.9/nss &&
cp -v -Lf ../firefox-build/dist/{private,public}/nss/*.h \
    /usr/include/firefox-1.5.0.9/nss
```

**Note**

You should run `/usr/bin/firefox` once as the `root` user (or any user with write privileges) to create some necessary additional files in the `/usr` hierarchy.

Command Explanations

sed -i "s/^ enum\$/& xptinfo_enum_1/" ...: This command is used to fix an anonymous enum in an external/public interface header file.

make -f client.mk ...: Mozilla products are packaged to allow the use of a configuration file which can be used to pass the configuration settings to the **configure** command. **make** uses the `client.mk` file to get initial configuration and setup parameters, then depending on the target parameter (*build* or *install*), either runs the **configure** script and compiles the package or installs the package.

install -v -m755 -d .../chrome/icons/default and **ln -v -s ../../icons/default.xpm ...:** These two commands are used to create a symlink in the required directory so that the proper icon is displayed in the taskbar and when Firefox windows are minimized.

chown -v -R root:root ...: This command changes the ownership of some installed files to more appropriate user:group names.

Configuring Firefox

No specific configuration is required as long as the **firefox** script is in the user's path. If Firefox is installed in a non-standard location, then make a symlink to the **firefox** script in the `/usr/bin` directory.

If your Window or Desktop Manager does not allow you to configure a default mail client, you can add a configuration parameter to Firefox so that an email client will start when you click on a `mailto:` URL. There are two parameters you need to check. The procedure to check or modify any of the configuration parameters is quite simple and the instructions here can be used to view or modify any of the parameters.

First, open the configuration dialog by entering `about:config` in the address bar. This will display a list of the configuration preferences and information related to each one. You can use the "Filter:" bar to enter search criteria and narrow down the listed items. Changing a preference can be done using two methods. One, if the preference has a boolean value (True/False), simply double-click on the preference to toggle the value and two, for other preferences simply right-click on the desired line, choose "Modify" from the menu and change the value. Creating new preference items is accomplished in the same way, except choose "New" from the menu and provide the desired data into the fields when prompted.

The two configuration preference items you need to check so that Firefox uses a specified default mail client are the `network.protocol-handler.external.mailto` which should be set to `True` and the `network.protocol-handler.app.mailto` which should be set to the path of the desired mail client, e.g., `/usr/bin/thunderbird`.

**Tip**

There is a multitude of configuration parameters you can tweak to customize Firefox. A very extensive and up-to-date list of these parameters can be found at <http://preferential.mozdev.org/preferences.html>.

Many applications look for **netscape** when they need to open a browser. You may wish to make the following symlink for convenience (as the `root` user).

```
ln -v -sf firefox /usr/bin/netscape
```

For installing various Firefox plugins, refer to Mozdev's PluginDoc Project. If you have the JDK-1.5.0_10 already installed, create the following link as the `root` user to utilize the installed Java plugin:

```
ln -v -s $JAVA_HOME/jre/plugin/i386/ns7/libjavaplugin_oji.so \
/usr/lib/firefox-1.5.0.9/plugins
```

Some packages install Mozilla plugins into the default system-wide directory `/usr/lib/mozilla/plugins`. If desired, create symbolic links in the Firefox plugin directory `/usr/lib/firefox-1.5.0.9/plugins` to the files in the default plugin directory (you should link to the actual files and not other links). Alternatively, you can move or copy the files in the default plugin directory to the Firefox plugin directory. An example of creating a symbolic link is shown below. Create the links as the `root` user:

```
ln -v -s ../../mozilla/plugins/<plugin.so> \
/usr/lib/firefox-1.5.0.9/plugins
```

Contents

Installed Programs:	firefox and firefox-config
Installed Libraries:	Numerous libraries, browser components, plugins, extensions, and helper modules installed in <code>/usr/lib/firefox-1.5.0.9</code>
Installed Directories:	<code>/usr/include/firefox-1.5.0.9</code> , <code>/usr/lib/firefox-1.5.0.9</code> , and <code>/usr/share/idl/firefox-1.5.0.9</code>

Short Descriptions

firefox	is a shell script that sets up the environment and calls the <code>firefox-bin</code> binary.
firefox-config	determines the compile and linker flags that should be used to compile and link programs that use Firefox libraries and browser components.

Galeon-2.0.1

Introduction to Galeon

The Galeon package contains a GNOME-2 browser that utilizes the mozilla.org Gecko layout engine and presents the simplest interface possible for a browser.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/galeon/galeon-2.0.1.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/galeon-2.0.1.tar.bz2>
- Download MD5 sum: 34d6e3a6ee78f9e4d12736e5d81b462b
- Download size: 2.9 MB
- Estimated disk space required: 75.4 MB
- Estimated build time: 1.3 SBU

Galeon Dependencies

Required

libgnomeui-2.14.1 and a mozilla.org Gecko layout engine (SeaMonkey-1.1 or Firefox-1.5.0.9 or Thunderbird-1.5.0.9 or Mozilla)

Optional

GNOME Desktop-2.14.3, libgtkhtml-2.11.0, and iso-codes-0.58-1

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/galeon>

Installation of Galeon

Compiling must be done with the same compiler version and optimization settings that were used to compile the Gecko layout engine package.

Install Galeon by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
            --sysconfdir=/etc/gnome/2.14.3 \
            --localstatedir=/var/lib \
            --mandir=$(pkg-config \
                --variable=prefix ORBit-2.0)/share/man &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m755 -d $(pkg-config \
    --variable=prefix ORBit-2.0)/share/doc/galeon-2.0.1 &&
install -v -m644 FAQ README* doc/*.txt $(pkg-config \
    --variable=prefix ORBit-2.0)/share/doc/galeon-2.0.1 &&
```

```
ln -v -s ../../$PACKAGE_NAME/FAQ.html $(pkg-config \
--variable=prefix ORBit-2.0)/share/doc/galeon-2.0.1
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

Contents

Installed Programs:	galeon and galeon-config-tool
Installed Libraries:	None
Installed Directories:	The following subdirectories of <code>\$GNOME_PREFIX/share/</code> : galeon, {gnome/help, omf, sounds}/galeon

Short Descriptions

galeon	is a GNOME-2 web browser using a Gecko-based rendering/security/networking engine.
galeon-config-tool	clears settings, installs schemas, removes schemas and fixes permissions in the GConf database.

Konqueror-3.5.6

konqueror is the default graphical web browser for the KDE desktop environment. It is packaged and installed with `kdebase-3.5.6`.

Dillo-0.8.5

Introduction to Dillo

Dillo is a fast, small footprint graphical browser. Version 0.8.5 is now considered a very stable beta. Dillo does not support Java, JavaScript or CSS, and the current version does not support FTP, HTTPS or frames. It is, however, very fast and so is useful on older, slower machines. It supports downloads and can support cookies.



Caution

Dillo always interprets web pages as if they had the ISO-8859-1 encoding. Thus, it is useless for reading non-English web pages.

Package Information

- Download (HTTP): <http://www.dillo.org/download/dillo-0.8.5.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/dillo-0.8.5.tar.bz2>
- Download MD5 sum: d0ab7fa1d40b310deb891388604188f8
- Download size: 415 KB
- Estimated disk space required: 9.5 MB
- Estimated build time: 0.2 SBU

Dillo Dependencies

Required

GTK+-1.2.10

Optional

OpenSSL-0.9.8d and Electric Fence

Optional (Run-Time Requirement for FTP Downloading)

Wget-1.10.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dillo>

Installation of Dillo

Support for secure connections is considered experimental by Dillo's author. If you want the optional HTTPS support for Dillo and have OpenSSL-0.9.8d installed, run the following command:

```
sed -i -e "/#undef ENABLE_SSL/d" dpi/https.c
```

Install Dillo by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc/dillo &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -d -v -m755 /usr/share/doc/dillo-0.8.5 &&
install -v -m644 doc/{README,*.txt} /usr/share/doc/dillo-0.8.5
```

Configuring Dillo

Config Files

/etc/dillo/dillorc, /etc/dillo/dpidrc, and ~/.dillo/*

Configuration Information

Dillo stores its configuration in the system wide /etc/dillo/dillorc file and the ~/.dillo directory which is created automatically when **dillo** is run for the first time. Note that cookies are turned off by default. To enable cookies, edit the ~/.dillo/cookiesrc file.

Contents

Installed Programs:	dillo, dpid, and dpide
Installed Libraries:	None
Installed Directories:	~/.dillo, /etc/dillo, /usr/share/doc/dillo-0.8.5, and /usr/lib/dillo

Short Descriptions

dillo	is a GTK+ graphical WWW browser with limited facilities, but a small footprint and runs fast on slower machines.
dpid	is a Dillo plugin daemon.
dpide	is a control program for dpid .

Chapter 37. Other X-based Internet Programs

The Internet isn't just about browsing. Here are more graphical applications that utilize other areas of the Internet.

Thunderbird-1.5.0.9

Introduction to Thunderbird

Thunderbird is a stand-alone mail/news client based on the Mozilla codebase.

Package Information

- Download (HTTP):
<http://releases.mozilla.org/pub/mozilla.org/thunderbird/releases/1.5.0.9/source/thunderbird-1.5.0.9-source.tar.bz2>
- Download (FTP):
<ftp://ftp.mozilla.org/pub/mozilla.org/thunderbird/releases/1.5.0.9/source/thunderbird-1.5.0.9-source.tar.bz2>
- Download MD5 sum: bb74629a8d99a6653c5ab978cf9c6227
- Download size: 34.3 MB
- Estimated disk space required: 597 MB
- Estimated build time: 18.1 SBU

Additional Downloads

- Required patch (if using system-installed versions of NSS and NSPR):
http://www.linuxfromscratch.org/patches/blfs/6.2.0/thunderbird-1.5.0.9-system_nss-1.patch
- Required patch (if enabling Pango font rendering):
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/thunderbird-1.5.0.9-pangoxft-1.patch>

To enable the Enigmail extension to the Thunderbird mail client, you'll need to download the tarball shown below. The Enigmail extension allows users to access the authentication and encryption features provided by the GnuPG package. The Enigmail extension will not operate correctly unless you have GnuPG-1.4.3 installed.

- <http://www.mozilla-enigmail.org/downloads/src/enigmail-0.94.2.tar.gz>
- Download MD5 sum: cc1ba2bec7c3a2ac408ef24fbf1884de

Thunderbird Dependencies

Required

GTK+-2.8.20, libIDL-0.8.7, and Zip-2.32

Note: libjpeg should have been installed before GTK+ and should exist on your system. If for some reason you haven't installed libjpeg, you should remove the `--with-system-jpeg` option from the `.mozconfig` file created below.

Recommended (if you will be installing any other package that utilizes NSS/NSPR, such as Firefox, Mozilla, Evolution, or OpenOffice)

NSS-3.11.3

Optional

UnZip-5.52 and libgnomeui-2.14.1 (to build the gnomevfs extension)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Thunderbird>**Installation of Thunderbird**

The configuration of Thunderbird is accomplished by creating a `.mozconfig` file containing the desired configuration options. A default `.mozconfig` is created below. To see the entire list of available configuration options (and an abbreviated description of each one), issue `./configure --help`. If you are going to use system-installed versions of the NSS and NSPR libraries, ensure you uncomment the two lines near the bottom of the file. You may also wish to review the entire file and uncomment any other desired options. If you would prefer to download the file instead of creating it by typing or cut-and-pasting, you can find it at <http://andu.in.linuxfromscratch.org/files/BLFS/thunderbird-1.5.0.9-mozconfig> (the file must be installed in the root of the source tree `mozilla` directory, and named `.mozconfig`). Create the file by issuing the following command:

```
cat > .mozconfig << "EOF"
# This file contains the options used in the Thunderbird build. You may
# need to specify additional options for your specific build needs.
# Use the information provided by running './configure --help' to
# help you determine if you need to add any additional options.
# Some additional options can be added by uncommenting the examples
# in this file or adding options by inserting a line containing
# 'ac_add_options --some-option-you-need'.

# Use the default settings specified in the source tree
. $topsrcdir/mail/config/mozconfig

# Create an object directory and specify to build the package in that
# directory. If desired, modify the location of the object directory
# to a directory inside the source tree by removing '../' from the
# line below.
mk_add_options MOZ_OBJDIR=@TOPSRCDIR@/../thunderbird-build

# Specify the installation prefix. If you would prefer Thunderbird
# installed in a different prefix, modify the line below to fit
# your needs. You'll also need to modify some of the instructions in
# the BLFS book to point to your desired prefix.
ac_add_options --prefix=/usr

# These options are used so that the Thunderbird binaries are linked to
# the system-installed copies of the specified libraries instead of
# the source tree code which may not be the most recent versions.
ac_add_options --with-system-zlib
ac_add_options --with-system-png
ac_add_options --with-system-jpeg
ac_add_options --enable-system-cairo
```

```

# This option causes the installed binaries to have the official
# Thunderbird name embedded in them. Due to license restrictions, you
# may not distribute binaries created using this option.
ac_add_options --enable-official-branding

# This option specifies to include support for rendering the HTML
# <canvas></canvas> tag in the Thunderbird mail client.
#ac_add_options --enable-canvas

# This option is used so that the debugging symbols are removed from
# the installed binaries during the installation process. Comment out
# this option if you may have a need to retain the debugging symbols
# in the installed binaries. Note that this can substantially
# increase the size of the installed binaries.
ac_add_options --enable-strip

# This option is added so that test libraries and programs are not
# built. These would only be required for debugging purposes.
ac_add_options --disable-tests

# This option is added so that the Mozilla Installer program is not
# built or installed. The program is not required for a BLFS
# installation of Thunderbird.
ac_add_options --disable-installer

# This option is used to disable the ally support in the Thunderbird
# binaries. Comment out this option if you require ally support.
ac_add_options --disable-accessibility

# This option is used to enable source tree included LDAP support in
# the Thunderbird binaries.
ac_add_options --enable-ldap

# This option is used to enable support for rendering SVG files in the
# Thunderbird mail client. Uncomment the line below to enable the option.
#ac_add_options --enable-svg

# Uncomment this option if you desire support for dual-monitor
# display of Thunderbird using the X-Window Xinerama libraries.
#ac_add_options --enable-xinerama

# Complex scripts such as Thai can only be rendered in Thunderbird with
# the help of Pango. This option significantly slows rendering, so only
# use it if necessary.
#ac_add_options --enable-pango

# These two options enable support for building Thunderbird with
# system-installed versions of the Network Security Services (NSS)
# and Netscape Portable Runtime (NSPR) libraries. Uncomment both
# lines to enable support for system-installed NSS/NSPR.
#ac_add_options --with-system-nss
#ac_add_options --with-system-nspr

```

```
# This option identifies the default binary directory of the Thunderbird
# installation and is used to locate Thunderbird's installed files. This
# option is not required for end-user use, and is only used for
# development purposes.
#ac_add_options --with-default-mozilla-five-home=/usr/lib/thunderbird-1.5.0.9
EOF
```

If you wish to use Pango for font rendering and have uncommented the appropriate option in `.mozconfig`, apply the following patch:

```
patch -Np1 -i ../thunderbird-1.5.0.9-pangoxft-1.patch
```

If you have system-installed Network Security Services (NSS) and Netscape Portable Runtime (NSPR) libraries and you uncommented the appropriate lines in the `.mozconfig` file to utilize them, apply the following patch:

```
patch -Np1 -i ../thunderbird-1.5.0.9-system_nss-1.patch
```

Compile Thunderbird by issuing the following commands:

```
sed -i "s/^    enum$/& xptinfo_enum_1/" \
    xpcor/reflect/xptinfo/public/xptinfo.h &&
make -f client.mk build
```

This package does not come with a test suite.

If you're building the Enigmail extension, issue the following commands:

```
tar -xf ../enigmail-0.94.2.tar.gz -C mailnews/extensions &&
( cd mailnews/extensions/enigmail && ./makemake -r ) &&

make -C ../thunderbird-build/mailnews/extensions/enigmail &&
make -C ../thunderbird-build/mailnews/extensions/enigmail \
    XPIFILE=enigmail.xpi xpi
```

Install Thunderbird by running the following commands as the `root` user:

```
make -f client.mk install &&

install -v -m644 ../thunderbird-build/dist/public/ldap-private/* \
    /usr/include/thunderbird-1.5.0.9/ldap &&

install -v -m755 -d /usr/lib/thunderbird-1.5.0.9/defaults/isp/US &&
install -v -m644 mailnews/base/ispdata/movemail.rdf \
    mail/extensions/newsblog/rss.rdf \
    /usr/lib/thunderbird-1.5.0.9/defaults/isp &&
ln -v -s ../{movemail,rss}.rdf \
    /usr/lib/thunderbird-1.5.0.9/defaults/isp/US
```

If you built Thunderbird utilizing system-installed NSS and NSPR libraries, the `thunderbird-ns*.pc` pkgconfig files are broken as they point to the wrong directories where the actual libraries and interface headers are located. Issue the following commands as the `root` user to replace the broken files with symbolic links to known good files:

```
ln -v -sf nss.pc /usr/lib/pkgconfig/thunderbird-nss.pc &&
ln -v -sf nspr.pc /usr/lib/pkgconfig/thunderbird-nspr.pc
```

If you did **NOT** build Thunderbird utilizing system-installed NSS and NSPR libraries, issue the following commands as the `root` user to install the NSS interface headers:

```
install -v -m755 -d /usr/include/thunderbird-1.5.0.9/nss &&
cp -v -Lf ../thunderbird-build/dist/{private,public}/nss/*.h \
  /usr/include/thunderbird-1.5.0.9/nss
```

If you built the Enigmail extension, issue the following commands as the `root` user to install the `.xpi` file:

```
install -v -m644 -D ../thunderbird-build/dist/bin/enigmail.xpi \
  /usr/lib/thunderbird-1.5.0.9/xpi_store/enigmail.xpi
```

If you want to install Enigmail globally so that all users who run Thunderbird will have access to the extension, issue the command shown below. Note that this procedure starts an instance of Thunderbird and you must have an X server running. Issue the following command as the `root` user:

```
/usr/bin/thunderbird -install-global-extension \
  /usr/lib/thunderbird-1.5.0.9/xpi_store/$ENIGMAIL_FILENAME
```

Global installation of other extensions can be done using the same basic method as the Enigmail extension. See the “Configuring Thunderbird” section below for information about configuring Enigmail for individual users if you did not install it globally.



Note

You should run `/usr/bin/thunderbird` once as the `root` user (or any user with write privileges) to create some necessary additional files in the `/usr/lib/thunderbird-1.5.0.9` directory.

Command Explanations

sed -i "s/^ enum\$/& xptinfo_enum_1/" ...: This command is used to fix an anonymous enum in an external/public interface header file.

make -f client.mk ...: Mozilla products are packaged to allow the use of a configuration file which can be used to pass the configuration settings to the **configure** command. **make** uses the `client.mk` file to get initial configuration and setup parameters, then depending on the target parameter (*build* or *install*), either runs the **configure** script and compiles the package or installs the package.

(cd mailnews/... && ./makemake -r): This command is used to recursively create Makefiles in the enigmail directory.

make -C ... xpi: This command builds the Enigmail `.xpi` file which is used to install Enigmail.

install ../movemail.rdf ../rss.rdf ...: These commands are used to install two files inadvertently left out of the installation script.

Configuring Thunderbird

Configuration Information

No specific configuration is required as long as the **thunderbird** script is in the user's path. If Thunderbird is installed in a non-standard location, then make a symlink to the **thunderbird** script in the `/usr/bin` directory.

If you don't have privileges to install extensions globally, or you prefer to not install global extensions, you can configure Thunderbird on an individual user basis for access to extensions. For example, if you built the Enigmail extension and did not install it globally, it can be installed on an as-needed basis for each user of the system who may use Thunderbird. It is accomplished through the Thunderbird “Tools” menu. Choose the “Extensions” – “Install” option and fill in the “Look in:” field with `/usr/lib/thunderbird-1.5.0.9/xpi_store`. You'll then see the `enigmail-0.94.2-linux-????.xpi` file listed. Choose this file and click on “Open”, then click on “Install now”. The Enigmail extension will install and you will be prompted to restart Thunderbird.

If your Window or Desktop Manager does not allow you to configure a default browser, you can add a configuration parameter to Thunderbird so that a browser will start when you click on an Internet/intranet/local URL. The procedure to check or modify any of the configuration parameters is quite simple and the instructions here can be used to view or modify any of the parameters.

First, open the configuration dialog by opening the “Edit” drop-down menu. Choose “Preferences” and then click on the “Advanced” icon on the top menu bar. Choose the “General” tab and click on the “Config Editor” button. This will display a list of the configuration preferences and information related to each one. You can use the “Filter:” bar to enter search criteria and narrow down the listed items. Changing a preference can be done using two methods. One, if the preference has a boolean value (True/False), simply double-click on the preference to toggle the value and two, for other preferences simply right-click on the desired line, choose “Modify” from the menu and change the value. Creating new preference items is accomplished in the same way, except choose “New” from the menu and provide the desired data into the fields when prompted.

The configuration preference item you need to check so that Thunderbird uses a specified browser is the `network.protocol-handler.app.http` which should be set to the path of the desired browser, e.g., `/usr/bin/firefox`.



Tip

There is a multitude of configuration parameters you can tweak to customize Thunderbird. A very extensive and up-to-date list of these parameters can be found at <http://preferential.mozdev.org/preferences.html>.

Contents

Installed Programs:	thunderbird and thunderbird-config
Installed Libraries:	Numerous libraries, email/newsgroups components, plugins, extensions, and helper modules installed in <code>/usr/lib/thunderbird-1.5.0.9</code>
Installed Directories:	<code>/usr/include/thunderbird-1.5.0.9</code> , <code>/usr/lib/thunderbird-1.5.0.9</code> , and <code>/usr/share/idl/thunderbird-1.5.0.9</code>

Short Descriptions

thunderbird is Mozilla's next-generation email and newsgroup client.

Pan-0.14.2

Introduction to Pan

The Pan package contains a graphical newsreader. This is useful for reading and writing news, threading articles and replying via email.

Package Information

- Download (HTTP): <http://pan.rebelbase.com/download/releases/0.14.2/SOURCE/pan-0.14.2.tar.bz2>
- Download (FTP):
- Download MD5 sum: ed3188e7059bb6d6c209ee5d46ac1852
- Download size: 1.8 MB
- Estimated disk space required: 67.8 MB
- Estimated build time: 0.72 SBU

Pan Dependencies

Required

GTK+-2.8.20, GNet-2.0.7, intltool-0.34.2 and libxml2-2.6.26

Optional

gtkspell-2.0.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/pan>

Installation of Pan

Install Pan by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Program:	pan
Installed Libraries:	None
Installed Directories:	/usr/share/gnome/apps/Internet

Short Descriptions

pan is a graphical newsreader.

Balsa-2.3.13

Introduction to Balsa

The Balsa package contains a GNOME-2 based mail client.

Package Information

- Download (HTTP): <http://balsa.gnome.org/balsa-2.3.13.tar.bz2>
- Download (FTP):
- Download MD5 sum: a1c7fe3454243f1719a19fcd0905948
- Download size: 2.4 MB
- Estimated disk space required: 52.2 MB
- Estimated build time: 0.7 SBU

Balsa Dependencies

Required

libgnomeui-2.14.1, libgnomeprintui-2.12.1, ScrollKeeper-0.3.14, Aspell-0.60.4, and GMime-2.2.2

Recommended

libESMTP-1.0.4 (without this you will have no outgoing SMTP server)

Optional

libgtkhtml-2.11.0, gtksourceview-1.6.2, OpenSSL-0.9.8d, OpenLDAP-2.3.27, PCRE-6.7, Comfence-1.4, GtkSpell (provides on-the-fly as you type spell checking), an MTA (that provides a **sendmail** command), Heimdal-0.7.2 or MIT Kerberos V5-1.6, and SQLite

Optional to Build Experimental S/MIME Support

Libksba, GnuPG-1.9.x, and GPGME

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/balsa>

Installation of Balsa

Install Balsa by running the following commands:

```
./configure --prefix=$(pkg-config --variable=prefix ORBit-2.0) \
  --sysconfdir=/etc/gnome/2.14.3 \
  --localstatedir=/var/lib \
  --mandir=$(pkg-config --variable=prefix \
    ORBit-2.0)/share/man \
  --with-gtkhtml=no &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--prefix=$(pkg-config --variable=prefix ORBit-2.0)`: Setting the prefix using this parameter instead of with `$GNOME_PREFIX` will ensure that the prefix is consistent with the installation environment and the package will be installed in the correct location.

`--sysconfdir=/etc/gnome/2.14.3`: This parameter causes the configuration files to be installed in `/etc/gnome/2.14.3` instead of `$GNOME_PREFIX/etc`. Additionally (if applicable), the parameter ensures that the GConf-2 database is correctly updated.

`--localstatedir=/var/lib`: This parameter is used so that all ScrollKeeper files are installed in, and the ScrollKeeper database is properly updated in `/var/lib/scrollkeeper` instead of some files being installed in `$GNOME_PREFIX/var/scrollkeeper`.

`--mandir=$(pkg-config --variable=prefix ORBit-2.0)/share/man`: This parameter causes the `man.(X)` files to be installed in `$GNOME_PREFIX/share/man/man(X)` instead of `$GNOME_PREFIX/man/man(X)`.

`--with-gtkhtml=no`: This parameter is used if you don't have `libgtkhtml` installed. Remove this parameter if the package is installed. Note that you won't be able to read or write HTML formatted mail messages if you use this parameter.

`--with-esmtp=no`: Use this parameter if you don't have `libESMTP` installed.

`--with-ssl`: Use this option to enable SSL support if `OpenSSL` is installed.

`--with-ldap`: Use this option to enable LDAP address book support if `OpenLDAP` is installed.

`--with-sqlite`: Use this option to enable SQLite address book support if `SQLite` is installed.

`--with-gpgme`: Use this option to enable GPG support if “GnuPG Made Easy” (GPGME) is installed.

`--enable-smime`: Use this option to enable S/MIME support if `Libksba` and `GnuPG-1.9.x` is installed.

Configuring Balsa

Configuration Information

All configuration of Balsa is done through the Balsa menu system, with mailbox configuration done with the Settings—>Preferences menu.

If you are unable to connect to your ISP, they probably don't support APOP. Disable it in Settings/Preferences/POP3/advanced.

If you enable filters for your incoming POP3 mail, you must have `Procmail-3.22` installed, as the incoming mail will be handed off to **procmail** for processing.

Contents

Installed Programs: balsa and balsa-ab

Installed Libraries: None

Installed Directories: The following subdirectories of `$GNOME_PREFIX/share/`: {gnome/help, omf, sounds}/balsa

Short Descriptions

balsa is a GNOME-2 based mail client.

Gaim-1.5.0

Introduction to Gaim

Gaim is an instant messaging client that can connect with a wide range of networks including AIM, ICQ, MSN, Jabber, IRC, Napster, Gadu-Gadu, Zephyr and Yahoo!

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/gaim/gaim-1.5.0.tar.bz2>
- Download (FTP):
- Download MD5 sum: 9205321ac11fad271c90f2f0d7c5e7ce
- Download size: 6.0 MB
- Estimated disk space required: 179 MB
- Estimated build time: 1.2 SBU

Gaim Dependencies

Required

GTK+-2.8.20

Optional

libao-0.8.6, GnuTLS (requires libgpg-error and libgcrypt in that order), Gtkspell, Tcl-8.4.13, Tk-8.4.13, startup-notification-0.8, Audio File-0.2.6, D-BUS-0.62, MIT Kerberos V5-1.6, NAS-1.7, Doxygen-1.4.6, and Avahi

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gaim>

Installation of Gaim

To connect with MSN you will need to compile Gaim with SSL support. For this you will need to have already installed libgpg-error, libgcrypt and GnuTLS compiled in that order. Use of the Mozilla SSL library is deprecated.

To compile Gaim with audio support, first install libao-0.8.6.

Compile Gaim by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you want to compile Gaim with support for NAS-1.7, configure it like this:

```
CPPFLAGS="-I/usr/X11R6/include" ./configure --prefix=/usr \  
--enable-nas &&  
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

CPPFLAGS=...--enable-nas: To avoid a compilation error the `configure` script needs to be told to look for the NAS header files in `/usr/X11R6/include`.

Contents

Installed Programs:	<code>gaim</code> and <code>gaim-remote</code>
Installed Library:	<code>libgaim-remote.so</code>
Installed Directories:	<code>/usr/include/gaim</code> , <code>/usr/lib/gaim</code> , <code>/usr/share/pixmaps/gaim</code> , and <code>/usr/share/sounds/gaim</code>

Short Descriptions

<code>gaim</code>	is an instant messaging client
<code>gaim-remote</code>	is a command-line interface for controlling an already running instance of <code>gaim</code>
<code>libgaim-remote.so</code>	contains functions that are used by <code>gaim-remote</code>

XChat-2.6.2

Introduction to XChat

XChat is an IRC chat program. It allows you to join multiple IRC channels (chat rooms) at the same time, talk publicly, have private one-on-one conversations, etc. File transfers are also possible.

Package Information

- Download (HTTP): <http://www.xchat.org/files/source/2.6/xchat-2.6.2.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xchat-2.6.2.tar.bz2>
- Download MD5 sum: 6b534baf9a4df6bf23d7d16f7e4eb379
- Download size: 1.0 MB
- Estimated disk space required: 28.6 MB
- Estimated build time: 0.4 SBU

XChat Dependencies

Required

GLib-2.10.3

Recommended

GTK+-2.8.20

Optional

D-BUS-0.62, OpenSSL-0.9.8d, Python-2.4.4, and Tcl-8.4.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xchat>

Installation of XChat

Install XChat by running the following commands:

```
./configure --prefix=/usr &&  
make
```

XChat does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs: xchat and xchat-remote

Installed Libraries: xchat plugins

Installed Directory: /usr/lib/xchat

Short Descriptions

xchat is a graphical Internet Relay Chat (IRC) client.

xchat-remote is a program for remote access XChat using DBUS.

Part XI. Multimedia

Chapter 38. Multimedia Libraries and Drivers

Many multimedia programs require libraries and/or drivers in order to function properly. The packages in this section fall into this category. Generally you only need to install these if you are installing a program which has the library listed as either a requirement, or as an option to enable it to support certain functionality.

ALSA-1.0.13

The Linux kernel now provides ALSA support by default. However, applications need to interface to that capability. The following five sections of the book deal with the five separate components of ALSA: the libraries, the utilities, the tools, the firmware and the OSS compatibility libraries.

ALSA Library-1.0.13

Introduction to ALSA Library

The ALSA Library package contains the ALSA library. This is used by programs (including ALSA Utilities) requiring access to the ALSA sound interface.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/lib/alsa-lib-1.0.13.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/lib/alsa-lib-1.0.13.tar.bz2>
- Download MD5 sum: d55a9d7d2a79d738a1b7a511cffda4b6
- Download size: 694 KB
- Estimated disk space required: 34.9 MB (additional 22.2 MB to build and install docs)
- Estimated build time: 0.6 SBU (less than 0.1 SBU to build and install docs)

ALSA Library Dependencies

Optional

Doxygen-1.4.6 and resmgr

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-lib>

Kernel Configuration

In the Device Drivers # Sound # Advanced Linux Sound Architecture section of the kernel configuration, select the settings and drivers appropriate for your hardware. Ensure that the deprecated Device Drivers # Sound # Open Sound System is *not* selected. If necessary, recompile and install your new kernel.

Installation of ALSA Library

Install ALSA Library by running the following commands:

```
./configure --enable-static &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m644 -D doc/asoundrc.txt \  
    /usr/share/doc/alsa-lib-1.0.13/asoundrc.txt
```

If you have Doxygen installed and you wish to build the library API documentation, run the following commands from the top-level directory of the source tree:

```
make doc
```

Now, as the root user:

```
install -v -d -m755 /usr/share/doc/alsa-1.0.13/html &&
install -v -m644 doc/doxygen/html/* /usr/share/doc/alsa-1.0.13/html
```

Command Explanations

--enable-static: This switch is used to enable building the static library as some programs link against it.

Configuring ALSA Library

Config Files

`~/.asoundrc`, `/etc/asound.conf`, `/usr/share/alsa/alsa.conf`, and `/usr/share/alsa/{cards,pcm}/*.conf`

Configuration Information

The default `alsa.conf` is adequate for most installations. For extra functionality and/or advanced control of your sound device, you may need to create additional configuration files. For information on the available configuration parameters, visit <http://www.alsa-project.org/alsa-doc/doc-php/asoundrc.php>.

Contents

Installed Programs:	<code>aserver</code>
Installed Library:	<code>libasound.{so,a}</code> and <code>smixer-*.{so,a}</code>
Installed Directories:	<code>/usr/include/alsa</code> , <code>/usr/lib/alsa-lib</code> , <code>/usr/share/alsa</code> and <code>/usr/share/doc/alsa-lib-1.0.13</code>

Short Descriptions

aserver	provides the ALSA server.
<code>libasound.{so,a}</code>	provides ALSA functions for application programs.
<code>smixer-*.{so,a}</code>	provides hardware dependent ALSA mixer functions.

ALSA Plugins-1.0.13

Introduction to ALSA Plugins

The ALSA Plugins package contains plugins for various audio libraries and sound servers.



Note

The ALSA Plugins package has not been tested by the BLFS editors.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/plugins/alsa-plugins-1.0.13.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/plugins/alsa-plugins-1.0.13.tar.bz2>
- Download MD5 sum: 7ef5e429b4a2756d0b5f0d7ce5bba0c8
- Download size: 225 KB
- Estimated disk space required: 2.4 MB
- Estimated build time: less than 0.1 SBU

ALSA Plugins Dependencies

Required

pkg-config-0.20 and ALSA Library-1.0.13

Optional

FFmpeg-0.4.9-pre1, JACK, PulseAudio, Secret Rabbit Code (a.k.a. libsamplerate)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-plugins>

Installation of ALSA Plugins

Install ALSA Plugins by running the following commands:

```
./configure &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/alsa-plugins-1.0.13 &&  
install -v -m644 doc/{README*,*.txt} \  
    /usr/share/doc/alsa-plugins-1.0.13
```

Contents

Installed Programs: None

Installed Libraries: Numerous libasound_module_<module>.so modules including ctl_oss, pcm_oss, pcm_upmix, pcm_vdownmix and optionally ctl_pulse, pcm_pulse, pcm_a52, pcm_jack and rate_samplerate*

Installed Directory: /usr/share/doc/alsa-plugins-1.0.13

Short Descriptions

libasound_module_pcm_oss.so	Allows native ALSA applications to run on OSS.
libasound_module_pcm_upmix.so	Allows upmixing sound to 4 or 6 channels.
libasound_module_pcm_vdownmix.so	Allows downmixing sound from 4-6 channels to 2 channel stereo output.
libasound_module_pcm_jack.so	Allows native ALSA applications to work with jackd .
libasound_module_pcm_pulse.so	Allows native ALSA applications to access a PulseAudio sound daemon.
libasound_module_pcm_a52.so	Converts S16 linear sound format to A52 compressed format and sends it to an SPDIF output.
libasound_module_rate_samplerate.so	Provides an external rate converter through libsamplerate.

ALSA Utilities-1.0.13

Introduction to ALSA Utilities

The ALSA Utilities package contains various utilities which are useful for controlling your sound card.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/utils/alsa-utils-1.0.13.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/utils/alsa-utils-1.0.13.tar.bz2>
- Download MD5 sum: dfe4bb5d3217f3ec662b172ce8397cf0
- Download size: 958 KB
- Estimated disk space required: 8.1 MB
- Estimated build time: 0.1 SBU

ALSA Utilities Dependencies

Required

ALSA Library-1.0.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-utils>

Installation of ALSA Utilities

Install ALSA Utilities by running the following commands:

```
./configure &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring ALSA Utilities

Config Files

`/etc/asound.state`

Configuration Information

Use a bootscript to store the values at shutdown.

As the `root` user, install the init script `/etc/rc.d/init.d/alsa` included in the `blfs-bootscripts-20060910` package.

```
make install-alsa
```

Note that all channels of your sound card are muted by default. You can use the **alsamixer** program from the ALSA Utilities to change this. Use **speaker-test** to check that your settings have been applied correctly.

The first time the `alsactl` program is run from the udev rule below, it will complain that there is no state in `/etc/asound.state`. You can prevent this by running the following commands as the root user:

```
touch /etc/asound.state &&
alsactl store
```

The volume settings will be restored from the saved state by Udev when the device is detected (during boot or when plugged in for USB devices).

As the root user, install a new Udev rules file to create the audio device nodes and run the restore script:

```
cat > /etc/udev/rules.d/40-alsa.rules << "EOF"
# /etc/udev/rules.d/40-alsa.rules

# When a sound device is detected, restore the volume settings
KERNEL=="controlC[0-9]*", ACTION=="add", RUN+="/usr/sbin/alsactl restore %n"
EOF
chmod -v 644 /etc/udev/rules.d/40-alsa.rules
```

Contents

Installed Programs:	<code>aconect</code> , <code>alsaconf</code> , <code>alsactl</code> , <code>alsamixer</code> , <code>amidi</code> , <code>amixer</code> , <code>aplay</code> , <code>aplaymidi</code> , <code>arecord</code> , <code>arecordmidi</code> , <code>aseqnet</code> , <code>aseqdump</code> , <code>iecset</code> , and <code>speaker-test</code>
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

aconect	is a utility for connecting and disconnecting two existing ports in the ALSA sequencer system.
alsaconf	is a configuration tool which tries to detect the sound cards on your system and write a suitable configuration file for ALSA. This program is incompatible with udev and hotplug.
alsactl	is used to control advanced settings for the ALSA sound card drivers.
alsamixer	is an ncurses-based mixer program for use with the ALSA sound card drivers.
amidi	is used to read from and write to ALSA RawMIDI ports.
amixer	allows command-line control of the mixers for the ALSA sound card drivers.
aplay	is a command-line soundfile player for the ALSA sound card drivers.
aplaymidi	is a command-line utility that plays the specified MIDI file(s) to one or more ALSA sequencer ports.
arecord	is a command-line soundfile recorder for the ALSA sound card drivers.

arecordmidi	is a command-line utility that records a standard MIDI file from one or more ALSA sequencer ports.
aseqdump	is a command-line utility that prints the sequencer events it receives as text.
aseqnet	is an ALSA sequencer client which sends and receives event packets over a network.
iecset	is a small utility to set or dump the IEC958 (or so-called “S/PDIF”) status bits of the specified sound card via the ALSA control API.
speaker-test	is a command-line speaker test tone generator for ALSA.

ALSA Tools-1.0.13

Introduction to ALSA Tools

The ALSA Tools package contains advanced tools for certain sound cards.



Note

The ALSA Tools package has not been tested by the BLFS editors.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/tools/alsa-tools-1.0.13.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/tools/alsa-tools-1.0.13.tar.bz2>
- Download MD5 sum: 3f30a884848a21910195a3c77f1dbde2
- Download size: 1.4 MB
- Estimated disk space required: 14-17 MB depending on the tool being built
- Estimated build time: 0.1-0.5 SBU depending on the tool being built

ALSA Tools Dependencies

Required

ALSA Library-1.0.13

Optional

pkg-config and GTK+-2.8.20 or GTK+-1.2.10 (to build **echomixer**, **envy24control** and **rmedigicontrol**), FLTK (to build **hdspconf** and **hdspmixer**), and Qt-3.3.7 to build **qlo10k1**.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-tools>

Installation of ALSA Tools

The ALSA Tools package is only needed by those with advanced requirements for their sound card. The tools are not all built together, instead you need to **cd** into the directory of each tool you wish to compile and run the following commands:

```
./configure --prefix=/usr &&  
make
```

The **ac3dec** tool comes with a test suite, but it is not functional since it does not contain the reference results for the **dither_test** program.

Now, as the **root** user:

```
make install
```

Contents

Installed Programs:	ac3dec, extract_ac3, as10k1, dl10k1, echomixer, envy24control, hdspconf, hdsploder, hdspmixer, init_audigy, init_audigy_eq10, init_live, lo10k1, ld10k1, ld10k1d, mixartloader, pcxhrloader, qlo10k1, rmedigicontrol, cspctl, sbiload, sscape_ctl, us428control, usx2yloader, and vxloader
Installed Library:	liblo10k1.so
Installed Directories:	/usr/share/applications, /usr/share/pixmaps, /usr/include/lo10k1, /usr/share/ld10k1, and /usr/share/sounds

Short Descriptions

ac3dec	is a free AC-3 stream decoder.
extract_ac3	will take an MPEG-2 stream and produce AC-3 audio to stdout if it exists.
as10k1	is an assembler for the emu10k1 DSP chip present in the Creative SB Live, PCI 512, and emu APS sound cards. It is used to make audio effects such as a flanger, chorus or reverb.
echomixer	is the Linux equivalent of the Echoaudio console application from Echoaudio. It is a tool to control all the features of any Echoaudio soundcard. This includes clock sources, input and output gains, mixers, etc.
envy24control	is a control tool for Envy24 (ice1712) based sound cards.
hdspconf	is a GUI to control the Hammerfall HDSP Alsa Settings. Up to four hdsp cards are supported.
hdsploder	is used to load the firmware required by the Hammerfall HDSP sound cards.
hdspmixer	is the Linux equivalent of the Totalmix application from RME. It is a tool to control the advanced routing features of the RME Hammerfall DSP soundcard series.
ld10k1	is the server of a EMU10K{1,2} patch loader for ALSA.
lo10k1	is the client of a EMU10K{1,2} patch loader for ALSA.
dl10k1	loads config dumps generated by lo10k1 and ld10k1 .
ld10k1d	is an init script for the ld10k1 patch loader.
qlo10k1	is a Qt GUI for the ld10k1 patch loader.
mixartloader	is a helper program to load the firmware binaries onto the Digigram's miXart board sound drivers. The following modules require this program: snd-mixart. These drivers don't work properly at all until the certain firmwares are loaded, i.e. no PCM nor mixer devices will appear.
pcxhrloader	is a helper program to load the firmware binaries onto Digigram's pcxhr compatible board sound drivers. The following modules require this program: snd-pcxhr. These drivers don't work properly at all until the certain firmwares are loaded, i.e. no PCM nor mixer devices will appear.
rmedigicontrol	is a control tool for RME Digi32 and RME Digi96 sound cards. It provides a graphical

frontend for all the sound card controls and switches.

cspctl is an SB16/AWE32 Creative Signal Processor (ASP/CSP) control program.

sbiload is an OPL2/3 FM instrument loader for the ALSA sequencer.

sscape_ctl is an ALSA SoundScape control utility.

us428control is a Tascam US-428 control program.

usx2yloader is a helper program to load the 2nd Phase firmware binaries onto the Tascam USX2Y USB sound cards. It has proven to work so far for the US122, US224 and US428. The `snd-usb-usx2y` module requires this program.

vxloader is a helper program to load the firmware binaries onto the Digigram's VX-board sound drivers. The following modules require this program: `snd-vx222`, `snd-vxpocket`, `snd-vxp440`. These drivers don't work properly at all until the certain firmwares are loaded, i.e. no PCM nor mixer devices will appear.

ALSA Firmware-1.0.13

Introduction to ALSA Firmware

The ALSA Firmware package contains firmware for certain sound cards.



Note

The ALSA Firmware package has not been tested by the BLFS editors.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/firmware/alsa-firmware-1.0.13.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/firmware/alsa-firmware-1.0.13.tar.bz2>
- Download MD5 sum: 97de41a923e68c3d6c52c14f1a2843df
- Download size: 2.7 MB
- Estimated disk space required: 27.2 MB
- Estimated build time: less than 0.1 SBU

ALSA Firmware Dependencies

Required

ALSA Tools-1.0.13

Optional

AS31 (for rebuilding the firmware from source)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-firmware>

Installation of ALSA Firmware

The ALSA Firmware package is only needed by those with advanced requirements for their sound card. See the README for configure options.

Install ALSA Firmware by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Programs: None

Installed Libraries: None
Installed Directory: /lib/firmware and/or /usr/share/alsa/firmware

ALSA OSS-1.0.12

Introduction to ALSA OSS

The ALSA OSS package contains the ALSA OSS compatibility library. This is used by programs which wish to use the ALSA OSS sound interface.



Note

The ALSA OSS package has not been tested by the BLFS editors.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/opsys/linux/alsa/oss-lib/alsa-oss-1.0.12.tar.bz2>
- Download (FTP): <ftp://ftp.alsa-project.org/pub/oss-lib/alsa-oss-1.0.12.tar.bz2>
- Download MD5 sum: d4d18bbf63a866d6e065b90e16acd676
- Download size: 231 KB
- Estimated disk space required: 3.3 MB
- Estimated build time: less than 0.1 SBU

ALSA OSS Dependencies

Required

ALSA Library-1.0.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/alsa-oss>

Installation of ALSA OSS

Install ALSA OSS by running the following commands:

```
./configure &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring ALSA OSS

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., `/opt/lib` or `/usr/local/lib` should appear in `/etc/ld.so.conf` so that `ldd` can find the shared libraries. After checking that this is the case, `/sbin/ldconfig` should be run while logged in as `root`.

Contents

Installed Program:	aoss
Installed Libraries:	libalsatoss.{so,a}, libaoss.{so,a}, and libossredir.a
Installed Directories:	None

Short Descriptions

aoss is a simple wrapper script which facilitates the use of the ALSA OSS compatibility library. It just sets the appropriate LD_PRELOAD path and then runs the command.

aRts-1.5.6

The Analog Real-time Synthesizer (aRts) provides software that can simulate a complete “modular analog synthesizer” on your computer. It creates sounds and music using small modules like oscillators for creating waveforms, various filters, modules for playing data on your speakers, mixers, and faders. You can build a complete setup with the GUI of the system, using the modules: generators, effects and output — connected to each other.

aRts provides necessary libraries for KDE, however it can be installed as a standalone package. The installation instructions for aRts can be found in the aRts-1.5.6 portion of the KDE installation instructions.

Audio File-0.2.6

Introduction to Audio File

The Audio File package contains the audio file libraries and two sound file support programs. These are useful to support basic sound file formats.

Package Information

- Download (HTTP): <http://www.68k.org/~michael/audiofile/audiofile-0.2.6.tar.gz>
- Download (FTP):
- Download MD5 sum: 9c1049876cd51c0f1b12c2886cce4d42
- Download size: 374 KB
- Estimated disk space required: 8.5 MB
- Estimated build time: 0.23 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/audiofile>

Installation of Audio File

Install Audio File by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	audiofile-config, sfinfo, and sfconvert
Installed Library:	libaudiofile.{so,a}
Installed Directories:	None

Short Descriptions

audiofile-config	is used during the compile process by programs linking to this library.
sfinfo	displays the sound file format, audio encoding, sampling rate and duration for audio formats supported by this library.
sfconvert	converts sound file formats where the original format and destination format are supported by this library.
libaudiofile.{so,a}	contains functions used by programs to support AIFF, AIFF-compressed,

Sun/NeXT, WAV and BIC audio formats.

EsoundD-0.2.36

Introduction to EsoundD

The EsoundD package contains the Enlightened Sound Daemon. This is useful for mixing together several digitized audio streams for playback by a single device.

Package Information

- Download (HTTP): <http://ftp.gnome.org/pub/gnome/sources/esound/0.2/esound-0.2.36.tar.bz2>
- Download (FTP): <ftp://ftp.gnome.org/pub/gnome/sources/esound/0.2/esound-0.2.36.tar.bz2>
- Download MD5 sum: 3facb5aa0115cc1c31771b9ad454ae76
- Download size: 369 KB
- Estimated disk space required: 5.0 MB
- Estimated build time: 0.2 SBU

EsoundD Dependencies

Required

Audio File-0.2.6

Optional

ALSA-1.0.13, aRts-1.5.6, TCP Wrapper-7.6 and DocBook-utils-0.6.14

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/esound>

Installation of EsoundD

Install EsoundD by running the following commands:

```
sed -i 's@doc/esound@&-0.2.36@' configure &&
./configure --prefix=/usr --sysconfdir=/etc &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you have DocBook-utils-0.6.14 installed, the HTML documentation should have been built. Install it with the following command as the `root` user:

```
cp -v -R docs/html /usr/share/doc/esound-0.2.36
```

Command Explanations

`sed -i '...'`: This appends the version string to the documentation installation directory.

`--sysconfdir=/etc`: This switch puts configuration files in `/etc` instead of `/usr/etc`.

Configuring Esound

Config Files

`/etc/esd.conf`

Configuration Information

Instructions and information about the configuration file is located in the TIPS file in the Esound source directory.

Contents

Installed Programs:	esd, esdcat, esdctl, esd-config, esddsp, esdfilt, esdloop, esdmon, esdplay, esdrec, and esdsample
Installed Libraries:	libesd.{so,a} and libesddsp.{so,a}
Installed Directory:	/usr/share/doc/esound-0.2.36

Short Descriptions

esd	is the Enlightened Sound Daemon.
esd-config	is used by configure to determine the compiler and linker flags that should be used to compile and link programs that use EsoundD.
esdcat	plays a RAW audio stream through the daemon.
esdctl	controls certain aspects of the sound daemon.
esdfilt	is an EsoundD filter.
esdloop	is test scaffolding for sample cache, loop and free.
esdmon	outputs the mixed stream from the daemon.
esdplay	plays the named file on EsoundD.
esdrec	outputs from the sound device's current input.
esdsample	is test scaffolding for sample cache, playback, and free.
libesd.{so,a}	contains functions used by the EsoundD programs as well as other programs to read, write and play various sound format files.

SDL-1.2.11

Introduction to SDL

The Simple DirectMedia Layer (SDL for short) is a cross-platform library designed to make it easy to write multimedia software, such as games and emulators.

Package Information

- Download (HTTP): <http://www.libsdl.org/release/SDL-1.2.11.tar.gz>
- Download (FTP):
- Download MD5 sum: 418b42956b7cd103bfab1b9077ccc149
- Download size: 2.7 MB
- Estimated disk space required: 23 MB
- Estimated build time: 0.8 SBU

SDL Dependencies

Optional

ALSA-1.0.13, Esound-0.2.36, aRts-1.5.6, NAS-1.7, NASM-0.98.39, X Window System, AALib-1.4rc5, DirectFB, SVGAlib, GNU Pth, and PicoGUI

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sdl>

Installation of SDL

If your X Window System is installed into any prefix other than `/usr/X11R6`, execute the following command, replacing `<PREFIX>` with the installation prefix of the X Window System:

```
sed -i 's:/usr/X11R6:<PREFIX>:' configure
```

Install SDL by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/SDL-1.2.11/html &&  
install -v -m644 docs/html/*.html /usr/share/doc/SDL-1.2.11/html
```

Testing SDL

It is advisable to test the installation of SDL using the included test programs. It is not required to install any of the resulting binaries to validate the installation. Issue the following commands to build the test programs:

```
cd test &&  
./configure &&  
make
```

You'll need to manually run all the test programs.

Configuring SDL

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., `/opt/lib` or `/usr/local/lib` should appear in `/etc/ld.so.conf` so that **ldd** can find the shared libraries. After checking that this is the case, **/sbin/ldconfig** should be run while logged in as `root`.

Contents

Installed Program:	<code>sdl-config</code>
Installed Libraries:	<code>libSDL*.{so,a}</code>
Installed Directories:	<code>/usr/include/SDL</code> and <code>/usr/share/doc/SDL-1.2.11</code>

Short Descriptions

sdl-config	determines the compile and linker flags that should be used to compile and link programs that use <code>libSDL</code> .
<code>libSDL*.{so,a}</code>	libraries provide low level access to audio, keyboard, mouse, joystick, 3D hardware via OpenGL, and 2D frame buffer across multiple platforms.

Libao-0.8.6

Introduction to Libao

The libao package contains a cross-platform audio library. This is useful to output audio on a wide variety of platforms. It currently supports WAV files, OSS (Open Sound System), ESD (Enlighten Sound Daemon), ALSA (Advanced Linux Sound Architecture), NAS (Network Audio system) and PulseAudio (next generation GNOME sound architecture).

Package Information

- Download (HTTP): <http://downloads.xiph.org/releases/ao/libao-0.8.6.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libao-0.8.6.tar.gz>
- Download MD5 sum: 12e136a4c0995068ff134997c84421ed
- Download size: 387 KB
- Estimated disk space required: 3.8 MB
- Estimated build time: less than 0.1 SBU

Libao Dependencies

Optional

X Window System, Esound-0.2.36, ALSA-1.0.13, aRts-1.5.6, NAS-1.7, and PulseAudio

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libao>

Installation of Libao

Install libao by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Configuring Libao

Config Files

`/etc/libao.conf` and `~/.libao`

Configuration Information

Currently, the only configuration option available is setting the default output device. Issue **man libao.conf** for details.

Contents

Installed Programs: None
Installed Libraries: libao.{so,a} and plugins
Installed Directories: /usr/include/ao, /usr/lib/ao and /usr/share/doc/libao-0.8.6

Short Descriptions

libao.{so,a} provide functions for programs wishing to output sound over supported platforms.

libogg-1.1.3

Introduction to libogg

The libogg package contains the Ogg file structure. This is useful for creating (encoding) or playing (decoding) a single physical bit stream.

Package Information

- Download (HTTP): <http://downloads.xiph.org/releases/ogg/libogg-1.1.3.tar.gz>
- Download (FTP):
- Download MD5 sum: eaf7dc6ebbf30975de7527a80831585
- Download size: 403 KB
- Estimated disk space required: 3.6 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libogg>

Installation of libogg

Install libogg by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install
```

Contents

Installed Programs:	None
Installed Library:	libogg.{so,a}
Installed Directories:	/usr/include/ogg and /usr/share/doc/libogg-1.1.3

Short Descriptions

`libogg.{so,a}` libraries provide the functions required for programs to read or write Ogg formatted bit streams.

libvorbis-1.1.2

Introduction to libvorbis

The libvorbis package contains a general purpose audio and music encoding format. This is useful for creating (encoding) and playing (decoding) sound in an open (patent free) format.

Package Information

- Download (HTTP): <http://downloads.xiph.org/releases/vorbis/libvorbis-1.1.2.tar.gz>
- Download (FTP):
- Download MD5 sum: 37847626b8e1b53ae79a34714c7b3211
- Download size: 1.3 MB
- Estimated disk space required: 17.7 MB
- Estimated build time: 0.2 SBU

libvorbis Dependencies

Required

libogg-1.1.3

Optional

pkg-config-0.20, and libxslt-1.1.17 and PassiveTeX (to build the PDF documentation)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Libvorbis>

Installation of libvorbis

Install libvorbis by running the following commands:

```
./configure --prefix=/usr &&  
make
```

libvorbis is known to cause compiler errors on certain machines. If you get errors, insert this command after running the **configure** script:

```
sed -i.bak -e 's/-mno-ieee-fp//' lib/Makefile
```

This package does not come with a test suite.

Now, as the **root** user:

```
make install &&  
install -v -m644 doc/Vorbis* /usr/share/doc/libvorbis-1.1.2
```

Command Explanations

--enable-docs: This switch enables building the documentation.

Contents

Installed Programs:	None
Installed Libraries:	libvorbis.{so,a}, libvorbisenc.{so,a}, and libvorbisfile.{so,a}
Installed Directories:	/usr/include/vorbis and /usr/share/doc/libvorbis-1.1.2

Short Descriptions

`libvorbis*.{so,a}` libraries provide the functions to read and write sound files.

NAS-1.7

Introduction to NAS

The Network Audio System is a network transparent, client/server audio transport system used to read , write and play audio files in many formats including .au, .snd, .voc, .wav, .aiff, .aif and .iff. It can be described as the audio equivalent of an X server.

Package Information

- Download (HTTP): <http://nas.codebrilliance.com/nas/nas-1.7.src.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/nas-1.7.src.tar.gz>
- Download MD5 sum: c9918e9c9c95d587a95b455bbabe3b49
- Download size: 1.2 MB
- Estimated disk space required: 17.8 MB
- Estimated build time: 0.3 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/nas-1.7-gcc4-1.patch>

NAS Dependencies

Required

X Window System and rman-3.2 (if using Xorg7)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/nas>

Installation of NAS

Install NAS by running the following commands:

```
patch -Np1 -i ../nas-1.7-gcc4-1.patch &&
xmkmf &&
make World
```

Now, as the root user:

```
make install install.man &&
install -v -m755 -d /usr/share/doc/nas-1.7/pdf &&
install -v -m644 doc/pdf/* /usr/share/doc/nas-1.7/pdf &&
install -v -m644 doc/{README,actions,*.ps,txt} \
    /usr/share/doc/nas-1.7
```

Command Explanations

xmkmf; **make World**: These commands use the standard for compiling X based applications.

Configuring NAS

Config Files

`/etc/nas/nasd.conf`

Configuration Information

Create the NAS configuration file using the following command:

```
install -v -m644 /etc/nas/nasd.conf.eg /etc/nas/nasd.conf
```

Edit the new configuration file to suit your network and system needs.

Boot Script



Note

The NAS server cannot run simultaneously with other sound servers, such as MAS or JACK.

Install the `/etc/rc.d/init.d/nas` init script included in the `blfs-bootscripts-20060910` package.

```
make install-nas
```

The init script uses a default prefix of `/usr/X11R6`. If you've installed the X Window System into any other prefix, execute the following command, replacing `<PREFIX>` with the installation prefix of the X Window System.

```
sed -i 's@/usr/X11R6@<PREFIX>@' /etc/rc.d/init.d/nas
```

The init script uses a default parameter to allow access to all hosts on the network. Review the **nasd** man page for other available parameters if you need to modify the script.

Contents

Installed Programs:	auconvert, auctl, audemo, audial, auedit, auinfo, aupanel, auphone, auplay, aurecord, auscope, autool, auwave, checkmail, issndfile, nasd, playbucket, and soundtoh
Installed Library:	libaudio.{so,a}
Installed Directory:	/etc/nas and /usr/X11R6/include/audio

Short Descriptions

au{utilities}	are a collection of tools to convert, play, edit, record, and manipulate sound files. See the respective man page for each utility for a full description of each one.
checkmail	plays a sound file when the user receives mail.
issndfile	checks if a file is in a recognized audio file format.

nasd	is the Network Audio System server daemon.
playbucket	plays, or creates, the bucket corresponding to the specified file.
soundtoh	converts a sound file to a C language header file.
<code>libaudio.{so,a}</code>	contains API functions to read and write audio files.

LibMPEG3-1.6

Introduction to LibMPEG3

LibMPEG3 supports advanced editing and manipulation of MPEG streams.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/heroines/libmpeg3-1.6-src.tar.bz2>
- Download (FTP):
- Download MD5 sum: 08ad35f5a88a59eb2b85ed7d912257e0
- Download size: 496 KB
- Estimated disk space required: 14.1 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required Patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/libmpeg3-1.6-blfs_install-1.patch

LibMPEG3 Dependencies

Required

NASM-0.98.39

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmpeg3>

Installation of LibMPEG3

Install LibMPEG3 by running the following commands:

```
patch -Np1 -i ../libmpeg3-1.6-blfs_install-1.patch &&
./configure &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

patch -Np1 -i ...: The patch modifies the Makefile so that everything is installed with the **make install** command instead of just the executables being installed and manual commands used to install the library, interface headers and documentation.

./configure: This is not a typical Autotools script. It is only used to check for the availability of the NASM compiler.

Contents

Installed Programs: mpeg3cat, mpeg3dump, mpeg3peek and mpeg3toc
Installed Library: libmpeg3.a
Installed Directory: /usr/share/doc/libmpeg3-1.6

Short Descriptions

mpeg3cat concatenates elementary streams or demultiplexes a program stream (separates components of the stream).
mpeg3dump dumps information or extracts audio to a 24 bit PCM file.
mpeg3peek prints the byte offset of a given frame. It only works for video and requires a table of contents.
mpeg3toc creates a table of contents for a DVD or MPEG stream.
libmpeg3.a decodes several MPEG standards into uncompressed data suitable for editing and playback.

libmad-0.15.1b

Introduction to libmad

libmad is a high-quality MPEG audio decoder capable of 24-bit output.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/mad/libmad-0.15.1b.tar.gz>
- Download (FTP): <ftp://ftp.mars.org/pub/mpeg/libmad-0.15.1b.tar.gz>
- Download MD5 sum: 1be543bc30c56fb6bea1d7bf6a64e66c
- Download size: 494 KB
- Estimated disk space required: 4.2 MB
- Estimated build time: 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmad>

Installation of libmad

Install libmad by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Some packages check for the pkg-config file for libmad. This file is particularly needed so that Cdrdao can recognize the installed libmad.

As the root user:

```
cat > /usr/lib/pkgconfig/mad.pc << "EOF"  
prefix=/usr  
exec_prefix=${prefix}  
libdir=${exec_prefix}/lib  
includedir=${prefix}/include  
  
Name: mad  
Description: MPEG audio decoder  
Requires:  
Version: 0.15.1b  
Libs: -L${libdir} -lmad  
Cflags: -I${includedir}  
EOF
```

Contents

Installed Programs: None
Installed Library: libmad.{so,a}
Installed Directories: None

Short Descriptions

`libmad.{so,a}` is a MPEG audio decoder library.

libquicktime-0.9.9

Introduction to libquicktime

The libquicktime package contains the libquicktime library, various plugins and codecs, along with graphical and command line utilities used for encoding and decoding Quicktime files. This is useful for reading and writing files in the Quicktime format. The goal of the project is to enhance, while providing compatibility with, the Quicktime 4 Linux library.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libquicktime/libquicktime-0.9.9.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libquicktime-0.9.9.tar.gz>
- Download MD5 sum: 4ac23264f22a22ff013722aa9d188190
- Download size: 926 KB
- Estimated disk space required: 45.4 MB
- Estimated build time: 0.7 SBU (includes building with FFmpeg support)

libquicktime Dependencies

Optional

pkg-config-0.20, libpng-1.2.12, libjpeg-6b, X Window System, GTK+-2.8.20, ALSA-1.0.13, libvorbis-1.1.2, LAME-3.96.1, libdv-0.104, FFmpeg from CVS, x264, FAAC and FAAD2 (a CVS version required to play all files)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libquicktime>

Installation of libquicktime

Install libquicktime by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you have Doxygen-1.4.6 installed and wish to create the API documentation, issue: **doxygen**.

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/libquicktime-0.9.9/api &&  
install -v -m644 README doc/{*.html,mainpage.incl} \  
    /usr/share/doc/libquicktime-0.9.9
```

If you created the API documentation, install it by issuing the following command as the root user:

```
install -v -m644 doc/html/* /usr/share/doc/libquicktime-0.9.9/api
```

Command Explanations

`--with-avcodec=<DIRECTORY NAME>`: This option can be used to force libquicktime to use a specified version of FFmpeg to build the FFmpeg plugin module. **Tip:** build FFmpeg (don't use `--enable-shared`) and install it in a private directory. Then build libquicktime, substituting the private directory name for `<DIRECTORY NAME>`. You can now safely remove `<DIRECTORY_NAME>`, as the FFmpeg libavcodec library was statically linked into the libquicktime FFmpeg module.

Contents

Installed Programs: libquicktime_config, lqt-config, lqt_transcode, lqtplay, qtdechunk, qtdump, qtinfo, qtrechunk, qtstreamize and qtyuv4toyuv

Installed Libraries: libquicktime.so and several plugin codec libraries

Installed Directories: /usr/include/lqt, /usr/lib/libquicktime and /usr/share/doc/libquicktime-0.9.9

Short Descriptions

libquicktime_config is a graphical front end to examine and configure the available libquicktime audio and video codecs.

lqt-config is a simple program used to query the libquicktime installation settings and plugin information.

lqt_transcode is a command-line program used to encode video and/or audio files from one format to another.

lqtplay is a simple Quicktime movie player for X11.

qtdechunk can take movies containing rgb frames and write them out as ppm images.

qtrechunk concatenates input frames into a Quicktime movie.

qtyuv4toyuv is used to write a YUV4 encoded movie as a planar YUV 4:2:0 file.

libquicktime.so is a library for reading and writing Quicktime files. It provides convenient access to Quicktime files with a variety of supported codecs. The library contains new functions integrated with all the original Quicktime 4 Linux library functions used to encode and decode Quicktime files.

libFAME-0.9.1

Introduction to libFAME

libFAME is a fast (real-time) MPEG-1 as well as MPEG-4 rectangular and arbitrary shaped video encoding library.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/fame/libfame-0.9.1.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libfame-0.9.1.tar.gz>
- Download MD5 sum: 880085761e17a3b4fc41f4f6f198fd3b
- Download size: 290 KB
- Estimated disk space required: 6.6 MB
- Estimated build time: 0.2 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/libfame-0.9.1-gcc34-1.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libfame>

Installation of libFAME

Install libFAME by running the following commands:

```
patch -Np1 -i ../libfame-0.9.1-gcc34-1.patch &&
sed -i 's/$CC --version/$CC -dumpversion/' configure &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

sed -i 's/\$CC --version/\$CC -dumpversion/' configure: This command causes the **configure** script to use a different command to find out the version of the compiler. Without this command, the **-strict-aliasing** flag is not added to the **CFLAGS** variable in the various **Makefiles**.

--enable-sse: This option is off by default and should be set on if your machine has SSE capability. One way to find out if you have SSE is to issue **cat /proc/cpuinfo** and see if **sse** is listed in the flags.

Contents

Installed Programs: libfame-config

Installed Libraries: `libfame.{so,a}`

Installed Directories: `None`

Short Descriptions

libfame-config provides configuration information for `libfame`.

`libfame.{so,a}` provides functions for the video encoding programs.

Speex-1.0.5

Introduction to Speex

Speex is an audio compression format designed especially for speech. It is well-adapted to Internet applications and provides useful features that are not present in most other CODECs.

Package Information

- Download (HTTP): <http://downloads.us.xiph.org/releases/speex/speex-1.0.5.tar.gz>
- Download (FTP):
- Download MD5 sum: 01d6a2de0a88a861304bf517615dea79
- Download size: 535 KB
- Estimated disk space required: 4.2 MB
- Estimated build time: 0.12 SBU

Speex Dependencies

Optional

libogg-1.1.3

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/speex>

Installation of Speex

Install Speex by running the following commands:

```
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	speexdec and speexenc
Installed Libraries:	libspeex.{so,a}
Installed Directories:	/usr/share/doc/speex-1.0.4

Short Descriptions

speexdec	decodes a Speex file and produces a WAV or raw file.
speexenc	encodes a WAV or raw files using Speex.

`libspeex.{so,a}` provides functions for the audio encoding/decoding programs.

Id3lib-3.8.3

Introduction to Id3lib

id3lib is a library for reading, writing and manipulating ID3v1 and ID3v2 tags.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/id3lib/id3lib-3.8.3.tar.gz>
- Download (FTP):
- Download MD5 sum: 19f27ddd2dda4b2d26a559a4f0f402a7
- Download size: 950 KB
- Estimated disk space required: 21 MB
- Estimated build time: 0.6 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/id3lib-3.8.3-test_suite-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/id3lib>

Installation of Id3lib

Install id3lib by running the following commands:

```
patch -Np1 -i ../id3lib-3.8.3-test_suite-1.patch &&
./configure --prefix=/usr &&
make
```

To test the results, issue: **make check**.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/id3lib-3.8.3 &&
install -v -m644 doc/*.{gif,jpg,png,ico,css,txt,php,html} \
    /usr/share/doc/id3lib-3.8.3
```

Contents

Installed Programs:	id3convert, id3cp, id3info, and id3tag
Installed Library:	libid3.{so,a}
Installed Directories:	/usr/include/id3 and /usr/share/doc/id3lib-3.8.3

Short Descriptions

id3convert converts between ID3v1/v2 tagging formats.

id3cp	extracts ID3v1/v2 tags from digital audio files.
id3info	prints ID3v1/v2 tag contents.
id3tag	is an utility for editing ID3v1/v2 tags.
<code>libid3.{so,a}</code>	provides functions for the ID3v1/v2 tag editing programs as well as other external programs and libraries.

FLAC-1.1.2

Introduction to FLAC

FLAC is an audio CODEC similar to MP3, but lossless, meaning that audio is compressed without losing any information.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/flac/flac-1.1.2.tar.gz>
- Download (FTP):
- Download MD5 sum: 2bfc127cdda02834d0491ab531a20960
- Download size: 1.5 MB
- Estimated disk space required: 49 MB
- Estimated build time: 0.7 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/flac-1.1.2-xmms_plugin_fix-1.patch

FLAC Dependencies

Optional

libogg-1.1.3, XMMS-1.2.10, NASM-0.98.39, DocBook-utils-0.6.14, Doxygen-1.4.6 and Valgrind

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/flac>

Installation of FLAC

Install FLAC by running the following commands:

```
patch -Np1 -i ../flac-1.1.2-xmms_plugin_fix-1.patch &&
LIBS=-lm ./configure --prefix=/usr &&
make
```

If you have Valgrind version 3.0.0 or higher installed and you plan on running the test suites after passing the `--enable-valgrind-testing` parameter to **configure**, you need to issue the following command to change some test scripts:

```
sed -i -e "s/logfile-fd/log-fd/" `grep -lr logfile-fd test/*sh`
```

To test the results, issue: **make check**. This test suite will take quite a while. Note that if you passed the `--enable-exhaustive-tests` and `--enable-valgrind-testing` parameters to **configure** and then run the test suite, it will take a *very* long time (up to 300 SBUs) and use about 375 MB of disk space.

Now, as the root user:

```
make install
```

Command Explanations

LIBS=-lm ./configure --prefix=/usr: libFLAC uses a function from the math library but is not linked with libm. Passing the environment variable to **configure** satisfies this dependency.

--enable-sse: This option is off by default and should be set on if your machine has SSE capability. One way to find out if you have SSE is to issue **cat /proc/cpuinfo** and see if **sse** is listed in the flags.

Contents

Installed Programs:	flac and metaflac
Installed Libraries:	libFLAC.{so,a}, libFLAC++. {so,a}, libOggFLAC.{so,a}, libOggFLAC++. {so,a}, and libxmms-flac.{so,a}
Installed Directories:	/usr/share/doc/flac-1.1.2

Short Descriptions

flac	is a command-line utility for encoding, decoding and converting FLAC files.
metaflac	is a program for listing, adding, removing, or editing metadata in one or more FLAC files.
<code>lib{,Ogg}FLAC{,++}. {so,a}</code>	these libraries provide native FLAC and Ogg FLAC C/C++ APIs for programs utilizing FLAC.
<code>libxmms-flac. {so,a}</code>	is a plugin for XMMS.

libdvdcss-1.2.9

Introduction to libdvdcss

libdvdcss is a simple library designed for accessing DVDs as a block device without having to bother about the decryption.

Package Information

- Download (HTTP): <http://www.videolan.org/pub/libdvdcss/1.2.9/libdvdcss-1.2.9.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libdvdcss-1.2.9.tar.bz2>
- Download MD5 sum: 553383d898826c285afb2ee453b07868
- Download size: 283 KB
- Estimated disk space required: 5.5 MB
- Estimated build time: less than 0.1 SBU

libdvdcss Dependencies

Optional (to Create Documentation)

Doxygen-1.4.6 and teTeX-3.0

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libdvdcss>

Installation of libdvdcss

Install libdvdcss by running the following commands:

```
./configure --prefix=/usr &&  
make
```

If you have Doxygen and teTeX installed, HTML and Postscript documentation was created during the build. If you also want to install a PDF version of the reference manual, issue the following command:

```
make -C doc/latex pdf
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you have Doxygen and teTeX installed, install the documentation using the following commands as the `root` user:

```
install -v -m755 -d /usr/share/doc/libdvdcss-1.2.9/html &&  
install -v -m644 doc/html/* /usr/share/doc/libdvdcss-1.2.9/html &&  
install -v -m644 doc/latex/*.{pdf,ps,dvi} \  
    /usr/share/doc/libdvdcss-1.2.9
```

Contents

Installed Programs:	None
Installed Library:	libdvdcss.{so,a}
Installed Directories:	/usr/include/dvdcss and /usr/share/doc/libdvdcss-1.2.9

Short Descriptions

<code>libdvdcss.{so,a}</code>	provides the functionality that is required for transparent DVD access with CSS decryption.
-------------------------------	---------------------------------------------------------------------------------------------

Libdvdread-0.9.6

Introduction to Libdvdread

libdvdread is a library which provides a simple foundation for reading DVDs.

Package Information

- Download (HTTP): <http://www.dtek.chalmers.se/groups/dvd/dist/libdvdread-0.9.6.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libdvdread-0.9.6.tar.gz>
- Download MD5 sum: 329401b84ad0b00aaccaad58f2fc393c
- Download size: 383 KB
- Estimated disk space required: 4.5 MB
- Estimated build time: 0.1 SBU

Libdvdread Dependencies

Optional

libdvdcss-1.2.9

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libdvdread>

Installation of Libdvdread

Install libdvdread by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--with-libdvdcss`: This switch is needed if you want libdvdread to link to the `libdvdcss` library so it can read CSS encrypted DVDs. If you do not pass this switch, libdvdread will dlopen the `libdvdcss` library at runtime, if it is available, in order to read CSS encrypted DVDs.

Contents

Installed Programs:	None
Installed Libraries:	libdvdread.{so,a}
Installed Directories:	/usr/include/dvdread

Short Descriptions

`libdvdread.{so,a}` provides functionality required to access DVDs.

Libdv-0.104

Introduction to Libdv

libdv (Quasar DV) is a software CODEC for DV video, the encoding format used by most digital camcorders.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/libdv/libdv-0.104.tar.gz>
- Download (FTP):
- Download MD5 sum: f6b08efce7472daa20685e6e8431f542
- Download size: 554 KB
- Estimated disk space required: 6.2 MB
- Estimated build time: 0.2 SBU

Libdv Dependencies

Optional

popt-1.10.4, pkg-config-0.20, SDL-1.2.11, GTK+-1.2.10, and X Window System

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libdv>

Installation of Libdv

Install libdv by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&  
install -v -m755 -d /usr/share/doc/libdv-0.104 &&  
install -v -m644 README* /usr/share/doc/libdv-0.104
```



Note

The **configure** check for GTK+ is broken. If GTK+ is not installed, also pass `--disable-gtk` to the **configure** script.

Contents

Installed Programs: dubdv, dvconnect, encodedv, and playdv
Installed Library: libdv.{so,a}
Installed Directories: /usr/include/libdv and /usr/share/doc/libdv-0.104

Short Descriptions

dubdv	inserts audio into a digital video stream.
dvconnect	is a small utility to send or capture raw data from and to the camcorder.
encodedv	encodes a series of images to a digital video stream.
playdv	displays digital video streams on the screen.
libdv.{so,a}	provides functions for programs interacting with the Quasar DV CODEC.

Liba52-0.7.4

Introduction to Liba52

liba52 is a free library for decoding ATSC A/52 (also known as AC-3) streams. The A/52 standard is used in a variety of applications, including digital television and DVD.

Package Information

- Download (HTTP): <http://liba52.sourceforge.net/files/a52dec-0.7.4.tar.gz>
- Download (FTP):
- Download MD5 sum: caa9f5bc44232dc8aeea773fea56be80
- Download size: 236 KB
- Estimated disk space required: 2.5 MB
- Estimated build time: less than 0.1 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/liba52>

Installation of Liba52

Install liba52 by running the following commands:

```
./configure --prefix=/usr --enable-shared &&  
make
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&  
install -v -m644 -D doc/liba52.txt \  
/usr/share/doc/liba52-0.7.4/liba52.txt
```

Contents

Installed Programs:	a52dec and extract_a52
Installed Library:	liba52.{so,a}
Installed Directories:	/usr/include/a52dec and /usr/share/doc/liba52-0.7.4

Short Descriptions

a52dec	plays ATSC A/52 audio streams.
extract_a52	extracts ATSC A/52 audio from an MPEG stream.
liba52.{so,a}	provides functions for the programs dealing with ATSC A/52 streams.

XviD-1.1.0

Introduction to XviD

XviD is an MPEG-4 compliant video CODEC.

Package Information

- Download (HTTP): <http://downloads.xvid.org/downloads/xvidcore-1.1.0.tar.bz2>
- Download (FTP):
- Download MD5 sum: 359eebc5fb496a2bf7b15010059e7897
- Download size: 598 KB
- Estimated disk space required: 8.5 MB
- Estimated build time: 0.2 SBU

XviD Dependencies

Optional

NASM-0.98.39

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xvid>

Installation of XviD

Install XviD by running the following commands:

```
cd build/generic &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
chmod -v 755 /usr/lib/libxvidcore.so.4.1 &&
ln -v -sf libxvidcore.so.4.1 /usr/lib/libxvidcore.so.4 &&
ln -v -sf libxvidcore.so.4 /usr/lib/libxvidcore.so &&
install -v -m755 -d /usr/share/doc/xvidcore-1.1.0/examples &&
install -v -m644 ../../doc/* /usr/share/doc/xvidcore-1.1.0 &&
install -v -m644 ../../examples/* \
    /usr/share/doc/xvidcore-1.1.0/examples
```

Command Explanations

ln -v -sf libxvidcore.so.4 /usr/lib/libxvidcore.so: This command makes applications linked against `.so` names, link to `.so.<MAJOR>`. This ensures better binary compatibility, as XviD developers take care not changing the `<MAJOR>` number until there is an incompatible ABI change.

Contents

Installed Programs: None
Installed Library: libxvidcore.{so,a}
Installed Directory: /usr/share/doc/xvidcore-1.1.0

Short Descriptions

libxvidcore.{so,a} provides functions to encode and decode most MPEG-4 video data.

Xine Libraries-1.1.1

Introduction to Xine Libraries

The xine Libraries package contains xine libraries. These are useful for interfacing with external plug-ins that allow the flow of information from the source to the screen and speakers.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/xine/xine-lib-1.1.1.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xine-lib-1.1.1.tar.gz>
- Download MD5 sum: b1f42602c776bb93e3cbf127e220cbfd
- Download size: 7.8 MB
- Estimated disk space required: 105 MB
- Estimated build time: 5.0 SBU (with all optional dependencies installed)

Xine Libraries Dependencies

Required

X Window System and Esound-0.2.36 or OSS or ALSA-1.0.13 or aRts-1.5.6 or PulseAudio

Optional

pkg-config-0.20, FFmpeg-0.4.9-pre1, AALib-1.4rc5, libmng-1.0.9, SDL-1.2.11, FLAC-1.1.2, libFAME-0.9.1, libogg-1.1.3, libvorbis-1.1.2, Speex-1.0.5, libmad-0.15.1b, liba52-0.7.4, GNOME Virtual File System-2.14.2, Samba-3.0.23d, ImageMagick-6.2.8-0, DirectFB, Theora, LibSTK, libcacca, libdvdnav, libmodplug, XvMC Wrapper (only if you have XFree86 installed), libcdio, VCDImager, sgmltools-lite, and Transfig

It is recommended that you use the internal source tree versions of FFmpeg, liba52, libdvdnav and libmad and not system-installed versions.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xine-lib>

Installation of Xine Libraries

Install xine Libraries by running the following commands:

```
./configure --prefix=/usr --enable-static &&  
make
```

Trying to use the locally installed FFmpeg library by passing `--with-external-ffmpeg` to **configure** may not compile cleanly.

You will need to pass `--with-xv-path=</directory/path>` to **configure** if you didn't install Xorg or XFree86 in `/usr/X11R6`. For example, if you installed Xorg in `/usr`, you will need to use `--with-xv-path=/usr/lib`.

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-static`: This switch is used to enable building the static library as some programs link against it.

Contents

Installed Program:	xine-config
Installed Libraries:	libxine.{a,so} and numerous plugin modules and video extensions
Installed Fonts:	Output display engine fonts located in /usr/share/xine/libxine1/fonts
Installed Directories:	/usr/include/xine, /usr/lib/xine, /usr/share/xine, and /usr/share/doc/xine

Short Descriptions

xine-config	provides information to programs trying to link with the xine libraries.
libxine.so	provides the API for processing audio/video files.

Libmikmod-3.1.11

Introduction to Libmikmod

libmikmod is a sound library capable of playing audio samples as well as tracker modules. Supported module formats include MOD, S3M, XM, IT, MED, MTM and 669.

Package Information

- Download (HTTP): <http://mikmod.raphnet.net/files/libmikmod-3.1.11.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/libmikmod-3.1.11.tar.gz>
- Download MD5 sum: 705106da305e8de191549f1e7393185c
- Download size: 604 KB
- Estimated disk space required: 9.9 MB
- Estimated build time: 0.3 SBU

Additional Downloads

- Recommended Patch: <http://mikmod.raphnet.net/files/libmikmod-3.1.11-a.diff>

Libmikmod Dependencies

Optional

ALSA-1.0.13, EsounD-0.2.36, libGUS, AFlib and SAM9407 driver

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmikmod>

Installation of Libmikmod

Install libmikmod by running the following commands:

```
patch -Np1 -i ../libmikmod-3.1.11-a.diff &&
sed -i -e "s/VERSION=10/VERSION=11/" \
    -e "s/sys_asoundlib/alsa_asoundlib/" \
    -e "s/snd_cards/snd_card_load/g" \
    -e "s|sys/asoundlib.h|alsa/asoundlib.h|g" \
    -e "s/^LIBOBSJS/#LIBOBSJS/" \
    configure.in &&
autoconf &&
./configure --prefix=/usr &&
make
```

Now, as the root user:

```
make install &&
chmod 755 /usr/lib/libmikmod.so.2.0.4 &&
install -v -m644 -D docs/mikmod.html \
    /usr/share/doc/libmikmod-3.1.11/mikmod.html
```

Command Explanations

sed -i -e ...: This increments the package micro version and also modifies the ALSA header search routine so that the package properly discovers the ALSA library. It also fixes a problem which makes `autoconf` fail.

autoconf: This generates a new **configure** script, required because of the changes to `configure.in`.

Contents

Installed Program:	<code>libmikmod-config</code>
Installed Library:	<code>libmikmod.{so,a}</code>
Installed Directory:	<code>/usr/share/doc/libmikmod-3.1.11</code>

Short Descriptions

libmikmod-config	provides version information, compiler, and linker flags to programs that utilize <code>libmikmod</code> .
<code>libmikmod.{so,a}</code>	contains functions that are required to play various tracker module files.

GStreamer-0.10.11

Introduction to GStreamer

The GStreamer package contains a streaming media framework that enables applications to share a common set of plugins for things like video decoding and encoding, audio encoding and decoding, audio and video filters, audio visualisation, Web streaming and anything else that streams in real-time or otherwise. It is modelled after research software worked on at the Oregon Graduate Institute. After installing GStreamer, you'll likely need to install one or more of the GStreamer Good Plug-ins-0.10.4, GStreamer Ugly Plug-ins-0.10.4, GStreamer Bad Plug-ins and GStreamer FFmpeg plug-in packages.

Package Information

- Download (HTTP): <http://gstreamer.freedesktop.org/src/gstreamer/gstreamer-0.10.11.tar.bz2>
- Download (FTP):
- Download MD5 sum: 67240094e08c845b7bbcfba755c95695
- Download size: 1.8 MB
- Estimated disk space required: 71.8 MB
- Estimated build time: 1.6 SBU (includes building manuals, additional 1.0 SBU to rebuild API docs and 0.5 SBU to run the test suite)

GStreamer Dependencies

Required

GLib-2.10.3 and libxml2-2.6.26

Optional

Check (required to run the unit regression tests), and Valgrind (optionally used during the unit regression tests)

Optional (Required to Rebuild the API Documentation)

GTK-Doc-1.6 and PyXML-0.8.4

Optional (Required to Build Manuals)

libxslt-1.1.17, TeX-3.0, AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2, DocBook-utils-0.6.14, Transfig, and Netpbm

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gstreamer>

Installation of GStreamer

Install GStreamer by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**. There are many other `Makefile` targets you can specify for running the tests, issue **make -C tests/check help** to see the complete list.

Now, as the `root` user:

```
make install &&
install -v -m755 -d /usr/share/doc/gstreamer-0.10/design &&
install -v -m644 docs/design/*.txt \
    /usr/share/doc/gstreamer-0.10/design &&
if [ -d /usr/share/doc/gstreamer-0.10/faq/html ]; then
    chown -v -R root:root \
        /usr/share/doc/gstreamer-0.10/*/html
fi
```

If you did not rebuild the API documentation by passing `--enable-gtk-doc` to the **configure** script and you wish to install the pre-built documentation, issue the following command as the `root` user:

```
for DOCS in gst libs plugins; do make -C docs/$DOCS install-data; done
```

Testing the Installation

To test the functionality of the GStreamer installation, you can run a simple test as an unprivileged user (you may have to run **ldconfig** as the `root` user before attempting the test).

```
gst-launch -v fakesrc num_buffers=5 ! fakesink
```

If the command outputs a series of messages from `fakesrc` and `fakesink`, everything is okay.

Command Explanations

`--enable-gtk-doc`: This parameter is used to rebuild and install the API documentation.

`--enable-docbook`: This parameter is used to build HTML, PDF and PostScript versions of the GStreamer User's Manual, FAQ and Writer's Guide. Note that you must have all the listed dependencies installed.

chown -v -R root:root ...: The documentation is installed with ownerships of the user who untarred and built the package. This command changes the ownerships of the installed documentation files to `root:root` and is only executed if the documentation files were built and installed.

Contents

Installed Programs:	<code>gst-feedback{-,0.10}</code> , <code>gst-inspect{-,0.10}</code> , <code>gst-launch{-,0.10}</code> , <code>gst-typefind{-,0.10}</code> , <code>gst-xmllaunch{-,0.10}</code> and <code>gst-xmlinspect{-,0.10}</code>
Installed Libraries:	<code>libgstbase-0.10.{so,a}</code> , <code>libgstcheck-0.10.{so,a}</code> , <code>libgstcontroller-0.10.{so,a}</code> , <code>libgstdataprotocol-0.10.{so,a}</code> , <code>libgstnet-0.10.{so,a}</code> , <code>libgstreamer-0.10.{so,a}</code> , and <code>libgst*.{so,a}</code> plugin modules
Installed Directories:	<code>/usr/include/gstreamer-0.10</code> , <code>/usr/lib/gstreamer-0.10</code> , <code>/usr/share/doc/gstreamer-0.10</code> , <code>/usr/share/gtk-doc/html/gstreamer{-,libs,-plugins}-0.10</code>

Short Descriptions

gst-feedback-0.10 generates debug info for GStreamer bug reports.

gst-inspect-0.10	prints information about a GStreamer plugin or element.
gst-launch-0.10	is a tool that builds and runs basic GStreamer pipelines.
gst-typefind-0.10	uses the GStreamer type finding system to determine the relevant GStreamer plugin to parse or decode a file, and determine the corresponding MIME type.
gst-xmlinspect-0.10	prints information about a GStreamer plugin or element in XML document format.
gst-xmllaunch-0.10	is used to build and run a basic GStreamer pipeline, loading it from an XML description.

GStreamer Base Plug-ins-0.10.11

Introduction to GStreamer Base Plug-ins

The GStreamer Base Plug-ins is a well-groomed and well-maintained collection of GStreamer plug-ins and elements, spanning the range of possible types of elements one would want to write for GStreamer. It also contains helper libraries and base classes useful for writing elements. A wide range of video and audio decoders, encoders, and filters are included. Also see the GStreamer Good Plug-ins-0.10.4, GStreamer Ugly Plug-ins-0.10.4, GStreamer Bad Plug-ins and GStreamer FFmpeg plug-in packages.

Package Information

- Download (HTTP): <http://gstreamer.freedesktop.org/src/gst-plugins-base/gst-plugins-base-0.10.11.tar.bz2>
- Download (FTP):
- Download MD5 sum: 2e78ff25635b31d948def7c2b2d79054
- Download size: 1.4 MB
- Estimated disk space required: up to 60 MB (depends on what dependencies are installed)
- Estimated build time: up to 1.5 SBU (0.5 SBU to run the test suite)

GStreamer Base Plug-ins Dependencies

Required

GStreamer-0.10.11 and liboil

Optional

ALSA-1.0.13, libogg-1.1.3, libvorbis-1.1.2, Theora, CDParanoia-III-9.8, FreeType-2.1.10, Pango-1.12.3, GTK+-2.8.20 (required to build the examples), X Window System, GNOME Virtual File System-2.14.2, libvisual, Check (required to run the unit regression tests), and Valgrind (optionally used during the unit regression tests)

Optional (Required to Rebuild the API Documentation)

GTK-Doc-1.6 and PyXML-0.8.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gst-plugins-base>

Installation of GStreamer Base Plug-ins

Install GStreamer Base Plug-ins by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **make check**. There are many other `Makefile` targets you can specify for running the tests, issue **make -C tests/check help** to see the complete list.

Now, as the `root` user:

```
make install
```

If you did not rebuild the API documentation by passing `--enable-gtk-doc` to the **configure** script and you wish to install the pre-built documentation, issue the following command as the `root` user:

```
make -C docs/libs install-data &&  
make -C docs/plugins install-data
```

Contents

Installed Programs:	gst-visualise-0.10
Installed Libraries:	libgst*.{so,a} and numerous GStreamer plugins
Installed Directories:	/usr/include/gstreamer-0.10/gst/{too numerous to list} and /usr/share/gtk-doc/html/gst-plugins-base-libs-0.10

Short Descriptions

gst-visualise-0.10	is used to run a basic GStreamer pipeline to display a graphical visualisation of an audio stream.
---------------------------	----------------------------------------------------------------------------------------------------

GStreamer Good Plug-ins-0.10.4

Introduction to GStreamer Good Plug-ins

The GStreamer Good Plug-ins is a set of plug-ins considered by the GStreamer developers to have good quality code, correct functionality, and the preferred license (LGPL for the plug-in code, LGPL or LGPL-compatible for the supporting library). A wide range of video and audio decoders, encoders, and filters are included. Also see the GStreamer Ugly Plug-ins-0.10.4, GStreamer Bad Plug-ins and GStreamer FFmpeg plug-in packages.

Package Information

- Download (HTTP): <http://gstreamer.freedesktop.org/src/gst-plugins-good/gst-plugins-good-0.10.4.tar.bz2>
- Download (FTP):
- Download MD5 sum: e189496e7987898823d28d26b79f63dc
- Download size: 1.2 MB
- Estimated disk space required: up to 61.2 MB (depends on what dependencies are installed)
- Estimated build time: up to 1.5 SBU

GStreamer Good Plug-ins Dependencies

Required

GStreamer Base Plug-ins-0.10.11

Optional

AALib-1.4rc5, cairo-1.2.4, libcdio (which can use CDPParanoia-III-9.8, libcdlib, and VCDImager), libavc1394 (requires libraw1394), libdv-0.104, EsounD-0.2.36, FLAC-1.1.2, GConf-2.14.0, GTK+-2.8.20 (required to build the examples), HAL-0.5.7.1, MMX Jpeg (preferred, but will fall back to libjpeg-6b), LADSPA, libcac, libpng-1.2.12, libshout, Speex-1.0.5, TagLib, X Window System, Check (required to run the unit regression tests), and Valgrind (optionally used during the unit regression tests)

Optional (Required to Rebuild the API Documentation)

GTK-Doc-1.6 and PyXML-0.8.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gst-plugins-good>

Installation of GStreamer Good Plug-ins

Install GStreamer Good Plug-ins by running the following commands:

```
./configure --prefix=/usr \
            --sysconfdir=/etc/gnome/2.14.3 &&
make
```

To test the results, issue: **make check**. There are many other `Makefile` targets you can specify for running the tests, issue **make -C tests/check help** to see the complete list.

Now, as the `root` user:


```
make install
```

If you did not rebuild the API documentation by passing `--enable-gtk-doc` to the **configure** script and you wish to install the pre-built documentation, issue the following command as the `root` user:

```
make -C docs/plugins install-data
```

Command Explanations

`--sysconfdir=/etc/gnome/2.14.3`: This parameter is used so that the GConf configuration files are installed in the system-wide GNOME GConf database located in `/etc/gnome/2.14.3/gconf` instead of `/usr/etc`. You may omit this parameter if you don't have GConf installed.

Contents

Installed Programs:	None
Installed Libraries:	Numerous GStreamer plugins
Installed Directories:	<code>/usr/share/gtk-doc/html/gst-plugins-good-plugins-0.10</code>

GStreamer Ugly Plug-ins-0.10.4

Introduction to GStreamer Ugly Plug-ins

The GStreamer Ugly Plug-ins is a set of plug-ins considered by the GStreamer developers to have good quality and correct functionality, but distributing them might pose problems. The license on either the plug-ins or the supporting libraries might not be how the GStreamer developers would like. The code might be widely known to present patent problems. Also see the GStreamer Good Plug-ins-0.10.4, GStreamer Bad Plug-ins and GStreamer FFmpeg plug-in packages.

Package Information

- Download (HTTP): <http://gstreamer.freedesktop.org/src/gst-plugins-ugly/gst-plugins-ugly-0.10.4.tar.bz2>
- Download (FTP):
- Download MD5 sum: c10f40e3641d827ca7853b0a3d560257
- Download size: 720 KB
- Estimated disk space required: up to 17.6 MB (depends on what dependencies are installed)
- Estimated build time: up to 0.4 SBU

GStreamer Ugly Plug-ins Dependencies

Required

GStreamer Base Plug-ins-0.10.11

Optional

LAME-3.96.1, liba52-0.7.4, libamrnb, libdvdnv, libdvread-0.9.6, libmad-0.15.1b (and libid3tag), libmpeg2-0.4.0b, and libsidplay

Optional (Required to Rebuild the API Documentation)

GTK-Doc-1.6 and PyXML-0.8.4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gst-plugins-ugly>

Installation of GStreamer Ugly Plug-ins

Install GStreamer Ugly Plug-ins by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

If you did not rebuild the API documentation by passing `--enable-gtk-doc` to the **configure** script and you wish to install the pre-built documentation, issue the following command as the `root` user:

```
make -C docs/plugins install-data
```

Contents

Installed Programs:	None
Installed Libraries:	Several GStreamer plugins
Installed Directories:	/usr/share/gtk-doc/html/gst-plugins-ugly-plugins-0.10

libmusicbrainz-2.1.4

Introduction to libmusicbrainz

The libmusicbrainz package contains a library which allows you to access the data held on the MusicBrainz server. This is useful for adding MusicBrainz lookup capabilities to other applications.

MusicBrainz is a community music metadatabase that attempts to create a comprehensive music information site. You can use the MusicBrainz data either by browsing the web site, or you can access the data from a client program — for example, a CD player program can use MusicBrainz to identify CDs and provide information about the CD, about the artist or other related information.

Package Information

- Download (HTTP): <http://ftp.musicbrainz.org/pub/musicbrainz/libmusicbrainz-2.1.4.tar.gz>
- Download (FTP): <ftp://ftp.musicbrainz.org/pub/musicbrainz/libmusicbrainz-2.1.4.tar.gz>
- Download MD5 sum: 98bf1e102dda3b6ec3e72e1426445489
- Download size: 509 KB
- Estimated disk space required: 10.2 MB
- Estimated build time: 0.3 SBU

libmusicbrainz Dependencies

Required

expat-2.0.0

Optional to Build the Python Bindings

Python-2.4.4 and ctypes

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmusicbrainz>

Installation of libmusicbrainz

Install libmusicbrainz by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Build the Python bindings with the following commands:

```
(cd python && python setup.py build)
```

To test the Python bindings, issue the command **(cd python && python setup.py test)**.

Now, as the root user:

```
make install &&  
install -v -m644 -D docs/mb_howto.txt \  
/usr/share/doc/libmusicbrainz-2.1.4/mb_howto.txt
```

If you built the Python bindings, issue the following command as the `root` user to install them:

```
(cd python && python setup.py install)
```

Contents

Installed Programs:	None
Installed Library:	libmusicbrainz.{so,a}
Installed Directories:	/usr/include/musicbrainz and /usr/share/doc/libmusicbrainz-2.1.4

Short Descriptions

libmusicbrainz.{so,a}	contains API functions to access the MusicBrainz database, both for looking up data and also for submitting new data.
-----------------------	-----------------------------------------------------------------------------------------------------------------------

libmpeg2-0.4.0b

Introduction to libmpeg2

The libmpeg2 package contains a library for decoding MPEG-2 and MPEG-1 video streams. The library is able to decode all MPEG streams that conform to certain restrictions: “constrained parameters” for MPEG-1, and “main profile” for MPEG-2. This is useful for programs and applications needing to decode MPEG-2 and MPEG-1 video streams.

Package Information

- Download (HTTP): <http://libmpeg2.sourceforge.net/files/mpeg2dec-0.4.0b.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles//mpeg2dec-0.4.0b.tar.gz>
- Download MD5 sum: 52d10ea80595ec83d8557ba7ac6dc8e6
- Download size: 473 KB
- Estimated disk space required: 7.1 MB
- Estimated build time: 0.2 SBU

libmpeg2 Dependencies

Optional

X Window System and SDL-1.2.11

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/libmpeg2>

Installation of libmpeg2

Install libmpeg2 by running the following commands:

```
./configure --prefix=/usr --enable-shared &&  
make
```

To test the results, issue: **make check**. To perform a more comprehensive regression test, see the file `test/README` in the source tree.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/mpeg2dec-0.4.0b &&  
install -v -m644 README doc/libmpeg2.txt \  
    /usr/share/doc/mpeg2dec-0.4.0b &&  
install -v -m755 doc/sample? /usr/share/doc/mpeg2dec-0.4.0b
```

Command Explanations

--enable-shared: This parameter forces building shared versions of the libraries as well as the static versions.

Contents

Installed Programs: corrupt_mpeg2, extract_mpeg2 and mpeg2dec
Installed Libraries: libmpeg2.{so,a} and libmpeg2convert.{so,a}
Installed Directories: /usr/include/mpeg2dec and /usr/share/doc/mpeg2dec-0.4.0b

Short Descriptions

extract_mpeg2	extracts MPEG video streams from a multiplexed stream.
mpeg2dec	decodes MPEG1 and MPEG2 video streams.
libmpeg2.{so,a}	contains API functions used to decode MPEG video streams.
libmpeg2convert.{so,a}	contains API functions used for color conversions of MPEG video streams.

Chapter 39. Audio Utilities

This chapter contains programs involved with audio file manipulation; that is to say playing, recording, ripping and the other common things which people want to do. It also includes a package used to render text to speech using your system's audio hardware. To use much of this software, you will need to have the kernel sound drivers installed.

Mpg123-0.60

Introduction to Mpg123

The mpg123 package contains a console-based MP3 player. It claims to be the fastest MP3 decoder for Unix.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/mpg123/mpg123-0.60.tar.bz2>
- Download (FTP):
- Download MD5 sum: 14fa52ba192104a990e206493d9d771b
- Download size: 589 KB
- Estimated disk space required: 4.5 MB
- Estimated build time: 0.1 SBU

Mpg123 Dependencies

Required

ALSA Library-1.0.13

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mpg123>

Installation of Mpg123

Install mpg123 by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Contents

Installed Program:	mpg123
Installed Libraries:	None
Installed Directories:	None

Short Descriptions

mpg123 is used for playing MP3 files via the console.

Vorbis Tools-1.1.1

Introduction to Vorbis Tools

The Vorbis Tools package contains command-line tools for Ogg audio files. This is useful for encoding, playing or editing files using the Ogg CODEC.

Package Information

- Download (HTTP): <http://downloads.xiph.org/releases/vorbis/vorbis-tools-1.1.1.tar.gz>
- Download (FTP):
- Download MD5 sum: 47845fd76f5f2354a3619c4097575487
- Download size: 701 KB
- Estimated disk space required: 6.9 MB
- Estimated build time: 0.13 SBU

Vorbis Tools Dependencies

Required

libvorbis-1.1.2

Recommended (Required to Build the 'ogg123' Program)

cURL-7.15.3 and libao-0.8.6

Optional

FLAC-1.1.2 and Speex-1.0.5

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/vorbistools>

Installation of Vorbis Tools

Install Vorbis Tools by running the following commands:

```
./configure --prefix=/usr --enable-vcut &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-vcut`: This parameter is used so that the `vcut` program is built, as it is not by default.

Configuring Vorbis Tools

Config Files

`/etc/libao.conf`, `~/.libao`, and `~/.ogg123rc`

Configuration Information

Issue `man libao.conf` for information about setting the default output device. Also see `/usr/share/doc/vorbis-tools-1.1.1/ogg123rc-example`.

Contents

Installed Programs: `ogg123`, `oggdec`, `oggenc`, `ogginfo`, `vcut`, and `vorbiscomment`

Installed Libraries: None

Installed Directory: `/usr/share/doc/vorbis-tools-1.1.1`

Short Descriptions

ogg123	is a command-line audio player for Ogg Vorbis streams.
oggdec	is a simple decoder which converts Ogg Vorbis files into PCM audio files (WAV or raw).
oggenc	is an encoder that turns raw, WAV or AIFF files into an Ogg Vorbis stream.
ogginfo	prints information stored in an audio file.
vcut	will split a file into two files at a designated cut point.
vorbiscomment	is an editor that changes information in the audio file metadata tags.

XMMS-1.2.10

Introduction to XMMS

XMMS is an audio player for the X Window System.

Package Information

- Download (HTTP): <http://www.xmms.org/files/1.2.x/xmms-1.2.10.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xmms-1.2.10.tar.bz2>
- Download MD5 sum: 03a85cfc5e1877a2e1f7be4fa1d3f63c
- Download size: 2.4 MB
- Estimated disk space required: 55 MB
- Estimated build time: 0.84 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/xmms-1.2.10-gcc4-1.patch>

XMMS Dependencies

Required

GTK+-1.2.10

Optional

ALSA-1.0.13, Esound-0.2.36, libvorbis-1.1.2 and libmikmod-3.1.11

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/XMMS>

Installation of XMMS

Install XMMS by running the following commands:

```
patch -Np1 -i ../xmms-1.2.10-gcc4-1.patch &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/xmms-1.2.10 &&
install -v -m644 FAQ README /usr/share/doc/xmms-1.2.10
```

Configuring XMMS

Config Files

`~/.xmms/config`

Configuration Information

When you start **xmms** for the first time, you can configure it with **CTRL+P**. Note that you can extend XMMS' functionality with plugins and skins. You can find these at <http://xmms.org>.

Contents

Installed Programs:	xmms, xmms-config, and wmxmms
Installed Libraries:	libxmms.{so,a} and numerous input, output, effects, and general plugins
Installed Directories:	/usr/include/xmms, /usr/lib/xmms, /usr/share/xmms and /usr/share/doc/xmms-1.2.10

Short Descriptions

xmms	(an acronym for X MultiMedia System) is a program comparable in function with WinAMP. Its main function is playing audio files like WAV and MP3. It can be extended with plugins to play a number of other audio or video formats. Its look can be customized with WinAMP style skins.
xmms-config	is used by other programs which need to link with xmms to retrieve the library and include paths.
wmxmms	is a dock applet for the Window Maker window manager. From the applet you can start and control xmms .
libxmms.{so,a}	contains graphics and playback functions used by xmms . These functions can also be utilized by other packages.

LAME-3.96.1

Introduction to LAME

The LAME package contains an MP3 encoder and optionally, an MP3 frame analyzer. This is useful for creating and analyzing compressed audio files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/lame/lame-3.96.1.tar.gz>
- Download (FTP):
- Download MD5 sum: e1206c46a5e276fec11a7149e2fc6ac
- Download size: 1.3 MB
- Estimated disk space required: 15 MB
- Estimated build time: 0.4 SBU

LAME Dependencies

Optional

GTK+-1.2.10, NASM-0.98.39, libsndfile (support is currently broken), Electric Fence and Dmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/lame>

Installation of LAME

Install LAME by running the following commands:

```
./configure --prefix=/usr --enable-mp3rtp &&  
make
```

To test the results, issue: **make test**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--enable-mp3rtp`: Builds the encode-to-RTP program.

`--enable-mp3x`: Builds the **mp3x** frame analyzer program (requires GTK+).

Contents

Installed Programs: lame, mp3rtp, and optionally, mp3x

Installed Library: libmp3lame.{so,a}

Installed Directories: /usr/include/lame and /usr/share/doc/lame

Short Descriptions

lame	creates MP3 audio files from raw PCM or .wav data.
mp3rtsp	is used to encode MP3 with RTP streaming of the output.
mp3x	is a GTK based graphical MP3 frame analyzer used for debugging, development and studying MP3 frames produced by any encoder.
<code>libmp3lame.{so,a}</code>	libraries provide the functions necessary to convert raw PCM and WAV files to MP3 files.

CDParanoia-III-9.8

Introduction to CDParanoia

The CDParanoia package contains a CD audio extraction tool. This is useful for extracting .wav files from audio CDs. A CDDA capable CDROM drive is needed. Practically all drives supported by Linux can be used.

Package Information

- Download (HTTP): <http://www.xiph.org/paranoia/download/cdparanoia-III-alpha9.8.src.tgz>
- Download (FTP):
- Download MD5 sum: 7218e778b5970a86c958e597f952f193
- Download size: 114 KB
- Estimated disk space required: 1.3 MB
- Estimated build time: 0.12 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cdparanoia>

Installation of CDParanoia

Install CDParanoia by running the following commands:

```
sed -i '/default:/a break;' interface/utils.h &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
chmod -v 755 /usr/lib/libcdda_*.so.0.9.8
```

Command Explanations

sed -i '/default:/a break;' interface/utils.h: This command enables the code to be compiled with a recent version of gcc.

Configuring CDParanoia

Configuration Information

As with most libraries, there is no configuration to do, save that the library directory, i.e., /opt/lib or /usr/local/lib should appear in /etc/ld.so.conf so that **ldd** can find the shared libraries. After checking that this is the case, /sbin/ldconfig should be run while logged in as root.

Contents

Installed Program: cdparanoia

Installed Libraries: libcdda_interface.{so,a} and libcdda_paranoia.{so,a}

Installed Directories: None

Short Descriptions

cdparanoia	is used for 'ripping' an audio-cd. Ripping is the process of digitally extracting music from an audio-cd.
libcdda_interface.{so,a}	contains functions used by cdparanoia , as well as other packages, which can automatically identify if a CD device is CDDA compatible.
libcdda_paranoia.{so,a}	contains functions used by cdparanoia , as well as other packages, which provide data verification, synchronization, error handling and scratch reconstruction capability.

FreeTTS-1.2.1

Introduction to FreeTTS

The FreeTTS package contains a speech synthesis system written entirely in the Java programming language. It is based upon Flite: a small run-time speech synthesis engine developed at Carnegie Mellon University. Flite is derived from the Festival Speech Synthesis System from the University of Edinburgh and the FestVox project from Carnegie Mellon University. The FreeTTS package is used to convert text to audible speech through the system audio hardware.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/freetts/freetts-1.2.1-src.zip>
- Download (FTP):
- Download MD5 sum: f3e3ceae5b8cb5e175b50931f2e350e8
- Download size: 14.1 MB
- Estimated disk space required: 112 MB
- Estimated build time: 0.4 SBU

Additional Downloads

- Test suite: <http://downloads.sourceforge.net/freetts/freetts-1.2.1-tst.zip>
- Download MD5 sum: 8e461701ee94b3942cc37783f6de4128
- Download size: 3.9 MB

FreeTTS Dependencies

Required

Apache Ant-1.6.5 (and JUnit to run the test suite), UnZip-5.52, Sharutils (for the **uudecode** program), and working audio hardware/software.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/freetts>

Installation of FreeTTS

The FreeTTS package is distributed in ZIP format and the **unzip** command will default to creating an unused source directory. Additionally, unzipping the test suite file will prompt for questions about overwriting existing files. Use the following commands to **unzip** the source files:

```
unzip -q freetts-1.2.1-src.zip -x META-INF/* &&
unzip -q freetts-1.2.1-tst.zip \
  -x {META-INF/*,freetts-1.2.1/{acknowledgments.txt,license.terms}}
```



Tip

The **sh jsapi.sh** command below installs the Java Speech API components into the FreeTTS source tree. You will be required to view, and then accept (by entering a **y** keypress), a license agreement before the installation will continue. If you are scripting (automating) the build, you'll need to

account for this. There is information about automating build commands in the Automated Building Procedures section of Chapter 2. Towards the end of this section, specific information for automating this type of installation is discussed.

Install FreeTTS by running the following commands:

```
cd lib &&
sh jsapi.sh &&
cd .. &&
ant
```

To test the results, issue:

```
ant junit &&
sh regression.sh
```

Now, as the `root` user:

```
install -v -m755 -d /opt/freetts-1.2.1/{lib,docs/{audio,images}} &&
install -v -m644 lib/*.jar /opt/freetts-1.2.1/lib &&
install -v -m644 *.txt RELEASE NOTES license.terms \
    docs/*.{pdf,html,txt,sx{w,d}} \
    /opt/freetts-1.2.1/docs &&
install -v -m644 docs/audio/* /opt/freetts-1.2.1/docs/audio &&
install -v -m644 docs/images/* /opt/freetts-1.2.1/docs/images &&
cp -v -R javadoc /opt/freetts-1.2.1 &&
ln -v -s freetts-1.2.1 /opt/freetts
```

Optionally, install any or all of the additional FreeTTS components using the following commands as the `root` user (see the Command Explanations section for details):

```
cp -v -R bin /opt/freetts-1.2.1 &&
install -v -m644 speech.properties /opt/jdk/jdk/jre/lib &&
cp -v -R tools /opt/freetts-1.2.1 &&
cp -v -R mbrola /opt/freetts-1.2.1 &&
cp -v -R demo /opt/freetts-1.2.1
```

Command Explanations

sh jsapi.sh: This command installs the Java Speech API components into the FreeTTS source tree.

ant: FreeTTS uses the Apache Ant build system instead of the GNU autotools. This commands builds everything, including the class libraries, tools and demos.

cp -v -R bin ...; install -v -m644 speech.properties: These two commands install the demonstration programs. Optionally copy the `speech.properties` file to `~/speech.properties` if you don't want to make it available system-wide.

cp -v -R tools ...: This installs the voice data import utilities. See the `README.html` files in the `tools/` subdirectories for information and instructions about using the tools.

cp -v -R mbrola ...: This installs the `mbrola.jar` file, required if you use the MBROLA voices.

cp -v -R demo ...: This installs the sources and documentation for the demonstration programs.

For additional information and documentation about the FreeTTS project, visit the main web page at <http://freetts.sourceforge.net>.

Testing the Installation

Test the installation using the following command:

```
java -jar /opt/freetts/lib/freetts.jar \  
-text "This is a test of the FreeTTS speech synthesis system"
```

Depending on the setup of your audio drivers and software, you may have to add the `-streaming` switch to the command as shown below:

```
java -jar /opt/freetts/lib/freetts.jar -streaming \  
-text "This is a test of the FreeTTS speech synthesis system"
```

Contents

Installed Programs:	None
Installed Libraries:	/opt/freetts-1.2.1/lib/*.jar
Installed Directory:	/opt/freetts-1.2.1

Short Descriptions

*.jar contains the class libraries which make up the FreeTTS speech synthesis system.

Audacious-1.0.0

Introduction to Audacious

Audacious is a Gtk+-2 audio player.

Package Information

- Download (HTTP): <http://audacious-media-player.org/release/audacious-1.0.0.tgz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/audacious-1.0.0.tgz>
- Download MD5 sum: a3e0f49be74eecb3c27a5a901cff0b66
- Download size: 3.1 MB
- Estimated disk space required: 44.1 MB
- Estimated build time: 1.0 SBU

audacious Dependencies

Required

libglade-2.6.0

Optional

id3lib-3.8.3, GConf-2.14.0, GNOME Virtual File System-2.14.2, ALSA-1.0.13, EsounD-0.2.36, aRts-1.5.6, FLAC-1.1.2, JACK, libvorbis-1.1.2 and libmikmod-3.1.11

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/audacious>

Installation of Audacious

The Audacious **configure** script will complain if it can't find libvorbis-1.1.2. If you have it installed, you can omit the `--disable-vorbis` option:

```
./configure --prefix=/usr --disable-vorbis &&  
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Program:	audacious
Installed Library:	libaudacious.so and numerous input, output, effects, and general plugins
Installed Directories:	/usr/include/audacious, /usr/lib/audacious and /usr/share/audacious

Short Descriptions

audacious is a Gtk2 port of XMMS based on the Beep Media Player.

`libaudacious.so` contains functions that are used by **audacious** to render its graphical interface.

Chapter 40. Video Utilities

This chapter always seems to be the favorite chapter. It's probably because there is a lot of satisfaction in playing your first video when you have spent so much time getting to that point. All those libraries, all the configurations and your reward is that you finally get to watch a movie. Not to worry though, there is always one more CODEC to install.

FFmpeg-0.4.9-pre1

Introduction to FFmpeg

FFmpeg is a solution to record, convert and stream audio and video. It is a very fast video and audio converter and it can also acquire from a live audio/video source. Designed to be intuitive, the command-line interface (**ffmpeg**) tries to figure out all the parameters, when possible. FFmpeg can also convert from any sample rate to any other, and resize video on the fly with a high quality polyphase filter. FFmpeg can use a video4linux compatible video source and any Open Sound System audio source.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/ffmpeg/ffmpeg-0.4.9-pre1.tar.gz>
- Download (FTP):
- Download MD5 sum: ea5587e3c66d50b1503b82ac4179c303
- Download size: 1.6 MB
- Estimated disk space required: 62.9 MB (built with all dependencies)
- Estimated build time: 1.0 SBU

Additional Downloads

- Required patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/ffmpeg-0.4.9-pre1-gcc4-1.patch>
- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/ffmpeg-0.4.9-pre1-amr_fixes-1.patch

FFmpeg Dependencies

Optional

libvorbis-1.1.2, LAME-3.96.1, Imlib2-1.2.2, X Window System, SDL-1.2.11, FreeType-2.1.10, MPlayer-1.0pre7try2 (for the shared post-processing library), FAAC, FAAD2, AMR narrowband (floating point) or AMR narrowband (fixed point), AMR wideband, and teTeX-3.0 (to build HTML documentation)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/ffmpeg>

Installation of FFmpeg

Install FFmpeg by running the following commands:



Note

Review the `doc/optimization.txt` file in the source tree for information about optimizing

the build.

```
patch -Np1 -i ../ffmpeg-0.4.9-pre1-gcc4-1.patch &&
patch -Np1 -i ../ffmpeg-0.4.9-pre1-amr_fixes-1.patch &&
sed -i "s/static uint64/const uint64/" \
    libavcodec/liba52/resample_mmx.c &&
./configure --prefix=/usr --enable-shared \
    --enable-pthreads --disable-ffplay &&
make
```

If you have teTeX installed, the man pages and HTML documentation were built during the **make** process. Skip to the root user installation steps if you don't need other formats of the documentation, or issue any or all of the following commands to create the additional formats.

```
for DOCFILE in faq ffmpeg-doc ffplay-doc ffserver-doc hooks
do
    texi2pdf -b $DOCFILE.texi
    texi2dvi -b $DOCFILE.texi
    dvips -o $DOCFILE.ps $DOCFILE.dvi
    makeinfo --plaintext --force -o $DOCFILE.txt $DOCFILE.texi
done
```

If you do not have teTeX installed, use the following command to build the man pages:

```
make -C doc ff{mpeg,play,server}.1
```

This package does not come with a test suite that works.

Now, as the root user:

```
make install
```

If you have teTeX installed on your system, install the documentation by issuing the following commands as the root user (modify the command appropriately to reflect the documentation formats you've created):

```
install -v -m755 -d /usr/share/doc/ffmpeg-0.4.9-pre1 &&
install -v -m644 doc/*.{html,dvi,pdf,ps,txt} \
    /usr/share/doc/ffmpeg-0.4.9-pre1
```

Command Explanations

sed -i -e "s/static uint64/const uint64/" libavcodec/liba52/resample_mmx.c: This command fixes an issue on machines with MMX capability and use GCC >= 3.4.x to compile in A52 support using the **--enable-a52** parameter passed to the **configure** script.

--enable-shared: This switch is needed to build the libavcodec and libavformat shared libraries.

--enable-pthreads: This switch enables the build to link against the Posix threads library.

--disable-ffplay: Only installs the server part. **ffplay** requires X for building. Remove this option if X is installed.

--enable-<codec>: Review the available options and codecs using the **./configure --help** command. Also

review the information at the end of the configure script (**cat** the file or view it using a text editor) for information about building support for the AMR codecs.

Configuring FFmpeg

Config Files

`/etc/ffserver.conf` and `~/ffmpeg/ffserver-config`

You'll find a sample ffserver configuration file at <http://ffmpeg.sourceforge.net/sample.html> (also `doc/ffserver.conf` in the source tree).

Contents

Installed Programs: `ffmpeg`, `ffserver`, and optionally, `ffplay`
Installed Libraries: `libavcodec.so`, `libavformat.so`, and video hook modules
Installed Directories: `/usr/include/ffmpeg`, `/usr/lib/vhook`, and `/usr/share/doc/ffmpeg-0.4.9-pre1`

Short Descriptions

ffmpeg is a command-line tool to convert video files, network streams and input from a TV card to several video formats.

ffplay is a very simple and portable media player using the `ffmpeg` libraries and the SDL library.

ffserver is a streaming server for everything that **ffmpeg** could use as input (files, streams, TV card input, webcam, etc.).

`libavcodec.so` is a library containing the FFmpeg codecs (both encoding and decoding).

`libavformat.so` is a library containing the file formats handling (mux and demux code for several formats) used by **ffplay** as well as allowing the generation of audio or video streams.

Avifile-0.7.45

Introduction to Avifile

The Avifile package contains an AVI video file player, tools and support libraries. This is useful for viewing and editing AVI files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/avifile/avifile-0.7-0.7.45.tar.bz2>
- Download (FTP):
- Download MD5 sum: 7da94802f120d1b69e04a13170dcd21d
- Download size: 3.2 MB
- Estimated disk space required: 57.5 MB
- Estimated build time: 2.5 SBU

Additional Downloads

- Required CODEC: <http://downloads.sourceforge.net/avifile/binaries-011002.tgz>
- Download MD5 sum: 4db4edeeceefb9353b15b047207fa6d3
- Download size: 4.3 MB
- Estimated disk space required: 13 MB

Avifile Dependencies

Required

Qt-3.3.7 and SDL-1.2.11

Optional

pkg-config-0.20, libjpeg-6b, libvorbis-1.1.2, liba52-0.7.4, LAME-3.96.1, libmad-0.15.1b, XviD-1.1.0, FAAD2, DivX4Linux, and Dmalloc

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/avifile>

Installation of Avifile

Install the required CODECs as the `root` user using the following commands:

```
install -v -d -m755 /usr/lib/avifile-0.7/win32 &&
tar -xvf ../binaries-011002.tgz -C /usr/lib/avifile-0.7
```

Install Avifile by running the following commands:

```
./configure --prefix=/usr \
  --with-win32-path=/usr/lib/avifile-0.7/win32 &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Contents

Installed Programs:	avibench, avicap, avicat, avifile-config, avimake, avisplay, avirec, avirecompress, avitype and kv41setup
Installed Libraries:	libavisplay.so, libavisplayavcodec.so, libavisplayavformat.so, libavisplayavutil.so, libavisplaydha.so, libavisplayvidix, libqavm.so and numerous CODEC plugins and video extensions.
Installed Directories:	/usr/include/avifile-0.7, /usr/lib/avifile-0.7, and /usr/share/avifile-0.7

Short Descriptions

avibench	performs a measurement of the AVI file support library's performance for a file.
avicap	is a widget that displays acquired video from a Video For Windows (VFW) compatible device, like a webcam or a TV-tuner.
avicat	takes a set of AVI files and combines them into a single file.
avifile-config	is a script used to get information about the installed version of Avifile.
avimake	takes a set of JPG images and creates a movie.
avisplay	manages the input formats, the CODECs and the output formats to display AVI video files on your screen.
avirec	is a command-line video recording tool.
avirecompress	is a widget that takes an input file of one CODEC type and converts it into a video file of another CODEC.
avitype	will read and display AVI file header information.
kv41setup	is a small tool which tells video4linux about the current video mode.
libavisplay*.so	libraries contain the functions required by the various Avifile programs for encoding, decoding and to interface with the various plugins and video extensions.

MPlayer-1.0pre7try2

Introduction to MPlayer

The MPlayer package contains an audio/video player controlled via the command line or a graphical interface which is able to play almost every popular audio and video file format and CODEC (COder/DECoder, also COmpressor/DECompressor). With supported video hardware and additional drivers, MPlayer can play video files without an X Window System installed.

For MPlayer general information and available features, including a full list of file formats, CODECs and output devices supported by MPlayer, visit the MPlayer web site.

Package Information

- Download (HTTP): <http://www.mplayerhq.hu/MPlayer/releases/MPlayer-1.0pre7try2.tar.bz2>
- Download (FTP): <ftp://ftp1.mplayerhq.hu/MPlayer/releases/MPlayer-1.0pre7try2.tar.bz2>
- Download MD5 sum: aaca4fd327176c1afb463f0f047ef6f4
- Download size: 6.6 MB
- Estimated disk space required: 97 MB (additional 22 MB for essential CODECs)
- Estimated build time: 2.0 SBU

Additional Downloads

Patches

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/MPlayer-1.0pre7try2-gcc4-1.patch>
- Required Patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/MPlayer-1.0pre7try2-round_function_fix-1.patch
- Required Patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/MPlayer-1.0pre7try2-x264_fixes-1.patch
- Required Patch:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/MPlayer-1.0pre7try2-jack_fixes-1.patch
- Required Patch (for fbdev driver support):
http://www.linuxfromscratch.org/patches/blfs/6.2.0/MPlayer-1.0pre7try2-kernel_2.6-1.patch

CODECs

- Proprietary CODECs: <http://www.mplayerhq.hu/MPlayer/releases/codecs/essential-20061022.tar.bz2>
- Download MD5 sum: abcf4a3abc16cf88c9df7e0a77e9b941
- Download size: 10.0 MB
- Alternate CODECs (provides additional functionality and is a larger file):
<http://www.mplayerhq.hu/MPlayer/releases/codecs/all-20061022.tar.bz2>
- Additional CODECs: <http://www.mplayerhq.hu/MPlayer/releases/codecs/>

Skins

- Default GUI skin: <http://www.mplayerhq.hu/MPlayer/Skin/Blue-1.7.tar.bz2>
- Download MD5 sum: e4e2020d11b681aac898103b3ba723c4

- Download size: 222 KB
- Additional skins: <http://www1.mplayerhq.hu/MPlayer/Skin/>

Fonts

- Prerendered fonts: <http://www1.mplayerhq.hu/MPlayer/releases/fonts/font-arial-iso-8859-1.tar.bz2>
- Download MD5 sum: 1ecd31d17b51f16332b1fcc7da36b312
- Download size: 234 KB
- Additional fonts: <http://www1.mplayerhq.hu/MPlayer/releases/fonts/>



Note

The CODECs, skins and fonts are not required to build and use MPlayer.

MPlayer Dependencies

Optional Input Drivers and Libraries

CDParanoia-III-9.8, libdv-0.104, libdvdrread-0.9.6 (must disable internal mpdvdkit support), Samba-3.0.23d, LIVE555 Streaming Media, TiVo vstream client, DVB drivers, and DVB

Optional Audio Output Drivers and Libraries

ALSA-1.0.13, aRts-1.5.6, Esound-0.2.36, NAS-1.7, SDL-1.2.11 (also used for video output), XMMS-1.2.10, PulseAudio, bio2jack (requires JACK), and LADSPA

Optional Video Output Drivers and Libraries

X Window System, libpng-1.2.12, libjpeg-6b, giflib-4.1.4, GTK+-1.2.10, FreeType-2.1.10, Fontconfig-2.3.2, AALib-1.4rc5, FriBidi-0.10.7, XvMC Wrapper (only if you have XFree86 installed), DirectFB, SVGAlib, GGI, libcac, and Enca

Optional CODECs

libvorbis-1.1.2, XviD-1.1.0, LZO-2.02 (requires Version 1), libmad-0.15.1b, LAME-3.96.1, libFAME-0.9.1, Theora, Tremor (requires libvorbis-1.1.2 and you must disable the internal version), FAAD2 (must disable internal version to use the system-installed version), x264, AMR narrowband (floating point) or AMR naarrowband (fixed point), AMR wideband, tooLAME, libdca, lirccd, and LIRC

Optional Hardware Specific Options

There is hardware specific packages (or vendor supplied software) you can install to improve the performance of your video card when using MPlayer. Some of the packages and/or vendor supplied software and the MPlayer specific driver created if it is found is shown here.

- mga: Matrox G200/G400/G450/G550 hardware YUV overlay via the mga_vid device
- xmga: Matrox G200/G400/G450/G550 overlay (mga_vid) in X11 window
- syncfb: Matrox G400 YUV support on framebuffer
- 3dfx: Voodoo 3/Banshee hardware YUV support (/dev/3dfx)
- tdfxfb: Voodoo 3/Banshee hardware YUV support on tdfx framebuffer
- mpegpes: support for Siemens DVB hardware MPEG-1/2 decoder boards (or MPEG-PES file output)

- dxr2: support for DXR2 hardware MPEG-1/2 decoder boards Dxr2
- dxr3: support for DXR3/Hollywood+ hardware MPEG-1/2 decoder boards libdxr3
- zr: support for Zoran360[56]7 based hardware MJPEG cards

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/mplayer>

Installation of MPlayer

CODEC Installation (Optional)

If you downloaded any proprietary CODECs (which can provide support for additional audio and video formats such as Real, Indeo and QuickTime), extract them to `/usr/lib/mplayer/codecs` using the following commands as the `root` user (substitute and/or add different CODEC filenames, if necessary):

```
install -v -d -m755 /usr/lib/mplayer/codecs &&
tar -xvf ../essential-20061022.tar.bz2 \
  -C /usr/lib/mplayer/codecs --strip-components=1 &&
chown -v -R root:root /usr/lib/mplayer/codecs
```

If you installed any CODECs, ensure you add `--with-codecsdir=/usr/lib/mplayer/codecs` to the **configure** script.

GUI Installation (Optional)

To enable building the GUI version of MPlayer (requires GTK+-1.2.10), add `--enable-gui` to the **configure** script. You'll also need to extract at least one skin. Extract the desired skin and create the default location (as the `root` user):

```
install -v -d -m755 /usr/share/mplayer/Skin &&
tar -xvf ../Blue-1.7.tar.bz2 \
  -C /usr/share/mplayer/Skin &&
chown -v -R root:root /usr/share/mplayer/Skin/Blue &&
chmod -v 755 /usr/share/mplayer/Skin/Blue{,/icons} &&
ln -sfv Blue /usr/share/mplayer/Skin/default
```

Installing OSD and Subtitles Support (Optional)

To enable OSD (On Screen Display) and subtitles support, add `--enable-menu` to the **configure** script. You'll also need to set up at least one font (see font installation instructions a little later).

Main MPlayer Installation



Note

The package maintainers recommend building without any optimizations.

MPlayer can build a shared post-processing library from the internal FFmpeg package which other packages can link to. This requires MPlayer to link dynamically to this library instead of the default statically linked method. If you desire to build the shared library, add `--enable-shared-pp` and `--disable-fastmemcpy` to the **configure** script. The `--disable-fastmemcpy` parameter is required to avoid undefined reference errors when other packages link to the shared library.

You may wish to examine the output from `./configure --help` to find out what additional parameters to **configure** are needed to include the dependencies you have installed on your system.

Before beginning the installation, apply an upstream fix to avoid a conflict with the `getline()` function name:

```
sed -i 's/getline/vobsub_&/' vobsub.c
```

Install MPlayer by running the following commands:

```
patch -Np1 -i ../MPlayer-1.0pre7try2-kernel_2.6-1.patch &&
patch -Np1 -i ../MPlayer-1.0pre7try2-gcc4-1.patch &&
patch -Np1 -i ../MPlayer-1.0pre7try2-round_function_fix-1.patch &&
patch -Np1 -i ../MPlayer-1.0pre7try2-jack_fixes-1.patch &&
patch -Np1 -i ../MPlayer-1.0pre7try2-x264_fixes-1.patch &&

./configure --prefix=/usr \
            --confdir=/etc/mplayer \
            --enable-largefiles &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install &&

install -v -m755 -d /usr/share/doc/mplayer-1.0pre7try2 &&
cp -v -R DOCS/*      /usr/share/doc/mplayer-1.0pre7try2
```

Passing certain parameters to **configure** may result in the creation of `libdha.so.1.0`. If so, you may wish to create a symlink to this library in case other packages link to `libdha.so`. Use the following command as the `root` user to create the symbolic link:

```
ln -v -s libdha.so.1.0 /usr/lib/libdha.so
```

You will need `codecs.conf` only if you want to change its properties, as the main binary contains an internal copy of it. Ensure any changes you make to `codecs.conf` achieve the desired results, as incorrect entries in this file have been known to cause errors and render the player unusable. If necessary, create the file using the following command.

```
install -m644 etc/codecs.conf /etc/mplayer
```

You may also want to copy all the default configuration files to `/etc/mplayer` for future reference or more customization ability.

```
install -m644 etc/*.conf /etc/mplayer
```

MPlayer requires that the RTC run at a frequency of 1024 Hz. Make this setting change at boot-time by adding a line to `/etc/sysctl.conf`:

```
echo "dev.rtc.max-user-freq=1024" >> /etc/sysctl.conf
```

OSD and Subtitles Font Installation (Required if '--enable-menu' Was Passed to

'configure')

The recommended method to set up a font for MPlayer is to link a TTF file to your `~/ .mplayer` directory. A link should be created in each user's home directory who may use MPlayer. For example:

```
install -v -m750 -d ~/ .mplayer &&
ln -v -sf /usr/share/fonts/X11-TTF/luxisri.ttf \
    ~/ .mplayer/subfont.ttf
```

There are several other ways to set up a font package. To use a prerendered MPlayer font package, extract and link one of the font tarballs using the following commands:

```
tar -xvf ../font-arial-iso-8859-1.tar.bz2 \
    -C /usr/share/mplayer/font &&
chown -v -R root:root /usr/share/mplayer/font &&
cd /usr/share/mplayer/font &&
ln -v -sf font-arial-iso-8859-1/font-arial-<font size>-iso-8859-1/* .
```

Available font sizes are 14, 18, 24 or 28.

Additional information as well as additional methods to set up an MPlayer font package can be found at <http://www.mplayerhq.hu/DOCS/HTML/en/subosd.html#mpsub-install>.

Installation for DVD Playback (Optional)

If you want DVD playback with MPlayer, you need to ensure a link exists between your DVD drive and `/dev/dvd`. This process is described in the Creating custom symlinks to devices section in LFS. The user must be part of the `cdrom` group in order to use the device.

Configuring MPlayer

Config Files

`/etc/mplayer/*` and `~/ .mplayer/*`

Configuration Information

Typically, there's no configuration required for the system-wide files in `/etc/mplayer` (in fact, this directory is empty unless you copied the default files as mentioned above). Configuration can be accomplished by choosing the configuration button located on the MPlayer GUI. Any configuration changes made here will be copied to the user's `~/ .mplayer` directory.

Contents

Installed Programs:	gmplayer, mplayer, and mencoder
Installed Libraries:	libdha.so and optionally, libpostproc.so
Installed Directories:	~/ .mplayer, /etc/mplayer, /usr/include/postproc, /usr/lib/mplayer, /usr/share/mplayer, and /usr/share/doc/mplayer-1.0pre7try2

Short Descriptions

gmplayer is a symlink to **mplayer** which brings up the graphical user interface component of MPlayer.

mplayer manages the input formats, the CODECs and the output formats to play video files, DVDs, (S)VCDs or network streams containing audio and/or video information on your system.

Examples:

```
mplayer -fs blfs.avi
mplayer -vo fbdev -fb /dev/fb0 dvd://1 \
    -aid 128 -sub en -framedrop
mplayer -fs vcd://1      # works both for VCDs and SVCDs
mplayer \
http://www.students.uni-marburg.de/~Klossa/hapkidofight_lo.mpg
```

For further information, look at the very good documentation included with the package in the source tree subdirectory DOCS (also installed at `/usr/share/doc/mplayer`).

mencoder is used to encode any MPlayer playable movie to DivX4, XviD or any CODEC in libavcodec with PCM/MP3/VBRMP3 audio.

Example:

```
rm frameno.avi
mencoder -dvd 1 -aid 128 -ovc frameno -oac mp3lame \
-lameopts vbr=3 -o frameno.avi

# mencoder should output bitrates for average encodings
# now, choose one you like best! In the following lines,
# replace <bitrate> and <name.avi> with statements of your
# personal liking.

mencoder -dvd 1 -aid 128 -oac copy -ovc lavc \
    -lavcopts vcodec=mpeg4:vpass=1:vhq:vbitrate=<bitrate> \
    -o <name.avi>
mencoder -dvd 1 -aid 128 -oac copy -ovc lavc \
    -lavcopts vcodec=mpeg4:vpass=2:vhq:vbitrate=<bitrate> \
    -o <name.avi>
mencoder -forceidx <name.avi>
```

`libdha.so` contains functions used by the MPlayer programs.

`libpostproc.so` is a post-processing filter library used by the MPlayer programs and other packages.

Xine User Interface-0.99.4

Introduction to Xine User Interface

The xine User Interface package contains a multimedia player. It plays back CDs, DVDs and VCDs. It also decodes multimedia files like AVI, MOV, WMV, MPEG and MP3 from local disk drives, and displays multimedia streamed over the Internet.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/xine/xine-ui-0.99.4.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/xine-ui-0.99.4.tar.gz>
- Download MD5 sum: 90ea1f76747e9788a30a73e7f4a76cf6
- Download size: 2.5 MB
- Estimated disk space required: 19.6 MB
- Estimated build time: 0.5 SBU

Xine User Interface Dependencies

Required

xine Libraries-1.1.1

Optional

pkg-config-0.20, cURL-7.15.3, AALib-1.4rc5, LIRC and libcaca

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xine-ui>

Installation of Xine User Interface

Install xine User Interface by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Configuring Xine User Interface

Config Files

~/.xine/config

Configuration Information

The above file is created and maintainable through the **xine** setup dialog box. The documentation for the

configuration settings is located at `/usr/share/doc/xine-ui/README.config_en`.

Contents

Installed Programs: aaxine, cacaxine, fbxine, xine, xine-bugreport, xine-check, and xine-remote

Installed Directories: `/usr/share/xine/{desktop,skins,visuals}` and `/usr/share/doc/{xine-ui,xitk}`

Short Descriptions

aaxine	is an ASCII art video player which utilizes AALib as the frontend for the xine Libraries.
cacaxine	is a color ASCII art video player which utilizes CACA as the frontend for the xine Libraries.
fbxine	is a frame buffer interface to the xine Libraries.
xine	is a multimedia player designed to play MPEG streams (audio and video), MPEG elementary streams (MP3), MPEG transport streams, Ogg files, AVI files, ASF files, some Quicktime files, VCDs and DVDs (non-encrypted).
xine-bugreport	produces a terse system description and guides you through the process of reporting a bug.
xine-check	tests the xine video player installation for common problems. It tests the operating system settings, installation of plugins, CD/DVD drive settings and video support parameters.
xine-remote	is a tool to connect to a xine remote control server.

Transcode-1.0.2

Introduction to Transcode

Transcode is a fast, versatile and command-line based audio/video everything to everything converter. For a rundown of the features and capabilities, along with usage examples, visit the Transcode Wiki at <http://www.transcoding.org/>.

Package Information

- Download (HTTP): <http://transcode.kabewm.com/transcode-1.0.2.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/transcode-1.0.2.tar.gz>
- Download MD5 sum: e353c0ab7e927a8672528e05a9ae960b
- Download size: 2.3 MB
- Estimated disk space required: 57.7 MB
- Estimated build time: 1.5 SBU

Transcode Dependencies

Required

FFmpeg-0.4.9-pre1 and libmpeg2-0.4.0b

Recommended

LAME-3.96.1

Optional (Listed in the Order That the configure Script Looks for Them)

pkg-config-0.20, X Window System, XviD-1.1.0, DivX4Linux, LoRS/IBP, MPlayer-1.0pre7try2 (for libpostproc), FreeType-2.1.10, Avifile-0.7.45, libogg-1.1.3, libvorbis-1.1.2, Theora, libdvdread-0.9.6, PVM3, libdv-0.104, libquicktime-0.9.9, LZO-2.02, liba52-0.7.4, LibMPEG3-1.6, libxml2-2.6.26, MJPEG Tools, SDL-1.2.11, GTK+-1.2.10, libFAME-0.9.1, ImageMagick-6.2.8-0, and libjpeg-6b or MMX Jpeg

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/transcode>

Installation of Transcode

Install Transcode by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-netstream`: This parameter enables network streaming support.

Support for most of the dependency packages requires using options passed to the **configure** script. View the `INSTALL` file and the output from `./configure --help` for complete information about enabling dependency packages.

Contents

Installed Programs:	avicodec, avidump, avifix, aviindex, avimerge, avisplit, avisync, tccat, tcdecode, tcdemux, tcextract, tcframe, tcmodinfo, tcmp3cut, tcprobe, tcrequant, tcscan, tcxmlcheck, tcxpm2rgb, and transcode
Installed Libraries:	a52_decore.so, af6_decore.so, export*.so, filter*.so, and import*.so output/filter/input modules
Installed Directories:	/usr/lib/transcode and /usr/share/doc/transcode

Short Descriptions

avicodec	indicates or changes the FOURCC CODEC flag in an AVI file.
avidump	dumps audio or video stream of a given AVI file to stdout (for AVI conversion or extraction of audio streams).
avifix	fixes the header of an AVI file.
aviindex	writes a text file describing the index of an AVI file.
avimerge	merges AVI files of the same format. Do not try to merge AVI files of different formats, it will most likely result in errors (and format means same bitrates, too!).
avisplit	splits AVI files into multiple files.
avisync	can shift audio in AVI files for better synchronizing of the audio and video data signal.
tccat	concatenates input files using the input plugins of Transcode.
tcdecode	is used to decode input files to raw video and PCM audio streams.
tcdemux	demultiplexes (separates) audio/video input that contains multiple streams, e.g., VOB files.
tcextract	grabs single streams from a file containing multiple streams.
tcframe	processes single video frames for different color encodings (RGB >-< YUV or similar).
tcmodinfo	loads a supplied Transcode filter module and prints its parameters.
tcmp3cut	is a tool which can cut MP3 streams at milliseconds positions.
tcprobe	prints information about the input file format.

tcquant	is a tool which can requantize an MPEG-2 elementary stream.
tcscan	performs several measurements on the given input data.
tcxmlcheck	checks information in a SMIL input file.
transcode	is the encoder's user interface that handles the plugins and other programs, being the glue between the modules. There are several well documented usage examples on both the homepage and the documentation included in the package.
<code>a52_decore.so</code>	is used to interface with the <code>liba52</code> library for decoding AC-3 streams.
<code>af6_decore.so</code>	is a support module used to decode <code>libavplay</code> library supported codecs and file formats
<code>export/filter/import_*.so</code>	— depending on the external libraries that are used, there are a great number of plugins to convert audio and video input to raw format, process raw video and audio and convert raw audio and video to other formats to be written into a file type of choice. Read the documentation for complete information.

Chapter 41. CD/DVD-Writing Utilities

This chapter contains information on CD/DVD-writing utilities in Linux.

Additional sources of information include:

- CD-Writing HOWTO
- CD-Recordable FAQ
- The dvd+rw-tools Website

Cdrtools-2.01

Introduction to Cdrtools

The Cdrtools package contains CD recording utilities. These are useful for reading, creating or writing (burning) Compact Discs.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/utis/schilling/cdrtools/cdrtools-2.01.tar.bz2>
- Download (FTP): <ftp://ftp.berlios.de/pub/cdrecord/cdrtools-2.01.tar.bz2>
- Download MD5 sum: d44a81460e97ae02931c31188fe8d3fd
- Download size: 1.4 MB
- Estimated disk space required: 21 MB
- Estimated build time: 0.5 SBU

Additional Downloads

- Required patch for extending the number of locales to create CDs with non-ASCII filenames:
http://www.linuxfromscratch.org/patches/blfs/6.2.0/cdrtools-2.01-mkisofs_iconv-1.patch
- Recommended Patch for using Cdrtools in locales using non-ISO-8859-1 character sets:
<http://www.linuxfromscratch.org/patches/blfs/6.2.0/cdrtools-2.01-ascii-2.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Cdrtools>

Installation of Cdrtools



Note

Installation of Cdrtools will fail if raw kernel headers are found in `/usr/src/linux` either as actual files or a symlink. As of the Linux 2.6 kernel series, this directory should no longer exist because appropriate headers were installed in the `linux-libc-headers` package during the base LFS installation.

When creating an ISO 9660 image with **mkisofs**, the character set of the filenames used must be specified unless it is ISO-8859-1, the default. If the character set is not specified correctly, then non-ASCII filenames will

be unreadable on other systems, such as Microsoft Windows. This patch allows any input character set supported by Glibc (such as UTF-8) to be specified to **mkisofs**, as opposed of the short list of built-in encodings. Also, the default input character set is set to that of the current locale, which is the correct behavior. To address this situation, apply the `mkisofs_iconv` patch:

```
patch -Np1 -i ../cdrtools-2.01-mkisofs_iconv-1.patch
```

The **cdrecord** program has hard-coded non-ASCII characters in its messages. Since these characters are part of the ISO-8859-1 character set, they will not be displayed correctly in locales that use a different character set, such as UTF-8. The following patch converts these characters to ASCII approximations:

```
patch -Np1 -i ../cdrtools-2.01-ascii-2.patch
```

Install Cdrtools by running the following commands:

```
make INS_BASE=/usr DEFINSUSR=root DEFINSGRP=root
```

This package does not come with a test suite.

Now, as the `root` user:

```
make INS_BASE=/usr DEFINSUSR=root DEFINSGRP=root install &&
install -v -m755 -d /usr/share/doc/cdrtools-2.01 &&
install -v -m644 README* ABOUT doc/*.ps \
    /usr/share/doc/cdrtools-2.01
```

Command Explanations

INS_BASE=/usr: This parameter moves the install directory from `/opt/schily` to `/usr`.

DEFINSUSR=root DEFINSGRP=root: These parameters install all programs with `root:root` ownership instead of the default `bin:bin`.

Contents

Installed Programs:	<code>cdda2wav</code> , <code>cdrecord</code> , <code>devdump</code> , <code>isodebug</code> , <code>isodump</code> , <code>isoinfo</code> , <code>isovfy</code> , <code>mkhybrid</code> , <code>mkisofs</code> , <code>readcd</code> , <code>rsesi</code> , <code>scgcheck</code> , and <code>skel</code>
Installed Libraries:	<code>libdeflt.a</code> , <code>libedc_ecc.a</code> , <code>libfile.a</code> , <code>libhfs.a</code> , <code>libparanoia.a</code> , <code>librscg.a</code> , <code>libscg.a</code> , <code>libschily.a</code> , and <code>libunls.a</code>
Installed Directories:	None

Short Descriptions

cdda2wav	converts Compact Disc audio into WAV sound files.
cdrecord	records audio or data Compact Discs.
devdump	is a diagnostic program used to dump an ISO-9660 device or file in hex.
isodebug	is used to display the command-line parameters used to create an ISO-9660 image.

isodump	is a diagnostic program used to dump a device or file based on ISO-9660.
isoinfo	is used to analyze or list an ISO-9660 image.
isovfy	is used to verify an ISO-9660 image.
mkhybrid	is a symbolic link to mkisofs used to create ISO-9660/HFS hybrid filesystem images.
mkisofs	is used to create ISO-9660/JOLIET/HFS filesystem images, optionally with Rock Ridge attributes.
readcd	reads or writes Compact Discs.
rscsi	is a remote SCSI manager.
scgcheck	is used to check and verify the Application Binary Interface of <code>libscg</code> .
<code>libscg.a</code>	is a highly portable SCSI transport library.

Cdrdao-1.2.1

Introduction to Cdrdao

The Cdrdao package contains CD recording utilities. These are useful for burning a CD in disk-at-once mode.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/cdrdao/cdrdao-1.2.1.tar.bz2>
- Download (FTP):
- Download MD5 sum: f93f3e68ec5b53ec1a776df73a1def60
- Download size: 1.3 MB
- Estimated disk space required: 60.8 MB
- Estimated build time: 1.4 SBU (includes building **gcdmaster**)

Cdrdao Dependencies

Recommended

libao-0.8.6, libvorbis-1.1.2, libmad-0.15.1b and LAME-3.96.1 (required to build **toc2mp3**)

Optional (Required to Build the gcdmaster Program)

Note: the following packages must be built in the order listed. Use the current “stable” version of each package.

libgnomeui-2.14.1, libsigc++, glibmm, gtkmm, libglademmm, libgnomecanvasmm, gconfmm, gnome-vfsmm, libgnomemm, and libgnomeuimm



Note

There are two additional optional dependencies that can be used by the Cdrdao build: Cdrtools-2.01 and PCCTS. The pieces of these two packages required to build Cdrdao are also included in the source tree and are used by default.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cdrdao>

Installation of Cdrdao

Install Cdrdao by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m755 -d /usr/share/doc/cdrdao-1.2.1 &&  
install -v -m644 README* /usr/share/doc/cdrdao-1.2.1
```

Contents

Installed Programs:	cdrdao, cue2toc, toc2cddb, toc2cue and optionally, gcdmaster and toc2mp3
Installed Libraries:	None
Installed Directory:	/usr/share/cdrdao, /usr/share/doc/cdrdao-1.2.1 and /usr/share/gcdmaster

Short Descriptions

cdrdao	records audio or data CD-Rs in disk-at-once (DAO) mode based on a textual description of the CD contents.
cue2toc	converts CUE to TOC format for audio CDs.
gcdmaster	is a graphical front end to cdrdao for composing audio CDs.
toc2cddb	converts a Cdrdao TOC file into a cddb file and prints it to stdout.
toc2cue	converts TOC to CUE format for audio CDs.
toc2mp3	converts an audio CD disk image (.toc file) to MP3 files.

UDFtools-1.0.0b3

Introduction to UDFtools

The UDFtools package contains utilities for creating and mounting CD-RW disks with UDF file systems for both reading and writing. UDF file systems are used on both CD-RW media and on DVD. For more details of the UDF file system standard see: <http://www.osta.org> and <http://www.ecma-international.org>.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/linux-udf/udfutils-1.0.0b3.tar.gz>
- Download (FTP):
- Download MD5 sum: 2f491ddd63f31040797236fe18db9e60
- Download size: 287 KB
- Estimated disk space required: 3.5 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required patch: <http://w1.894.telia.com/~u89404340/patches/packet/udfutils-1.0.0b3.patch.bz2>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/udfutils>

Kernel Configuration

In the kernel configuration, modify your settings to match those listed here:

```
Block devices
  Packet writing on CD/DVD media:      Y or M
CD-ROM/DVD Filesystems
  UDF file system support             Y or M
```

Recompile and install the new kernel.

Installation of UDFtools

Install UDFtools by running the following commands:

```
bzcat ../udfutils-1.0.0b3.patch.bz2 | patch -Np1 &&
sed -i -e 's/(char\*)spm +=/spm = (char\*)spm +/' wrudf/wrudf.c &&
./configure --prefix=/usr &&
make
```

Now, as the root user:

```
make install
```

Command Explanations

`sed -i -e 's/(char*)spm +=/spm = (char*)spm +/' wrudf/wrudf.c`: This change is required to compile with

recent compilers.

Contents

Installed Programs: cdrwtool, mkudffs, pktsetup, udffsck, and wrudf
Installed Library: libudffs.a
Installed Directories: None

Short Descriptions

cdrwtool provides facilities to manage CD-RW drives, including formatting new disks, setting the read and write speeds, etc.

Example:

```
cdrwtool -d /dev/scd0 -q
```

prepares a new CD-RW for use and formats it with a UDF file system.

mkudffs is used to create new UDF file systems. It can be used on hard disks and CD-Rs as well as CD-RWs.

pktsetup is used to establish and break down associations between the kernel packet driver and a physical drive.

Example:

```
pktsetup /dev/pktcdvd0 /dev/scd0  
mount /dev/pktcdvd0 /mnt/cdrom -t udf -o rw,noatime
```

associates the physical device `/dev/scd0` with the kernel packet driver `/dev/pktcdvd0`, then mounts a UDF formatted CD-RW for read/write access.

udffsck is used to check the integrity and correct errors on UDF filesystems.

wrudf is used to maintain a UDF filesystem.

`libudffs.a` contains functions used by the UDFtools programs.

dvd+rw-tools-6.1

Introduction to dvd+rw-tools

The dvd+rw-tools package contains several utilities to master the DVD media, both +RW/+R and -R[W]. The principle tool is **growisofs** which provides a way to both lay down **and** grow an ISO9660 file system on (as well as to burn an arbitrary pre-mastered image to) all supported DVD media. This is useful for creating a new DVD or adding to an existing image on a partially burned DVD.

Package Information

- Download (HTTP): <http://fy.chalmers.se/~appro/linux/DVD+RW/tools/dvd+rw-tools-6.1.tar.gz>
- Download (FTP):
- Download MD5 sum: d6bad594e55a2e0d7cf76ce452fce399
- Download size: 121 KB
- Estimated disk space required: 1.3 MB
- Estimated build time: less than 0.1 SBU

dvd+rw-tools Dependencies

Required

Though not required during the build, you must have Cdrtools-2.01 installed or the **growisofs** command will not function properly, rendering the entire package useless.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/dvd+rw-tools>

Installation of dvd+rw-tools

Install dvd+rw-tools by running the following commands:

```
make all rpl8 btcflash
```

This package does not come with a test suite.

Now, as the root user:

```
make prefix=/usr install &&  
install -v -m644 -D index.html \  
    /usr/share/doc/dvd+rw-tools-6.1/index.html
```

Command Explanations

make all rpl8 btcflash: This command uses additional targets so that all the utilities are built.

Contents

Installed Programs: btcflash, dvd+rw-booktype, dvd+rw-format, dvd+rw-mediainfo, dvd-ram-control, growisofs, and rpl8

Installed Libraries: None
Installed Directory: /usr/share/doc/dvd+rw-tools-6.1

Short Descriptions

growisofs is a combined **mkisofs** frontend/DVD recording program.

K3b-0.12.16

Introduction to K3b

The K3b package contains a KDE-based graphical interface to the Cdrtools and dvd+rw-tools CD/DVD manipulation tools. It also combines the capabilities of many other multimedia packages into one central interface to provide a simple-to-operate application that can be used to handle many of your CD/DVD recording and formatting requirements. This is useful for creating audio, data, video and mixed-mode CDs as well as copying, ripping and burning CDs and DVDs.

Though K3b can be used to copy almost any DVD to similar medium, it does not provide a way to copy, or reproduce a double-layer DVD onto single-layer medium. Of course, there is not a program anywhere on any platform that can make an exact duplicate of a double-layer DVD onto a single-layer disk, there are programs on some platforms that can compress the data on a double-layer DVD to fit on a single-layer DVD producing a duplicate, but compressed, image. If you need to copy the contents of a double-layer DVD to single-layer medium, you may want to look at the RMLCopyDVD package.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/k3b/k3b-0.12.16.tar.bz2>
- Download (FTP):
- Download MD5 sum: cac9b8230295c1756581399b3bbd0687
- Download size: 4.0 MB
- Estimated disk space required: 64.1 MB
- Estimated build time: 4.0 SBU

K3b Dependencies

Required

kdelibs-3.5.6

There are programs from three packages that K3b will look for at runtime: Cdrtools-2.01 (required to burn CD-ROM media), dvd-rw-tools-6.1 (required to burn or format DVD media), and Cdrdao-1.2.1 (required to burn CD-ROM media in DAO (Disk At Once) mode). If you don't need the capability provided by any of the three packages, you don't have to install it. However, a warning message will be generated every time you run the **k3b** program if any are not installed.

Recommended

kdebase-3.5.6, libjpeg-6b, kdemultimedia-3.5.6 (required for a working audio player)

Optional

ALSA-1.0.13, CDPParanoia-III-9.8, FFmpeg-0.4.9-pre1, FLAC-1.1.2, HAL-0.5.7.1, LAME-3.96.1, libmad-0.15.1b, libmusicbrainz-2.1.4, libvorbis-1.1.2, libxml2-2.6.26, Transcode-1.0.2, libsndfile, Movix, Musepack (libmpcdec), normalize, resmgr, Secret Rabbit Code (libsamplerate), SoX, TagLib, and VCDImager

For an explanation how each package is used by K3b, see the Requirements page at <http://k3b.plainblack.com/requirements>.

Runtime Requirements for DVD Ripping and Encoding

Transcode-1.0.2, XviD-1.1.0, libdvdread-0.9.6, and libdvdcss-1.2.9

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/k3b>

Installation of K3b

Install K3b by running the following commands:



Note

The `--sysconfdir` parameter must be the same as the command used in the installation of kdelibs.

```
./configure --prefix=$(kde-config --prefix) \
            --sysconfdir=/etc/kde \
            --disable-debug \
            --disable-dependency-tracking &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`--prefix=$(kde-config --prefix)`: This parameter uses **kde-config** to establish the prefix of the existing KDE installation and then sets the installation prefix for K3b to the same value.

`disable-debug`: This option causes the package to be compiled without debugging code.

`disable-dependency-tracking`: This option speeds up one time builds.

Configuring k3b

Configuration Information

You will need to ensure that any user of K3b has permission to read and write to the CD/DVD/audio hardware device files. The easiest way to do this is by creating groups (audio, video, cdrecord, dvdrecord, etc.) and then add users to the appropriate groups. You'll also have to ensure that the Udev rules are set up appropriately if you are using a system where the device files are created during the system boot-up sequence.

There is a script installed (**k3bsetup**) that is a front-end to the `k3bsetup2` KControlModule. This script can be accessed as a pull-down menu from the K3b GUI and requires `root` user privileges (`root` privileges are acquired through the use of the automatically-launched **kdesud** program). Though this utility can be used to set the appropriate permissions for the device files, be forewarned that in a Udev environment, where the device files are created during the system boot-up sequence, any changes made by this utility will not be preserved across system boots.

Contents

Installed Programs:	k3b and k3bsetup
Installed Libraries:	libk3b.so, libk3bdevice.so and numerous modules for the installed dependencies
Installed Directories:	The following subdirectories of <code>\$KDE_PREFIX/share/</code> : <code>applnk/Settings/System</code> , <code>apps/k3b</code> , <code>doc/HTML/en/k3b</code>

Short Descriptions

k3b	is the graphical CD/DVD program.
k3bsetup	is a script used to launch the k3bsetup2 KControlModule for setting up the CD/DVD hardware and device files in your system.

Part XII. Printing, Scanning and Typesetting

Chapter 42. Printing

This chapter contains spooling printer management systems and ghostscript applications to render PostScript for display on terminals or paper.

CUPS-1.2.7

Introduction to CUPS

The Common Unix Printing System (CUPS) is a print spooler and associated utilities. It is based on the "Internet Printing Protocol" and provides printing services to most PostScript and raster printers.

Package Information

- Download (HTTP): <http://ftp2.easysw.com/pub/cups/1.2.7/cups-1.2.7-source.tar.bz2>
- Download (FTP): <ftp://ftp3.easysw.com/pub/cups/1.2.7/cups-1.2.7-source.tar.bz2>
- Download MD5 sum: bf44783d9b46130bee9f2995e6055470
- Download size: 3.5 MB
- Estimated disk space required: 55 MB
- Estimated build time: 0.6 SBU

CUPS Dependencies

Recommended

libjpeg-6b, libpng-1.2.12, and LibTIFF-3.8.2

Optional

pkg-config-0.20, D-BUS-0.62, OpenLDAP-2.3.27, OpenSSL-0.9.8d or GnuTLS (which needs libgpg-error, libcrypto and openssl, in that order), Linux-PAM-0.99.4.0, PHP-5.1.4, Python-2.4.4, JDK-1.5.0_10, OpenSLP, libpaper, libacl (requires libattr), HTMLDOC, and Valgrind (optionally used if running the test suites)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/cups>

Installation of CUPS

Create an `lp` user, as CUPS will create some files owned by this user. (The `lp` user is the default used by CUPS, but may be changed to a different user by passing a parameter to the `configure` script.) Use the following command as the `root` user:

```
useradd -c "Print Service User" -d /dev/null -g lp -s /bin/false -u 9 lp
```

Install CUPS by running the following commands:

```
./configure &&  
make
```

To test the results, issue: **make check**. This will run a basic test suite without any load testing. If you wish to run the tests specifying non-default parameters, issue: **make test**. Note that the “torture load testing” test uses

more resources than those displayed in the prompt.

Now, as the `root` user:

```
make install
```

The man files are installed in compressed (`.gz`) format. If desired, use the following commands to uncompress them:

```
gunzip -v /usr/share/man/man{\
1/{cancel,cups{-config,test{dsc,ppd}}},\
lp{,options,passwd,q,rm,r,stat}}.1,\
5/{classes,client,cups-snmp,cupsd,printers,subscriptions,mailto}.conf,\
mime.{convs,types}}.5,\
7/{backend,filter}.7,\
8/{accept,cups{d,addsmmb,enable,-{deviced,driverd,lpd,polld,}},\
lp{admin,info,move,c}}.8}.gz &&

rm -v /usr/share/man/man8/{reject,cupsdisable}.8.gz &&

ln -v -s accept.8 /usr/share/man/man8/reject.8 &&
ln -v -s cupsenable.8 /usr/share/man/man8/cupsdisable.8
```

Command Explanations

The basic default behavior of the installation is appropriate for LFS systems. CUPS files are placed in `/usr/bin`, `/usr/sbin`, `/var` and `/etc/cups`.

Configuring CUPS

Configuration of CUPS is dependent on the type of printer and can be complex. Generally, PostScript printers are easier. For detailed instructions on configuration and use of CUPS, see <http://www.cups.org/documentation.php>. The Software Administrators Manual and Software Users Manual are particularly useful.

For non-PostScript printers to print with CUPS, you need to install ESP Ghostscript-8.15.2 to convert PostScript to raster images and a driver (e.g., from Gimp-Print-4.2.7) to convert the resulting raster images to a form that the printer understands. Foomatic drivers use Ghostscript to convert PostScript to a printable form directly, but this is considered to be a hack by CUPS developers.

Boot Script

During the installation, CUPS added startup files in `/etc/rc.d`. These scripts will work in most cases, but will fail if you provide printers to Samba clients. Additionally, they are not consistent with standard LFS style scripts. Replace the installed scripts with the scripts and symlinks included in the `blfs-bootscripts-20060910` package:

```
make install-cups
```

Contents

Installed Programs: `accept`, `cancel`, `cups-config`, `cupsaddsmmb`, `cupsd`, `cupstestppd`, `disable`, `enable`, `lp`,

	lpadmin, lpc, lpinfo, lpmove, lpoptions, lppasswd, lpq, lpr, lprm, lpstat, and reject
Installed Libraries:	libcups.{so,a}, libcupsimage.{so,a}, and various filters and backend drivers
Installed Directories:	/etc/cups, /usr/include/cups, /usr/lib/cups, /usr/share/doc/cups, /usr/share/cups, /var/log/cups, and /var/spool/cups

Short Descriptions

accept	instructs the printing system to accept print jobs to the specified destinations.
cancel	cancels existing print jobs from the print queues.
cups-config	is a CUPS program configuration utility.
cupsaddsmb	exports printers to the Samba software for use with Windows clients.
cupsd	is the scheduler for the Common Unix Printing System.
cupstestppd	tests the conformance of PPD files.
disable	stops the named printers or classes.
enable	starts the named printers or classes.
lp	submits files for printing or alters a pending job.
lpadmin	configures printer and class queues provided by CUPS.
lpc	provides limited control over printer and class queues provided by CUPS.
lpinfo	lists the available devices or drivers known to the CUPS server.
lpmove	moves the specified job to a new destination.
lpoptions	displays or sets printer options and defaults.
lppasswd	adds, changes or deletes passwords in the CUPS digest password file <code>passwd.md5</code> .
lpq	shows the current print queue status on the named printer.
lpr	submits files for printing.
lprm	cancels print jobs that have been queued for printing.
lpstat	displays status information about the current classes, jobs, and printers.
reject	instructs the printing system to reject print jobs to the specified destinations.

LPRng-3.8.28

Introduction to LPRng

The LPRng package contains an enhanced, extended and portable implementation of the Berkeley Line PRinter (LPR) print spooler. This is useful for queuing print jobs.

Package Information

- Download (HTTP): <http://www.lprng.com/DISTRIB/LPRng/LPRng-3.8.28.tgz>
- Download (FTP): <ftp://ftp.lprng.com/pub/LPRng/LPRng/LPRng-3.8.28.tgz>
- Download MD5 sum: 1b3a0abd291b260eab6087ac0e61ed84
- Download size: 10.2 MB
- Estimated disk space required: 71.8 MB
- Estimated build time: 0.42 SBU

LPRng Dependencies

Optional

OpenSSL-0.9.8d, TCP Wrapper-7.6, Heimdal-0.7.2 or MIT Kerberos V5-1.6, and krb4

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/lprng>

Installation of LPRng

Install LPRng by running the following commands:

```
sed -i 's@CLEAR,0@CLEAR,CLEAR,NULL@' src/common/lpq.c &&
sed -i 's@^(fi\|done\) \\@1; \\@' Makefile.in &&
./configure --prefix=/usr --libexecdir=/usr/lib/lprng \
    --sysconfdir=/etc --enable-shared &&
make
```

Now, as the root user:

```
make install
install -v -d -m755 /usr/share/doc/lprng-3.8.28 &&
cp -v -R DOCS/* PrintingCookbook \
    /usr/share/doc/lprng-3.8.28
```

Command Explanations

`sed -i 's@CLEAR ...':` This fixes a gcc-4.1 warning, treated as an error.

`sed -i 's@/(fi ...':` This fixes a syntax bug for newer makes.

Configuring LPRng

Config Files

`/etc/printcap` and `/etc/lpd/*`

Configuration Information

There is no generic `printcap` for all printers. A sample `printcap` is loaded into the `/etc` directory which can be of some help. Information is also available at <http://www.lprng.org>, <http://www.linuxprinting.org> and the documentation installed in `/usr/share/doc/lprng-3.8.28`.

Boot Script

The `init` script installed by LPRng is not consistent with other BLFS scripts; therefore, install the `/etc/rc.d/init.d/lprng` `init` script included in the `blfs-bootscripts-20060910` package (as the root user):

```
make install-lprng
```



Note

You may also want to remove the **lpd** script that was installed in `/etc/rc.d/init.d`.

Contents

Installed Programs:	<code>cancel</code> , <code>checkpc</code> , <code>lp</code> , <code>lpc</code> , <code>lpd</code> , <code>lpq</code> , <code>lpr</code> , <code>lprm</code> , <code>lprng_certs</code> , <code>lprng_index_certs</code> , and <code>lpstat</code>
Installed Library:	<code>liblpr.{so,a}</code>
Installed Directories:	<code>/etc/lpd</code> , <code>/usr/lib/lprng</code> , <code>/usr/share/doc/3.8.28</code> , <code>/var/run/lpd</code> , and <code>/var/spool/lpd</code>

Short Descriptions

cancel	is a symlink to lprm used to send cancel requests to an LPRng print service.
checkpc	checks out the <code>printcap</code> database.
lp	is a symlink to lpr used to send requests to an LPRng print service.
lpc	is a control program for the lpd daemon.
lpd	is the print queueing daemon.
lpq	is a status monitoring program.
lpr	is a print job spooler program.
lprm	is a print job removal program.
lprng_certs	is a program used to manage SSL certificates for the LPRng software.
lprng_index_certs	creates a set of index files in the LPRng signing certificate directory.
lpstat	is a print job status reporting program.
liblpr.{so,a}	contains the API functions used by the LPRng programs.

AFPL Ghostscript-8.53

Introduction to Ghostscript

Ghostscript is a versatile processor for PostScript data with the ability to render PostScript to different targets.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/ghostscript/ghostscript-8.53.tar.bz2>
- Download (FTP): <ftp://mirror.cs.wisc.edu/pub/mirrors/ghost/AFPL/g851/ghostscript-8.53.tar.bz2>
- Download MD5 sum: e65e0c40213a616174572faa639e04d6
- Download size: 9.3 MB
- Estimated disk space required: 104 MB (includes installing libgs.so and both font tarballs)
- Estimated build time: 2.4 SBU (includes building and installing libgs.so)

Additional Downloads

Standard Fonts

- Download (FTP): <ftp://mirror.cs.wisc.edu/pub/mirrors/ghost/fonts/ghostscript-fonts-std-8.11.tar.gz>
- Download MD5 sum: 6865682b095f8c4500c54b285ff05ef6
- Download size: 3.7 MB

Other Fonts

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/ghostscript/gnu-gs-fonts-other-6.0.tar.gz>
- Download MD5 sum: 33457d3f37de7ef03d2eea05a9e6aa4f
- Download size: 796 KB

Ghostscript Dependencies

Optional

libjpeg-6b, libpng-1.2.12, GTK+-1.2.10, and X Window System

Conflicts

This version of Ghostscript does not work with CUPS due to missing generic "cups" raster image driver. The necessary support cannot be patched in due to incompatible licenses. Use ESP Ghostscript-8.15.2 instead if you have CUPS.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gs>

Installation of Ghostscript

Install Ghostscript by running the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

To install the shared library `libgs.so`, run the following additional command as an unprivileged user:

```
make so
```

And again, as the root user:

```
make soinstall &&  
install -v -d -m755 /usr/include/ps &&  
install -v -m644 src/*.h /usr/include/ps &&  
ln -v -s ps /usr/include/ghostscript
```



Note

The shared library depends on GTK+-1.2.10. It is only used in external programs like GSview-4.8 and ImageMagick-6.2.8-0.

To finish the installation, unpack all fonts you've downloaded to `/usr/share/ghostscript` and ensure the ownerships of the files are root:root. Substitute `<font-tarball>` appropriately in the command below for the fonts you wish to install:

```
tar -xvf ../<font-tarball> -C /usr/share/ghostscript &&  
chown -v -R root:root /usr/share/ghostscript/fonts
```

Command Explanations

install ...: Some packages (ImageMagick is one) need the Ghostscript interface headers in place to link to the shared library. These commands install the headers.

ln -v -s ps /usr/include/ghostscript: Some packages expect to find the interface headers in an alternate location.

Contents

Installed Programs:	bdf2tops, dumpprint, ddvipdf, eps2eps, fixmswrd.pl, font2c, gs, gsbj, gsc, gsdj, gsdj500, gslj, gslp, gsnd, gsx, lprsetup.sh, pdf2dsc, pdf2ps, pdfopt, pf2afm, pfbtopfa, pj-gs.sh, printafm, ps2ascii, ps2epsi, ps2pdf, ps2pdf12, ps2pdf13, ps2pdf14, ps2pdfwr, ps2ps, pv.sh, unix-lpr.sh, and wftopfa
Installed Library:	libgs.so
Installed Directories:	/usr/include/ps and /usr/share/ghostscript

Short Descriptions

gs invokes Ghostscript, an interpreter of Adobe Systems' PostScript(tm) and Portable Document Format

(PDF) languages.

AFPL Ghostscript provides many different scripts used to render PostScript/PDF files back and forth. Please refer to the [HTML documentation](#) or try **man gs** for information about the capabilities provided by the package.

ESP Ghostscript-8.15.2

Introduction to ESP Ghostscript

ESP Ghostscript is a versatile processor for PostScript data with the ability to render PostScript to different targets. ESP Ghostscript is a customized version of GNU Ghostscript that includes an enhanced configuration script, the CUPS raster driver to support CUPS raster printer drivers, and additional patches and drivers from various Linux distributors.

Package Information

- Download (HTTP):
<http://ftp.funet.fi/pub/mirrors/ftp.easysw.com/pub/ghostscript/8.15.2/espgs-8.15.2-source.tar.bz2>
- Download (FTP): <ftp://ftp3.easysw.com/pub/ghostscript/8.15.2/espgs-8.15.2-source.tar.bz2>
- Download MD5 sum: 66180d4c0aa44c4c51ea58e13b08f2ae
- Download size: 8.4 MB
- Estimated disk space required: 105 MB (includes installing libgs.so and both font tarballs)
- Estimated build time: 2.3 SBU (includes building and installing libgs.so)

Additional Downloads

Standard Fonts

- Download (FTP): <ftp://mirror.cs.wisc.edu/pub/mirrors/ghost/fonts/ghostscript-fonts-std-8.11.tar.gz>
- Download MD5 sum: 6865682b095f8c4500c54b285ff05ef6
- Download size: 3.7 MB

Other Fonts

- Download (HTTP): <http://ftp.gnu.org/pub/gnu/ghostscript/gnu-gs-fonts-other-6.0.tar.gz>
- Download MD5 sum: 33457d3f37de7ef03d2eea05a9e6aa4f
- Download size: 796 KB

ESP Ghostscript Dependencies

Optional

CUPS-1.2.7, libjpeg-6b, libpng-1.2.12, X Window System, GTK+-1.2.10, and jbig2dec

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/espgs>

Installation of ESP Ghostscript

Install ESP Ghostscript by running the following commands:

```
sed -i "s/bbox.dev$/x11.dev/" Makefile.in &&
./configure --prefix=/usr --enable-threads --without-omni &&
make
```

This package does not come with a test suite. However, you may test the operation of the newly built **gs** program by issuing the following command (issue from an X Windows terminal):

```
bin/gs -Ilib -dBATCH examples/tiger.eps
```

Now, as the root user:

```
make install &&
install -d /usr/share/doc/espgs-8.15.2
ln -v -s ../../ghostscript/8.15/doc /usr/share/doc/espgs-8.15.2 &&
for INSTFILE in `ls doc`
do
    if [ ! -f /usr/share/doc/espgs-8.15.2/$INSTFILE ]; then
        install -v -m644 doc/$INSTFILE /usr/share/doc/espgs-8.15.2/
    fi
done
```

To install the shared library `libgs.so` you will need `GTK+-1.2.10`. Note that the shared library is only used in external programs such as `GSview-4.8` and `ImageMagick-6.2.8-0`. Proceed with the following command as an unprivileged user:

```
make CFLAGS_SO='-fPIC $(ACDEFS)' so
```

Now, as the root user:

```
make soinstall &&
install -v -d -m755 /usr/include/ps &&
install -v -m644 src/*.h /usr/include/ps &&
ln -v -s ps /usr/include/ghostscript
```

To finish the installation, unpack all fonts you've downloaded to `/usr/share/ghostscript` and ensure the ownerships of the files are `root:root`. Substitute `<font-tarball>` appropriately in the command below for the fonts you wish to install:

```
tar -xvf ../<font-tarball> -C /usr/share/ghostscript &&
chown -v root:root /usr/share/ghostscript/fonts/*
```

Command Explanations

sed -i "s/bbox.dev\$/x11.dev/" Makefile.in: This command changes the default **gs** output device from the `bbox` driver to the `x11` (screen) driver.

--enable-threads: This parameter enables threaded output.

--without-omni: This switch disables the omni driver support.

--without-ijg: This switch disables the IJS driver support.

install -v -m644 src/*.h /usr/include/ps: Some packages (ImageMagick is one) need the Ghostscript interface headers in place to link to the shared library. These commands install the headers.

ln -v -s ps /usr/include/ghostscript: Some packages expect to find the interface headers in an alternate location.

for INSTFILE in `ls doc` ...: This “for” loop installs some documentation files that were not installed during

the installation process.

Contents

Installed Programs:	bdftops, dvipdf, eps2eps, fixmswrd.pl, font2c, gs, gsbj, gsc, gsdj, gsdj500, gslj, gslp, gsnd, gsx, lprsetup.sh, pdf2dsc, pdf2ps, pdfopt, pf2afm, pfbtopfa, printafm, ps2ascii, ps2epsi, ps2pdf, ps2pdf12, ps2pdf13, ps2pdf14, ps2pdfwr, ps2ps, pv.sh, unix-lpr.sh, and wftopfa
Installed Library:	libgs.so
Installed Directories:	/usr/include/ps and /usr/share/ghostscript

Short Descriptions

gs	invokes Ghostscript, an interpreter of Adobe Systems' PostScript(tm) and Portable Document Format (PDF) languages.
pstoraster	is a filter used by CUPS to convert PostScript to a generic raster image format that is acceptable as an input to drivers for non-PostScript printers (e.g., from Gimp-Print-4.2.7). It is built and installed only if CUPS-1.2.7 is found.

ESP Ghostscript provides many different scripts used to render PostScript/PDF files back and forth. Please refer to the HTML documentation or try **man gs** for information about the capabilities provided by the package.

Gimp-Print-4.2.7

Introduction to Gimp-Print

The Gimp-Print package contains high quality drivers for Canon, Epson, Lexmark and PCL printers for use with ESP Ghostscript-8.15.2, CUPS-1.2.7, Foomatic, LPRng-3.8.28, **lpr** and the GIMP-1.2. See a list of supported printers at http://gimp-print.sourceforge.net/p_Supported_Printers.php3.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/gimp-print/gimp-print-4.2.7.tar.gz>
- Download (FTP):
- Download MD5 sum: 766be49f44a6a682d857e5aefec414d4
- Download size: 5.1 MB
- Estimated disk space required: 36 MB
- Estimated build time: 0.32 SBU (additional 4.37 SBUs to run the test suite)

Gimp-Print Dependencies

Optional

CUPS-1.2.7, Foomatic, IJS, teTeX-3.0, DocBook-utils-0.6.14 and ESP Ghostscript-8.15.2 or AFPL Ghostscript-8.53

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gimp-print>

Installation of Gimp-Print

Install Gimp-Print by running the following commands:

```
./configure --prefix=/usr --with-testpattern --enable-test &&  
make
```

To test the results, issue **make check**.

Now, as the `root` user:

```
make install
```

Command Explanations

`--with-testpattern`: This parameter causes the test pattern generator program to be built.

`--enable-test`: This parameter causes the programs required by the test suite to be built.

`--with-translated-ppds=no`: When this switch is given, only US English PPD files for CUPS will be built. Useful if the PPD files are not yet translated into your native language and you want to save some space by not installing unneeded translations.

`--enable-cups-level3-ps`: This option causes the build process to generate PostScript level 3 PPD files instead of level 2 ones.

Configuring Gimp-Print

Configuration Information

For CUPS to see newly installed PPD files, it has to be restarted (as the `root` user):

```
/etc/rc.d/init.d/cups restart
```



Note

This command may take a very long time (up to 10 minutes) to complete. Don't panic while CUPS is rescanning the list of PPD files. The long delay will happen only once.

Then point your web browser to <http://localhost:631/> to add a new printer to CUPS.

Contents

Installed Programs:	<code>cups-calibrate</code> , <code>escputil</code> , <code>gimpprint-config</code> , <code>ijsgimpprint</code> , and <code>testpattern</code>
Installed Libraries:	<code>libgimpprint.{so,a}</code> and optionally, various CUPS filters and backend drivers
Installed Directories:	<code>/usr/include/gimp-print</code> , <code>/usr/lib/gimp</code> , <code>/usr/share/cups/model/C</code> , and <code>/usr/share/gimp-print</code>

Short Descriptions

<code>cups-calibrate</code>	calibrates the color output of printers using the Gimp-Print, CUPS or ESP Print Pro drivers.
<code>escputil</code>	is a command line utility to perform various maintenance tasks on Epson Stylus inkjet printers.
<code>gimpprint-config</code>	is a script to get information about the installed version of Gimp-Print.
<code>ijsgimpprint</code>	is a Ghostscript driver for Gimp-Print.

Chapter 43. Scanning

This chapter contains scanning applications which allow you to convert printed documents into formatted documents readable by other applications.

SANE-1.0.17

Introduction to SANE

SANE is short for Scanner Access Now Easy. Scanner access, however, is far from easy, since every vendor has their own protocols. The only known protocol that should bring some unity into this chaos is the TWAIN interface, but this is too imprecise to allow a stable scanning framework. Therefore, SANE comes with its own protocol, and the vendor drivers can't be used.

SANE is split into back ends and front ends. The back ends are drivers for the supported scanners and cameras. The front ends are user interfaces to access the backends.

Back Ends Package Information

- Download (HTTP): <http://alioth.debian.org/download.php/1347/sane-backends-1.0.17.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/sane-backends-1.0.17.tar.gz>
- Download MD5 sum: b51c10da8a81a04e1bae88c9e6556df2
- Download size: 3.5 MB
- Estimated disk space required: 60.3 MB
- Estimated build time: 1.4 SBU

Front Ends Package Information

- Download (HTTP): <http://alioth.debian.org/download.php/1140/sane-frontends-1.0.14.tar.gz>
- Download (FTP): <ftp://ftp.sane-project.org/pub/sane/sane-frontends-1.0.14/sane-frontends-1.0.14.tar.gz>
- Download MD5 sum: c63bf7b0bb5f530cf3c08715db721cd3
- Download size: 231 KB
- Estimated disk space required: 3.0 MB
- Estimated build time: less than 0.1 SBU

SANE Dependencies

Optional (Back Ends)

libjpeg-6b, libusb-0.1.12, libieee1284, libgphoto2, and teTeX-3.0

Optional (Front Ends)

X Window System, GTK+-2.8.20, and GIMP-2.2.12

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sane>

Kernel Configuration

To access your scanner, you will probably need the related kernel drivers and/or additional support packages. A SCSI scanner will need SCSI drivers, a parallel port scanner needs parallel port support (you should use enhanced EPP modes) and perhaps libieee1284 and a USB scanner will need the libusb-0.1.12 package. Ensure you have the necessary drivers properly configured to access the devices.

Installation of SANE

Installation of SANE Back Ends

Install SANE-backends by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Installation of SANE Front Ends

The SANE-frontends package includes the graphical frontends **xscanimage** and **xcam**, and a command-line frontend **scanadf**. You don't need this package if you intend to use one of the more advanced graphical frontends like XSane-0.97. For a list of frontend packages, see <http://www.sane-project.org/sane-frontends.html>.

To install SANE-frontends, use the following commands:

```
./configure --prefix=/usr &&  
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&  
install -v -m644 doc/sane.png xscanimage-icon-48x48-2.png \  
    /usr/share/sane
```

If GIMP was linked into the build and you wish GIMP to use **xscanimage** as a scanning plugin, issue the following command as the root user:

```
ln -v -s ../../../../bin/xscanimage /usr/lib/gimp/2.0/plugin-ins
```

Command Explanations

--sysconfdir=/etc: This switch installs the configuration files in `/etc/sane.d` instead of `/usr/etc/sane.d`.

Configuring SANE

Config Files

`/etc/sane.d/*.conf`

Configuration Information

Backend Configuration

The backend configuration files are located in `/etc/sane.d`. Information for configuring the various backends can be found by using the `man(5)` page for the desired backend. Run **man sane-<backend>**, substituting the desired backend.

General Information

For general information about configuring and using SANE, see **man sane**. Linux-2.6.x brings some special issues into the picture. See <http://www.sane-project.org/README.linux> for information about using SANE with the Linux-2.6.x kernel. For information about USB scanning devices, run **man sane-usb**. For information about SCSI devices, run **man sane-scsi**.

Configuration and setup of the 'saned' daemon

The **saned** daemon is not meant to be used for untrusted clients. You should provide TCP Wrapper-7.6 and/or Firewalling protection to ensure only trusted clients access the daemon. Due to the complex security requirements to ensure only trusted clients access the daemon, BLFS does not provide instructions to configure the **saned** daemon. If you desire to make the daemon available, ensure you provide adequate security, configure your `[x]inetd.conf` file and send a **SIGHUP** to the `[x]inetd` daemon. Some good information for setting up and securing the **saned** daemon can be found at <http://penguin-breeder.org/sane/saned/>.

Contents

Back Ends:

Installed Programs:	<code>gamma4scanimage</code> , <code>sane-config</code> , <code>saned</code> , <code>sane-find-scanner</code> , and <code>scanimage</code>
Installed Libraries:	<code>libsane.so</code> and numerous scanner backend modules
Installed Directories:	<code>/etc/sane.d</code> , <code>/usr/include/sane</code> , <code>/usr/lib/sane</code> , <code>/usr/share/sane</code> , and <code>/usr/share/doc/sane-1.0.17</code>

Front Ends:

Installed Programs:	<code>scanadf</code> , <code>xcam</code> , and <code>xscanimage</code>
Installed Library:	GIMP plugin embedded in xscanimage
Installed Directories:	None

Short Descriptions

gamma4scanimage	creates a gamma table in the format expected by scanimage .
sane-config	is a tool used to determine the compiler and linker flags that should be used to compile and link SANE.

saned	is the SANE daemon that allows remote clients to access image acquisition devices available on the local host.
sane-find-scanner	is a command-line tool to find SCSI and USB scanners and determine their device files. Its primary purpose is to make sure that scanners can be detected by SANE backends.
scanadf	is a command-line interface to control image acquisition devices which are equipped with an automatic document feeder (ADF).
scanimage	is a command line interface for scanning from image acquisition devices such as flatbed scanners or cameras. It is also used to list the available backend devices.
xcam	is a graphical camera front end for SANE.
xscanimage	is a graphical user interface for scanning.
libsane.so	is the application programming interface that is used to communicate between frontends and backends.
libsane-*.so	modules are backend scanning library plugins used to interface with scanning devices. See http://www.sane-project.org/sane-supported-devices.html for a list of supported backends.

XSane-0.97

Introduction to XSane

XSane is another front end for SANE-1.0.17. It has additional features to improve the image quality and ease of use compared to **xscanimage**.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/hci/sane/xsane/xsane-0.97.tar.gz>
- Download (FTP): <ftp://ftp.sane-project.org/pub/sane/xsane/xsane-0.97.tar.gz>
- Download MD5 sum: 3d1f889d88c3462594febd53be58c561
- Download size: 3.1 MB
- Estimated disk space required: 21.3 MB
- Estimated build time: 0.22 SBU

XSane Dependencies

Required

GTK+-2.8.20 or GTK+-1.2.10 and SANE-1.0.17 (back ends)

Optional

LibTIFF-3.8.2, libjpeg-6b and GIMP-2.2.12

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/xsane>

Installation of XSane

Install XSane by running the following commands:

```
./configure --prefix=/usr &&  
make
```

Now, as the `root` user:

```
make install
```

If GIMP is installed, issue the following command as the `root` user:

```
ln -v -s /usr/bin/xsane /usr/lib/gimp/2.0/plugin-ins/
```

Command Explanations

ln -v -s /usr/bin/xsane /usr/lib/gimp/2.0/plugin-ins/: This creates a link in the system-wide GIMP `plugin-ins` directory so that users can access XSane directly from GIMP. GIMP must be available before building XSane for this to work. Alternatively, create the link in `~/.gimp-2.0/plugin-ins/` to provide individual user access. **man xsane** for additional information.

Contents

Installed Program:	xsane
Installed Libraries:	None
Installed Directory:	/usr/share/sane/xsane

Short Descriptions

xsane is a graphical user-interface to control an image acquisition device such as a flatbed scanner.

Chapter 44. Standard Generalized Markup Language (SGML)

This chapter contains DocBook SGML document type definitions (DTDs), DocBook DSSSL Stylesheets and DocBook tools to validate, transform, format and publish DocBook documents.

SGML Common-0.6.3

Introduction to SGML Common

The SGML Common package contains **install-catalog**. This is useful for creating and maintaining centralized SGML catalogs.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/hci/kde/devel/docbook/SOURCES/sgml-common-0.6.3.tgz>
- Download (FTP):
<ftp://sources.redhat.com/pub/docbook-tools/new-trials/SOURCES/sgml-common-0.6.3.tgz>
- Download MD5 sum: 103c9828f24820df86e55e7862e28974
- Download size: 75 KB
- Estimated disk space required: 1.5 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/sgml-common-0.6.3-manpage-1.patch>

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sgml-common>

Installation of SGML Common

Instead of the normal convention of including the autotools files in the package, the maintainers included symlinks to the files in `/usr/share/automake`. For previous versions of Automake this convention is correct, but recent versions of Automake install the internal files in version specific directories. This causes the **configure** script to abort. To fix this error, the autotools are regenerated. Since the included `Makefile.am` file uses a syntax not supported by current versions of Automake, a patch is required to fix the syntax.

```
patch -Np1 -i ../sgml-common-0.6.3-manpage-1.patch &&
autoreconf -f -i
```

Install SGML Common by running the following commands:

```
./configure --prefix=/usr --sysconfdir=/etc &&
make
```

This package does not come with a test suite.

Now, as the `root` user:


```
make install &&
install-catalog --add /etc/sgml/sgml-ent.cat \
  /usr/share/sgml/sgml-iso-entities-8879.1986/catalog &&
install-catalog --add /etc/sgml/sgml-docbook.cat \
  /etc/sgml/sgml-ent.cat
```



Update Hint

Remove the above catalog items prior to upgrading (as the root user) with:

```
install-catalog --remove /etc/sgml/sgml-ent.cat \
  /usr/share/sgml/sgml-iso-entities-8879.1986/catalog &&
install-catalog --remove /etc/sgml/sgml-docbook.cat \
  /etc/sgml/sgml-ent.cat
```

Configuring SGML Common

Config Files

/etc/sgml/sgml.conf

Configuration Information

No change in this file is necessary.

Contents

Installed Programs:	install-catalog and sgmlwhich
Installed Libraries:	None
Installed Files:	SGML and XML DocBook entity files
Installed Directories:	/etc/sgml, /usr/share/doc/sgml-common-0.6.3, and /usr/share/sgml

Short Descriptions

install-catalog	creates a centralized catalog that maintains references to catalogs scattered throughout the /usr/share/sgml directory tree.
sgmlwhich	will print to standard output the name of the main configuration file.
SGML entities files	contain the basic character entities defined with SDATA entries.
XML entities files	contain the basic character entities defined by a hexadecimal representation of the Unicode character number.

DocBook SGML DTD-3.1

Introduction to DocBook SGML DTD

The DocBook SGML DTD package contains document type definitions for verification of SGML data files against the DocBook rule set. These are useful for structuring books and software documentation to a standard allowing you to utilize transformations already written for that standard.

Package Information

- Download (HTTP): <http://www.docbook.org/sgml/3.1/docbk31.zip>
- Download (FTP): <ftp://ftp.kde.org/pub/kde/devel/docbook/SOURCES/docbk31.zip>
- Download MD5 sum: 432749c0c806dbae81c8bcb70da3b5d3
- Download size: 55 KB
- Estimated disk space required: 676 KB
- Estimated build time: 0.01 SBU

DocBook SGML DTD Dependencies

Required

SGML Common-0.6.3 and UnZip-5.52

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sgml-dtd-3>

Installation of DocBook SGML DTD



Note

The package source is distributed in zip format and requires **unzip**. You should create a directory and change to that directory before unzipping the file to ease the removal of the source files after the package has been installed.

Install DocBook SGML DTD by running the following commands:

```
sed -i -e '/ISO 8879/d' \
    -e 's|DTDDECL "-//OASIS//DTD DocBook V3.1//EN"|SGMLDECL|g' \
    docbook.cat
```

This package does not come with a test suite.

Now, as the root user:

```
install -v -d -m755 /usr/share/sgml/docbook/sgml-dtd-3.1 &&
chown -R root:root . &&
install -v docbook.cat /usr/share/sgml/docbook/sgml-dtd-3.1/catalog &&
cp -v -af *.dtd *.mod *.dcl /usr/share/sgml/docbook/sgml-dtd-3.1 &&
install-catalog --add /etc/sgml/sgml-docbook-dtd-3.1.cat \
    /usr/share/sgml/docbook/sgml-dtd-3.1/catalog &&
install-catalog --add /etc/sgml/sgml-docbook-dtd-3.1.cat \
```

```
/etc/sgml/sgml-docbook.cat
```

Command Explanations

sed -i -e '/ISO 8879/d' docbook.cat: This command removes the ENT definitions from the catalog file.

sed -i -e 's|DTDDECL "-//OASIS//DTD Docbook V3.1//EN"|SGMLDECL|g' docbook.cat: This command replaces the DTDDECL catalog entry, which is not supported by Linux SGML tools, with the SGMLDECL catalog entry.

Configuring DocBook SGML DTD

Config Files

```
/etc/sgml/catalog
```

Configuration Information

The above installation script updates the catalog.

Using only the most current 3.x version of DocBook SGML DTD requires the following (perform as the root user):

```
cat >> /usr/share/sgml/docbook/sgml-dtd-3.1/catalog << "EOF"
-- Begin Single Major Version catalog changes --

PUBLIC "-//Davenport//DTD DocBook V3.0//EN" "docbook.dtd"

-- End Single Major Version catalog changes --
EOF
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Files:	SGML DTD and MOD files
Installed Directory:	/usr/share/sgml/docbook/sgml-dtd-3.1

Short Descriptions

SGML DTD files	contain a document type definition which defines the element types and the attribute lists that can be used in the corresponding SGML files.
SGML MOD files	contain components of the document type definition that are sourced into the DTD files.

DocBook SGML DTD-4.4

Introduction to DocBook SGML DTD

The DocBook SGML DTD package contains document type definitions for verification of SGML data files against the DocBook rule set. These are useful for structuring books and software documentation to a standard allowing you to utilize transformations already written for that standard.

Package Information

- Download (HTTP): <http://www.docbook.org/sgml/4.4/docbook-4.4.zip>
- Download (FTP):
- Download MD5 sum: f89e1bd0b2c7a361e3f1f739e16b5d0d
- Download size: 66 KB
- Estimated disk space required: 784 KB
- Estimated build time: 0.01 SBU

DocBook SGML DTD Dependencies

Required

SGML Common-0.6.3 and UnZip-5.52

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/sgml-dtd>

Installation of DocBook SGML DTD



Note

The package source is distributed in zip format and requires **unzip**. You should create a directory and change to that directory before unzipping the file to ease the removal of the source files after the package has been installed.

Install DocBook SGML DTD by running the following commands:

```
sed -i -e '/ISO 8879/d' \
    -e '/gml/d' docbook.cat
```

This package does not come with a test suite.

Now, as the root user:

```
install -v -d /usr/share/sgml/docbook/sgml-dtd-4.4 &&
chown -R root:root . &&
install -v docbook.cat /usr/share/sgml/docbook/sgml-dtd-4.4/catalog &&
cp -v -af *.dtd *.mod *.dcl /usr/share/sgml/docbook/sgml-dtd-4.4 &&
install-catalog --add /etc/sgml/sgml-docbook-dtd-4.4.cat \
    /usr/share/sgml/docbook/sgml-dtd-4.4/catalog &&
install-catalog --add /etc/sgml/sgml-docbook-dtd-4.4.cat \
    /etc/sgml/sgml-docbook.cat
```

Command Explanations

`sed -i -e '/ISO 8879/d' -e '/gml/d' docbook.cat`: This command removes the ENT definitions from the catalog file.

Configuring DocBook SGML DTD

Config Files

`/etc/sgml/catalog`

Configuration Information

The above installation script updates the catalog.

Using only the most current 4.x version of DocBook SGML DTD requires the following (perform as the root user):

```
cat >> /usr/share/sgml/docbook/sgml-dtd-4.4/catalog << "EOF"
-- Begin Single Major Version catalog changes --

PUBLIC "-//OASIS//DTD DocBook V4.3//EN" "docbook.dtd"
PUBLIC "-//OASIS//DTD DocBook V4.2//EN" "docbook.dtd"
PUBLIC "-//OASIS//DTD DocBook V4.1//EN" "docbook.dtd"
PUBLIC "-//OASIS//DTD DocBook V4.0//EN" "docbook.dtd"

-- End Single Major Version catalog changes --
EOF
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Files:	SGML DTD and MOD files
Installed Directory:	<code>/usr/share/sgml/docbook/sgml-dtd-4.4</code>

Short Descriptions

SGML DTD files contain a document type definition which defines the element types and the attribute lists that can be used in the corresponding SGML files.

SGML MOD files contain components of the document type definition that are sourced into the DTD files.

OpenSP-1.5.2

Introduction to OpenSP

The OpenSP package contains a C++ library for using SGML/XML files. This is useful for validating, parsing and manipulating SGML and XML documents.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/openjade/OpenSP-1.5.2.tar.gz>
- Download (FTP):
- Download MD5 sum: 670b223c5d12cee40c9137be86b6c39b
- Download size: 1.5 MB
- Estimated disk space required: 32 MB
- Estimated build time: 1.0 SBU

OpenSP Dependencies

Required

SGML Common-0.6.3

Optional

xmlto

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/opensp>

Installation of OpenSP

Install OpenSP by running the following commands:

```
sed -i 's:32,:253,: ' lib/Syntax.cxx &&
sed -i 's:LITLEN          240 :LITLEN          8092:' \
    unicode/{gensyntax.pl,unicode.syn} &&
./configure --prefix=/usr --disable-static --disable-doc-build \
    --enable-default-catalog=/etc/sgml/catalog --enable-http \
    --enable-default-search-path=/usr/share/sgml &&
make pkgdatadir=/usr/share/sgml/OpenSP-1.5.2
```

To test the results, issue **make check**. As many as eight of the 22 tests may fail. Do not be alarmed.

Now, as the root user:

```
make pkgdatadir=/usr/share/sgml/OpenSP-1.5.2 install &&
ln -v -sf onsgmls /usr/bin/nsgmls &&
ln -v -sf osgmlnorm /usr/bin/sgmlnorm &&
ln -v -sf ospam /usr/bin/spam &&
ln -v -sf ospcat /usr/bin/spcat &&
ln -v -sf ospent /usr/bin/spent &&
ln -v -sf osx /usr/bin/sx &&
ln -v -sf osx /usr/bin/sgml2xml &&
```

```
ln -v -sf libosp.so /usr/lib/libosp.so
```

Command Explanations

`sed -i 's:32,:253,:...unicode.syn}`: These seds prevent some annoying messages that may otherwise appear while running **openjade**.

`--disable-static`: This switch prevents the building of the static library.

`--enable-http`: This switch adds support for HTTP.

`--enable-default-catalog=/etc/sgml/catalog`: This switch sets the path to the centralized catalog.

`--enable-default-search-path`: This switch sets the default value of `SGML_SEARCH_PATH`.

`--enable-xml-messages`: This switch adds support for XML Formatted Messages.

`--disable-doc-build`: This switch prevents the **configure** script checking if you have `xmlto` installed. If you have `xmlto`, you can remove this option.

make pkgdatadir=/usr/share/sgml/OpenSP-1.5.2: This sets the `pkgdatadir` variable in the `Makefile` from `/usr/share/OpenSP` to `/usr/share/sgml/OpenSP-1.5.2`.

ln -v -sf ...: These commands create the SP equivalents of OpenSP executables and libraries.

Contents

Installed Programs:	<code>onsgmls</code> , <code>osgmlnorm</code> , <code>ospam</code> , <code>ospcat</code> , <code>ospent</code> , <code>osx</code> , and the SP equivalent symlinks: <code>nsgmls</code> , <code>sgml2xml</code> , <code>sgmlnorm</code> , <code>spam</code> , <code>spcat</code> , <code>spent</code> , and <code>sx</code>
Installed Library:	<code>libosp.so</code> and the SP equivalent symlink: <code>libsp.so</code>
Installed Directories:	<code>/usr/include/OpenSP</code> , <code>/usr/share/doc/OpenSP</code> , and <code>/usr/share/sgml/OpenSP-1.5.2</code>

Short Descriptions

onsgmls	is used to process SGML files.
osgmlnorm	prints on the standard output a normalized document instance for the SGML document contained in the concatenation of the entities with system identifiers <code>.nf</code> and <code>.fi</code> .
ospam	is a markup stream editor.
ospcat	prints effective system identifiers found in the catalogs.
ospent	provides access to OpenSP's entity manager.
osx	is an SGML normalizer or used to convert SGML files to XML files.
nsgmls	is a symlink to onsgmls .
sgml2xml	is a symlink to osx .
sgmlnorm	is a symlink to osgmlnorm .

spam is a symlink to **ospam**.
spcat is a symlink to **ospcat**.
spent is a symlink to **ospent**.
sx is a symlink to **osx**.
libosp.so contains functions required by the OpenSP programs to parse, validate and manipulate SGML and XML files.
libsp.so is a symlink to **libosp.so**.

OpenJade-1.3.2

Introduction to OpenJade

The OpenJade package contains a DSSSL engine. This is useful for SGML and XML transformations into RTF, TeX, SGML and XML.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/openjade/openjade-1.3.2.tar.gz>
- Download (FTP): <ftp://ftp.freestandards.org/pub/lsb/app-battery/packages/openjade-1.3.2.tar.gz>
- Download MD5 sum: 7df692e3186109cc00db6825b777201e
- Download size: 880 KB
- Estimated disk space required: 19.2 MB
- Estimated build time: 0.7 SBU

OpenJade Dependencies

Required

OpenSP-1.5.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/openjade>

Installation of OpenJade

Install OpenJade by running the following commands:

```
./configure --prefix=/usr --enable-http --disable-static \
--enable-default-catalog=/etc/sgml/catalog \
--enable-default-search-path=/usr/share/sgml \
--datadir=/usr/share/sgml/openjade-1.3.2 &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install &&
make install-man &&
ln -v -sf openjade /usr/bin/jade &&
ln -v -sf libogrove.so /usr/lib/libogrove.so &&
ln -v -sf libospgrove.so /usr/lib/libospgrove.so &&
ln -v -sf libstyle.so /usr/lib/libstyle.so &&
install -v -m644 dsssl/catalog /usr/share/sgml/openjade-1.3.2/ &&
install -v -m644 dsssl/*.{dtd,dsl,sgml} \
    /usr/share/sgml/openjade-1.3.2 &&
install-catalog --add /etc/sgml/openjade-1.3.2.cat \
    /usr/share/sgml/openjade-1.3.2/catalog &&
install-catalog --add /etc/sgml/sgml-docbook.cat \
    /etc/sgml/openjade-1.3.2.cat
```

Command Explanations

make install-man: This command installs the **openjade** man page.

--disable-static: This switch prevents the building of the static library.

--enable-http: This switch adds support for HTTP.

--enable-default-catalog=/etc/sgml/catalog: This switch sets the path to the centralized catalog.

--enable-default-search-path: This switch sets the default value of SGML_SEARCH_PATH.

--datadir=/usr/share/sgml/openjade-1.3.2: This switch puts data files in /usr/share/sgml/openjade-1.3.2 instead of /usr/share.

ln -v -sf ...: These commands create the Jade equivalents of OpenJade executables and libraries.

Configuring OpenJade

Configuration Information

```
echo "SYSTEM \"http://www.oasis-open.org/docbook/xml/4.4/docbookx.dtd\" \" \
  \"/usr/share/xml/docbook/xml-dtd-4.4/docbookx.dtd\"" >> \
  /usr/share/sgml/openjade-1.3.2/catalog
```

This configuration is only necessary if you intend to use OpenJade to process the BLFS XML files through DSSSL Stylesheets.

Contents

Installed Programs:	openjade and the Jade equivalent symlink, jade
Installed Libraries:	libogrove.so, libospgrove.so, libostyle.so, and the Jade equivalent symlinks: libgrove.so, libspgrove.so, and libstyle.so
Installed Directory:	/usr/share/sgml/openjade-1.3.2

Short Descriptions

openjade is a DSSSL engine used for transformations.

jade is a symlink to **openjade**.

DocBook DSSSL Stylesheets-1.79

Introduction to DocBook DSSSL Stylesheets

The DocBook DSSSL Stylesheets package contains DSSSL stylesheets. These are used by OpenJade or other tools to transform SGML and XML DocBook files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/docbook/docbook-dsssl-1.79.tar.bz2>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/docbook-dsssl-1.79.tar.bz2>
- Download MD5 sum: bc192d23266b9a664ca0aba4a7794c7c
- Download size: 277 KB
- Estimated disk space required: 14 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Documentation and test data: <http://downloads.sourceforge.net/docbook/docbook-dsssl-doc-1.79.tar.bz2>
- Download MD5 sum: 9a7b809a21ab7d2749bb328334c380f2
- Download size: 142 KB

DocBook DSSSL Stylesheets Dependencies

Required

SGML Common-0.6.3

Required (to Test the DocBook SGML Toolchain)

DocBook SGML DTD-3.1, DocBook SGML DTD-4.4, OpenSP-1.5.2 and OpenJade-1.3.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/docbook-dsssl>

Installation of DocBook DSSSL Stylesheets

Ensure you unpack both the source and documentation tarballs before beginning the build.

Install DocBook DSSSL Stylesheets by running the following commands as the root user:

```
install -v -m755 bin/collateindex.pl /usr/bin &&
install -v -m644 bin/collateindex.pl.1 /usr/share/man/man1 &&
install -v -d -m755 /usr/share/sgml/docbook/dsssl-stylesheets-1.79 &&
cp -v -R * /usr/share/sgml/docbook/dsssl-stylesheets-1.79 &&
install-catalog --add /etc/sgml/dsssl-docbook-stylesheets.cat \
  /usr/share/sgml/docbook/dsssl-stylesheets-1.79/catalog &&
install-catalog --add /etc/sgml/dsssl-docbook-stylesheets.cat \
  /usr/share/sgml/docbook/dsssl-stylesheets-1.79/common/catalog &&
install-catalog --add /etc/sgml/sgml-docbook.cat \
  /etc/sgml/dsssl-docbook-stylesheets.cat
```

Command Explanations

The above commands create an installation script for this package.

Testing the DocBook SGML Toolchain (Optional)

The following commands will perform the necessary tests to confirm that your installed DocBook SGML toolchain will produce desired results. You must have the DocBook SGML DTD-3.1, DocBook SGML DTD-4.4, OpenSP-1.5.2 and OpenJade-1.3.2 packages installed and perform the tests as the `root` user.

All tests will be performed from the `/usr/share/sgml/docbook/dsssl-stylesheets-1.79/doc/testdata` directory:

```
cd /usr/share/sgml/docbook/dsssl-stylesheets-1.79/doc/testdata
```

The first test should produce no output to stdout (your screen) and create a file named `jtest.rtf` in the current directory:

```
openjade -t rtf -d jtest.dsl jtest.sgm
```

The next test should return only the following line to stdout: `onsgmls:I: "OpenSP" version "1.5.2"`

```
onsgmls -sv test.sgm
```

The next test should produce no output to stdout and create a file named `test.rtf` in the current directory:

```
openjade -t rtf \
  -d /usr/share/sgml/docbook/dsssl-stylesheets-1.79/print/docbook.dsl \
  test.sgm
```

The last test should produce no output to stdout and create a file named `c1.htm` in the current directory:

```
openjade -t sgml \
  -d /usr/share/sgml/docbook/dsssl-stylesheets-1.79/html/docbook.dsl \
  test.sgm
```

Contents

Installed Program:	<code>collateindex.pl</code>
Installed Libraries:	None
Installed Files:	DSSSL stylesheets
Installed Directory:	<code>/usr/share/sgml/docbook/dsssl-stylesheets-1.79</code>

Short Descriptions

`collateindex.pl` is a Perl script that creates a DocBook index from raw index data.

DocBook-utils-0.6.14

Introduction to DocBook-utils

The DocBook-utils package is a collection of utility scripts used to convert and analyze SGML documents in general, and DocBook files in particular. The scripts are used to convert from DocBook or other SGML formats into “classical” file formats like HTML, man, info, RTF and many more. There's also a utility to compare two SGML files and only display the differences in markup. This is useful for comparing documents prepared for different languages.

Package Information

- Download (HTTP):
<http://sources-redhat.mirrors.redwire.net/docbook-tools/new-trials/SOURCES/docbook-utils-0.6.14.tar.gz>
- Download (FTP):
<ftp://sources.redhat.com/pub/docbook-tools/new-trials/SOURCES/docbook-utils-0.6.14.tar.gz>
- Download MD5 sum: 6b41b18c365c01f225bc417cf632d81c
- Download size: 124 KB
- Estimated disk space required: 1.44 MB
- Estimated build time: less than 0.1 SBU

DocBook-utils Dependencies

Required

OpenJade-1.3.2, DocBook DSSSL Stylesheets-1.79 and DocBook SGML DTD-3.1

Optional (Runtime Dependencies Only)

JadeTeX-3.13 (for conversion to DVI, PS and PDF), SGMLSpM-1.03ii (for conversion to man and texinfo), and Lynx-2.8.6 or Links-2.1pre23 or w3m (for conversion to ASCII text)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/docbook-utils>

Installation of DocBook-utils

Install DocBook-utils by running the following commands:

```
sed -i 's:/html:/' doc/HTML/Makefile.in &&
./configure --prefix=/usr &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Many packages use an alternate name for the DocBook-utils scripts. If you wish to create these alternate names, use the following command:

```
for doctype in html ps dvi man pdf rtf tex texi txt
do
    ln -s docbook2$doctype /usr/bin/db2$doctype
done
```



Note

The **jw** script uses the **which** command to locate required utilities. You must install which-2.16 before attempting to use any of the DocBook-utils programs.

Command Explanations

sed -i 's:/html:/' doc/HTML/Makefile.in: This command changes the installation directory of the HTML documents.

Contents

Installed Programs:	docbook2dvi, docbook2html, docbook2man, docbook2pdf, docbook2ps, docbook2rtf, docbook2tex, docbook2texi, docbook2txt, jw , and sgmldiff
Installed Libraries:	None
Installed Directories:	/usr/share/doc/docbook-utils-0.6.14 and /usr/share/sgml/docbook/utls-0.6.14
Installed Symlinks:	db2dvi, db2html, db2man, db2pdf, db2ps, db2rtf, db2tex, db2texi, and db2txt

Short Descriptions

docbook2*	are simple one-line wrapper scripts to jw . They are provided as easy-to-remember names used to convert DocBook or other SGML files to the respective format.
db2*	are symlinks pointing at the respectively named docbook2* commands, created to satisfy some program's use of these names.
jw	is a script used to convert DocBook or other SGML files to various output formats. It hides most of OpenJade's complexity and adds comfortable features.
sgmldiff	is used to compare two SGML files and only return the differences in the markup. This is especially useful to compare files that should be identical except for language differences in the content.

Chapter 45. Extensible Markup Language (XML)

This chapter contains the DocBook XML document type definition (DTD) and DocBook Stylesheets which are used to validate, transform, format and publish DocBook documents.

DocBook XML DTD-4.4

Introduction to DocBook XML DTD

The DocBook XML DTD-4.4 package contains document type definitions for verification of XML data files against the DocBook rule set. These are useful for structuring books and software documentation to a standard allowing you to utilize transformations already written for that standard.

Package Information

- Download (HTTP): <http://www.docbook.org/xml/4.4/docbook-xml-4.4.zip>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/docbook-xml-4.4.zip>
- Download MD5 sum: cbb04e9a700955d88c50962ef22c1634
- Download size: 96 KB
- Estimated disk space required: 1.2 MB
- Estimated build time: less than 0.1 SBU

DocBook XML DTD Dependencies

Required

libxml2-2.6.26 and UnZip-5.52

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/docbook>

Installation of DocBook XML DTD



Note

The package source is distributed in zip format and requires **unzip**. You should create a directory and change to that directory before unzipping the file to ease the removal of the source files after the package has been installed.

Install DocBook XML DTD by running the following commands as the root user:

```
install -v -d -m755 /usr/share/xml/docbook/xml-dtd-4.4 &&
install -v -d -m755 /etc/xml &&
chown -R root:root . &&
cp -v -af docbook.cat *.dtd ent/ *.mod \
  /usr/share/xml/docbook/xml-dtd-4.4
```

Create (or update) and populate the /etc/xml/docbook catalog file by running the following commands as the root user:

```

if [ ! -e /etc/xml/docbook ]; then
    xmllcatalog --noout --create /etc/xml/docbook
fi &&
xmllcatalog --noout --add "public" \
    "-//OASIS//DTD DocBook XML V4.4//EN" \
    "http://www.oasis-open.org/docbook/xml/4.4/docbookx.dtd" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//DTD DocBook XML CALS Table Model V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/calstblx.dtd" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//DTD XML Exchange Table Model 19990315//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/soextblx.dtd" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ELEMENTS DocBook XML Information Pool V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/dbpoolx.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ELEMENTS DocBook XML Document Hierarchy V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/dbhierx.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ELEMENTS DocBook XML HTML Tables V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/htmltblx.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ENTITIES DocBook XML Notations V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/dbnotnx.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ENTITIES DocBook XML Character Entities V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/dbcentx.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "public" \
    "-//OASIS//ENTITIES DocBook XML Additional General Entities V4.4//EN" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4/dbgenent.mod" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "rewriteSystem" \
    "http://www.oasis-open.org/docbook/xml/4.4" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4" \
    /etc/xml/docbook &&
xmllcatalog --noout --add "rewriteURI" \
    "http://www.oasis-open.org/docbook/xml/4.4" \
    "file:///usr/share/xml/docbook/xml-dtd-4.4" \
    /etc/xml/docbook

```

Create (or update) and populate the `/etc/xml/catalog` catalog file by running the following commands as the root user:

```

if [ ! -e /etc/xml/catalog ]; then
    xmllcatalog --noout --create /etc/xml/catalog

```



```

fi &&
xmlcatalog --noout --add "delegatePublic" \
    "-//OASIS//ENTITIES DocBook XML" \
    "file:///etc/xml/docbook" \
    /etc/xml/catalog &&
xmlcatalog --noout --add "delegatePublic" \
    "-//OASIS//DTD DocBook XML" \
    "file:///etc/xml/docbook" \
    /etc/xml/catalog &&
xmlcatalog --noout --add "delegateSystem" \
    "http://www.oasis-open.org/docbook/" \
    "file:///etc/xml/docbook" \
    /etc/xml/catalog &&
xmlcatalog --noout --add "delegateURI" \
    "http://www.oasis-open.org/docbook/" \
    "file:///etc/xml/docbook" \
    /etc/xml/catalog

```

Configuring DocBook XML DTD

Config Files

/etc/xml/catalog, /etc/xml/docbook

Configuration Information

The above installation creates the files and updates the catalogs. In order to install ScrollKeeper or to utilize DocBook XML DTD V4.4 when any version 4.x is requested in the System Identifier, you need to add additional statements to the catalog files. If you have any of the DocBook XML DTD's referenced below already installed on your system, remove those entries from the **for** command below (issue the commands as the root user):

```

for DTDVERSION in 4.1.2 4.2 4.3
do
    xmlcatalog --noout --add "public" \
        "-//OASIS//DTD DocBook XML V$DTDVERSION//EN" \
        "http://www.oasis-open.org/docbook/xml/$DTDVERSION/docbookx.dtd" \
        /etc/xml/docbook
    xmlcatalog --noout --add "rewriteSystem" \
        "http://www.oasis-open.org/docbook/xml/$DTDVERSION" \
        "file:///usr/share/xml/docbook/xml-dtd-4.4" \
        /etc/xml/docbook
    xmlcatalog --noout --add "rewriteURI" \
        "http://www.oasis-open.org/docbook/xml/$DTDVERSION" \
        "file:///usr/share/xml/docbook/xml-dtd-4.4" \
        /etc/xml/docbook
    xmlcatalog --noout --add "delegateSystem" \
        "http://www.oasis-open.org/docbook/xml/$DTDVERSION/" \
        "file:///etc/xml/docbook" \
        /etc/xml/catalog
    xmlcatalog --noout --add "delegateURI" \
        "http://www.oasis-open.org/docbook/xml/$DTDVERSION/" \

```

```
"file:///etc/xml/docbook" \  
/etc/xml/catalog  
done
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Files:	DTD, MOD and ENT files
Installed Directories:	/etc/xml and /usr/share/xml/docbook/xml-dtd-4.4

Short Descriptions

DTD files	contain a document type definition which defines the element types and the attribute lists that can be used in the corresponding XML files.
MOD files	files contain components of the document type definition that are sourced into the DTD files.
ENT files	files contain lists of named character entities allowed in HTML.

DocBook XSL Stylesheets-1.69.1

Introduction to DocBook XSL Stylesheets

The DocBook XSL Stylesheets package contains XSL stylesheets. These are useful for performing transformations on XML DocBook files.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/docbook/docbook-xsl-1.69.1.tar.bz2>
- Download (FTP):
- Download MD5 sum: 6ebd29a67f2dcc3f2220f475ee6f6552
- Download size: 1.0 MB
- Estimated disk space required: 35.9 MB (includes installing optional documentation)
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Optional documentation: <http://downloads.sourceforge.net/docbook/docbook-xsl-doc-1.69.1.tar.bz2>

DocBook XSL Stylesheets Dependencies

Required

libxml2-2.6.26

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/docbook-xsl>

Installation of DocBook XSL Stylesheets

If you downloaded the optional documentation tarball, unpack it when you unpack the source tarball. The documentation tarball unpacks into subdirectories of the source tree.

Install DocBook XSL Stylesheets by running the following commands as the `root` user:

```
install -v -m755 -d /usr/share/xml/docbook/xsl-stylesheets-1.69.1 &&
cp -v -R VERSION common eclipse extensions fo html \
    htmlhelp images javahelp lib manpages params \
    profiling slides template website xhtml \
    /usr/share/xml/docbook/xsl-stylesheets-1.69.1
```

If you downloaded the optional documentation tarball, install the documentation by issuing the following commands as the `root` user:

```
install -v -m755 -d /usr/share/doc/docbook-xsl-1.69.1 &&
cp -v -R doc/* /usr/share/doc/docbook-xsl-1.69.1
```

Configuring DocBook XSL Stylesheets

Config Files

```
/etc/xml/catalog
```

Configuration Information

Create (or append) and populate the XML catalog file using the following commands as the `root` user:

```
if [ ! -d /etc/xml ]; then install -v -m755 -d /etc/xml; fi &&
if [ ! -f /etc/xml/catalog ]; then
    xmlcatalog --noout --create /etc/xml/catalog
fi &&

xmlcatalog --noout --add "rewriteSystem" \
    "http://docbook.sourceforge.net/release/xsl/1.69.1" \
    "/usr/share/xml/docbook/xsl-stylesheets-1.69.1" \
    /etc/xml/catalog &&

xmlcatalog --noout --add "rewriteURI" \
    "http://docbook.sourceforge.net/release/xsl/1.69.1" \
    "/usr/share/xml/docbook/xsl-stylesheets-1.69.1" \
    /etc/xml/catalog &&

xmlcatalog --noout --add "rewriteSystem" \
    "http://docbook.sourceforge.net/release/xsl/current" \
    "/usr/share/xml/docbook/xsl-stylesheets-1.69.1" \
    /etc/xml/catalog &&

xmlcatalog --noout --add "rewriteURI" \
    "http://docbook.sourceforge.net/release/xsl/current" \
    "/usr/share/xml/docbook/xsl-stylesheets-1.69.1" \
    /etc/xml/catalog
```

Occasionally, you may find the need to install other versions of the XSL stylesheets as some projects reference a specific version. One example is BLFS-6.0, which needs the 1.67.2 version. In these instances you should install any other required version in its own versioned directory and create catalog entries as follows (substitute the desired version number for `<version>`):

```
xmlcatalog --noout --add "rewriteSystem" \
    "http://docbook.sourceforge.net/release/xsl/<version>" \
    "/usr/share/xml/docbook/xsl-stylesheets-<version>" \
    /etc/xml/catalog &&

xmlcatalog --noout --add "rewriteURI" \
    "http://docbook.sourceforge.net/release/xsl/<version>" \
    "/usr/share/xml/docbook/xsl-stylesheets-<version>" \
    /etc/xml/catalog
```

Contents

Installed Programs:	None
Installed Libraries:	None
Installed Files:	XSL style sheets for HTML and FO

Installed Directories: /usr/share/xml/docbook/xsl-stylesheets-1.69.1 and /usr/share/doc/docbook-xsl-1.69.1

Chapter 46. PostScript

This chapter includes applications that create, manipulate or view PostScript files and create or view Portable Document Format PDF files.

a2ps-4.13b

Introduction to a2ps

a2ps is a filter utilized mainly in the background and primarily by printing scripts to convert almost every input format into PostScript output. The application's name expands appropriately to "all to PostScript".



Caution

a2ps cannot convert UTF-8 encoded text to PostScript. The issue is discussed in detail in the Needed Encoding Not a Valid Option section of the Locale Related Issues page. The solution is to use paps-0.6.6, instead of a2ps, for converting UTF-8 encoded text to PostScript.

Package Information

- Download (HTTP): <http://ftp.gnu.org/gnu/a2ps/a2ps-4.13b.tar.gz>
- Download (FTP): <ftp://ftp.gnu.org/gnu/a2ps/a2ps-4.13b.tar.gz>
- Download MD5 sum: 0c8e0c31b08c14f7a7198ce967eb3281
- Download size: 1.9 MB
- Estimated disk space required: 20.7 MB
- Estimated build time: 0.26 SBU

Additional Downloads

- International fonts: <ftp://ftp.enst.fr/pub/unix/a2ps/i18n-fonts-0.1.tar.gz>

a2ps Dependencies

Recommended

CUPS-1.2.7 or LPRng-3.8.28 (otherwise, a2ps will use the **cat >/dev/lp0** command instead of **lpr** for sending its output to the printer)

Optional

X Window System, PSUtils-p17, teTeX-3.0, AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2, libpaper, Adobe Reader, and Ghostview

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/A2PS>

Installation of a2ps

Install a2ps by running the following commands:

```
sed -i "s|emacs||" contrib/Makefile.in &&
sed -i 's/+0 -1/-k 1,2/' afm/make_fonts_map.sh &&
sed -i "s|usr/local/share|usr/share|" configure &&
sed -i "s|char \*malloc ();|/* & */|" \
    lib/path-concat.c &&
./configure --prefix=/usr \
    --sysconfdir=/etc/a2ps --localstatedir=/var \
    --enable-shared --with-medium=letter &&
make
```

To test the results, issue: **make check**. The `printers.tst` test will fail, as there is no default test printer.

Now, as the root user:

```
make install
```

Install the downloaded i18n-fonts by running the following commands as the root user:

```
cp -v fonts/* /usr/share/a2ps/fonts &&
cp -v afm/* /usr/share/a2ps/afm &&
cd /usr/share/a2ps/afm &&
./make_fonts_map.sh &&
mv fonts.map.new fonts.map
```

Command Explanations

sed -i -e "s|emacs||" contrib/Makefile.in: This command eliminates the compiling and installing of the Emacs script files. If you have substituted Emacs for Vi as your primary editor, skip this step.

sed -i 's/+0 -1/-k 1,2/' afm/make_fonts_map.sh: The `make_fonts_map.sh` script to uses an option that is invalid with the version of `sort` installed as part of `Coreutils-5.93`. If you are using an older version of `Coreutils`, skip this step.

sed -i -e "s|usr/local/share|usr/share|" configure: This command modifies the `configure` script to search for Ghostscript fonts at the location where they were installed by the BLFS instructions.

sed -i -e "s|char *malloc ();|/* & */|" lib/path-concat.c: This command fixes a build problem with `GCC-3.4.x`

--sysconfdir=/etc/a2ps: Configuration data is installed in `/etc/a2ps` instead of `/usr/etc`.

--enable-shared: This switch enables building the dynamic `liba2ps` library.

--with-medium=letter: This switch changes the default paper format of A4 to letter. Installations that utilize A4 would eliminate this switch.

Configuring a2ps

Config Files

`/etc/a2ps/a2ps.cfg`, `/etc/a2ps/a2ps-site.cfg`

Configuration Information

Information about configuring `a2ps` can be found in the comments contained in the above files, and also by

running **info a2ps**.

Contents

Installed Programs:	a2ps, card, composeglyphs, fixnt, fixps, ogonkify, pdiff, psmandup, psset, and texi2dvi4a2ps
Installed Libraries:	liba2ps.{so,a} and filter data
Installed Directories:	/etc/a2ps and /usr/share/a2ps

Short Descriptions

a2ps	is a filter, utilized primarily by printing scripts, that converts standard input or supported files to PostScript.
card	prints a reference card of a given program's options.
composeglyphs	creates a composite font program.
fixnt	is supposed to fix the problems in the PostScript files generated by the Microsoft PostScript driver under Windows NT (3.5 and 4.0).
fixps	tries to fix common PostScript problems that break postprocessing.
ogonkify	provides international support for Postscript by performing various munging of PostScript files related to printing in different languages.
pdiff	produces a pretty comparison between files.
psmandup	tries to produce a version of a given PostScript file to print in manual duplex.
psset	produces a version of a given PostScript file with a protected call to the PostScript operator 'setpagedevice'. Typical use is making a file print duplex, or on the manual tray, etc.
texi2dvi4a2ps	compiles Texinfo and LaTeX files to DVI or PDF

Enscript-1.6.4

Introduction to Enscript

Enscript converts ASCII text files to PostScript, HTML, RTF, ANSI and overstrikes.



Caution

Enscript cannot convert UTF-8 encoded text to PostScript. The issue is discussed in detail in the Needed Encoding Not a Valid Option section of the Locale Related Issues page. The solution is to use paps-0.6.6, instead of Enscript, for converting UTF-8 encoded text to PostScript.

Package Information

- Download (HTTP): <http://fresh.t-systems-sfr.com/unix/src/misc/enscript-1.6.4.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/enscript-1.6.4.tar.gz>
- Download MD5 sum: b5174b59e4a050fb462af5dbf28ebba3
- Download size: 1.0 MB
- Estimated disk space required: 11.5 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Required patch: http://www.linuxfromscratch.org/patches/blfs/6.2.0/enscript-1.6.4-security_fixes-1.patch

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Enscript>

Installation of Enscript

Install Enscript by running the following commands:

```
patch -Np1 -i ../enscript-1.6.4-security_fixes-1.patch &&
./configure --prefix=/usr \
            --sysconfdir=/etc/enscript \
            --localstatedir=/var \
            --with-media=Letter &&
make
```

Though it is very sparse, if you have teTeX-3.0 installed, you can create alternate forms of the documentation by issuing any or all of the following commands:

```
make -C docs ps &&
make -C docs pdf &&

cd docs &&
texi2html enscript.texi &&
makeinfo --plaintext -o enscript.txt enscript.texi &&
cd ..
```

To test the results, issue: **make check**.

Now, as the root user:

```
make install &&
install -v -m755 -d /usr/share/doc/enscript-1.6.4 &&
install -v -m644 README* *.txt docs/FAQ.html \
    /usr/share/doc/enscript-1.6.4
```

If you built any of the alternate forms of documentation, install it using the following command as the root user:

```
install -v -m644 docs/*.{dvi,html,pdf,ps,txt} \
    /usr/share/doc/enscript-1.6.4
```

Command Explanations

`--sysconfdir=/etc/enscript`: This switch puts configuration data in `/etc/enscript` instead of `/usr/etc`.

`--localstatedir=/var`: This switch sets the directory for runtime data to `/var` instead of `/usr/var`.

`--with-media=Letter`: This switch sets the medium format to letter.

Contents

Installed Programs:	diffpp, enscript, mkafmmap, over, sliceprint, and states
Installed Libraries:	None
Installed Directories:	/etc/enscript, /usr/share/doc/enscript-1.6.4 and /usr/share/enscript

Short Descriptions

diffpp	converts diff output files to a format suitable to be printed with enscript .
enscript	is a filter, used primarily by printing scripts, that converts ASCII text files to PostScript, HTML, RTF, ANSI and overstrikes.
mkafmmap	creates a font map from a given file.
over	is a script which calls enscript and passes the correct parameters to create overstrided fonts.
sliceprint	slices documents with long lines.
states	is an awk -like text processing tool with some state machine extensions. It is designed for program source code highlighting and for similar tasks where state information helps input processing.

PSUtils-p17

Introduction to PSUtils

PSUtils is a set of utilities to manipulate PostScript files.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/publishing/tex/tex-utils/psutils/psutils-p17.tar.gz>
- Download (FTP):
- Download MD5 sum: b161522f3bd1507655326afa7db4a0ad
- Download size: 68 KB
- Estimated disk space required: 740 KB
- Estimated build time: 0.01 SBU

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/psutils>

Installation of PSUtils

Install PSUtils by running the following commands:

```
sed 's@/usr/local@/usr@g' Makefile.unix > Makefile &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

sed 's@/usr/local@/usr@g' Makefile.unix > Makefile: This command creates a `Makefile` that installs the program to the `/usr` prefix instead of the `/usr/local` prefix.

Contents

Installed Programs:	epsffit, extractres, fixdlsrps, fixfmps, fixmacps, fixpsditps, fixpspps, fixscribeps, fixtpps, fixwfwps, fixwpps, fixwwps, getafm, includeres, psbook, psmerge, psnup, psresize, psselect, pstops, and showchar
Installed Libraries:	None
Installed Directories:	/usr/share/psutils

Sometimes **psnup** and other utilities from this package produce PostScript files that don't conform to Adobe's DSC standard. CUPS may print them incorrectly. On the other hand, CUPS has builtin replacements for most commands from this package. For example, to print a document 2-up, you can issue this command:

```
lp -o number-up=2 <filename>
```

Short Descriptions

epsffit	fits an EPSF file to a given bounding box.
psbook	rearranges pages into signatures.
psnup	puts multiple pages per physical sheet of paper.
psresize	alters the document paper size.
pssselect	selects pages and page ranges.
pstops	performs general page rearrangements and selection.
scripts	the remaining commands are scripts that perform specific functions described in their respective man pages.

GSview-4.8

Introduction to GSview

GSview is a viewer for PostScript and PDF using X.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/publishing/ghostscript/ghostgum/gsview-4.8.tar.gz>
- Download (FTP): <ftp://mirror.cs.wisc.edu/pub/mirrors/ghost/ghostgum/gsview-4.8.tar.gz>
- Download MD5 sum: 21c81819af0eeb42ac5ee6499f4a7116
- Download size: 931 KB
- Estimated disk space required: 11.4 MB
- Estimated build time: 0.1 SBU

Additional Downloads

- Required Patch: <http://www.linuxfromscratch.org/patches/blfs/6.2.0/gsview-4.8-pstotext-1.patch>

GSview Dependencies

Required

GTK+-1.2.10, and AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2

Note that you must build the shared `libs.so` library during the Ghostscript installation else the **gsview** program will fail at run-time.

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/gsview>

Installation of GSview

GSview uses **netscape** to browse through the online help. BLFS does not install Netscape, but has other browsers from which to choose. You can create a symlink from your preferred browser to `/usr/bin/netscape`, or simply edit `srcunx/gvxreg.c` using the following **sed** script with your browser's executable file name substituted for `<browser>`:

```
sed -i 's:netscape:<browser>:' srcunx/gvxreg.c
```

The GSview package has not been updated in quite a while and does not accomodate the recent versions of the ESP Ghostscript package. If you installed ESP Ghostscript-8.15.2 as your Ghostscript application, you must modify the maximum version of Ghostscript allowed. Make the modification using the following command:

```
sed -i 's:999:99999:' src/gvcver.h
```

Install GSview by running the following commands:

```
patch -Np1 -i ../gsview-4.8-pstotext-1.patch &&
sed 's:/local::' srcunx/unx.mak > Makefile &&
make
```

This package does not come with a test suite.

Now, as the `root` user:

```
make install
```

Command Explanations

`sed 's:/local:/' srcunx/unx.mak > Makefile`: This command changes the default installation directory to `/usr` during the creation of the `Makefile`.

Configuring GSview

Config Files

`/etc/gsview/*`

Contents

Installed Programs:	<code>gsview</code> and <code>gsview-help</code>
Installed Libraries:	None
Installed Directories:	<code>/etc/gsview</code> and <code>/usr/share/doc/gsview-4.8</code>

Short Descriptions

gsview	is a viewer for PostScript (PS) and PDF files.
gsview-help	is a script for displaying help files in your chosen browser.

Xpdf-3.01pl2

Introduction to Xpdf

Xpdf is a viewer for Adobe's free Portable Document Format (PDF) which is both fast and small and comes with some useful command-line utilities.

Package Information

- Download (HTTP): <http://gd.tuwien.ac.at/publishing/xpdf/xpdf-3.01.tar.gz>
- Download (FTP): <ftp://ftp.foolabs.com/pub/xpdf/xpdf-3.01.tar.gz>
- Download MD5 sum: e004c69c7dddef165d768b1362b44268
- Download size: 599 KB
- Estimated disk space required: 38.1 MB
- Estimated build time: 0.4 SBU

Additional Downloads

- Required patch: <ftp://ftp.foolabs.com/pub/xpdf/xpdf-3.01pl2.patch>

Xpdf Dependencies

Required

LessTif-0.94.4

Optional

AFPL Ghostscript-8.53 or ESP Ghostscript-8.15.2 (just the fonts), t1lib and libpaper

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Xpdf>

Installation of Xpdf

Install Xpdf by running the following commands:

```
patch -Np1 -i ../xpdf-3.01pl2.patch &&
./configure --prefix=/usr \
            --sysconfdir=/etc \
            --with-freetype2-includes=/usr/include/freetype2 \
            --enable-opi \
            --enable-multithreaded \
            --enable-wordlist &&
make
```

This package does not come with a test suite.

Now, as the root user:

```
make install
```

Command Explanations

`--enable-a4-paper`: This switch must be added to set DIN A4 as the standard paper format.

Configuring Xpdf

Config Files

`/etc/xpdfrc` and `~/ .xpdfrc`

Configuration Information

In the `/etc` directory you will find a sample `xpdfrc` that can be either copied to `~/ .xpdfrc` or taken as an example to write your own configuration file. Below you'll find a condensed version of the file you may wish to build from.

```
# Example .xpdfrc
displayFontT1 Times-Roman           /usr/share/ghostscript/fonts/n021003l.pfb
displayFontT1 Times-Italic          /usr/share/ghostscript/fonts/n021023l.pfb
displayFontT1 Times-Bold            /usr/share/ghostscript/fonts/n021004l.pfb
displayFontT1 Times-BoldItalic      /usr/share/ghostscript/fonts/n021024l.pfb
displayFontT1 Helvetica            /usr/share/ghostscript/fonts/n019003l.pfb
displayFontT1 Helvetica-Oblique    /usr/share/ghostscript/fonts/n019023l.pfb
displayFontT1 Helvetica-Bold       /usr/share/ghostscript/fonts/n019004l.pfb
displayFontT1 Helvetica-BoldOblique /usr/share/ghostscript/fonts/n019024l.pfb
displayFontT1 Courier              /usr/share/ghostscript/fonts/n022003l.pfb
displayFontT1 Courier-Oblique       /usr/share/ghostscript/fonts/n022023l.pfb
displayFontT1 Courier-Bold          /usr/share/ghostscript/fonts/n022004l.pfb
displayFontT1 Courier-BoldOblique   /usr/share/ghostscript/fonts/n022024l.pfb
displayFontT1 Symbol               /usr/share/ghostscript/fonts/s050000l.pfb
displayFontT1 ZapfDingbats         /usr/share/ghostscript/fonts/d050000l.pfb

fontDir                          /usr/share/fonts/X11-TTF

psFile                           "|lpr"
psPaperSize                      letter
#psPaperSize                     A4
textEOL                          unix

enableT1lib                      yes
enableFreeType                   yes
antialias                        yes

urlCommand                       "links -g %s"
```

Contents

Installed Programs: pdffonts, pdfimages, pdfinfo, pdftoppm, pdftops, pdftotext, and xpdf

Installed Libraries: None

Installed Directories: None

Short Descriptions

pdffonts	lists the fonts used in a PDF file along with various information for each font.
pdfimages	saves images from a PDF file as PPM, PBM, or JPEG files.
pdfinfo	prints the contents of the 'Info' dictionary (plus some other useful information) from a PDF file.
pdftoppm	converts PDF files to PBM, PGM and PPM formats.
pdftops	converts PDF files to Postscript format.
pdftotext	parses ASCII text from PDF files.
xpdf	displays files in PDF format.

FOP-0.20.5

Introduction to FOP

The FOP (Formatting Objects Processor) package contains a print formatter driven by XSL formatting objects (XSL-FO). It is a Java application that reads a formatting object tree and renders the resulting pages to a specified output. Output formats currently supported include PDF, PCL, PostScript, SVG, XML (area tree representation), print, AWT, MIF and ASCII text. The primary output target is PDF.

Package Information

- Download (HTTP): <http://apache.mirrors.pair.com/xml/fop/source/fop-0.20.5-src.tar.gz>
- Download (FTP): <ftp://apache.mirrors.pair.com/xml/fop/source/fop-0.20.5-src.tar.gz>
- Download MD5 sum: 1a31eb1357e5d4b8d32d4cb3edae2da2
- Download size: 7.8 MB
- Estimated disk space required: 47.9 MB
- Estimated build time: 0.25 SBU

Additional Downloads

Required package

- Java Advanced Imaging (JAI) API components:
http://javashopl.m.sun.com/ECom/docs/Welcome.jsp?StoreId=22&PartDetailId=jai-1_1_2_01-oth-JPR&SiteId=JSC&TransactionId=noreg
- Download MD5 sum: f2be3619a8d002eff3874355e96327eb
- Download size: 2.6 MB

Choose the “Linux JDK Install” file after accepting the license agreement.

Required patch

- http://www.linuxfromscratch.org/patches/blfs/6.2.0/fop-0.20.5-jdk_1.5.0-1.patch

FOP Dependencies

Required

JDK-1.5.0_10

Optional

libxslt-1.1.17, JIMI SDK, Batik and Forrest (only used to rebuild the documentation)

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/fop>

Installation of FOP



Note

Ensure `$JAVA_HOME` is set correctly before beginning the build.

Some versions of tar will display a message similar to “tar: A lone zero block at 33476” when unpacking the source tarball. You may safely ignore this message.

Installing JAI



Tip

The `$FOP_BUILD_DIR/jai-1_1_2_01-lib-linux-i586-jdk.bin` command below installs the JAI components in the JDK tree. You will be required to view, and then accept (by entering a `y` keypress), a license agreement before the installation will continue. If you are scripting (automating) the build, you'll need to account for this. There is information about automating build commands in the Automated Building Procedures section of Chapter 2. Towards the end of this section, specific information for automating this type of installation is discussed.

Install the JAI components by running the following commands as the `root` user while in the root of the FOP source tree:

```
cp ../jai-1_1_2_01-lib-linux-i586-jdk.bin . &&
sed -i 's/tail +122/tail -n +122/' \
    jai-1_1_2_01-lib-linux-i586-jdk.bin &&
chmod 755 jai-1_1_2_01-lib-linux-i586-jdk.bin &&
FOP_BUILD_DIR=$(pwd) &&
cd $JAVA_HOME &&
$FOP_BUILD_DIR/jai-1_1_2_01-lib-linux-i586-jdk.bin &&
cd $FOP_BUILD_DIR
```

Installing FOP required components

Install FOP by running the following commands:

```
patch -Np1 -i ../fop-0.20.5-jdk_1.5.0-1.patch &&
./build.sh &&
sed -i "s/build/lib/" fop.sh
```

Now, as the `root` user:

```
install -v -d -m755 \
    /opt/fop-0.20.5/{bin,lib,docs/{general,lib,site}} &&
install -v -m755 fop.sh /opt/fop-0.20.5/bin &&
install -v -m644 build/fop.jar lib/avalon-framework-cvs-20020806.jar \
    /opt/fop-0.20.5/lib &&
install -v -m644 docs/* /opt/fop-0.20.5/docs &&
install -v -m644 CHANGES LICENSE README ReleaseNotes.html STATUS \
    /opt/fop-0.20.5/docs/general &&
install -v -m644 lib/{avalon.LICENSE.txt,readme} \
    /opt/fop-0.20.5/docs/lib &&
cp -v -R build/site/* /opt/fop-0.20.5/docs/site &&
ln -svf fop-0.20.5 /opt/fop
```

Installing the Batik JAR

You'll need to install one additional Java class library to process SVG objects. This library is part of the Batik package, but is also included with the FOP package. If you have Batik installed, ensure the `batik.jar` library is included in your `$CLASSPATH` environment variable. Alternatively, create a symbolic link from `/opt/fop-0.20.5/lib/batik.jar` pointing to the full path of the installed `batik.jar` file so that the `fop.sh` script will automatically pick it up.

If you don't have the Batik package installed, run the following commands as the `root` user:

```
install -v -m644 lib/batik.jar /opt/fop-0.20.5/lib &&
install -v -m644 lib/batik.LICENSE.txt \
/opt/fop-0.20.5/docs/lib
```

Installing the Xalan-Java components

The components of FOP required to process FO files created by an XSL transformation engine (also known as an XSLT processor) is now complete. An XSL transformation engine (**xsltproc**) is included with the `libxslt-1.1.17` package in BLFS. The FOP package includes components of Xalan-Java to accomplish XSL transformations. If you have the Xalan-Java package installed, skip to the next section.

If you wish to install the Xalan-Java components provided by the FOP package, run the following commands as the `root` user:

```
sed -i "s/build/lib/" xalan.sh &&
install -v -m755 xalan.sh /opt/fop-0.20.5/bin &&
install -v -m644 lib/xml-apis.jar \
lib/xercesImpl-2.2.1.jar \
lib/xalan-2.4.1.jar \
/opt/fop-0.20.5/lib &&
install -v -m644 lib/{xml-apis,xerces,xalan}.LICENSE.txt \
lib/xml-apis.README.txt \
/opt/fop-0.20.5/docs/lib
```

Installing the Jimi SDK JAR

If you installed the Java Image I/O class library (Jimi SDK) into the FOP source tree `lib` directory before building FOP (this will enable Jimi support), ensure you also install this JAR file into `/opt/fop-0.20.5/lib`.

Command Explanations

`sed -i 's/tail +122/tail -n +122/' ...`: The JAI binary file has a **tail** command imbedded in the file which uses obsolete syntax and causes the file to not unpack correctly. This command fixes the obsolete syntax.

`$FOP_BUILD_DIR/./jai-...-jdk.bin`: This command installs the JAI components into the JDK file structure. `$FOP_BUILD_DIR` is used as a reference point to the source executable and as a method to return back to the FOP source tree.

`sed -i "s/build/lib/" ...`: These commands modify the installed shell scripts so that the location of the installed `fop.jar` file is correctly identified.

install -v ...; cp -v ...: There is no installation script provided by the FOP package. These commands install the package.

ln -svf fop-0.20.5 /opt/fop: This creates a convenience symlink so that \$FOP_HOME doesn't have to be changed each time there's a package version change.

Configuring FOP

Config Files

~/ .foprc

Configuration Information

Using FOP to process some large FO's (including the FO derived from the BLFS XML sources), can lead to memory errors. Unless you add a parameter to the **java** command used in the **fop.sh** script you may receive messages similar to the one shown below:

```
Exception in thread "main" java.lang.OutOfMemoryError: Java heap space
```

To avoid errors like this, you need to pass an extra parameter to the **java** command used in the **fop.sh** script. This can be accomplished by creating a ~/ .foprc (which is sourced by the **fop.sh** script) and adding the parameter to the FOP_OPTS environment variable.

The **fop.sh** script looks for a FOP_HOME environment variable to locate the FOP class libraries. You can create this variable using the ~/ .foprc file as well. Create a ~/ .foprc file using the following commands:

```
cat > ~/ .foprc << "EOF"
FOP_OPTS="-Xmx<RAM_Installed>m"
FOP_HOME="/opt/fop"
EOF
```

Replace <RAM_Installed> with a number representing the amount of RAM installed in your computer (in megabytes). An example would be **FOP_OPTS="-Xmx768m"**. For more information about memory issues running FOP, see <http://xml.apache.org/fop/running.html#memory>.

To include the **fop.sh** script in your path, update your personal or system-wide profile with the following:

```
PATH=$PATH:/opt/fop/bin
```

Contents

Installed Programs:	fop.sh and xalan.sh
Installed Libraries:	avalon-framework-cvs-20020806.jar, batik.jar, fop.jar, xalan-2.4.1.jar, xercesImpl-2.2.1.jar, and xml-apis.jar. JAI components include libmllib_jai.so, jai_codec.jar, jai_core.jar, and mlibwrapper_jai.jar
Installed Directory:	/opt/fop-0.20.5

Short Descriptions

fop.sh is a wrapper script to the **java** command which sets up the FOP environment and passes the required parameters.

`fop.jar` contains all the FOP Java classes.

paps-0.6.6

Introduction to paps

paps is a text to PostScript converter that works through Pango. Its input is a UTF-8 encoded text file and it outputs vectorized PostScript. It may be used for printing any complex script supported by Pango.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/paps/paps-0.6.6.tar.gz>
- Download (FTP):
- Download MD5 sum: cc0975e70fe1e704e16f2fb08c71cee2
- Download size: 424 KB
- Estimated disk space required: 2.6 MB
- Estimated build time: less than 0.1 SBU

paps Dependencies

Required

Pango-1.12.3

Recommended

Doxygen-1.4.6

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/Paps>

Installation of paps

Install paps by running the following commands:

```
./configure --prefix=/usr &&  
make
```

To test the results, issue: **src/test_libpaps > test.ps**. View the output file in any available PostScript viewer and visually compare it to `doc/example-output.png`. The results of the output will be more robust with DejaVu, Arphic, and Kochi fonts installed as explained in the Xft Font Protocol Section of the X Window System configuration.

Now, as the `root` user:

```
make install
```

Command Explanations

make DOXYGEN=true; make DOXYGEN=true -k install: Use these commands if Doxygen is not installed. Documentation will not be installed.

Contents

Installed Program: paps
Installed Library: libpaps.a
Installed Directory: /usr/share/doc/libpaps

Short Descriptions

paps is a text to PostScript converter that supports UTF-8 character encoding.

Other PostScript Programs

kghostview is a Qt based PostScript/PDF viewer from kdegraphics-3.5.6.

Chapter 47. Typesetting

This chapter includes applications that create output equivalent to typesetting.

teTeX-3.0

Introduction to teTeX

teTeX is an implementation of Donald Knuth's TeX typesetting program. This package is able to create documents in a variety of formats. The optional `texmfsrc` (TeX METAFONT) tarball contains source code for programs to create and manipulate TeX fonts.

Package Information

- Download (HTTP): <http://www.tug.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-src-3.0.tar.gz>
- Download (FTP): <ftp://tug.ctan.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-src-3.0.tar.gz>
- Download MD5 sum: 944a4641e79e61043fdaf8f38ecbb4b3
- Download size: 12.7 MB
- Estimated disk space required: 423 MB (549 MB with optional tarball, additional 231 MB for CM-Super fonts)
- Estimated build time: 2.1 SBU

Additional Downloads

Required Macros and Fonts

- Download (HTTP): <http://www.tug.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-texmf-3.0.tar.gz>
- Download (FTP): <ftp://tug.ctan.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-texmf-3.0.tar.gz>
- Download MD5 sum: ed9d30d9162d16ac8d5065cde6e0f6fa
- Download size: 87.1 MB

Optional 'texmf' Sources:

- Download (HTTP): <http://www.tug.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-texmfsrc-3.0.tar.gz>
- Download (FTP): <ftp://tug.ctan.org/tex-archive/systems/unix/teTeX/3.0/distrib/tetex-texmfsrc-3.0.tar.gz>
- Download MD5 sum: 66c32a11964a49982ba2a32d3bbfe7f5
- Download size: 57.7 MB

Optional 'cm-super' Sources:

- Download (HTTP): <http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/t/tetex-cm-super.tar.bz2>
- Download (FTP): <ftp://anduin.linuxfromscratch.org/BLFS/6.2.0/t/tetex-cm-super.tar.bz2>
- Download MD5 sum: d7c89fcb35f625b02853a0881a4ec760
- Download size: 63.8 MB

teTeX Dependencies

Required

Ed-0.2

Optional

libpng-1.2.12, X Window System, Tk-Perl-804.027, t1lib, and GD

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/tetex>**Installation of teTeX**

Before building teTeX, the macros and fonts package (texmf tarball) must be installed. Install the macros and fonts using the following commands as the root user:

```
install -v -d -m755 /usr/share/texmf &&
gzip -dc ../tetex-texmf-3.0.tar.gz \
| (umask 0; cd /usr/share/texmf; tar -xvf -)
```

If the optional texmfsrc source code TAR ball was downloaded, unpack it now as the root user:

```
gzip -dc ../tetex-texmfsrc-3.0.tar.gz \
| (umask 0; cd /usr/share/texmf; tar -xvf -)
```

Install teTeX by running the following commands:

```
./configure --prefix=/usr \
            --exec-prefix=/usr \
            --bindir=/usr/bin \
            --without-texinfo \
            --with-x=no \
            --with-system-ncurses \
            --with-system-zlib &&
make all
```

To test the results, issue: **make check**. The tests should complete without errors (there may be some errors which are ignored).

Now, as the root user:

```
make install &&
texconfig-sys dvips paper letter &&
texconfig-sys font rw
```

**Note**

The paper size may be changed to a4, as is used in most countries.

To install the optional cm-super fonts, perform the following instructions as the root user:

```
tar -xf ../tetex-cm-super.tar.bz2 &&
FONTDIR=$(kpsewhich --expand-var '$TEXMFMAIN') &&
mkdir -v -p $FONTDIR/fonts/afm/public/cm-super \
           $FONTDIR/fonts/type1/public/cm-super \
```

```

        $FONTDIR/fonts/enc/dvips/cm-super    \
        $FONTDIR/fonts/map/dvips/cm-super    &&

cp -v cm-super/pfb/*.pfb $FONTDIR/fonts/type1/public/cm-super/ &&

gunzip cm-super/afm/* &&
cp -v cm-super/afm/*.afm $FONTDIR/fonts/afm/public/cm-super/ &&

cp -v cm-super/dvips/*.enc $FONTDIR/fonts/enc/dvips/cm-super/ &&
cp -v cm-super/dvips/*.map $FONTDIR/fonts/map/dvips/cm-super/ &&

cat >> $FONTDIR/web2c/updmap.cfg << "EOF" &&
MixedMap cm-super-t1.map
MixedMap cm-super-t2a.map
MixedMap cm-super-t2b.map
MixedMap cm-super-t2c.map
MixedMap cm-super-ts1.map
MixedMap cm-super-x2.map
EOF

install -v -m644 -D cm-super/type1ec.sty \
        $FONTDIR/tex/latex/cm-super/type1ec.sty &&

mktexlsr &&
updmap-sys &&

unset FONTDIR

```

Command Explanations

--with-x=no: This switch will avoid any X dependencies. teTeX can be compiled with X support, notably for **xdvi**. If this is desired, remove this parameter.

--exec-prefix=/usr --bindir=/usr/bin: These switches ensure that teTeX binaries are installed in **/usr/bin**.

--without-texinfo: A default LFS installation already has the Texinfo package installed. This switch will avoid overwriting it with the included Texinfo package.

--with-system-ncurses: This switch specifies using the already installed **libncurses** library.

--with-system-zlib: A default LFS installation already has the Zlib library installed. This switch will avoid replacing it with the included Zlib library.

--disable-a4: Use this option to set the default paper size to letter and the default unit to inch.

texconfig-sys dvips paper letter: This command sets the default paper size for teTeX.

texconfig-sys font rw: This command specifies creating and using a directory for globally writeable fonts.

mktexlsr: This command recreates the teTeX **ls-R** databases after installing the CM-Super fonts.

updmap-sys: This command updates the system-wide font configuration to include the CM-Super fonts.

**Tip**

Run **`./configure --help`** for information about using other switches which will enable the build to use other installed packages you may have on your system.

Contents

- Installed Programs:** 100 separate binaries and scripts along with 30 symlinks to these programs.
- Installed Library:** libkpathsea.a
- Installed Directories:** /usr/include/kpathsea, /var/tmp/texfonts and the following subdirectories of /usr/share/: texi2html, texinfo/html, texmf, texmf-config and texmf-var

Short Descriptions

- teTeX programs** included in the teTeX package are too numerous to individually list. Please refer to the individual program man pages and file:///usr/share/texmf/doc/index.html for details, as well as a tour of the expansive teTeX documentation.
- libkpathsea.a** contains functions used by teTeX for searching and cataloging path names.

JadeTeX-3.13

Introduction to JadeTeX

The JadeTeX package is a companion package to the OpenJade DSSSL processor. JadeTeX transforms high level LaTeX macros into DVI/PostScript and Portable Document Format (PDF) forms.

Package Information

- Download (HTTP): <http://downloads.sourceforge.net/jadetex/jadetex-3.13.tar.gz>
- Download (FTP): <ftp://ftp.fu-berlin.de/unix/linux/mirrors/gentoo/distfiles/jadetex-3.13.tar.gz>
- Download MD5 sum: 634dfc172fbf66a6976e2c2c60e2d198
- Download size: 103 KB
- Estimated disk space required: 9.3 MB
- Estimated build time: less than 0.1 SBU

Additional Downloads

- Recommended demo files:
<http://anduin.linuxfromscratch.org/sources/BLFS/6.2.0/j/jadetex-3.13-demo.tar.bz2>

JadeTeX Dependencies

Required

teTeX-3.0 and OpenJade-1.3.2

User Notes: <http://wiki.linuxfromscratch.org/blfs/wiki/jadetex>

Installation of JadeTeX

If you downloaded the demo files tarball, unpack it along with the source tarball. It will unpack as a demo directory in the root of the source tree.

First, as the `root` user, make some required modifications to the `texmf.cnf` file already installed on the system by the teTeX package, then build a new `latex.fmt` file using the following commands:

```
sed -i.orig -e "s/original texmf.cnf/modified texmf.cnf/" \
    -e "s/memory hog.../&\npool_size.context = 750000/" \
    $(kpsewhich texmf.cnf) &&
cat >> $(kpsewhich texmf.cnf) << "EOF"

% The following 3 sections added for JadeTeX

% latex settings
main_memory.latex = 1100000
param_size.latex = 1500
stack_size.latex = 1500
hash_extra.latex = 15000
string_vacancies.latex = 45000
pool_free.latex = 47500
```

```

nest_size.latex = 500
save_size.latex = 5000
pool_size.latex = 500000
max_strings.latex = 55000
font_mem_size.latex= 400000

% jadetex settings
main_memory.jadetex = 1500000
param_size.jadetex = 1500
stack_size.jadetex = 1500
hash_extra.jadetex = 50000
string_vacancies.jadetex = 45000
pool_free.jadetex = 47500
nest_size.jadetex = 500
save_size.jadetex = 5000
pool_size.jadetex = 500000
max_strings.jadetex = 55000

% pdfjadetex settings
main_memory.pdfjadetex = 2500000
param_size.pdfjadetex = 1500
stack_size.pdfjadetex = 1500
hash_extra.pdfjadetex = 50000
string_vacancies.pdfjadetex = 45000
pool_free.pdfjadetex = 47500
nest_size.pdfjadetex = 500
save_size.pdfjadetex = 5000
pool_size.pdfjadetex = 500000
max_strings.pdfjadetex = 55000

EOF
LATEX_FMT_DIR="$(kpsewhich -expand-var '$TEXMFsysvar')/web2c" &&
mv -v $(kpsewhich latex.fmt) $(kpsewhich latex.fmt).orig &&
mv -v $LATEX_FMT_DIR/latex.log $LATEX_FMT_DIR/latex.log.orig &&
fmtutil-sys --byfmt latex

```

Install JadeTeX using the following commands:

```
make
```

Now, as the root user:

```

install -v -m755 -d \
    $(kpsewhich -expand-var '$TEXMFLOCAL')/tex/jadetex/config &&
install -v -m644 dsssl.def jadetex.ltx *.sty \
    $(kpsewhich -expand-var '$TEXMFLOCAL')/tex/jadetex &&
install -v -m644 {,pdf}jadetex.ini \
    $(kpsewhich -expand-var '$TEXMFLOCAL')/tex/jadetex/config &&
FMTUTIL_CNF="$(kpsewhich fmtutil.cnf)" &&
mv $FMTUTIL_CNF $FMTUTIL_CNF.orig &&
cat $FMTUTIL_CNF.orig - >> $FMTUTIL_CNF << "EOF"

# JadeTeX formats:
jadetex          etex          -          "&latex"          jadetex.ini

```

```
pdfjadetex      pdfetex      -      "&pdflatex"  pdfjadetex.ini
EOF
mv -v $(kpsewhich -expand-var '$TEXMFMAIN')/ls-R \
      $(kpsewhich -expand-var '$TEXMFMAIN')/ls-R.orig &&
mv -v $(kpsewhich -expand-var '$TEXMFSYSVAR')/ls-R \
      $(kpsewhich -expand-var '$TEXMFSYSVAR')/ls-R.orig &&
mktexlsr &&
fmtutil-sys --byfmt jadetex &&
fmtutil-sys --byfmt pdfjadetex &&
mktexlsr &&
ln -v -sf etex /usr/bin/jadetex &&
ln -v -sf pdfetex /usr/bin/pdfjadetex &&
install -v -m644 -D index.html \
      /usr/share/doc/jadetex-3.13/index.html &&
install -v -m644 *.1 /usr/share/man/man1
```

If you downloaded the demo files tarball, issue the following commands as an unprivileged user to test the functionality of the new JadeTeX installation:

```
cd demo &&
openjade -t tex -d demo.dsl demo.sgm &&
jadetex demo.tex &&
pdfjadetex demo.tex &&
ls -lrt &&
cd ..
```

The commands should complete without errors or warnings and create `demo.dvi` and `demo.pdf` files.

Command Explanations

sed -i -e ... -e ... \$(kpsewhich texmf.cnf): This command uses **kpsewhich** to locate the installed `texmf.cnf`. The first change is used to modify the header of the file so that if `teTeX` is upgraded, the file won't get overwritten. The next change adds a parameter to increase `ConTeXt`'s memory size to accommodate `JadeTeX`.

fmtutil-sys ...: These commands are used to build the `latex.fmt`, `jadetex.fmt` and `pdfjadetex.fmt` files. Additionally, the command automatically places the files in the correct directory.

mktexlsr; ln -v -sf tex ...; ln -v -sf pdftex ...: The `JadeTeX` programs are actually just symlinks to the `teTeX` programs. **mktexlsr** updates `teTeX`'s `ls-R` databases used by the `libkpathsea` library so that `teTeX` knows to use the `JadeTeX .fmt` files when **jadetex** or **pdfjadetex** is called.

Configuring JadeTeX

Config Files

`jadetex.dtx` in the `JadeTeX` source tree.

Configuration Information

If you need to modify the default `JadeTeX` macro settings, see the `JadeTeX` FAQ.

Contents

Installed Programs: jadetex and pdfjadetex
Installed Libraries: None
Installed Directories: /usr/share/texmf-local and /usr/share/doc/jadetex-3.13

Short Descriptions

jadetex transforms LaTeX macros created by OpenJade into DVI/PostScript forms.
pdfjadetex transforms LaTeX macros created by OpenJade into Portable Document Format (PDF) forms.

Appendix A. Creative Commons License

Creative Commons Legal Code

Attribution-NonCommercial-ShareAlike 2.0



Important

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

- a. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.
- b. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.
- c. "Licensor" means the individual or entity that offers the Work under the terms of this License.
- d. "Original Author" means the individual or entity who created the Work.
- e. "Work" means the copyrightable work of authorship offered under the terms of this License.
- f. "You" means an individual or entity exercising rights under this License who has not previously

violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

- g. "License Elements" means the following high-level license attributes as selected by Licensor and indicated in the title of this License: Attribution, Noncommercial, ShareAlike.
- 2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.
- 3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:
 - a. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
 - b. to create and reproduce Derivative Works;
 - c. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
 - d. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works;

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved, including but not limited to the rights set forth in Sections 4(e) and 4(f).

- 4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:
 - a. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any reference to such Licensor or the Original Author, as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any reference to such Licensor or the Original Author, as requested.
 - b. You may distribute, publicly display, publicly perform, or publicly digitally perform a Derivative Work only under the terms of this License, a later version of this License with the same License Elements as this License, or a Creative Commons iCommons license that contains the same License

Elements as this License (e.g. Attribution-NonCommercial-ShareAlike 2.0 Japan). You must include a copy of, or the Uniform Resource Identifier for, this License or other license specified in the previous sentence with every copy or phonorecord of each Derivative Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Derivative Works that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder, and You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Derivative Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Derivative Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Derivative Work itself to be made subject to the terms of this License.

- c. You may not exercise any of the rights granted to You in Section 3 above in any manner that is primarily intended for or directed toward commercial advantage or private monetary compensation. The exchange of the Work for other copyrighted works by means of digital file-sharing or otherwise shall not be considered to be intended for or directed toward commercial advantage or private monetary compensation, provided there is no payment of any monetary compensation in connection with the exchange of copyrighted works.
- d. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and give the Original Author credit reasonable to the medium or means You are utilizing by conveying the name (or pseudonym if applicable) of the Original Author if supplied; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.
- e. For the avoidance of doubt, where the Work is a musical composition:
 - i. Performance Royalties Under Blanket Licenses. Licensor reserves the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work if that performance is primarily intended for or directed toward commercial advantage or private monetary compensation.
 - ii. Mechanical Rights and Statutory Royalties. Licensor reserves the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions), if Your distribution of such cover version is primarily intended for or directed toward commercial advantage or private monetary compensation.

the US Copyright Act (or the equivalent in other jurisdictions), if Your public digital performance is primarily intended for or directed toward commercial advantage or private monetary compensation.

- f. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor reserves the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions), if Your public digital performance is primarily intended for or directed toward commercial advantage or private monetary compensation.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

- 6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

- a. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.
- b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

- a. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You

under this License.

- c. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- d. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
- e. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.



Important

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, neither party will use the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time.

Creative Commons may be contacted at <http://creativecommons.org/>.

Appendix B. Academic Free License v. 2.1

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1. Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:
 - to reproduce the Original Work in copies;
 - to prepare derivative works ("Derivative Works") based upon the Original Work;
 - to distribute copies of the Original Work and Derivative Works to the public;
 - to perform the Original Work publicly; and
 - to display the Original Work publicly.
2. Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.
3. Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.
4. Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.
5. This section intentionally omitted.
6. Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7. **Warranty of Provenance and Disclaimer of Warranty.** Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.
8. **Limitation of Liability.** Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.
9. **Acceptance and Termination.** If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.
10. **Termination for Patent Action.** This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.
11. **Jurisdiction, Venue and Governing Law.** Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. Â§ 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.
12. **Attorneys Fees.** In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.
13. **Definition of "You" in This License.** "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License.

For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

14. Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

Glossary

Acronyms

669	UNIS/Composer 669 Module
ABI	Application Binary Interface
ADSL	Asymmetric Digital Subscriber Line
AFS	Andrew File System
AIFF	Audio Interchange File Format
ALSA	Advanced Linux Sound Architecture
ANSI	American National Standards Institute
API	Application Programming Interface
APR	Apache Portable Runtime
ARP	Address Resolution Protocol
ASCII	American Standard Code for Information Interchange
ASN	Abstract Syntax Notation
ASF	Advanced Streaming Format
ATA	AT-Attached
ATSC	Advanced Television Systems Committee
ATK	Accessibility ToolKit
AVI	Audio Video Interleave
AWT	Abstract Window Toolkit
BER	Basic Encoding Rules
BICS	Berkeley/IRCAM/CARL
BIND	Berkeley Internet Name Domain
BIOS	Basic Input/Output System
BLFS	Beyond Linux From Scratch
BMP	Bit MaP
CD	Compact Disk
CDDA	Compact Disc Digital Audio
CIFS	Common Internet File System See Also SMB .

CODEC	COmpression/DECompression module
CORBA	COmmon OBject Request Broker Architecture
CPU	CEntral Processing Unit
CRD	COlor RendeRing Dictionary
CSA	COlor Space Array
CSS (on DVD)	COntents Scrambling System
CSS	CAscading Style Sheets
CUPS	COmmon Unix Printing System
CVS	COncurrent VErSIONS System
DAO	DIsc At Once
DARPA	DIrectory AdDress ResOlution PRotocol Allocation
DEC	DIgital EQuipment COrporation
DER	DIstinguished ENcoding Rules
DES	DIata ENcryption Standard
DHCP	DIynamic HOst COnfiguration PRotocol
DICT	DIctionary SeRver PRotocol (RFC 2229)
DIN	GErman INdustrial NOrm
DNS	DOmain Name SeRvice
DOS	DIsk OPerating SyStem
DRI	DIrect RendeRing INfrastructure
DSC	DOcument StRucturing COntentions
DSO	DIynamic ShAreD OBjects
DSSSL	DOcument StYle SeMantics and SePfication Language
DV	DIgital VIdeo
DVD	DIgital VeRsatile DIsk (also DIgital VIdeo DIsk)
DVI	DeVice INdependent
ELF	EXecutable and LInking FOrmAt
EPP	ENhanced PArallel POrt
EPS	ENcapsulated POstScRipt
ESD	ENlighten SOund DAemon
ESMTP	EXtended SImple MAil TRansfer PRotocol

FAM	File Alteration Monitor
FAME	Fast Assembly Mpeg Encoder
FAQ	Frequently Asked Questions
FAX	Facsimile
FB	Frame Buffer
FHS	File Hierarchy Standard
FLAC	Free Lossless Audio CODEC
FO	Formatted Objects
FOURCC	FOUR Character Code
FTP	File Transfer Protocol
GCC	GNU Compiler Collection
GDBM	GNU DataBase Manager
GDK	GTK+ Drawing Kit
GDM	GNOME Display Manager
GID	Group IDentity
GIF	Graphics Interchange Format
GLUT	OpenGL Utility Toolkit
GMP	GNU Multiple Precision Arithmetic
GNAT	GNU NYU Ada 9x Translator
GNOME	GNU Network Object Model Environment
GNU	GNU's Not Unix
GPL	General Public License
GPM	General Purpose Mouse
GSS	Generic Security Service
GSSAPI	Generic Security Service Application Programming Interface
GTK	GIMP ToolKit
GUI	Graphical User Interface
HFS	Hierarchical File System
HTML	HyperText Markup Language
HTTP	HyperText Transfer Protocol
HTTPS	HyperText Transfer Protocol Secured

HUP	Hang UP
IANA	Internet Assigned Numbers Authority
ICC	International Color Consortium
ICMP	Internet Control Message Protocol
IDE	Integrated Drive Electronics Integrated Development Environment
IDL	Interface Definition Language
IJS	Ink Jet Systems
ILS	Internet Location Server
IMAP	Internet Message Access Protocol
IMON	Inode MONitor
IP	Internet Protocol See Also TCP .
IPX	Internetwork Packet eXchange
IRC	Internet Relay Chat
IrDA	Infrared Data Association
ISDN	Integrated Services Digital Network
ISO	International Standards Organisation
ISP	Internet Service Provider
IT	ImpulseTracker Module
JAI	Java Advanced Imaging
JAR	Java ARchive
JDK	Java Development Kit
JFIF	JPEG File Interchange Format
JPEG	Joint Photographic Experts Group
KDC	Key Distribution Center
KDE	KDesktop Environment
LAME	Lame Ain't an MP3 Encoder
LAN	Local Area Network
LDAP	Lightweight Directory Access Protocol
LDIF	Lightweight Data Interchange Format
LFS	Linux From Scratch

LGPL	Library General Public License
LPR	Line PRinter
LZO	Lempel-Ziv-Oberhumer
LZW	Lempel-Ziv-Welch
MAC	Media Access Control
MCOP	Multimedia COMMunication Protocol
MCU	Multipoint Control Unit
MD	Message-Digest
MDA	Mail Delivery Agent
MED	MED/OctaMED Module
MIDI	Musical Instrument Digital Interface
MIF	Maker Interchange Format
MII	Media Independent Interface
MIME	Multipurpose Internet Mail Extensions
MIT	Massachusetts Institute of Technology
MNG	Multiple-image Network Graphics
MOD	ProTracker Module
MP3	MPEG-1 audio layer 3
MPEG	Moving Picture Experts Group
MSL	Magick Scripting Language
MTA	Mail Transport Agent
MTM	MultiTracker Module
MUA	Mail User Agent
NASM	Netwide ASseMbler
NNTP	Network News Transfer Protocol
NFS	Network File System
NIS	Network Information Service
NPTL	Native Posix Thread Library
NSPR	Netscape Portable Runtime
NSS	Network Security Services
NTP	Network Time Protocol

OAF	Object Activation Framework
ODBC	Open DataBase Connectivity
OMF	Open Metadata Framework
ORB	Object Request Broker See Also CORBA .
ORDBMS	Object Relational Database Management System
OS	Operating System
OSF	Open Software Foundation
OSS	Open Sound System
PAM	Pluggable authentication Modules
PBM	Portable BitMap
PCI	Peripheral Component Interconnect
PCL	Printer Control Language
PCM	Pulse Code Modulation
PDC	Primary Domain Controller
PDF	Portable Document Format
PEAR	PHP Extension and Application Repository
PGM	Portable Grey Map
PGP	Pretty Good Privacy
PHP	PHP Hypertext Preprocessor
PIM	Personal Information Manager
PLIP	Parallel Line Internet Protocol
PNG	Portable Network Graphics
PO	Portable Object
POD	Plain Old Documentation
POP	Post Office Protocol
PPD	PostScript Printer Description
PPM	Portable Pixel Map
PPP	Point to Point Protocol
PPPoE	Point to Point Protocol over Ethernet
PS	PostScript
RAM	Random Access Memory

RARP	Reverse Address Resolution Protocol
RCS	Revision Control System
RFC	Request For Comments
RGB	Red Green Blue
RGBA	Red Green Blue Alpha
ROM	Read-Only Memory
RP	Roaring Penguin
RPC	Remote Procedure Call
RTC	Real Time Clock
RTP	Real Time Protocol
RW	Read Write
S3M	ScreamTracker Version 3 Module
S/MIME	Secure/MIME
SANE	Scanner Access Now Easy
SASL	Simple Authentication and Security Layer
SBU	Static Binutils Units
SCCS	Source Code Control System
SCSI	Small Computer System Interface
SDK	Software Development Kit
SGML	Standard Generalized Markup Language
SMB	Server Message Block
SMIL	Synchronized Multimedia Integration Language
SMTP	Simple Mail Transfer Protocol
SOAP	Simple Object Access Protocol
SQL	Structured Query Language
SSH	Secure SHell
SSL	Secure Sockets Layer
SUID	Set User IDentity
SVG	Scalable Vector Graphics
SVGA	Super Video Graphics Array
TCL	Tool Command Language

TCP	Transmission Control Protocol
TGT	Ticket-Granting Ticket
TIFF	Tag(ged) Image File Format
TLS	Transport Layer Security
TTF	TrueType Font
TTS	Text To Speech
UCS	Universal Character Set
UDF	Universal Disk Format
UID	User IDentity
UDP	User Datagram Protocol
UI	User Interface
UML	Unified Modelling Language
URL	Uniform Resource Locator
USB	Universal Serial Bus
USR	Upstream Ready
UTF	UCS Transformation Format
UUCP	Unix-to-Unix Copy Protocol
VCD	Video Compact Disk
VESA	Video Electronics Standards Association
VGA	Video Graphics Array
VNC	Virtual Network Computer
VOB	Video OBject
VOIP	Voice Over IP
W3C	World Wide Web Consortium
WAV	Waveform Audio
WWW	World Wide Web
XDMCP	XDisplay Manager Control Protocol
XM	FastTracker Module
XML	eXtensible Markup Language
XSL	eXtensible Style Language
XSLT	eXtensible Style Language Transformation

XSM	X/Open System Management
XMMS	XMultiMedia System
YP	Yellow Pages
YUV	Luminance-Bandwidth-Chrominance

Index

Packages

a2ps, 1169
 AALib, 285
 AbiWord, 955
 AFPL Ghostscript, 1133
 ALSA Firmware, 1024
 ALSA Library, 1014
 ALSA OSS, 1026
 ALSA Plugins, 1016
 ALSA Tools, 1021
 ALSA Utilities, 1018
 Apache, 540
 Apache Ant, 360
 aRts, 730
 ASH, 203
 Aspell, 245
 AT SPI, 911
 ATK, 690
 Audacious, 1097
 Audio File, 1029
 Autofs, 121
 Avifile, 1102
 Balsa, 1005
 Bc, 294
 Berkeley DB, 602
 BIND, 544
 BIND Utilities, 518
 BLFS Bootscripts, 83
 Bluefish, 200
 Bonobo, 936
 Bug-buddy, 858
 cairo, 686
 CDPParanoia, 1092
 Cdrdao, 1118
 Cdrtools, 1115
 Compface, 298
 Control Center, 833
 Cpio, 352
 CrackLib, 128
 CUPS, 1128
 cURL, 467
 CVS, 484
 Cyrus SASL, 173
 D-BUS, 363
 DejaGnu, 373
 Desktop-file-utils, 315
 Dhcp, 613
 Dhcpd, 461
 Dillo, 994
 DocBook DSSSL Stylesheets, 1158
 DocBook SGML DTD-3.1, 1149
 DocBook SGML DTD-4.4, 1151
 DocBook-utils, 1160
 DocBook XML DTD, 1162
 DocBook XSL Stylesheets, 1166
 Doxygen, 375
 dvd+rw-tools, 1122
 Ed, 198
 EEL, 829
 Ekiga, 890
 Emacs, 192
 Enscript, 1172
 EOG, 862
 Epiphany, 888
 Esound, 1031
 ESP Ghostscript, 1136
 Ethereal, 520
 Evince, 864
 Evolution, 968
 Evolution Data Server, 849
 Exim, 585
 Expat, 242
 Expect, 377
 Fcron, 335
 Fetchmail, 527
 FFmpeg, 1099
 File Roller, 866
 Firefox, 985
 FLAC, 1055
 Fluxbox, 716
 Fontconfig, 277
 FOP, 1181
 Freeglut, 706
 FreeTTS, 1094
 FreeType, 275
 FriBidi, 291
 G-Wrap, 250
 GAIL, 825
 Gaim, 1008
 GAL-1, 944
 Galeon, 991
 GC, 380
 gcalctool, 882
 GCC-3.3.6, 387

GCC-4.0.3, 382
 GConf, 783
 GConf-1, 938
 GConf Editor, 868
 GDBM, 229
 GDK Pixel Buffer, 933
 GDM, 902
 gedit, 860
 Giflib, 268
 GIMP, 964
 Gimp-Print, 1139
 GLib-1, 231
 GLib2, 233
 GMime, 256
 GMP, 227
 GNet, 472
 GNOME Games, 896
 GNOME Icon Theme, 797
 GNOME Magnifier, 919
 GNOME Media, 878
 GNOME Netstatus, 880
 GNOME Session, 817
 GNOME Speech, 917
 GNOME System Monitor, 872
 GNOME Terminal, 821
 GNOME Themes, 804
 GNOME Utilities, 870
 GNOME Applets, 827
 Gnome-audio, 856
 Gnome-backgrounds, 810
 GNOME Desktop, 808
 GNOME Doc Utils, 806
 Gnome-keyring, 799
 GNOME Keyring Manager, 892
 GNOME Libraries, 931
 Gnome-menus, 812
 GNOME MIME Data, 786
 gnome-mount, 874
 GNOME Panel, 815
 GNOME Print, 935
 gnome-screensaver, 906
 GNOME User Docs, 837
 GNOME Virtual File System, 789
 GNOME Virtual File System-1, 940
 gnome-volume-manager, 894
 Gnopernicus, 921
 GnuCash, 961
 Gnumeric, 958
 GnuPG, 152
 GOffice, 708
 GOK, 923
 GPM, 332
 Graphviz, 324
 GStreamer, 1070
 GStreamer Base Plug-ins, 1073
 GStreamer Good Plug-ins, 1075
 GStreamer Ugly Plug-ins, 1077
 GSview, 1176
 GTK, 684
 GTK Engines, 803
 GTK-Doc, 304
 GTK2, 692
 GtkHTML, 847
 GtkHTML-1, 952
 gtksourceview, 852
 gucharmap, 884
 Guile, 390
 Guppi, 946
 HAL, 368
 Hd2u, 303
 Hdparm, 338
 Heimdal, 157
 Heirloom mailx, 523
 Hicolor-icon-theme, 703
 HTML Tidy, 312
 Id3lib, 1053
 ImageMagick, 300
 Imlib, 283
 Imlib2, 287
 Inetutils, 487
 Intltool, 308
 Iptables, 141
 ISO Codes, 255
 JadeTeX, 1193
 Java Access Bridge, 913
 JDK, 393
 JOE, 196
 K3b, 1124
 Kde-i18n, 765
 Kdeaccessibility, 755
 Kdeaddons, 763
 Kdeadmin, 739
 Kdeartwork, 761
 Kdebase, 735
 Kdebindings, 773
 Kdeedu, 753
 Kdegames, 759
 Kdegraphics, 748

Kdelibs, 732	Libogg, 1037
Kdemultimedia, 745	Libpcap, 476
Kdenetwork, 741	Libpng, 264
Kdepim, 743	libquicktime, 1047
Kdesdk, 767	Librep, 400
Kdetools, 757	Libsvg, 281
Kdeutils, 751	Libsoup, 474
Kdevelop, 769	LibTIFF, 266
Kdewebdev, 771	Libusb, 253
KOffice, 971	Libvorbis, 1038
LAME, 1090	Libwnck, 699
Leafnode, 616	Libxklavier, 704
LessTif, 694	Libxml, 219
Liba52, 1063	Libxml2, 221
Libao, 1035	Libxslt, 223
Libart-lgpl, 280	Links, 477
Libbonobo, 781	Linux-PAM, 131
Libbonoboui, 795	little cms, 271
Libcaplet, 948	LPRng, 1131
Libcoco, 237	Luit, 662
libdrm, 260	Lynx, 480
Libdv, 1061	LZO, 252
Libdvdcss, 1057	MC, 354
Libdvread, 1059	MesaLib, 710
libESMTP, 243	Metacity, 719
Libexif, 289	MIT Kerberos V5, 166
LibFAME, 1049	Mpg123, 1084
Libgail-gnome, 915	MPlayer, 1104
Libghttp, 951	MySQL, 605
Libglade, 240	Nano, 194
Libglade-1, 942	NAS, 1040
Libgnome, 791	NASM, 402
Libgnomecanvas, 793	Nautilus, 831
Libgnomecups, 841	Nautilus CD Burner, 876
Libgnomeprint, 843	NcFTP, 489
libgnomeprintui, 845	Net-tools, 491
Libgnomeui, 801	NFS Utilities, 551
Libgsf, 238	Nmap, 515
Libgtkhtml, 225	NSS, 182
LibGTop, 823	NTP, 494
LibIDL, 235	OAF, 929
Libidn, 258	OpenJade, 1156
libjpeg, 262	OpenLDAP, 619
Libmad, 1045	OpenOffice, 973
Libmikmod, 1068	OpenSP, 1153
Libmng, 273	OpenSSH, 555
libmpeg2, 1081	OpenSSL, 125
LibMPEG3, 1043	ORBit, 927
libmusicbrainz, 1079	ORBit2, 779

Other Programming Tools, 433
 Pan, 1003
 Pango, 688
 paps, 1186
 PCI Utilities, 347
 PCRE, 211
 PDL, 404
 Perl modules, 409
 PHP, 419
 Pilot-link, 319
 Pine, 532
 Pkg-config, 351
 Poppler, 292
 Popt, 213
 Portmap, 498
 Postfix, 589
 PostgreSQL, 609
 PPP, 455
 Procmail, 525
 Proftpd, 558
 PSUtils, 1174
 Python, 423
 PyXML, 425
 Qpopper, 595
 Qt, 678
 ReiserFS, 185
 Rep-gtk, 296
 rman, 331
 RP-PPPoE, 463
 rsync, 624
 Ruby, 427
 S-Lang, 215
 Samba, 562
 SANE, 1141
 Sawfish, 714
 Screen, 310
 ScrollKeeper, 306
 SDL, 1033
 SeaMonkey, 977
 Sendmail, 598
 SGML Common, 1147
 Shadow, 134
 shared-mime-info, 701
 SLIB, 248
 Sound Juicer, 898
 Soup, 949
 Speex, 1051
 Startup-notification, 697
 Stunnel, 176
 Subversion, 502
 sudo, 180
 Sysstat, 357
 System-tools-backends, 854
 Tcl, 429
 TCP Wrapper, 506
 Tcsh, 205
 teTeX, 1189
 Thunderbird, 996
 TIN, 535
 Tk, 431
 Totem, 900
 Traceroute, 513
 Transcode, 1112
 Tripwire, 154
 UDFtools, 1120
 unixODBC, 321
 UnZip, 342
 usbutils, 349
 Vim, 189
 Vorbis Tools, 1086
 vsftpd, 571
 VTE, 819
 W3m, 482
 Wget, 508
 Which, 340
 Whois, 517
 Wireless Tools, 510
 WvDial, 457
 WvStreams, 469
 Luit, 657
 XChat, 1010
 XFce, 721
 XFree86, 642
 XFS, 187
 Xine Libraries, 1066
 Xine User Interface, 1110
 Xinetd, 574
 XMMS, 1088
 Xorg, 636
 Xorg, 650
 Xorg-7.1 Applications, 658
 Xorg Data, 650
 Xorg Drivers, 665
 Xorg Fonts, 661
 Xorg Libraries, 655
 Xorg Protocol Headers, 652
 Xorg Server, 663
 Xorg Utilities, 653

Xpdf, 1178
 XSane, 1145
 Xscreensaver, 317
 xterm, 329
 XviD, 1064
 Yelp, 835
 Zenity, 886
 Zip, 345
 ZSH, 207

Programs

a2ps, 1171
 a52dec, 1063
 aafire, 285
 aainfo, 285
 aalib-config, 286
 aatest, 286
 aaxine, 1111
 ab, 542
 AbiWord-2.4, 957
 ac3dec, 1022
 accept, 1130
 aconnect, 1019
 acyclic, 325
 addr2name.awk, 385
 afslog, 163
 akregator, 744
 alsacnf, 1019
 alsactl, 1019
 alsamixer, 1019
 amidi, 1019
 amixer, 1019
 amor, 758
 animate, 302
 ant, 361
 antRun, 361
 antRun.pl, 361
 anvil, 592
 aoss, 1027
 apachectl, 543
 aplay, 1019
 aplaymidi, 1019
 appletviewer, 398
 applyfilter, 618
 apxs, 543
 arecord, 1019
 arecordmidi, 1020
 ark, 752
 arp, 492
 artsbuilder, 747
 artsc-config, 731
 artscat, 731
 artscontrol, 731
 artsd, 731
 artsdsp, 731
 artspplay, 731
 artsshell, 731
 artswrapper, 731
 as10k1, 1022
 aseqdump, 1020
 aseqnet, 1020
 aserver, 1015
 ash, 204
 aspell, 247
 aspell-import, 247
 assistant, 683
 at-spi-registryd, 912
 au{utilities}, 1041
 audacious, 1098
 audiofile-config, 1029
 autoexpect, 378
 automount, 123
 autopasswd, 378
 avibench, 1103
 avicap, 1103
 avicat, 1103
 avicodec, 1113
 avidump, 1113
 avifile-config, 1103
 avifix, 1113
 aviindex, 1113
 avimake, 1103
 avimerge, 1113
 aviplay, 1103
 avirec, 1103
 avirecompress, 1103
 avisplit, 1113
 avisync, 1113
 avitype, 1103
 b2m, 193
 balsa, 1007
 bc, 295
 bcomps, 325
 berkeley_db_svc, 604
 bluefish, 201
 bmp2tiff, 267
 bounce, 592
 bug-buddy, 859

cacaxine, 1111
 cancel, 1130, 1132
 capinfos, 522
 card, 1171
 ccomps, 325
 cdda2wav, 1116
 cdparanoia, 1093
 cdrdao, 1119
 cdrecord, 1116
 cdrwtool, 1121
 cervisia, 768
 chat, 456
 checkgroups, 618
 checkmail, 1041
 checkpc, 1132
 circo, 326
 cjpeg, 263
 cleanup, 592
 clusterdb, 611
 collateindex.pl, 1159
 compare, 302
 compface, 298
 complete-ant-cmd.pl, 361
 composeglyphs, 1171
 composite, 302
 compressdoc, 111
 conjure, 302
 cons.saver, 356
 convert, 302
 cpio, 353
 create-cracklib-dict, 130
 createdb, 611
 createlang, 611
 createuser, 611
 cryptdir, 378
 cspctl, 1023
 ctags, 193
 cue2toc, 1119
 cups-calibrate, 1140
 cups-config, 1130
 cupsaddsmb, 1130
 cupsd, 1130
 cupstestppd, 1130
 curl, 468
 curl-config, 468
 cvs, 486
 cvsbug, 486
 c_rehash, 126
 DataManager, 323
 DataManagerII, 323
 dbmanage, 543
 dbus-binding-tool, 366
 dbus-cleanup-sockets, 366
 dbus-daemon, 366
 dbus-launch, 366
 dbus-monitor, 366
 dbus-send, 366
 dbus-viewer, 366
 dc, 295
 debugreiserfs, 186
 decryptdir, 378
 designer, 683
 desktop-file-install, 316
 desktop-file-validate, 316
 devdump, 1116
 dfctest, 522
 dhclient, 459, 615
 dhcpcd, 462
 dhcpcd, 615
 dhcrelay, 615
 diffpp, 1173
 dig, 549
 dijkstra, 326
 dillo, 995
 disable, 1130
 disable-paste, 333
 discard, 592
 dislocate, 378
 display, 302
 djpeg, 263
 dl10k1, 1022
 dltest, 323
 dnsdomainname, 492
 dnssec-keygen, 549
 dnssec-signzone, 550
 docbook2*, 1161
 domainname, 492
 dos2unix, 303
 dot, 326
 dot2gxl, 326
 dotty, 326
 dot_static, 326
 doxygen, 376
 doxytag, 376
 doxywizard, 376
 dpid, 995
 dpidc, 995
 dropdb, 611

droplang, 611
 dropuser, 611
 dubdv, 1062
 dvconnect, 1062
 ebrowse, 193
 echomixer, 1022
 ecpg, 611
 ed, 199
 editcap, 522
 editmap, 601
 ekiga, 891
 emacs, 193
 emacsclient, 193
 enable, 1130
 encodedv, 1062
 enscript, 1173
 envy24control, 1022
 eog, 863
 epiphany, 889
 epsffit, 1175
 erb, 428
 error, 592
 escputil, 1140
 esd, 1032
 esd-config, 1032
 esdcat, 1032
 esdctl, 1032
 esdfilt, 1032
 esdloop, 1032
 esdmon, 1032
 esdplay, 1032
 esdrec, 1032
 esdsample, 1032
 etags, 193
 ethereal, 522
 eventlogadm, 569
 evince, 865
 evince-thumbailer, 865
 evolution-2.6, 970
 exicyclog, 588
 exigrep, 588
 exim-4.43-2, 588
 eximon, 588
 eximon.bin, 588
 eximstats, 588
 exim_checkaccess, 588
 exim_dbmbuild, 588
 exim_dumpdb, 588
 exim_fixdb, 588
 exim_lock, 588
 exim_tidydb, 588
 exinext, 588
 exipick, 588
 exiqgrep, 588
 exiqsumm, 588
 exiwhat, 588
 expect, 378
 expectk, 379
 exportfs, 553
 extcheck, 398
 extract_a52, 1063
 extract_ac3, 1022
 extract_mpeg2, 1082
 fastjar, 385
 fax2ps, 267
 fax2tiff, 267
 fbrun, 718
 fbsetbg, 718
 fbsetroot, 718
 fbxine, 1111
 fc-cache, 279
 fc-list, 279
 fc-match, 279
 fcron, 336
 fcrondyn, 337
 fcronsighup, 337
 fcrontab, 337
 fdp, 326
 fetchmail, 528
 fetchmailconf, 528
 fetchnews, 618
 ffmpeg, 1101
 ffplay, 1101
 ffserver, 1101
 fgr, 723
 file-roller, 867
 findsmb, 569
 firefox, 990
 firefox-config, 990
 fixnt, 1171
 fixps, 1171
 flac, 1056
 flea, 530
 flush, 592
 fluxbox, 718
 fluxbox-generate_menu, 718
 fop.sh, 1185
 formail, 526

FORTRAN, 388
 freetype-config, 276
 fribidi, 291
 fribidi-config, 291
 fsck.xfs, 188
 ftp, 163, 171
 ftp-rfc, 378
 ftpcount, 560
 ftpd, 163, 171, 488
 ftpshut, 560
 ftptop, 560
 ftpwho, 561
 funzip, 344
 g-wrap-config, 251
 g77, 388
 gaim, 1009
 gaim-remote, 1009
 galeon, 992
 galeon-config-tool, 992
 gamma4scanimage, 1143
 gam_server, 218
 gc, 326
 gcalctool, 883
 gcdmaster, 1119
 gcj, 385
 gcj-dbtool, 385
 gcjh, 385
 gconf-editor, 869
 gconf-merge-tree, 784
 gconftool-2, 784
 gdialog, 887
 gdk-pixbuf-csource, 693
 gdk-pixbuf-query-loaders, 693
 gdm, 905
 gdm-restart, 905
 gdm-safe-restart, 905
 gdmsetup, 905
 gedit, 861
 gfloppy, 871
 gfortran, 385
 gif2epsn, 269
 gif2ps, 269
 gif2rgb, 269
 gif2tiff, 267
 gif2x11, 269
 gifasm, 269
 gifbg, 269
 gifburst, 269
 gifclip, 269
 gifclrm, 269
 gifcolor, 269
 gifcomb, 269
 gifcompose, 269
 gifiltr, 269
 gifflip, 269
 gifhisto, 269
 gifinfo, 269
 gifinter, 269
 gifinto, 269
 gifix, 269
 gifovly, 269
 gifpos, 269
 gifrotat, 269
 gifsize, 269
 gifspng, 269
 gifttext, 269
 gifwedge, 269
 gij, 385
 gimp-2.2, 966
 gimp-remote-2.2, 966
 gimpprint-config, 1140
 gimpool-2.0, 966
 gjni, 385
 glib-config, 231
 glib-genmarshal, 234
 glib-gettextize, 234
 glib-mkenums, 234
 glxgears, 670, 712
 glxinfo, 670, 712
 gmenu-simple-editor, 814
 gmime-config, 257
 gmplayer, 1109
 gnat, 385
 gnatbind, 386
 gnatbl, 386
 gnatclop, 386
 gnatclean, 386
 gnatfind, 386
 gnatkr, 386
 gnatlink, 386
 gnatls, 386
 gnatmake, 386
 gnatname, 386
 gnatprep, 386
 gnatxref, 386
 gnome-about, 809
 gnome-cd, 879
 gnome-dictionary, 871

gnome-doc-prepare, 807
 gnome-eject, 875
 gnome-keyring-daemon, 800
 gnome-keyring-manager, 893
 gnome-menu-spec-test, 814
 gnome-mount, 875
 gnome-netstatus-applet, 881
 gnome-screensaver, 909
 gnome-screenshot, 871
 gnome-search-tool, 871
 gnome-session, 818
 gnome-session-*, 818
 gnome-sound-recorder, 879
 gnome-system-log, 871
 gnome-system-monitor, 873
 gnome-terminal, 822
 gnome-volume-control, 879
 gnome-volume-manager, 895
 gnome-volume-properties, 895
 gnome-wm, 818
 gnopernicus, 922
 gnucash, 963
 gnumeric-1.6.3, 960
 gobject-query, 234
 gok, 924
 gpg, 153
 gpgsplit, 153
 gpgv, 153
 gpm, 333
 gpm-root, 334
 gprmake, 386
 grep-changelog, 193
 grepjar, 386
 grmic, 386
 grmiregistry, 386
 growisofs, 1123
 gs, 1134, 1138
 gst-feedback-0.10, 1071
 gst-inspect-0.10, 1072
 gst-launch-0.10, 1072
 gst-typefind-0.10, 1072
 gst-visualise-0.10, 1074
 gst-xmlinspect-0.10, 1072
 gst-xmllaunch-0.10, 1072
 gstreamer-properties, 879
 gsview, 1177
 gsview-help, 1177
 gtk-config, 685
 gtk-query-immodules-2.0, 693
 gtk-update-icon-cache, 693
 gtkdoc*, 305
 gtreelang, 386
 gucharmap, 885
 guile, 391
 guile-config, 391
 guile-snarf, 391
 guile-tools, 392
 gvcolor, 326
 gview, 191
 gvim, 191, 191
 gvimdiff, 191
 gvpack, 326
 gvpr, 326
 gxl2dot, 326
 hal-device, 372
 hal-device-manager, 372
 hal-find-by-capability, 372
 hal-find-by-property, 372
 hal-get-property, 372
 hal-set-property, 372
 hald, 372
 hdparm, 339
 hdspconf, 1022
 hdsploder, 1022
 hdspxmixer, 1022
 hltest, 334
 host, 550
 hostname, 492
 hoststat, 601
 hprop, 163
 hpropd, 163
 htdigest, 543
 httpasswd, 543
 httpd, 543
 icc2ps, 271
 icclink, 272
 icctrans, 272
 icon2gif, 270
 id3convert, 1053
 id3cp, 1054
 id3info, 1054
 id3tag, 1054
 identify, 302
 idl2eth, 522
 idle, 424
 idlj, 398
 idn, 259
 iecset, 1020

ifconfig, 492
 ifrename, 511
 ijsgimpprint, 1140
 import, 302
 inetd, 488
 initdb, 611
 install-catalog, 1148
 instdso.sh, 543
 intltool-extract, 309
 intltool-merge, 309
 intltool-prepare, 309
 intltool-update, 309
 intltoolize, 309
 iostat, 358
 ip6tables, 142
 ipcclean, 611
 ipmaddr, 492
 ipop2d, 533
 ipop3d, 533
 ipropd-master, 163
 ipropd-slave, 163
 iptables, 142
 iptables-restore, 142
 iptables-save, 142
 iptunnel, 492
 irb, 428
 irkick, 752
 isodebug, 1116
 isodump, 1117
 isoinfo, 1117
 isovfy, 1117
 ispell, 247
 isql, 323
 issndfile, 1041
 itox, 584
 iusql, 323
 iwconfig, 511
 iwevent, 511
 iwgetid, 511
 iwlist, 511
 iwpriv, 511
 iwspy, 511
 jade, 1157
 jadetex, 1196
 jar, 398
 jarsigner, 398
 java, 398
 javac, 398
 javadoc, 398
 javah, 398
 javap, 398
 javaws, 398
 jcf-dump, 386
 jdb, 398
 jmacs, 196
 joe, 197
 jpegicc, 272
 jpegtran, 263
 jpico, 197
 jstar, 197
 juk, 747
 jv-convert, 386
 jv-scan, 386
 jw, 1161
 k3b, 1126
 k3bsetup, 1126
 k5srvutil, 171
 kaboodle, 747
 kaddressbook, 744
 kadmin, 163, 171
 kadmind, 163, 171
 kalarm, 744
 kalzium, 754
 kandy, 744
 karm, 744
 kate, 737
 kaudiocreator, 747
 kbabel, 768
 kbruch, 754
 kcachegrind, 768
 kcalc, 752
 kcharselect, 752
 kchart, 972
 kcm, 163
 kcolorchooser, 749
 kcoloredit, 749
 kcontrol, 737
 kcron, 740
 kdat, 740
 kdb5_util, 171
 kdc, 163
 kdebugdialog, 737
 KDE Games, 759
 KDE Support Programs, 734
 kdestroy, 163, 171
 kdesu, 737
 kdevelop, 770
 kdf, 752

kdict, 742	knotes, 744
kdm, 737	kodo, 758
kdvi, 749	kolourpaint, 749
kedit, 752	kompare, 768
keduca, 754	konqueror, 737
kexi, 972	konsole, 737
keytool, 398	konsolekalendar, 744
kf, 163	kontakt, 744
kfax, 749	kooka, 749
kfaxview, 749	kopete, 742
kfd, 163	korganizer, 744
kfind, 737	korn, 744
kfloppy, 752	kpackage, 740
kformula, 972	kpager, 737
kget, 742	kpasswd, 163, 171
kgetcred, 163	kpasswdd, 164
kghostview, 749	kpdf, 749
kgpg, 752	kpercentage, 754
khangman, 754	kpf, 742
khelpcenter, 737	kpilot, 744
khexedit, 752	kpovmodeler, 749
kibitz, 378	kppp, 742
kicker, 737	kpresenter, 972
kiconedit, 749	kprinter, 737
kig, 754	kprop, 171
kinfocenter, 737	kpropd, 171
kinit, 163, 171	krb5-config, 164, 171
kitchensync, 744	krb5kdc, 171
kiten, 754	krdc, 742
kivio, 972	krec, 747
kjots, 752	kregexpeditor, 752
kplato, 972	krfb, 742
kleopatra, 744	krita, 972
klettres, 754	kruler, 749
klipper, 737	kscd, 747
klist, 163, 171	kshd, 171
klogind, 171	ksirc, 742
kmag, 756	ksnapshot, 749
kmail, 744	ksplash, 737
kmenuedit, 737	kspread, 972
kmessedwords, 754	kstars, 754
kmid, 747	kstash, 164
kmix, 747	ksu, 172
kmoon, 758	ksysguard, 737
kmousetool, 756	ksysv, 740
kmouth, 756	ktalkd, 742
kmplot, 754	kteatime, 758
knewsticker, 742	ktimer, 752
knode, 744	ktnef, 744

ktouch, 754
 ktutil, 164, 172
 ktux, 758
 kugar, 972
 kuickshow, 749
 kuser, 740
 kv41setup, 1103
 kverbos, 754
 kview, 749
 kviewshell, 749
 kvno, 172
 kvoctrain, 754
 kwalletmanager, 752
 kwatchgnupg, 744
 kwifimanager, 742
 kword, 972
 kworldclock, 758
 kwrite, 737
 kx, 164
 kxd, 164
 kxkb, 737
 kxsldb, 772
 lame, 1091
 ld10k1, 1022
 ld10k1d, 1022
 ldapadd, 623
 ldapcompare, 623
 ldapdelete, 623
 ldapmodify, 623
 ldapmodrdn, 623
 ldappasswd, 623
 ldapsearch, 623
 ldapwhoami, 623
 ldrdf, 403
 leafnode, 618
 leafnode-version, 618
 lefty, 326
 libesmtplib-config, 243
 libfame-config, 1050
 libgailutil.so, 826
 libglade-convert, 241
 libIDL-config-2, 236
 libmikmod-config, 1069
 libpng12-config, 265
 libquicktime-config, 1048
 libusb-config, 254
 linguist, 683
 links, 479
 lisa, 742
 lmt, 592
 lneato, 326
 lo10k1, 1022
 local, 593
 lockfile, 526
 login, 164
 login.krb5, 164
 logresolve, 543
 lp, 1130, 1132
 lpadmin, 1130
 lpc, 1130, 1132
 lpd, 1132
 lpinfo, 1130
 lpmove, 1130
 lppoptions, 1130
 lppasswd, 1130
 lpq, 1130, 1132
 lpr, 1130, 1132
 lprm, 1130, 1132
 lprng_certs, 1132
 lprng_index_certs, 1132
 lpstat, 1130, 1132
 lpunlock, 378
 lqt-config, 1048
 lqtplay, 1048
 lqt_transcode, 1048
 lrelease, 683
 lshal, 372
 lspci, 348
 lsusb, 350
 luit, 662
 lupdate, 683
 lwresd, 550
 lynx, 481
 Magick-config, 302
 magnifier, 920
 mailq, 593, 601
 mailstat, 526
 mailstats, 601
 mailx, 524
 makemap, 601
 master, 593
 mc, 356
 mcedit, 356
 mcmfmt, 356
 mcpid, 731
 mcview, 356
 mencoder, 1109
 merge, 522

- metacity, 720
- metacity-theme-viewer, 720
- metacity-window-demo, 720
- metaflac, 1056
- metamutt, 537
- mev, 334
- mii-tool, 492
- mixartloader, 1022
- mkafmmap, 1173
- mkfs.xfs, 188
- mkhybrid, 1117
- mkisofs, 1117
- mkpasswd, 378
- mkreiserfs, 186
- mkudffs, 1121
- moc, 683
- mogrify, 302
- montage, 302
- motif-config, 696
- mount.cifs, 569
- mount.smbfs, 569
- mouse-test, 334
- mp3rtp, 1091
- mp3x, 1091
- mpeg2dec, 1082
- mpeg3cat, 1044
- mpeg3dump, 1044
- mpeg3peek, 1044
- mpeg3toc, 1044
- mpg123, 1085
- mplayer, 1109
- mpstat, 358
- mt, 353
- mtest, 533
- multixterm, 379
- mutt, 531
- mutt_dotlock, 531
- mwm, 696
- mxmkmf, 696
- named, 550
- named-checkconf, 550
- named-checkzone, 550
- nameif, 492
- nano, 195
- nasd, 1042
- nasm, 403
- native2ascii, 398
- nautilus, 832
- nautilus-cd-burner, 877
- ncftp, 490
- ncftpbatch, 490
- ncftpbookmarks, 490
- ncftpget, 490
- ncftpls, 490
- ncftpput, 490
- ncftpspooler, 490
- ndisasm, 403
- neon-config, 505
- net, 569
- netstat, 492
- newaliases, 593, 601
- newsq, 618
- nfsstat, 553
- nhfsgraph, 554
- nhfsnums, 554
- nhfsrun, 554
- nhfsstone, 554
- nisdomainname, 492
- nmap, 515
- nmapfe, 516
- nmbd, 569
- nmblookup, 569
- noatun, 747
- nop, 327
- nqmgr, 593
- nslookup, 550
- nspr-config, 184
- nss-config, 184
- nsupdate, 550
- ntlm_auth, 569
- ntp-keygen, 496
- ntp-wait, 496
- ntpd, 496
- ntpdate, 496
- ntpd, 496
- ntpd, 496
- ntpq, 496
- ntptime, 496
- ntptrace, 496
- oclock, 648
- ODBCConfig, 323
- odbcinst, 323
- odbctest, 323
- odbc_config, 323
- ogg123, 1087
- oggdec, 1087
- oggenc, 1087
- ogginfo, 1087
- ogonkify, 1171

- omshell, 615
- onsgmls, 1154
- openjade, 1157
- openssl, 127
- opt-case.pl, 537
- oqmgr, 593
- orbd, 398
- osgmlnorm, 1154
- ospam, 1154
- ospcat, 1154
- ospent, 1154
- osx, 1154
- otp, 164
- otpprint, 164
- over, 1173
- pal2rgb, 267
- pam_tally, 133
- pan, 1004
- pango-querymodules, 689
- paps, 1187
- passmass, 378
- pcre-config, 212
- pcregrep, 212
- pcretest, 212
- pcxhrloader, 1022
- pdbedit, 569
- pdffonts, 1180
- pdfimages, 1180
- pdfinfo, 1180
- pdfjadetex, 1196
- pdftoppm, 1180
- pdftops, 1180
- pdftotext, 1180
- pdiff, 1171
- pdl, 408
- pdlldoc, 408
- pear, 422
- perlidl, 408
- pfrom, 164
- pg_config, 611
- pg_controldata, 611
- pg_ctl, 612
- pg_dump, 612
- pg_dumpall, 612
- pg_resetxlog, 612
- pg_restore, 612
- php, 422
- pickup, 593
- pico, 533
- pilot, 533
- pilot-link programs, 320
- pine, 533, 533
- pipe, 593
- pkg-config, 351
- pktsetup, 1121
- playbucket, 1042
- playdv, 1062
- plipconfig, 493
- pltcl_delmod, 612
- pltcl_listmod, 612
- pltcl_loadmod, 612
- pmap_dump, 499
- pmap_set, 499
- policytool, 398
- popper, 164, 597
- portmap, 499
- postalias, 593
- postcat, 593
- postconf, 593
- postdrop, 593
- postfix, 593
- postgres, 612
- postkick, 593
- postlock, 593
- postlog, 593
- postmap, 593
- postmaster, 612
- postqueue, 593
- postsuper, 593
- ppm2tiff, 267
- pppd, 456
- pppdump, 456
- pppoe, 465
- pppoe-connect, 465
- pppoe-relay, 465
- pppoe-server, 465
- pppoe-setup, 465
- pppoe-sniff, 465
- pppoe-start, 465
- pppoe-status, 465
- pppoe-stop, 465
- pppstats, 456
- pptemplate, 408
- praliases, 601
- precat, 247
- preunzip, 247
- prezip, 247
- prezip-bin, 247

procmail, 526
 profiles, 569
 proftpd, 560
 proxymap, 593
 prune, 327
 psbook, 1175
 psmandup, 1171
 psnup, 1175
 pspell-config, 247
 psql, 612
 psresize, 1175
 psselect, 1175
 psset, 1171
 pstops, 1175
 purgestat, 601
 push, 164
 pydoc, 424
 python, 424
 python2.4, 424
 qlo10k1, 1022
 qm2ts, 683
 qmake, 683
 qmgr, 593
 qmqpd, 593
 qtconfig, 683
 qtdechunk, 1048
 qtretchunk, 1048
 qtyuv4toyuv, 1048
 quanta, 772
 randpkt, 522
 rarp, 493
 ras2tiff, 267
 raw2gif, 270
 raw2tiff, 267
 rcp, 164, 172
 rcs-checkin, 193
 rcs2log, 486
 rfdump, 403
 rdflib, 403
 rdjpgcom, 263
 rdx, 403
 readcd, 1117
 red, 199
 reiserfsck, 186
 reiserfstune, 186
 reject, 1130
 rep, 401
 resize, 330
 resize_reiserfs, 186
 rexecd, 488
 rftp, 379
 rgb2gif, 270
 rgb2ycbcr, 267
 rgview, 191
 ri, 428
 rjoe, 197
 rlogin, 172
 rlogin-cwd, 379
 rlogind, 488
 rman, 331
 rmedigicontrol, 1022
 rmic, 398
 rmid, 398
 rmiregistry, 398
 rnano, 195
 rndc, 550
 rndc-confgen, 550
 rotatelog, 543
 route, 493
 rpcclient, 569
 rpc.lockd, 554
 rpc.mountd, 554
 rpc.nfsd, 554
 rpc.rquotad, 554
 rpc.statd, 554
 rpdump, 534
 rpload, 534
 rscsi, 1117
 rsh, 164, 172
 rshd, 164, 488
 rsvg, 282
 rsvg-view, 282
 rsync, 626
 rtin, 536
 ruby, 428
 run-with-aspell, 247
 runant.pl, 362
 runant.py, 362
 runtest, 374
 rxtnet, 164
 rxterm, 164
 sa1, 358
 sa2, 358
 sadc, 358
 sadf, 358
 safe_finger, 507
 sane-config, 1143
 sane-find-scanner, 1144

saned, 1144
 sar, 358
 saslauthd, 175
 sasldblistusers2, 175
 saslpasswd2, 175
 sawfish, 715
 sawfish-client, 715
 sawfish-ui, 715
 sbase, 976
 sbiload, 1023
 scache, 593
 scalc, 976
 scanadf, 1144
 scanimage, 1144
 sccmap, 327
 scgcheck, 1117
 scp, 557
 screen, 311
 sdl-config, 1034
 sdraw, 976
 seamonkey, 983
 sendmail, 593, 601
 serialver, 398
 servertool, 399
 setpci, 348
 sfconvert, 1029
 sfinfo, 1029
 sftp, 557
 sftp-server, 557
 sgmldiff, 1161
 sgmlwhich, 1148
 showmount, 554
 showq, 593
 siggen, 156
 simpress, 976
 slapadd, 623
 slapcat, 623
 slapd, 623
 slapdn, 623
 slapindex, 623
 slappasswd, 623
 slaptest, 623
 slattach, 493
 slib, 249
 sliceprint, 1173
 slsh, 216
 slurpd, 623
 smath, 976
 smbcacls, 569
 smbclient, 569
 smbcontrol, 569
 smbquotas, 570
 smbd, 570
 smbget, 570
 smbmount, 570
 smbpasswd, 570
 smbpool, 570
 smbstatus, 570
 smbtar, 570
 smbtree, 570
 smbmount, 570
 smrsh, 601
 smtp, 593
 smtpd, 593
 smtpd.py, 424
 soffice, 976
 sound-juicer, 899
 soundtohd, 1042
 spadmin, 976
 spawn, 594
 speaker-test, 1020
 speexdec, 1051
 speexenc, 1051
 spell, 247
 sscape_ctl, 1023
 ssconvert, 960
 ssh, 557
 ssh-add, 557
 ssh-agent, 557
 ssh-keygen, 557
 ssh-keyscan, 557
 ssh-keysign, 557
 sshd, 557
 startfluxbox, 718
 startx, 647
 startxfce4, 723
 states, 1173
 string2key, 164
 stunnel, 178
 stunnel3, 178
 su, 164
 sudo, 180
 sudoedit, 181
 superkaramba, 752
 svn, 505
 svnadmin, 505
 svndumpfilter, 505

svnlook, 505
 svnserve, 505
 svnversion, 505
 swat, 570
 swriter, 976
 tab2space, 314
 talkd, 488
 tccat, 1113
 tcdecode, 1113
 tcdemux, 1113
 tcextract, 1113
 tcframe, 1113
 tcsh8.4, 430
 tcmodinfo, 1113
 tcmp3cut, 1113
 tcpd, 507
 tcpdchk, 507
 tcpdmatch, 507
 tcpprobe, 1113
 tcrequant, 1114
 tcscan, 1114
 tcsh, 206
 tcxmlcheck, 1114
 tdbbackup, 570
 tdbdump, 570
 tdbtool, 570
 telnet, 164, 172
 telnetd, 164, 172, 488
 tenletxr, 164
 termidx, 197
 test-speech, 918
 testparm, 570
 teTeX programs, 1192
 tethereal, 522
 texi2dvi4a2ps, 1171
 texpire, 618
 text2gif, 270
 text2pcap, 522
 tftpd, 488
 thumbnail, 267
 thunderbird, 1002
 tickadj, 496
 tidy, 314
 tiff2bw, 267
 tiff2pdf, 267
 tiff2ps, 267
 tiff2rgba, 267
 tiffcmp, 267
 tiffcp, 267
 tiffdither, 267
 tiffdump, 267
 tiffgt, 267
 tifficc, 272
 tiffinfo, 267
 tiffmedian, 267
 tiffset, 267
 tiffsplit, 267
 timed-read, 379
 timed-run, 379
 tin, 536
 tinews.pl, 536
 tknewsbiff, 379
 tkpasswd, 379
 tlsmgr, 594
 tnameserv, 399
 toc2cddb, 1119
 toc2cue, 1119
 toc2mp3, 1119
 totem, 901
 totem-video-thumbnailer, 901
 traceroute, 514
 transcode, 1114
 tred, 327
 tripwire, 154
 trivial-rewrite, 594
 try-from, 507
 ttfadmin.sh, 957
 ttftool, 957
 twadmin, 156
 twm, 647
 twopk, 327
 twprint, 156
 udffsck, 1121
 uic, 683
 uil, 696
 umbrello, 768
 umount.cifs, 570
 unbuffer, 379
 uncompress, 299
 unflatten, 327
 uni, 470
 uniconfd, 470
 unzip, 344
 unzipfsx, 344
 update-desktop-database, 316
 update-mime-database, 702
 update-pciids, 348
 update-usbids, 350

- url_handler.sh, 537
- us428control, 1023
- usx2yloader, 1023
- uucpd, 488
- uudecode, 257
- uuencode, 257
- uxterm, 330
- vacation, 601
- vacuumdb, 612
- vcut, 1087
- verify, 594
- verify_krb5_conf, 164
- virtual, 594
- visudo, 181
- vorbiscomment, 1087
- vsftpd, 573
- vte, 820
- vumeter, 879
- vxloader, 1023
- w2r.pl, 537
- w3m, 483
- w3mman, 483
- Wand-config, 302
- wbinfo, 570
- weather, 379
- wget, 509
- which, 340
- whois, 488, 517
- winbindd, 570
- wish8.4, 432
- wmxmms, 1089
- word-list-compress, 247
- wrjpgcom, 263
- wruidf, 1121
- wtpt, 272
- wvdial, 458
- wvdialconf, 458
- x11perf, 647
- xcalc, 648
- xcam, 1144
- xchat, 1011
- xchat-remote, 1011
- xclock, 648
- xconv.pl, 584
- xdm, 673
- xf86cfg, 647
- xf86config, 647
- xf86gammaconfig, 749
- xfce-mcs-manager, 723
- xfce-setting-show, 723
- xfce4-about, 723
- xfce4-panel, 723
- xfce4-session, 723
- xfdesktop, 723
- xfhelp4, 723
- xflock4, 724
- xfmountdev4, 724
- XFree86, 647
- xfrun4, 724
- xfsamba4, 724
- xfs_admin, 188
- xfs_bmap, 188
- xfs_check, 188
- xfs_copy, 188
- xfs_db, 188
- xfs_freeze, 188
- xfs_growfs, 188
- xfs_info, 188
- xfs_io, 188
- xfs_logprint, 188
- xfs_mkfile, 188
- xfs_ncheck, 188
- xfs_quota, 188
- xfs_repair, 188
- xfs_rtcp, 188
- xftaskbar4, 724
- xfterm4, 724
- xftrash4, 724
- xffm, 724
- xfwm4, 724
- xine, 1111
- xine-bugreport, 1111
- xine-check, 1111
- xine-config, 1067
- xine-remote, 1111
- xinetd, 584
- xinit, 647
- xkibitz, 379
- xload, 647
- xlsfonts, 647
- xmbind, 696
- xml2-config, 222
- xml2po, 807
- xmlcatalog, 222
- xmllint, 222
- xmlproc_parse, 426
- xmlproc_val, 426
- xmlwf, 242

- xmms, 1089
- xmms-config, 1089
- xmodmap, 648
- xnlock, 164
- xpdf, 1180
- xpstat, 379
- xrdb, 674
- xsane, 1146
- xscanimate, 1144
- xscreensaver, 318
- xscreensaver-command, 318
- xscreensaver-demo, 318
- xscreensaver-getimage, 318
- xscreensaver-getimage-file, 318
- xscreensaver-getimage-video, 318
- xscreensaver-gl-helper, 318
- xscreensaver-text, 318
- xslt-config, 224
- xsltproc, 224
- xterm, 647
- xterm, 329
- xvidtune, 647
- xwininfo, 647
- yelp, 836
- yepdomainname, 493
- zenity, 887
- zip, 345
- zipcloak, 345
- zipgrep, 344
- zipinfo, 344
- zipnote, 345
- zipsplit, 346
- zsh, 209

Libraries

- libbonoboui-2.{so,a}, 796
- a52_decore.so, 1114
- af6_decore.so, 1114
- ant-*.jar, 362
- export/filter/import_*.so, 1114
- fop.jar, 1185
- Glib libraries, 234
- gnome-java-bridge.jar, 914
- GTK+ Libraries, 693
- KDE Internationalization, 765
- kde-libraries, 734
- KDE plugins and scripts, 763
- kioslaves, 737
- kio_kamera, 750

- libaspell.so, 247
- liba52.{so,a}, 1063
- libaa.{so,a}, 286
- libagraph.{so,a}, 327
- libao.{so,a}, 1036
- aRts Libraries, 731
- libart_lgpl.{so,a}, 932
- libart_lgpl_2.{so,a}, 280
- libasn1.{so,a}, 164
- libasound.{so,a}, 1015
- libasound_module_pcm_a52.so, 1017
- libasound_module_pcm_jack.so, 1017
- libasound_module_pcm_oss.so, 1017
- libasound_module_pcm_pulse.so, 1017
- libasound_module_pcm_upmix.so, 1017
- libasound_module_pcm_vdownmix.so, 1017
- libasound_module_rate_samplerate.so, 1017
- libatk-1.0.so, 691
- libaudacious.so, 1098
- libaudio.{so,a}, 1042
- libaudiofile.{so,a}, 1029
- libavcodec.so, 1101
- libavformat.so, 1101
- libavipplay*.so, 1103
- libbonobo-2.{so,a}, 782
- libcairo.{so,a}, 687
- libcdda_interface.{so,a}, 1093
- libcdda_paranoia.{so,a}, 1093
- libcdt.{so,a}, 327
- libcompface.{so,a}, 299
- libcrack.{so,a}, 130
- libcrypto.{so,a}, 127
- libcurl.{so,a}, 468
- libdbh.[a,so],
- libdbus-1.{so,a}, 366
- libdha.so, 1109
- libdrm.{so,a}, 260
- libdv.{so,a}, 1062
- libdvdcss.{so,a}, 1058
- libdvdread.{so,a}, 1060
- libe*.so, 851
- libeditline.a, 164
- libeel-2.{so,a}, 830
- libesd.{so,a}, 1032
- libesmtp.{so,a}, 243
- libesmtp SASL plugins, 244
- libethereal.so, 522
- libexif.{so,a}, 290
- libexpat.{so,a}, 242

libexpect5.43.{so,a}, 379
 libexpr.{so,a}, 327
 libexslt.{so,a}, 224
 libfam.{so,a}, 218
 libfame.{so,a}, 1050
 lib{,Ogg}FLAC{,++}.{so,a}, 1056
 libfontconfig.{so,a}, 279
 libfreetype.{so,a}, 276
 libfribidi.{so,a}, 291
 libgail-gnome.so, 916
 libgaim-remote.so, 1009
 libgamin.{so,a}, 218
 libgc.{so,a}, 381
 libgccpp.{so,a}, 381
 libgconf-1.{so,a}, 939
 libgconf-2.{so,a}, 784
 libgdbm.{so,a}, 230
 libgdk.{so,a}, 685
 libgdk_pixbuf.{so,a}, 934
 libgif.{so,a}, 270
 libgimp-2.0.so, 966
 libgimpbase-2.0.so, 966
 libgimpcolor-2.0.so, 966
 libgimpmath-2.0.so, 967
 libgimpmodule-2.0.so, 967
 libgimpthumb-2.0.so, 967
 libgimpui-2.0.so, 967
 libgimpwidgets-2.0.so, 967
 libglade-2.0.{so,a}, 241
 libglib.{so,a}, 232
 libglut.{so,a}, 707
 libgmime-2.0.{so,a}, 257
 libgmp.{so,a}, 228
 libgnet-2.0.{so,a}, 472
 libgnome.{so,a}, 932
 libgnome-2.{so,a}, 792
 libgnome-desktop-2.{so,a}, 809
 libgnome-keyring.so, 800
 libgnome-menu.{so,a}, 814
 libgnomecups-1.0.{so,a}, 842
 libgnomeprint-2-2.{so,a}, 844
 libgnomeprintui-2-2.{so,a}, 846
 libgnomespeech.{so,a}, 918
 libgnomeui.{so,a}, 932
 libgnomeui-2.{so,a}, 802
 libgnorbagtk.{so,a}, 932
 libgoffice-1.so, 709
 libgpm.{so,a}, 334
 libgraph.{so,a}, 327
 libgssapi.{so,a}, 164
 libgssapi_krb5.so, 172
 libgtk.{so,a}, 685
 libgtkhtml-2.{so,a}, 226
 libgtkhtml-3.8.{so,a}, 848
 libgtksourceview-1.0.{so,a}, 853
 libgtop-2.0.{so,a}, 824
 libhal.{so,a}, 372
 libhal-storage.{so,a}, 372
 libhandle.so, 188
 libhdb.{so,a}, 165
 libid3.{so,a}, 1054
 libIDL.{so,a}, 928
 libIDL-2.{so,a}, 236
 libidn.{so,a}, 259
 libIIO.{so,a}, 928
 libimlib-*.so, 284
 libImlib2.{so,a}, 288
 libip*.so, 142
 libiw.so, 511
 libjpeg.{so,a}, 263
 libkadm5clnt.{so,a}, 165, 172
 libkadm5srv.{so,a}, 165, 172
 libkafs.{so,a}, 165
 libkdb5.so, 172
 libkpathsea.a, 1192
 libkrb5.{so,a}, 165, 172
 liblber.{so,a}, 623
 liblcms.{so,a}, 272
 libldap.{so,a}, 623
 libldap_r.{so,a}, 623
 liblpr.{so,a}, 1132
 liblzo2.{so,a}, 252
 libmad.{so,a}, 1046
 libmikmod.{so,a}, 1069
 libmng.{so,a}, 274
 libmp3lame.{so,a}, 1091
 libmpeg2.{so,a}, 1082
 libmpeg2convert.{so,a}, 1082
 libmpeg3.a, 1044
 libmusicbrainz.{so,a}, 1080
 libnautilus-extension.so, 832
 libneon.{so,a}, 505
 libogg.{so,a}, 1037
 libORBit.{so,a}, 928
 libORBit-2.{so,a}, 780
 libORBitutil.{so,a}, 928
 libosp.so, 1155
 libotf.{so,a}, 165

- libpack.{so,a}, 327
- libpam.{so,a}, 133
- libpanel-applet-2.{so,a}, 816
- libpathplan.{so,a}, 328
- libpcap.a, 476
- libpci.a, 348
- libpng12.{so,a}, 265
- libpoppler.{so,a}, 293
- libpoppler-glib.{so,a}, 293
- libpoppler-qt.{so,a}, 293
- libpoppler-qt4.{so,a}, 293
- libpopt.{so,a}, 214
- libpostproc.so, 1109
- libpspell.so, 247
- libquicktime.so, 1048
- librep.so, 401
- libroken.{so,a}, 165
- libsvg-2.{so,a}, 282
- libruby.so, 428
- libsane.so, 1144
- libsane-*.so, 1144
- libsasl2.so, 175
- libscg.a, 1117
- libscrollkeeper.so, 307
- libSDL*.{so,a}, 1034
- libsoup-2.2.{so,a}, 475
- libspeex.{so,a}, 1052
- libssl.{so,a}, 127
- libstartup-notification-1.{so,a}, 698
- libstunnel.so, 179
- libsvn*.{so,a}, 505
- libtcl.so, 430
- libtelephony.{so,a}, 471
- libtidy.{so,a}, 314
- libtiff.{so,a}, 267
- libtiffxx.{so,a}, 267
- libtk.so, 432
- libudffs.a, 1121
- libuniconf.{so,a}, 470
- libunzip.so, 344
- libusb.{so,a}, 254
- libvorbis*.{so,a}, 1039
- libvte.{so,a}, 820
- libwiretap.so, 522
- libwnck-1.{so,a}, 700
- libwrap.{so,a}, 507
- libwvbase.{so,a}, 470
- libwvfft.{so,a}, 470
- libwvoggspex.{so,a}, 471

- libwvoggvorbis.{so,a}, 471
- libwvqt.{so,a}, 471
- libwvstreams.{so,a}, 471
- libwvutils.{so,a}, 471
- libxfce4mcs.[a,so],
- libxfce4util.[a,so],
- libxfcegui4.[a,so],
- libxfrm_actions.so,
- libxfrm_basic.so,
- libxfrm_calls.so,
- libxfrm_cpy.so,
- libxfrm_on_demand.so,
- libxfrm_secondary.so,
- libxfrm_tubo.so,
- libxfs-4.2.[a,so],
- libxine.so, 1067
- libxklavier.{so,a}, 705
- libXm.so, 696
- libxml.{so,a}, 220
- libxml2.{so,a}, 222
- libxmms.{so,a}, 1089
- libxmms-flac.{so,a}, 1056
- libxplc-cxx.a, 471
- libxslt.{so,a}, 224
- libxvidcore.{so,a}, 1065
- libzvt.{so,a}, 932
- Lisp bindings, 297
- mod_authz_svn.so, 505, 505
- muttbug, 531
- Pango libraries, 689
- smixer*.{so,a}, 1015
- sudo_noexec.so, 181
- xercesImpl.jar, 362
- xml-apis.jar, 362

Kernel Configuration

- ALSA, 1014
- Automounter, 121
- Capturing network packets, 520
- dbus, 364
- DHCP, 613
- Iptables, 141
- Kernel-mode PPPoE, 463
- NFS Utilities, 551
- PPP support, 455
- Scanning devices, 1141
- UDF File System, 1120
- Support for Host-side USB, 254
- USB Palm devices, 319

Wireless devices, 510
 XFree86, 643
 Xorg, 637

Configuration Files

\$GNOME_PREFIX/share/gdm/defaults.conf, 903
 \$PGDATA/pg_hba_conf, 610
 \$PGDATA/pg_indent.conf, 610
 \$PGDATA/postgresql.conf, 610
 ~/.mc/*, 356
 ~/.AbiSuite/templates/normal.awt, 956
 ~/.ant/ant.conf, 361
 ~/.antrc, 361
 ~/.asoundrc, 1015
 ~/.bashrc, 105
 ~/.bash_logout, 105
 ~/.bash_profile, 104, 682
 ~/.bluefish, 200
 ~/.cshdirs, 206
 ~/.cshrc, 206
 ~/.cvspass, 485
 ~/.cvsrc, 485
 ~/.cvswrappers, 485
 ~/.dillo/*, 995
 ~/.dircolors, 105
 ~/.ethereal/preferences, 521
 ~/.expect.rc, 378
 ~/.fetchmailrc, 528
 ~/.ffmpeg/ffmpeg-config, 1101
 ~/.fluxbox/init, 716
 ~/.fluxbox/keys, 716
 ~/.fluxbox/menu, 716
 ~/.foprc, 1184
 ~/.gimp-2.0/gimprc, 966
 ~/.gpm-root, 333
 ~/.history, 206
 ~/.joerc, 196
 ~/.libao, 1035, 1087
 ~/.links/*, 478
 ~/.lisarc, 741
 ~/.login, 206
 ~/.logout, 206
 ~/.mailrc, 524
 ~/.mime.types, 530
 ~/.mplayer/*, 1108
 ~/.muttrc, 530
 ~/.mwmrc, 695
 ~/.my.cnf, 606
 ~/.nailrc, 524

~/.nanorc, 194
 ~/.ncftp/*, 490
 ~/.newsrc, 536
 ~/.ogg123rc, 1087
 ~/.orbitrc, 914
 ~/.pangorc, 689
 ~/.perlldrc, 408
 ~/.pinerc, 533
 ~/.procmailrc, 525
 ~/.screenrc, 311
 ~/.slshrc, 215
 ~/.ssh/*, 556
 ~/.subversion/config, 504
 ~/.tcshrc, 206
 ~/.tin/tinrc, 536
 ~/.vimrc, 107, 190
 ~/.w3m/*, 482
 ~/.wgetrc, 508
 ~/.xine/config, 1110
 ~/.xinitrc, 668, 714, 716, 720, 722, 738
 ~/.xmms/config, 1088
 ~/.xpdfrc, 1179
 ~/.Xresources, 674
 ~/.xscreensaver, 318
 \$exp_library/expect.rc, 378
 \$HOME/.profile, 204
 /etc/a2ps/a2ps-site.cfg, 1170
 /etc/a2ps/a2ps.cfg, 1170
 /etc/aliases, 587, 591
 /etc/ant/ant.conf, 361
 /etc/apache/*, 542
 /etc/apache/httpd.conf, 542
 /etc/asound.conf, 1015
 /etc/asound.state, 1018
 /etc/auto.master, 122
 /etc/auto.misc, 122
 /etc/auto.net, 122
 /etc/bashrc, 103
 /etc/csh.cshrc, 206
 /etc/csh.login, 206
 /etc/csh.logout, 206
 /etc/dbus-1/session.conf, 365
 /etc/dbus-1/system.d/hal.conf, 370
 /etc/dbus-1/system.d/halusers.conf, 370
 /etc/dbus-1/system.d/*, 365
 /etc/dbus-1/system.conf, 365
 /etc/default/useradd, 93
 /etc/dhclient.conf, 459, 614
 /etc/dhclient/dhclientd.exe, 461

/etc/dhcpd.conf, 614
 /etc/dillo/dillo.rc, 995
 /etc/dillo/dpid.rc, 995
 /etc/dircolors, 105
 /etc/esd.conf, 1032
 /etc/ethereal.conf, 521
 /etc/exim.conf, 587
 /etc/exportfs, 552
 /etc/fcron.allow, 336
 /etc/fcron.conf, 336
 /etc/fcron.deny, 336
 /etc/ffserver.conf, 1101
 /etc/fonts/*, 278
 /etc/fonts/conf.d/*, 278
 /etc/fstab, 553
 /etc/gimp/2.0/*, 966
 /etc/gnome/2.14.3/gdm/custom.conf, 903
 /etc/gpm-root.conf, 333
 /etc/group, 95
 /etc/gsvim/*, 1177
 /etc/hal/*, 370
 /etc/heimdal/*, 160
 /etc/hosts.allow, 506
 /etc/hosts.deny, 506
 /etc/imlib/imrc, 284
 /etc/inetd.conf, 506, 566, 595, 617, 628, 632
 /etc/issue, 108
 /etc/joe/jmacsrc, 196
 /etc/joe/joerc, 196
 /etc/joe/jpicorc, 196
 /etc/joe/jstarrc, 196
 /etc/joe/rjoerc, 196
 /etc/krb5/krb5.conf, 168
 /etc/ld.so.conf, 682, 728
 /etc/leafnode/config, 617
 /etc/libao.conf, 1035, 1087
 /etc/lisarc, 741
 /etc/login.defs, 95, 136, 136
 /etc/lpd/*, 1131
 /etc/lynx/lynx.cfg, 481
 /etc/mail/*, 600
 /etc/mailcap, 536
 /etc/man_db.conf, 682, 728
 /etc/mime.types, 530
 /etc/mplayer/*, 1108
 /etc/Muttrc, 530
 /etc/my.cnf, 606
 /etc/nail.rc, 524
 /etc/named.conf, 545

/etc/namedb/pz/127.0.0.0, 545
 /etc/namedb/root.hints, 545
 /etc/nano/nanorc, 194
 /etc/nas/nasd.conf, 1041
 /etc/nntpsrv, 617
 /etc/ntp.conf, 462, 494
 /etc/openldap/*, 621
 /etc/openldap/ldap.conf, 621
 /etc/openldap/slapd.conf, 621
 /etc/pam.conf, 133, 136, 318, 336
 /etc/pam.d/*, 133, 136, 336
 /etc/pam.d/gdm, 903
 /etc/pam.d/gdm-autologin, 903
 /etc/pam.d/gnome-screensaver, 908
 /etc/pam.d/samba, 566
 /etc/pam.d/xscreensaver, 318
 /etc/pam.d/xdm, 673
 /etc/pango/pangorc, 689
 /etc/passwd, 95
 /etc/pear.conf, 422
 /etc/php.ini, 422
 /etc/postfix/*, 591
 /etc/ppp/chap-secrets, 464
 /etc/ppp/firewall-masq, 464
 /etc/ppp/firewall-standalone, 464
 /etc/ppp/pap-secrets, 464
 /etc/ppp/peers/*, 457
 /etc/ppp/pppoe-server-options, 464
 /etc/ppp/pppoe.conf, 464
 /etc/ppp/*, 456
 /etc/printcap, 1131
 /etc/procmailrc, 525
 /etc/profile, 99, 204, 682
 /etc/profile.d, 101
 /etc/profile.d/dircolors.sh, 101
 /etc/profile.d/extrapaths.sh, 101
 /etc/profile.d/i18n.sh, 103
 /etc/profile.d/extra-prompt.sh, 103
 /etc/profile.d/readline.sh, 102
 /etc/profile.d/umask.sh, 102
 /etc/profile.d/X.sh, 102
 /etc/proftpd.conf, 559
 /etc/resolv.conf, 462, 464, 545
 /etc/rndc.conf, 545
 /etc/rsyncd.conf, 625
 /etc/samba/smb.conf, 564
 /etc/sane.d/*, 1142
 /etc/saslauthd.conf, 174
 /etc/screenrc, 311

/etc/scrollkeeper.conf, 307
 /etc/security/*, 133, 136
 /etc/security/access.conf, 139
 /etc/security/limits.conf, 139
 /etc/services, 566
 /etc/sgml/catalog, 1150, 1152
 /etc/sgml/sgml.conf, 1148
 /etc/shells, 109
 /etc/skel/*, 93
 /etc/slsh.rc, 215
 /etc/ssh/sshd_config, 556
 /etc/ssh/ssh_config, 556
 /etc/ssl/openssl.cnf, 126
 /etc/stunnel/stunnel.conf, 177, 566
 /etc/subversion/config, 504
 /etc/sudoers, 181
 /etc/sysconfig/.../dhclient, 459
 /etc/sysconfig/autofs.conf, 122
 /etc/sysconfig/createfiles, 617, 668
 /etc/sysconfig/.../dhcpcd, 462
 /etc/sysconfig/mouse, 333
 /etc/sysconfig/nfs-server, 552
 /etc/sysconfig/.../pppoe, 464
 /etc/syslog.conf, 335, 595
 /etc/tin/tin.defaults, 536
 /etc/tin/keymap, 536
 /etc/tin/tinrc, 536
 /etc/tripwire/*, 155
 /etc/udev/rules.d, 97
 /etc/uniconf.conf, 470
 /etc/unixodbc/*, 322
 /etc/vimrc, 107, 190
 /etc/vsftpd.conf, 572
 /etc/w3m/*, 482
 /etc/wgetrc, 508
 /etc/wvdial.conf, 457
 .../app-.../XScreenSaver, 318
 /etc/X11/mwm/system.mwmrc, 695
 /etc/X11/XF86Config, 668, 671
 /etc/X11/xorg.conf, 668, 671
 /etc/xinetd.conf, 506, 566, 574, 595, 617
 /etc/xinetd.d/*, 574
 /etc/xinetd.d/chargen, 574
 /etc/xinetd.d/comsat, 574
 /etc/xinetd.d/cvsserver, 628
 /etc/xinetd.d/daytime, 574
 /etc/xinetd.d/echo, 574
 /etc/xinetd.d/exec, 574
 /etc/xinetd.d/finger, 574
 /etc/xinetd.d/ftp, 574
 /etc/xinetd.d/irc, 574
 /etc/xinetd.d/login, 574
 /etc/xinetd.d/netstat, 574
 /etc/xinetd.d/nntp, 617
 /etc/xinetd.d/ntalk, 574
 /etc/xinetd.d/pop3, 595
 /etc/xinetd.d/rquotad, 574
 /etc/xinetd.d/rstatd, 574
 /etc/xinetd.d/ruserd, 574
 /etc/xinetd.d/shell, 574
 /etc/xinetd.d/sprayd, 574
 /etc/xinetd.d/svn, 632
 /etc/xinetd.d/swat_tunnel, 566
 /etc/xinetd.d/systat, 574
 /etc/xinetd.d/talk, 574
 /etc/xinetd.d/telnet, 574
 /etc/xinetd.d/tftp, 574
 /etc/xinetd.d/time, 574
 /etc/xinetd.d/walld, 574
 /etc/xml/catalog, 1164, 1166
 /etc/xml/docbook, 1164
 /etc/xpdfrc, 293, 1179
 /etc/yp.conf, 462
 /etc/zsh/zlogin, 208
 /etc/zsh/zlogout, 208
 /etc/zsh/zprofile, 208
 /etc/zsh/zshenv, 208
 /etc/zsh/zshrc, 208
 local.perldlrc, 408
 /opt/gnome-1.4/etc/mime-magic, 932
 /opt/gnome-1.4/etc/paper.config, 932
 /opt/.../gnome.soundlist, 932
 /opt/.../gtk-events.soundlist, 932
 /usr/share/alsa/alsa.conf, 1015
 .../alsa/{cards,pcm}/*.conf, 1015
 /usr/share/graphviz/config, 325
 /var/lib/krb5kdc/kdc.conf, 168
 /etc/gnome/2.14.3/gdm/custom.conf, 908

Bootscripts

General Information, 83

alsa, 1018
 apache, 542
 autofs, 122
 bind, 549
 cups, 1129
 cyrus-sasl, 174
 dbus, 365

dhclient (service script), 459
 dhcpd, 614
 dhcpd (service script), 461
 exim, 587
 fcron, 336
 gdm, 905
 gpm, 333
 haldaemon, 371
 heimdal, 162
 iptables, 142
 lisa, 742
 lprng, 1132
 mysql, 607
 nas, 1041
 netfs, 124, 553
 nfs-client, 553
 nfs-server, 552
 ntp, 495
 openldap, 621
 portmap, 499
 postfix, 592
 postgresql, 611
 pppoe (service script), 464
 proftpd, 560
 popper, 596
 random, 110
 samba, 568
 sendmail, 600
 sshd, 556
 stunnel, 178
 svn, 632
 sysstat, 358
 winbind, 568
 xinetd, 583

Others

~/.fonts, 278
 abiword, 957
 Algorithm::Diff, 416
 ALSA Description, 1013
 Archive::Tar, 413
 Archive::Zip, 409
 Business::ISBN, 412
 Business::ISBN::Data, 412
 Compress::Zlib, 409
 Core X Font Protocol, 671
 Crypt::SSLeay, 412
 Date::Manip, 410
 db2*, 1161

Devel::Symdump, 416
 Digest::BubbleBabble, 415
 Digest::HMAC, 414
 Digest::SHA, 414
 Digest::SHA1, 414
 DRI, 670
 DTD Files, 1165
 ENT-files, 1165
 evolution, 970
 exim, 588
 ExtUtils::CBuilder, 413
 ExtUtils::ParseXS, 413
 Finance::Quote, 410
 Finance::QuoteHist, 410
 gimp, 966
 gimp-remote, 966
 gnome-calculator, 883
 gnome-help, 836
 gnome-text-editor, 861
 gnome-umount, 875
 gnumeric, 960
 HTML::Element::Extended, 411
 HTML::Parser, 411
 HTML::TableExtract, 411
 HTML::Tagset, 411
 HTML::Tree, 411
 Image::Magick, 302
 IO::Socket::INET6, 414
 IO::Zlib, 413
 kauth, 163
 KDE Artwork, 761
 libpng-config, 265
 libsp.so, 1155
 libwww-perl, 411
 mail, 524
 MOD files, 1165
 Module::Build, 412
 Module::Corelist, 412
 Module::Info, 413
 Module::Signature, 414
 nail, 524
 Net::DNS, 414
 Net::IP, 414
 nsgmls, 1154
 PAR::Dist, 414
 Pod::Coverage, 416
 Pod::Escapes, 415
 Pod::Readme, 413
 Pod::Simple, 415

- pstoraster, 1138
- SGML DTD files, 1150, 1152
- SGML entities files, 1148
- SGML MOD files, 1150, 1152
- sgml2xml, 1154
- sgmlnorm, 1154
- SGMLSpm, 415
- slogin, 557
- Socket6, 415
- spam, 1155
- spcat, 1155
- spent, 1155
- Spiffy, 417
- SWAT, 566
- sx, 1155
- tcsh, 430
- Test::Base, 417
- Test::Builder::Tester, 416
- Test::Pod, 415
- Test::Pod::Coverage, 415
- Test::Portability::Files, 413
- Test::Prereq, 412
- Test::Simple, 416
- Text::CSV_PP, 411
- Text::CSV_XS, 411
- Text::Diff, 416
- Tk, 416
- TrueType Fonts, 671
- URI, 412
- /usr/share/fonts, 278
- version, 413
- wish, 432
- XML entities files, 1148
- XML::Parser, 417
- YAML, 417